

KENT DAILY RAINFALL

1921-30

ALKHAM CHILTON FARM	1921 - 30
ANERLEY OAKFIELD RR	1927 - 30
APPLEDORE THE WELL HSE.	1924 - 30
ASHFORD ALBERT RD	1924 - 30
ASHFORD	1921 - 30
AYLESFORD FORSTAL	1928 - 30
BARHAM P. S.	1928 - 30
BARMING HEATH	1921-22, 24-25, 27-30
BECKENHAM	1921 - 30
BEDGEBURY PARK GARDENS	1922 - 30
BELVEDERE	1921 - 22
BENENDEN NATIONAL SANATORIUM	1921 - 30
BETSOMS HILL	1921 - 30
BEXLEY HEATH	1921 - 22
BICKLEY SUNNY DENE	1921 - 26
BICKLEY ST. LUKES VICARAGE	1921 - 22
BICKLEY "FARRANTS"	1921 - 30
BICKNOR RECTORY	1921 - 25
BIDDENDEN AUGUSTUS VILLA	1921 - 25
BIDDENDEN	1928 - 30

P.T.O.

BIGGIN	HILL	1921-30
BIRCHINGTON	ROSE BANK	1921-24
BIRCHINGTON	HOLYDENE	1921-26, 28-30
BIRCHINGTON	ACOL FARM	1929-30
BOUGHTON	ALUPH	1922-30
BRENCHLEY		1930
BROADSTAIRS	DOMUS	1921-30
BROADSTAIRS	VILLA CAP MARTIN	1921-30
BROADSTAIRS	ST PETERS	1921-22, 24-30
BROADSTAIRS	ST PETERS COURT	1921-25
BROMLEY		1921-22
BROMLEY		1923-30
BROMLEY		1927-30
BROMLEY	COMMON	1921-23
BROOKLAND		1921-30
BUCKLAND		1921-30
CANTERBURY	S. W.	1925-30
CANTERBURY	ROUGH COMMON	192 ~~8~~ -30
CANTERBURY	CATEN HILL HSE	1921-23
CANTERBURY	WINGHAM BOYS SCHOOL	1930
CANTERBURY	M. O.	1921-22, 26-30
CANTERBURY	LONDON RD	1921-30

CATERHAM	1929
CHARING PETT PLACE	1927-30
CHARING PUMPING STN	1921-30
CHATHAM WOOLMANS WOOD	1921-30
CHATHAM LUTON WATERWORKS	1921-30
CHASFIELD	1921-30
CHIDDINGSTONE HOATH	1921-22
CHILHAM LOWER EMSDEN	1921-24, 26-29
CHISLEHURST SCADBURY PK	1925-30
CHISLEHURST HAWKWOOD	1925-30
COBHAM SCALES HILL	1921-23
COBHAM SOLE ST HSE	1921-26
CRANBROOK LITTLE GLASSEN BURY	1930
CROSSNESS SOUTHERN OUTFALL	1921-30
DARTFORD WEST HILL HSE	1921-30
DARTFORD TOWER RD	1927-30
DARTFORD CITY OF LONDON MENTAL HOSPITAL	1921-22, 24-30
DARTFORD SEWAGE WORKS	1927-30
DEAL	1922-26
DEAL	1921-22, 24-30
DEPTFORD	1925
DETLING THE CROFT	1921-30

DETLING	THE CROFT	OLD GAUGE	1922-23, 25-30
DOVER	BARTON RD		1924-30
DOVER	W. W.		1921-30
DOVER			1926-30
DOWNE	"PETLEYS"		1921
DUNGENESS			1921-22, 26-30
DUNKIRK	DUNKIRK HSE		1921-22
DYMCHURCH	GROVE HSE		1924-30
DYMCHURCH			1921-30

EASTCHURCH	OLD RIDES	1926-30
EASTMALLING	BROADWATER	1921 - 1927
EAST MALLING	BLACKLANDS	1922 - 30
EAST MALLING	RESEARCH STN	1925 - 30
EAST PECKHAM	WOODBINE	1928 - 30
EDEN BRIDGE	GILBRIDGE	1926 - 30
EDEN BRIDGE	STONEWALL PK.	1925 - 30
ELHAM		1928 - 30
ELHAM	DONEL	1927, 28, 30
ERITH	ST JOSEPH'S CONVENT.	1929 - 30
ERITH	S.W.	1929 - 30
ERITH	SANATORIUM	1929 - 30
EYNSFORD	HILL	1921 - 30
EYNSFORD	RES.	1929 - 30
FAIRSEAT		1922
FALCONHURST		1921 - 30
FAVERSHAM		1924 - 30
FAVERSHAM	LONDON RD.	1930
FAVERSHAM	WESTWOOD COURT	1924
FOLKESTONE		1921 - 28
FOLKESTONE	CHERRY GDNS	1922 - 30
FOLKESTONE	SANATORIUM	1921 - 30

FOLKESTONE	RADNOR PK	1929-30
FRINDSBURY		1921-22
GOUDHURST	GORECOURT	1923-30
GOUDHURST	LIDWELLS	1921-23
GOUDHURST	MAYPOLE	1921
GRAVENEY	MARSHES	1928-30
GRAVESEND		1921-24
HALLING	PUMPING STA.	1921-30
HARRIETSHAM		1925-30
HAWKHURST		1929-30
HAWKHURST	~~AT HALL~~ HENSIL	1921-30
HEADCORN		1923-30
HEVER CASTLE	GDNS	1928-30
HIGHAM	PUMPING STA.	1921-30
HIGH HALDEN		1921-30
HILDENBOROUGH		1921-30
HILDENBOROUGH	GAILES	1926-30
HILDENBOROUGH		1925-26
HOLLINGBOURNE	PENN COURT	1925-30
HOLLINGBOURNE	ELSFIELD HSE.	1929-30
HORSHAMONDEN		1921-22
HILTHE	DOUGLAS AVE.	1927-30

HITHE	1921 - 30
ISLE OF GRAIN	1921 - 24
KENARDINGTON	1923 - 30
KESTON FOREST LODGE	1925
KILNDOWN SCH.	1921 - 30
KNOCKHOLT	1921 - 30
LANLEY RUNWOOD COURT	1921 - 30
LINTON "PARK"	1921
LONGFIELD	1922 - 23
LYDD WESTBROKE HSE	1926 - 30
LYDD THE PADDOCK	1921 - 30
LYMINGE	1921 - 30
LYMPNE	1921 - 30
LYMPNE AERODROME OLD SITE	1930
LYMPN AERODROME NEW SITE	1930
LYNSTED	1921 - 22
MAIDSTONE BENCHLEY GDNS.	1921 - 30
MAIDSTONE MILL ST DEPOT	1921 - 30
MANSTON AERODROME	1929 - 30
MARGATE	1921 - 24
MARGATE	1921 - 30

MARKBEECH	1921-30
MARTIN MILL	1921-30
MATFIELD	1921-25
MATFIELD FRIARS	1921-23
MILTON REGIS. S. W.	1925-30
MINSTER	1921-23
MONGEHAM GT. RECTORY	1921-26
NETTLESTEAD OLD QUARRY	1923-30
NONINGTON	1930.
NORTON COURT	1921-24, 26.
ORPINGTON	1921-30
ORPINGTON BROOKLAND	1921-25
OSPRINGE LORENDEN	1921, 25, 29-30
OSPRINGE QUEENS COURT	1926-30
OTFORD	1921-22
OTHAM	1921-30
PALMSTEAD	1922-24
PEMBURY THE SPRING	1921-30
PEMBURY W. W.	1921-30.
PENGE	1921-30
PENSHURST PARKHOLT	1921-30

PENSHURST	PLACE	1921 - 23, 25-30
PENSHURST	"HAMMERFIELD"	1924 - 26
PLAXTOL		1921
PLUCKLEY		1927 - 30
RAINHAM	MOTNEY S. W.	1929 - 30
RAMSGATE	ARCHER HSE.	1921 - 30
RAMSGATE	M. O.	1921 - 22, 26-30
RECVLVER		1921 - 30
ROCHESTER	STONEHOUSE FARM	1921 - 24.
ROCHESTER	~~B~~	1923 - 30
ROCHESTER	KNIGHTS PLACE	1921 - 30
SALTWOOD		1926 - 29
SANDGATE		1921 - 29
SANDLING	PARK	1921 - 30
SANDWICH	UPTON HSE	1921 - 30
SCOTNEY	CASTLE	1921 - 30
SELLINDGE		1922 - 23
SELLING	GROVE HSE	1924 - 30
SELLING	LUTON	1921 - 30
SELLINDGE	COUNCIL SCH	1922 - 30
SEVENOAKS	CHEVENING GDNS	1921 - 30
SEVENOAKS	SCHOOL	1922 - 24

SEVENOAKS	1926
SEVENOAKS	1921 - 22
SEVENOAKS WILDERNESS GDNS.	1921 - 22
SEVENOAKS RIVERHILL NEW GAUGE	1929 - 30
SEVENOAKS RIVERHILL	1921 - 30
SEVENOAKS SPELDHURST CLOSE	1921 - 30
SEVENOAKS KNOLE	1928 - 30
SHEERNESS	1923 - 30
SHEPHERDSWELL	1923 - 29
SHEPHERDSWELL UPTON LODGE	1923 - 30
SITTINGBOURNE TORRY HILL	1927 - 30
SMEETH CHURCH HSE	1926 - 27
SMEETH SCHOOL	1925 - 30
SNAVE	1923 - 27, 29
SOUTHFLEET	1921 - 30
SPELDHURST RECTORY	1926 - 30
SPELDHURST	1921 - 28
STANDEN LOWER	1924 - 30
STROOD/WATER/WORKS.	1926 - 30
SUNDRIDGE RES.	1929 - 30
SUNDRIDGE RECTORY	1923 - 30

WESTERHAM HILL	1921-30
WATERINGBURY MANOR FARM	1921-22
~~WATERINGBURY~~	
WEST WICKHAM	1926-30
WEST WICKHAM INGLESIDE	1921 24-27
WHITSTABLE	1922
WICKHAM BREAUX	1921
WILMINGTON	1921-30
WINGHAM MARGATE W. W.	1925-30
WOODCHURCH	1921 -30
WORTH	1925-30
WROTHAM	1923 25-30
WROTHAM HEATH	1930
WYE	1925-30

SWANLEY	HORTICULTURAL COLL.	1921-30
SWINGFIELD	ST JOHNS	1929-30
TENTERDEN	ASHENDEN	1927, 29-30
TENTERDEN		1921-25
TEYNHAM		1921, 22, 24-30
TONBRIDGE	MABLEDON PARK	1921-30
TONBRIDGE	THE DRIVE	1924-30
TONBRIDGE		1921-22
TONBRIDGE	LYONS	1923-29
TROSLEY	P.S.	1930
TUNBRIDGE WELLS	HAWKENBURY	1921-30
TUNBRIDGE WELLS	RUSTHALL GRANGE	1929-30
TUNBRIDGE WELLS	SYNDENHURST	1922-25
TUNBRIDGE WELLS	CALVERLEY PK.	1921-30
TUNBRIDGE WELLS	THE WHITE HSE	1921-30
TUNBRIDGE WELLS	SHERWOOD PK	1929-30
ULCOMBE	PLACE	1921-24
WALDERSHARE	PK GDNS	1927-30
WALDERSHARE	RECTORI/	1923-30
WALMER.	DEAL & WALMER WATER WORKS	1921-30
WATERINGBURY	THE LINES	1921-1924
WESTERHAM	TOWN	1921-30

1921-30 MONTHLY RAINFALL DONE ON DAILY SHEETS

ALLINGTON LOCK	1923, 26-30
BARMING HEATH	1926
BIRCHINGTON LODGE	1927
BROMLEY	1923-30
CHISLEHURST	1925-30
COBHAM SOLE ST. HSE	1927
DETLING POLHILL FIELDS	1924-30
EASTCHURCH OLD RIDES	1925
HAWKHURST PIX-HALL	1925
HERN BAY	1921-22, 24-30
KESTON FOREST LODGE	1926-30
LOOSE VICARAGE	1925-27, 29
LYDD WESTBROKE HSE	1925
MANSTON AERODROME	1928
NORTON COURT	1925, 27-30
PENSHURST PLACE	1924
SANDGATE	1930
SEAL KEMSING PUMPING STN	1925-30
SEAL ST LAWRENCE RESERVOIR	1925-30
SEAL OAK BANK RESERVOIR	1929-30
SEVENOAKS	1926-30

ALKHAM
CHILTON FARM
KENT
1921-30

ORGANIZATION.

Kept at Chilton Farm
in the County of Kent
by W. Boulton Smith, B.Sc.

1.....
ing 1° 15' E
8 a.m.
on Keweney.
f Rain Gauge 5 in.
e above Ground 1 ft. 6 in.
,, Sea Level.....ft.
ult entered to the previous day.
requested to add
it at the end of

Jan. 1, following.

IMPORTANT NOTE.—Rain
If an Observer prefers not to confc
the reading at 9 a.m. on 1st Janua
this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges,
and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers,"
sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden
Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	*July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	16	.	.	.	.	.	.	.	.	.	.	18	1
2	04	.	.	.	10	.	.	.	.	.	50	.	2
3	.	.	14	.	.	12	.	16	.	.	15	.	3
4	.	.	.	.	01	.	.	07	.	.	34	.	4
5	02	.	.	.	04	.	.	09	.	.	39	.	5
6	17	.	.	.	12	.	15	.	.	.	.	.	6
7	39	02	.	.	35	.	.	.	.	.	.	.	7
8	.	.	03	06	.	.	.	.	.	.	45	.	8
9	.	03	.	.	.	.	.	.	.	.	.	.	9
10	37	11	.	.	.	.	.	07	07	05	.	02	10
11	20	03	.	.	.	.	.	.	68	.	.	03	11
12	20	03	04	.	.	.	.	186	03	.	.	.	12
13	77	.	05	30	.	.	.	70	14	02	.	17	13
14	.	.	.	.	.	.	.	01	.	02	.	42	14
15	.	.	.	07	.	.	.	.	.	.	.	04	15
16	.	.	.	.	.	.	.	04	.	.	.	.	16
17	09	.	09	66	.	.	.	52	03	.	.	.	17
18	08	03	.	.	.	.	.	.	.	.	.	.	18
19	.	.	28	.	01	.	.	.	.	.	.	20	19
20	.	.	03	04	.	08	.	.	.	07	11	.	20
21	.	.	.	.	.	04	.	11	.	.	.	04	21
22	.	.	.	.	.	.	.	.	.	13	.	24	22
23	.	.	.	20	.	.	.	03	.	.	.	06	23
24	01	.	.	09	.	.	.	03	.	.	.	13	24
25	.	37	.	.	.	.	.	.	.	.	.	15	25
26	02	.	04	.	.	.	.	.	02	.	.	23	26
27	.	.	.	.	05	.	.	.	.	.	.	37	27
28	.	.	18	.	.	.	11	42	.	.	.	07	28
29	01	.	16	.	14	.	07	.	.	.	05	16	29
30	05	X	.	.	11	.	.	.	.	.	.	48	30
31	39	X	.	X	.	X	.	.	X	.	X	.	31
TOTAL	2.97	0.62	1.04	1.42	0.96	0.24	0.33	4.11	0.97	0.29	1.99	2.99	17.93
Days with 01 in. or more	16	7	10	7	9	3	3	13	6	5	7	17	103
Days with 04 in. or more	12	2	8	7	7	3	3	10	3	3	7	15	80

Kept at Chilton Farm, Hearsney
in the County of Kent
by W^m Boulton Smith, B.Sc. (Eng.) Assoc. M.S.C.S.

Lat. 51° 8' 30" N Long 1° 15' E
Time of Observation 8 a.m.
Nearest Railway Station Hearsney
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	*July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.16	.	.	.	.	.	.	.	.	.	.	.18	1
2	.04	.	.	.	.10	.	.	.	.	.	.50	.	2
3	.	.	.14	.	.	.12	.	.16	.	.	.15	.	3
4	.	.	.	.	.01	.	.	.07	.	.	.34	.	4
5	.02	.	.	.	.04	.	.	.09	.	.	.39	.	5
6	.17	.	.	.	.12	.	.15	.	.	.	.	.	6
7	.39	.02	.	.	.35	.	.	.	.	.	.	.	7
8	.	.	.03	.06	.	.	.	.	.	.	.45	.	8
9	.	.03	.	.	.	.	.	.	.	.	.	.	9
10	.37	.11	.	.	.	.	.	.07	.07	.05	.	.02	10
11	.20	.03	.	.	.	.	.	.	.68	.	.	.03	11
12	.20	.03	.04	.	.	.	.	1.86	.03	.	.	.	12
13	.77	.	.05	.30	.	.	.	.70	.14	.02	.	.17	13
14	.	.	.	.	.	.	.	.01	.	.02	.	.42	14
15	.	.	.	.07	.	.	.	.	.	.	.	.04	15
16	.	.	.	.	.	.	.	.04	.	.	.	.	16
17	.09	.	.09	.66	.	.	.	.52	.03	.	.	.	17
18	.08	.03	.	.	.	.	.	.	.	.	.	.	18
19	.	.	.28	.	.01	.	.	.	.	.	.	.20	19
20	.	.	.03	.04	.	.08	.	.	.	.07	.11	.	20
21	.	.	.	.	.	.04	.	.11	.	.	.	.04	21
22	.	.	.	.	.	.	.	.	.	.13	.	.24	22
23	.	.	.	.20	.	.	.	.03	.	.	.	.06	23
24	.01	.	.	.09	.	.	.	.03	.	.	.	.13	24
25	.	.37	.	.	.	.	.	.	.	.	.	.15	25
26	.02	.	.04	.	.	.	.	.	.02	.	.	.23	26
27	.	.	.	.	.05	.	.	.	.	.	.	.37	27
28	.	.	.18	.	.	.	.11	.42	.	.	.	.07	28
29	.01	.	.16	.	.14	.	.07	.	.	.	.05	.16	29
30	.05	X	.	.	.11	.	.	.	.	.	.	.48	30
31	.39	X	.	X	.	X	.	.	X	.	X	.	31
TOTAL	2.94	0.62	1.04	1.42	0.96	0.24	0.33	4.11	0.97	0.29	1.99	2.99	17.93
Days with ".01 in. or more	16	7	10	7	9	3	3	13	6	5	7	17	103
Days with ".04 in. or more	12	2	8	7	7	3	3	10	3	3	7	15	80

AIR MINISTRY.
FORM 1090 METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
(formerly B.R.O. Form A.1) REGISTER OF RAINFALL IN 1922.....

Kept at Hearnsley Chilton Farm
in the County of Glent
by W. B. Smith

Lat..... Long.....
Time of Observation.....
Nearest Railway Station.....
Diameter of Funnel of Rain Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
" " " " Sea Level.....ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.04	.16		.03					.07	.64	.15	1
2	.18	.40	.26	.15					.04				2
3		.04	.06	.70	.21		.14	.08			.17		3
4	.04	.03	.14	.03	.02		.10	.10	.02	.38			4
5			.06	.05			.76		.03	.11	.43		5
6	.05		.07					.84		.08	.36		6
7	.46		.42	.36			.19			.01		.02	7
8	.05		.26	.05		.09	.17	.20		.01	.10		8
9	.10		.10				.27	.45	.04			.06	9
10			.04						.18		.29		10
11	.06				.07								11
12				.45				.07	.36				12
13				.41		.48	.04	.02	.86				13
14	.02					.71	.27	.10	.72				14
15	.30	.39					.04		.08			.01	15
16		.05		.04			.11		.15			.56	16
17		.16		.07	.14		.10		.10			.13	17
18	.41			.05		.07						.22	18
19	1.24	.36	.10		.03				.51	.21		.45	19
20			.09							.12		.03	20
21	.61	.23	.30									.72	21
22		.24	.07	.13			.01	.27		.05		.17	22
23		.11				.08	.02		.38	.29		.05	23
24	.04	.01	.19	.18		.19		.35	.04	.16			24
25	.35	.05	.18	.73		.06	.20	.02				.18	25
26	.05	.40	.14	.19		.34	.23		.66		.15		26
27	.62	.32	.07	.03				.28	.38	.46		.21	27
28	.04	.09	.10	.02		.28		.06		.20	.08	.28	28
29	.32		.02			.06		.15		.23		.17	29
30	.02	~~XX~~	.11				.05	.14	.50	.31	.09	.33	30
31		~~XX~~	.10	~~XX~~		~~XX~~		.06	~~XX~~	.03	~~XX~~	.32	31
TOTAL	4.96	2.92	3.04	3.64	.50	2.36	2.70	3.19	5.05	2.72	2.31	4.06	YEAR'S TOTAL
Days with .01 in. or more	19	16	22	17	6	10	16	16	17	16	9	18	37.45
Days with .04 in. or more	17	14	21	14	3	10	14	14	15	13	9	15	182
													159

AIR MINISTRY.
METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION
REGISTER OF RAINFALL IN 1923.

Kept at Chilton Farm Kearsney Dover
in the County of Kent.
by _____

Lat. 51° 8' N Long. 1° 15' E
Time of Observation 8 am
Nearest Railway Station Kearsney
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 126.5 ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.09	.04	.35						.22		.34	.12	1
2	.33									.09	.02	.32	2
3						.12				.91	.20		3
4									.14			.31	4
5	.35										.18	.10	5
6	.22	.01	.09		.07	.07				.22		.03	6
7	.40	.60	.38		.12		.04			.42		.45	7
8	.05	.32	.06		.30					.31		.22	8
9	.11			.16	.06								9
10		.22		.04	.30					.32		.23	10
11		.02	.07	.01	.07					.19			11
12		.19	.22		.24	.12				.51			12
13	.05	.07	.26		.25		.11			.09	.41		13
14		.06	.10		.05				.04			.13	14
15	.02	.06			.32	.11	.02	.02			.19		15
16		.16			.12	.04					.27	.04	16
17								.17	.11				17
18	.13	.40						.05	.06	.05			18
19	.17	.03				.09			.05	.31		.01	19
20	.02	.06	.09		.10	.04			.42	.06		.07	20
21		.24	.05	.28				.05	.01	.28			21
22	.02	.88	.02	.20					.43	.07	.22	.29	22
23			.42		.25		.06	.45	.45	1.22	.17		23
24		.07						.04	.37	.32		.09	24
25		.05		.29	.09	.12	.09			.30		.86	25
26		.41		.82				.28		.62		.24	26
27		.45	.04		.32		.05	.13		.07		.29	27
28	.02	.31		.01	1.13		.22			.03	.30	.09	28
29	.17			.28	.20		.06	.33				.25	29
30		X					.09			.22		.06	30
31	.01	X		X	.03	X	.16		X	.12	X	.10	31
TOTAL	2.16	4.65	2.15	2.09	4.02	0.71	0.90	1.52	2.24	6.73	2.30	4.30	YEAR'S TOTAL
Days with .01 in. or more	16	21	13	9	18	8	10	9	11	22	10	21	33.77
Days with .04 in. or more	11	18	12	7	17	8	9	8	10	21	9	19	149

Copy

FORM 1090

AIR MINISTRY.
METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1924

Kept at Chilton Farm, Hearnsey
in the County of Kent
by Mr. Dover

Lat. 51° 5' N Long. 1° 15' E
Time of Observation 8 am
Nearest Railway Station Hearnsey
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 126.5 ft.

27.3
1.3 JAN 1925

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.18		.27	.04	.04	.30					.70	.12	WRW
2	.02		.24	.02	.16	.04	.22	.23				.05	JSS 2
3			.06	.03	.92	.03	.24	.24	.09				3
4						.49	.08			.06	.10	.61	4
5		.02	.03		.30		.08			.27		.12	5
6		.04						.10	.05	1.34			6
7						.04			.15	.36			7
8	.16			.04	.09		.18		.14	.17			8
9	.22	.07		.18	.04	.03	.25			.03			9
10	.37	.09		.31	.38								10
11	.03			.47	.27	.28			.10		.10		11
12	.06			.25	.06	.10			.04		.38		12
13				.41		.25			.05			.50	13
14				.26				.16	.04				14
15				.07				.08	.12			.85	15
16	.02								.03			.13	16
17	.30						1.50	.41	.03				17
18	.61	.10			.06	.21	.10	.68			.05		18
19	.17	.10				.02	.04	.10		.19	.03		19
20					.13	.11		.08	.09				20
21	.56				.23		.06	.36	.40	.90			21
22	.28	.05	.14		.24			.21	.06	.28			22
23			.47	.05	.24			.04	.43			.87	23
24	.27	.23	.13		.07		.05	.02	.29		.07	.37	24
25		.13	.31	.09			.56		.24		.15		25
26			.07	.27	.02		.06		1.15	.17	.20		26
27		.07	.05	.42			.10		.08	.12	.23	.96	27
28				.22			1.02	.16			1.39		28
29	.04			.17	.46			.48		.88	.28	.10	29
30		X		.27	.10		.06	.20	.23	.68	.03	.56	30
31		X	X	X	.40	X		.06	X	.36	X	.65	10.99
TOTAL	3.29	0.90	1.77	3.57	3.97	1.90	4.60	3.61	3.57	5.81	3.71	5.39	YEAR'S TOTAL
Days with .01 in. or more	15	10	10	18	18	12	16	17	19	14	13	13	175
Days with .04 in. or more	12	9	9	16	17	9	16	17	17	13	11	13	158

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Register of Rainfall in 1925.

269

Kept at Chilton Nursery Alkham
in the County of Kent

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
Ground „ Sea Level 126.5 ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.82			.24	.03			.45	.09		.38	.10	1
2	.64			.31			.04	.11	.02		.82		2
3	.79	.03		.04	.25		.45		.05		.38		3
4	.08				.08						.23		4
5				.07			.05	.12	.15		.32		5
6		.24	.06		.09			.03	.04		.80		6
7		.72			.06		.30		.03	.07	.13		7
8	.09	.08	.02		.12				.04	.06	.26	.26	8
9	.02	.03	.03	.23					.08	.03			9
10			.11					.23	.10		.88		10
11		.06	.10					.57			.11		11
12		.37	.25						.19	.08			12
13		.42	.31	.07						.09	.04		13
14	.30	.11	.12	.45								.03	14
15	.25	.17		.28						.29			15
16	.06	.32		.02					.08	.22			16
17									.09				17
18					.12		.07						18
19		.08		.05	.23	.14			.23	.81		.46	19
20			.19		.20		.12		1.11	.85		.52	20
21		.15	.26					.12	.08	.09		1.02	21
22	.04		.14				.45	.52	.31	.47		0.64	22
23		.33	.07	.41	.54	.31	.07	.35		1.00	.40		23
24		.64	.38	.06	.09	.21	.17	.08	.03		.12	.13	24
25	.18	1.20		.07		.10		.04	.66		.09	.08	25
26		.59		.04	.04	.19	.58		.02		.72	.21	26
27	.13			.05	1.14		.68	.08			.35		27
28	.15	.03	.04	.22								.58	28
29	.15			.14	.10		.14				.38	1.31	29
30		X		1.25			.35				.11	.75	30
31	.15	X		X		X	.22		X		X		31
TOTAL	3.85	5.67	2.08	4.00	3.09	0.95	3.69	3.20	3.40	4.06	5.60	6.09	45.58
Days with .01 in. or more.	15	18	14	18	14	5	14	12	19	12	17	13	171.
Days with .04 in. or more.	14	15	12	17	13	5	14	11	15	11	17	12	156.

(Signed) Wm Boulton Smith [P.T.O.]



Section for the entry of Daily Observations.

FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1926.

Kept at *Chilton Nursery, Alkham, Kent*
in the County of *Kent*

Diameter of Funnel of Gauge.....*5* in.
Height of top of Gauge above Ground.....*1* ft. *6* in.
,, Ground ,, Sea Level*126.5* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	<i>.47</i>	<i>.22</i>				<i>.16</i>			<i>.05</i>				1
2	<i>.09</i>					<i>.81</i>	<i>.04</i>		<i>.08</i>		<i>.06</i>		2
3	<i>.35</i>	<i>1.19</i>	<i>.15</i>			<i>.03</i>			<i>.07</i>				3
4		<i>.11</i>	<i>.06</i>				<i>.11</i>						4
5	<i>.13</i>	<i>.17</i>	<i>.09</i>		<i>.13</i>		<i>.02</i>				<i>.37</i>	<i>.18</i>	5
6	<i>.06</i>	<i>.13</i>		<i>.04</i>		<i>.32</i>	<i>.06</i>	<i>.08</i>	<i>.06</i>		<i>.06</i>	<i>.06</i>	6
7	<i>.23</i>	<i>.06</i>		<i>.30</i>		<i>.25</i>		<i>.03</i>	<i>.08</i>		<i>.05</i>		7
8				<i>.02</i>		<i>.03</i>					<i>.62</i>		8
9		<i>.09</i>	<i>.04</i>			<i>.63</i>				<i>.31</i>	<i>.68</i>		9
10					<i>.08</i>	<i>.33</i>		<i>.03</i>			<i>.05</i>		10
11		<i>.14</i>			<i>.15</i>	<i>.14</i>		<i>.52</i>		<i>.04</i>			11
12					<i>.08</i>	<i>.15</i>			<i>.09</i>	<i>.58</i>			12
13	<i>.05</i>				<i>.09</i>			<i>.03</i>		<i>.06</i>	<i>1.13</i>	<i>.04</i>	13
14	<i>.31</i>	<i>.14</i>			<i>.15</i>	<i>.02</i>				<i>.63</i>	<i>.08</i>	<i>.18</i>	14
15	<i>.27</i>	<i>.05</i>		<i>.85</i>		<i>.05</i>				<i>.51</i>	<i>.16</i>		15
16		<i>.22</i>		<i>.35</i>				<i>9.0</i>			<i>.06</i>		16
17		<i>.72</i>		<i>.15</i>		<i>.59</i>					<i>.10</i>	<i>.25</i>	17
18	<i>.19</i>	<i>.08</i>	<i>.03</i>	<i>.49</i>	<i>.20</i>		<i>.19</i>	<i>.22</i>			<i>.64</i>		18
19	<i>.03</i>		<i>.08</i>	<i>.22</i>	<i>.05</i>		<i>.33</i>				<i>.22</i>	<i>.02</i>	19
20				<i>.46</i>			<i>.04</i>	<i>.18</i>		<i>.20</i>	<i>.80</i>		20
21				<i>.18</i>			<i>.14</i>	<i>.06</i>			<i>.77</i>	<i>.05</i>	21
22	<i>.80</i>	<i>.12</i>		<i>.07</i>							<i>.40</i>	<i>.22</i>	22
23	<i>.06</i>	<i>.06</i>				<i>.02</i>							23
24	<i>.03</i>					<i>.11</i>	<i>.03</i>		<i>.12</i>	<i>.78</i>			24
25	<i>.10</i>			<i>.83</i>			<i>.04</i>			<i>.03</i>	<i>.06</i>	<i>.07</i>	25
26							<i>.03</i>		<i>.05</i>		<i>.44</i>		26
27	<i>.05</i>			<i>.03</i>			<i>.43</i>		<i>.08</i>				27
28	<i>.83</i>			<i>.03</i>			<i>.29</i>			<i>.44</i>	<i>.03</i>		28
29	<i>.06</i>	X	<i>.05</i>	<i>.08</i>	<i>.33</i>					<i>.46</i>	<i>.19</i>		29
30	<i>.06</i>	X			<i>.25</i>					<i>.61</i>			30
31	<i>.25</i>	X		X	<i>.97</i>	X	<i>.03</i>		X	<i>.99</i>	X		31
TOTAL	<i>4.42</i>	<i>3.50</i>	<i>0.50</i>	<i>4.10</i>	<i>1.88</i>	<i>3.64</i>	<i>1.78</i>	<i>2.05</i>	<i>0.68</i>	<i>5.64</i>	<i>7.57</i>	<i>1.07</i>	YEARS TOTAL
Days with ".01 in. or more.	<i>20</i>	<i>15</i>	<i>7</i>	<i>15</i>	<i>11</i>	<i>15</i>	<i>14</i>	<i>9</i>	<i>9</i>	<i>13</i>	<i>21</i>	<i>9</i>	<i>168</i>
Days with ".04 in. or more.	<i>18</i>	<i>15</i>	<i>6</i>	<i>12</i>	<i>11</i>	<i>11</i>	<i>10</i>	<i>6</i>	<i>9</i>	<i>12</i>	<i>20</i>	<i>8</i>	<i>138</i>

Please read the Notes and Instructions Overleaf.

Section **A**

for the entry of Daily Observations.

248
FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1927.

Kept at Chilton Nursery, Alkham R. Dover
in the County of Kent

Diameter of Funnel of Gauge..... 5 in.
Height of top of Gauge above Ground..... 1 ft. 6 in.
Ground Sea Level 126.5 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		<u>1.81</u>		<u>.14</u>		<u>.79</u>	<u>.52</u>	<u>.91</u>		<u>.42</u>	<u>.30</u>		1
2			<u>.15</u>	<u>.25</u>		<u>.02</u>	<u>.02</u>			<u>.07</u>	<u>.02</u>		2
3	<u>.37</u>				<u>.02</u>	<u>.04</u>			<u>.03</u>				3
4			<u>.10</u>	<u>.10</u>			<u>.02</u>					<u>.02</u>	4
5	<u>.04</u>	<u>.18</u>	<u>.09</u>	<u>.56</u>		<u>.27</u>	<u>.06</u>	<u>.26</u>			<u>.23</u>		5
6		<u>.02</u>	<u>.35</u>	<u>.22</u>			<u>2.44</u>	<u>.01</u>	<u>.09</u>		<u>.28</u>		6
7		<u>.22</u>	<u>.08</u>	<u>.40</u>		<u>.20</u>		<u>.45</u>					7
8	<u>.27</u>		<u>.07</u>	<u>.22</u>		<u>.03</u>	<u>.03</u>	<u>.28</u>	<u>.09</u>		<u>.38</u>		8
9			<u>.02</u>	<u>.13</u>			<u>.19</u>	<u>.28</u>	<u>.11</u>				9
10			<u>.19</u>						<u>.33</u>		<u>.04</u>		10
11			<u>.04</u>	<u>.02</u>		<u>.15</u>		<u>.09</u>	<u>.01</u>				11
12	<u>.14</u>		<u>.03</u>		<u>.05</u>			<u>.06</u>		<u>.11</u>	<u>.24</u>		12
13	<u>.07</u>			<u>.03</u>			<u>.37</u>	<u>.62</u>	<u>.42</u>	<u>.01</u>	<u>.03</u>		13
14				<u>.03</u>			<u>1.62</u>	<u>.03</u>	<u>.95</u>	<u>.01</u>		<u>.08</u>	14
15	<u>.18</u>				<u>.02</u>		<u>.15</u>	<u>.20</u>				<u>.02</u>	15
16	<u>.02</u>				<u>.15</u>		<u>.01</u>	<u>.03</u>	<u>.08</u>		<u>.02</u>	<u>.10</u>	16
17	<u>.18</u>		<u>.01</u>			<u>.24</u>		<u>.17</u>	<u>.29</u>				17
18	<u>.07</u>	<u>.04</u>				<u>.54</u>		<u>.21</u>	<u>.08</u>	<u>.01</u>	<u>.08</u>		18
19	<u>.02</u>	<u>.12</u>				<u>.04</u>		<u>.04</u>			<u>.10</u>		19
20		<u>.19</u>					<u>.03</u>	<u>1.46</u>			<u>.59</u>		20
21	<u>.30</u>	<u>.31</u>			<u>.05</u>		<u>.10</u>	<u>.15</u>	<u>.05</u>	<u>.18</u>	<u>.35</u>	<u>1.04</u>	21
22	<u>.25</u>	<u>.15</u>	<u>.32</u>		<u>.10</u>	<u>.32</u>	<u>.29</u>	<u>.07</u>	<u>.11</u>	<u>.87</u>		<u>.81</u>	22
23		<u>.16</u>	<u>.53</u>			<u>.03</u>		<u>.04</u>	<u>.73</u>	<u>.02</u>	<u>.19</u>	<u>.07</u>	23
24		<u>.14</u>	<u>.22</u>	<u>.06</u>		<u>.73</u>	<u>.02</u>	<u>.02</u>		<u>.03</u>	<u>.58</u>	<u>.56</u>	24
25		<u>.18</u>	<u>.41</u>	<u>.02</u>		<u>.27</u>		<u>.08</u>	<u>.03</u>	<u>.04</u>		<u>1.47</u>	25
26	<u>.13</u>	<u>.63</u>	<u>.17</u>		<u>.04</u>	<u>.07</u>	<u>.02</u>			<u>.02</u>		<u>1.77</u>	26
27	<u>.06</u>	<u>.53</u>			<u>.15</u>	<u>.11</u>	<u>.24</u>			<u>.34</u>		<u>.04</u>	27
28	<u>.05</u>	<u>.21</u>		<u>.05</u>		<u>.16</u>							28
29	<u>.04</u>		<u>.14</u>			<u>.25</u>			<u>.63</u>		<u>.53</u>		29
30	<u>.47</u>	X	<u>.15</u>			<u>.41</u>	<u>.02</u>			<u>.02</u>			30
31	<u>.13</u>	X	<u>.65</u>	X	<u>.04</u>	X	<u>.02</u>		X	<u>.08</u>	X	<u>.09</u>	31
TOTAL	<u>2.79</u>	<u>4.81</u>	<u>3.72</u>	<u>2.23</u>	<u>0.62</u>	<u>4.67</u>	<u>6.17</u>	<u>5.46</u>	<u>4.05</u>	<u>2.23</u>	<u>3.96</u>	<u>6.07</u>	<u>46.78</u>
Days with ".01 in. or more.	<u>18</u>	<u>15</u>	<u>19</u>	<u>14</u>	<u>9</u>	<u>19</u>	<u>19</u>	<u>21</u>	<u>16</u>	<u>17</u>	<u>16</u>	<u>12</u>	<u>195</u>
Days with ".04 in. or more.	<u>16</u>	<u>14</u>	<u>16</u>	<u>10</u>	<u>7</u>	<u>16</u>	<u>10</u>	<u>17</u>	<u>13</u>	<u>78</u>	<u>13</u>	<u>10</u>	<u>149</u>
YEARS TOTAL													

REGISTER OF RAINFALL

BOURGH OF DOVER
SURVEYORS DEPARTMENT
RECEIVED

Kept at *Chellon Nursery Alkham N. Dover*
in the County of *Kent*

14 JAN. 1929

Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *1* ft. *6* in.
" Ground " Sea Level *126.5* ft.

Reg. fo. Ref'd. to
Ackn'd. Cleared
O/N

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			20	11				02			2.05		1
2	1.15	06			06						1.05		2
3				13	03		19	28			18	05	3
4	03	16		41		03		48			02		4
5	44	17	02							02		02	5
6			04			28				02			6
7	03	02		04		42		08					7
8		05	08		03	32				37	10		8
9	02		02			29				25	03		9
10	10	25	14	28	09			02		57	13		10
11		08	06	12		09				31	23	22	11
12	42	07						01		09	02	18	12
13	03	17			01	44		02			24	05	13
14	08	16		39	03	14				88	56	06	14
15	23			70	17			05	06		38		15
16	03	08		88	30	02				09	50	38	16
17					72					26	06		17
18	79		04		20	18				41			18
19				08		02		25		31	03	43	19
20	19			02	09			08		72	03	64	20
21	41		14	13	1.00			02	02	85	36		21
22			08		20			05	39	83	27	21	22
23	49		01		12				01	17	63		23
24	10		02					16	02	52	23	38	24
25	13								18	41		15	25
26	30					16	03	13		31		24	26
27			10	06			64			09		86	27
28	91		34	06				15	34			09	28
29	10	14	52	20					12	18	06	62	29
30	06	X	14	10		03	14		02	21	01	16	30
31	24	X	59	X		X	04		X		X	06	31
TOTAL	6.28	1.41	2.57	3.71	3.05	2.42	1.01	1.80	1.16	7.85	7.17	14.97	YEAR'S TOTAL
Days with .01 in. or more.	22	12	17	16	14	13	5	15	9	21	22	19	185
Days with .04 in. or more.	17	11	13	15	10	9	4	10	5	20	16	18	148

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1929.

Kept at Hearsey Chilton Farm
in the County of Hert

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
„ Ground „ Sea Level.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	14	18		11			14	38		35			1
2						09				45	12	46	2
3						02	18			12		51	3
4	02		05	12	16	122		28		04		08	4
5	02				101	11	49	05				88	5
6					22	04	22	135		20	11	51	6
7					03					25	66	09	7
8						29				45	14	56	8
9		31		07								54	9
10	06	09		15						18	14	67	10
11				24				02			129	08	11
12				20	09	16			02		07	02	12
13	05	35			13	09					08	05	13
14		10				13						04	14
15	06	03			04	32					54	19	15
16	08							70			74		16
17										01			17
18									03		13		18
19											19		19
20							01			59			20
21	12											81	21
22	04		16			02		02			03	29	22
23	01					01					58	53	23
24	12			02				03		36	35	19	24
25	06									32	32	10	25
26	11			01							51	21	26
27	03	04									72		27
28	15			14			32			66	80	46	28
29	16			15			02		43	04	48	08	29
30	05	X				07			39	48	02	101	30
31	35	X		X		X	16		X	30	X		31
TOTAL	163	110	21	121	168	257	154	283	87	480	802	836	YEAR'S TOTAL 3482
Days with "01 in. or more.	18	7	2	10	7	13	8	8	4	16	21	23	137
Days with "04 in. or more.	14	6	2	8	6	10	6	5	2	15	19	22	115

Section

A

for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1923.

FOR OFFICIAL USE.

Kept at Whitman Nursery, Oldham, L. Dover
in the County of Kent
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" Ground " Sea Level 156.5 ft.

Feb. cond.
for Arch. with
1896-1905
280
Feb. wrong addition
INCHES

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
1	<u>27</u> <u>3.2</u>	<u>06</u> <u>.72</u>		<u>13</u>	<u>Trace</u>		<u>56</u> <u>.07</u>	<u>07</u> <u>.139</u>	<u>01</u>	<u>68</u> <u>.03</u>			1
2				<u>05</u>				<u>05</u>		<u>80</u> <u>.03</u>			2
3	<u>03</u>	<u>24</u>		<u>65</u>				<u>06</u> <u>.02</u>	<u>08</u> <u>.10</u>				3
4	<u>03</u>	<u>04</u>		<u>06</u>				<u>06</u> <u>.44</u>					4
5	<u>14</u>				<u>38</u>								5
6		<u>88</u> <u>.56</u>	<u>03</u>		<u>35</u> <u>.08</u>		<u>01</u> <u>.02</u>	<u>39</u> <u>.02</u>	<u>02</u> <u>.43</u>	<u>64</u> <u>.18</u>			6
7								<u>Trace</u>				<u>43</u>	7
8	<u>36</u>				<u>36</u>				<u>06</u>			<u>03</u>	8
9	<u>33</u>				<u>40</u>								9
10	<u>47</u>		<u>23</u>										10
11	<u>21</u>	<u>08</u>	<u>03</u>		<u>03</u>					<u>09</u>		<u>45</u>	11
12	<u>33</u>			<u>14</u>	<u>15</u>				<u>04</u>			<u>46</u>	12
13	<u>03</u>		<u>14</u>	<u>34</u>	<u>12</u>	<u>10</u>	<u>09</u> <u>.10</u>	<u>40</u> <u>.52</u>				<u>05</u>	13
14	<u>03</u>		<u>06</u>				<u>19</u>	<u>03</u>				<u>02</u>	14
15	<u>22</u>	<u>08</u>	<u>29</u>	<u>06</u>			<u>97</u> <u>.05</u>		<u>03</u>	<u>16</u>			15
16			<u>09</u>			<u>01</u>	<u>06</u>		<u>31</u> <u>Trace</u>				16
17		<u>12</u>	<u>42</u>	<u>04</u>		<u>04</u>	<u>08</u>		<u>20</u> <u>.04</u>				17
18	<u>Trace</u>		<u>22</u>	<u>09</u>	<u>10</u>					<u>29</u> <u>.10</u>			18
19			<u>61</u>	<u>14</u>					<u>91</u> <u>.14</u>	<u>10</u>			19
20				<u>08</u>	<u>Trace</u>	<u>Trace</u>	<u>1.14</u> <u>.08</u>	<u>61</u> <u>.23</u>	<u>1.16</u> <u>.03</u>				20
21	<u>02</u>				<u>Trace</u>		<u>12</u> <u>.35</u>	<u>06</u> <u>.08</u>	<u>82</u> <u>.41</u>				21
22					<u>31</u>		<u>06</u> <u>.24</u>	<u>05</u> <u>.23</u>	<u>41</u> <u>.03</u>				22
23		<u>Trace</u>	<u>23</u>	<u>03</u>		<u>20</u>	<u>11</u> <u>.11</u>		<u>03</u>				23
24	<u>32</u>	<u>02</u>		<u>04</u>	<u>22</u>	<u>21</u>	<u>35</u>		<u>04</u> <u>.18</u>	<u>46</u> <u>.20</u>			24
25	<u>22</u>	<u>03</u>		<u>24</u>	<u>34</u>					<u>17</u> <u>.05</u>			25
26	<u>12</u>					<u>31</u> <u>.02</u>	<u>04</u> <u>.03</u>	<u>62</u> <u>.29</u>		<u>44</u> <u>.38</u>	<u>52</u> <u>.15</u>		26
27								<u>Trace</u>	<u>55</u>	<u>17</u>			27
28			<u>Trace</u>							<u>16</u> <u>.32</u>			28
29	<u>23</u>						<u>02</u>	<u>11</u>		<u>03</u> <u>.03</u>			29
30	<u>29</u>	<u>X</u>			<u>45</u>		<u>26</u>				<u>03</u>	<u>03</u>	30
31	<u>26</u>	<u>X</u>	<u>14</u>	<u>X</u>	<u>35</u>	<u>X</u>		<u>Trace</u>	<u>X</u>	<u>03</u>	<u>X</u>	<u>08</u>	31
TOTAL	<u>3.40</u>	<u>2.53</u>	<u>2.52</u>	<u>2.12</u>	<u>3.97</u>	<u>.89</u>	<u>4.18</u>	<u>4.05</u>	<u>4.91</u>	<u>1.46</u>	<u>6.90</u>	<u>3.11</u>	YEAR'S TOTAL
Days with over .03 mm. or more.	<u>19</u>	<u>11</u>	<u>12</u>	<u>14</u>	<u>14</u>	<u>7</u>	<u>17</u>	<u>12</u>	<u>18</u>	<u>14</u>	<u>17</u>	<u>16</u>	<u>172</u>
Days with over .40 mm. or more.	<u>14</u>	<u>9</u>	<u>10</u>	<u>13</u>	<u>13</u>	<u>6</u>	<u>14</u>	<u>11</u>	<u>16</u>	<u>9</u>	<u>13</u>	<u>12</u>	<u>141</u>

(144w)

40-9999

(Signed)

W. Boulton Smith

[P.O.]

Kept at Stillingford
in the County of Kent
by Medway Lower

ALLINGTON LOCK
KENT

1923, 26-30

MONTHLY

IZATION.

Gauge _____ in.
Ground _____ ft. _____ in.
Sea Level _____ ft.

previous day.
at 9 a.m. on

Jan. 1, following.

ges, and par-
ent post-free
Air Ministry,
e, Edinburgh.

Date	Jan.	Feb.	March	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3													3
4													4
5				.10									5
6				04									6
7													7
8													8
9				07									9
10				18									10
11				16									11
12				06									12
13													13
14													14
15				05									15
16													16
17													17
18				02									18
19													19
20													20
21				07									21
22													22
23													23
24													24
25				5.6									25
26				17									26
27													27
28				04									28
29				14									29
30		X											30
31		X	X	X	X			X		X			31
TOTAL	1.42	3.97	2.83	10.66	2.88	.69	.88	2.06	1.29	6.22	2.31	2.42	YEAR'S TOTAL
Days with 0.1 in. or more				13									28.63
Days with 0.4 in. or more	10	17	14	12	12	8	6	7	8	17	9	15	135

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
REGISTER OF RAINFALL IN 1923.

Kept at Wellington Lock
in the County of Kent
by Medway Lower Navigation Co

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day.
An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.
Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3													3
4													4
5				10									5
6				04									6
7													7
8													8
9				07									9
10				18									10
11				16									11
12				06									12
13													13
14													14
15				05									15
16													16
17													17
18				02									18
19													19
20													20
21				07									21
22													22
23													23
24													24
25				56									25
26				17									26
27													27
28				04									28
29				14									29
30		X											30
31		X		X		X			X		X		31
TOTAL	1.42	3.97	2.83	1.66	2.88	.69	.88	2.06	1.29	6.22	2.31	2.42	YEAR'S TOTAL 28.63
Days with 01 in. or more				13									
Days with 04 in. or more	10	17	14	12	12	8	6	7	8	17	9	15	135



341
11. H.P.G.

To be filled and returned
to Dr. H. R. MILL, Director,
BRITISH RAINFALL ORGANIZATION,
62 CAMDEN SQUARE, LONDON, N.W.
Copies of this form will be supplied with pleasure.

FORM B.
BRITISH RAINFALL

RAINFALL IN 1926

At Alington Park
In the County of West

Rain Gauge { Diameter of Funnel in.
Height { Above Ground ft. in.
of Top { Above Sea Level ft.

Month.	Total Depth.	Greatest Fall in 24 hours.	Number of Days with .01 or more recorded.
	Inches.	Inches. Date.	
JAN.	2.57	.52 18/12	19
FEB.	2.89	.68 3	17
MAR.	.49	.15 19	5
APR.	6.05	1.14 29	20
MAY	1.34	.46 14	15
JUNE	2.29	.60 17	9
JULY	2.83	.46 27	10
AUG.	1.48	.43 18	8
SEPT.	.62	.20 6	7
OCT.	2.41	.48 14	13
NOV.	6.01	1.07 12	22
DEC.	1.15	.28 5	9
Total	29.10		154

Signed R. Smith
[Please fill in the other side also.]

W. 18,000. XI. 12.

* Every observer is requested to fill in this section (especially if a change has been made in the position of the gauge or in its exposure), and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Latitude of Station..... Longitude.....

Hour of observation by the clock—in Winter.....in Summer.....

Nearest Railway Station..... Distance..... Direction.....

Nearest Parish Church..... Distance..... Direction.....

If gauge has been moved during the year state—

Date of move..... Distance..... Direction.....


Nature of objects nearest to gauge

Heights of objects

Distances

Directions

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?



INSTRUCTIONS.

1. Advice as to the selection of the site for a raingauge, particulars of the gauge recommended for use and other information is given in "Rules for Rainfall Observers," to be obtained from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.
- The raingauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash—(not .00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B). (A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as .01 and those which are mere "traces." An entry .005 is not to be made in the register.
- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 } .14 would show that the reading on 18 } the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.
- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.
- The "total number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace."
- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.
- The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; or 120, George Street, Edinburgh; or through any Bookseller. 1926. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by WATERLOW & SONS LIMITED, Birchin Lane, London, E.C.3.

(140ws) (335403) Wt. 9586/14345/631 Gp. 127 13000 9-26 W & S Ltd.

BMonthly
Summary.**C**

Particulars of Station.

** The following register of monthly totals, &c., is required if daily or weekly values cannot be given on the other side.

RAINFALL IN 1924

At.....*at Melling, Feb*.....In the County of.....*Hunt*.....

Rain Gauge. Diameter of Funnel.....in.
Height of Top above Ground.....ft.....in.
Height of Ground above Sea Level.....ft.

Month.	Total Depth.	Greatest Fall in 24 hours.	Number of Days with 0.1 in. or more
Inches.	Inches.	Date.	
JAN.	2.32	4.9	17
FEB.	4.09	1.38	1
MAR.	3.10	.90	31
APR.	1.50	.35	7
MAY	.86	.25	22
JUNE	3.08	.75	24
JULY	3.87	1.39	6
AUG.	4.07	.75	16
SEPT.	4.37	1.41	14
OCT.	1.30	.45	22
NOV.	2.61	.69	29
DEC.	5.27	1.60	26
Total	36.44		27/38

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter.....in Summer.....

Nearest Railway Station..... Distance..... Direction from gauge.....

Nearest Parish Church at..... Distance..... Direction from gauge.....

Nature of objects nearest to gauge.....

Heights of objects.....

Distances


Directions from gauge.....

If gauge has been moved during the year state—

Date of move..... Distance..... Direction.....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in *British Rainfall*, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

D

INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

- The rain gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash — (not .00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

- The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as .01 and those which are mere "traces." An entry .005 is not to be made in the register.

- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | would show that the reading on

the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.

- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

- The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02, or .03.

- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

- The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. 1927. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by WATERLOW & SONS LIMITED, Birch Lane, London, E.C.3.

(140w) (268366) Wt. 9951/599/660 Gp. 127 13000 9-27 W & S Ltd.

40-9999.

BMonthly
Summary.**C**

Particulars of Station.

343

* * The following register of monthly totals, &c., is required if daily or weekly values cannot be given on the other side.

RAINFALL IN 1928.

At *Attingham Lodge*In the County of *Glouc* **KENT**

Rain Gauge { Diameter of Funnel.....in.
Height of Top above Ground.....ft.....in.
Height of Ground above Sea Level.....ft.

Month.	Total Depth,	Greatest Fall in 24 hours.		Number of Days with	
	Inches.	Inches.	Date.	01 in. or more	04 in. or more
JAN.	3.33	1.75	2	3	18
FEB.	1.25	1.26	2	2	10
MAR.	1.86	1.54	30	5	9
APR.	2.83	1.95	15	2	14
MAY	2.04	1.54	14	3	10
JUNE	2.37	1.68	12	3	12
JULY	1.73	1.72	27	1	5
AUG.	1.99	1.49	4	1	10
SEPT.	1.33	1.17	28	4	3
OCT.	4.29	1.95	26	2	17
NOV.	3.72	1.75	1	2	18
DEC.	3.09	1.77	29	3	14
Total	28.83			34	140

Signature *R. Smith*

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter.....in Summer.....

Nearest Railway Station..... Distance..... Direction from gauge

Nearest Parish Church at..... Distance..... Direction from gauge

Nature of objects nearest to gauge

Heights of objects

Distances ...

Directions from gauge

If gauge has been moved during the year state—

Date of move..... Distance..... Direction.....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in *British Rainfall*, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

M.O. 7
5 JAN 1929

D

INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

- The rain gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash — (not '00'). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

- The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as .01 and those which are mere "traces." An entry .005 is not to be made in the register.

- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | 14 | would show that the reading on 18 |

the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.

- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

- The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02, or .03.

- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

- The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JAS. TRUSCOTT & SON, LTD., Suffolk Lane, E.C.

* * The following register of monthly totals, &c., is required if daily or weekly values cannot be given on the other side.

RAINFALL IN 1929

NOTE.—Records taken in millimetres should be entered on Form 1091.

At Allington Lock, Maidstone

In the County of Kent

(Diameter of Funnel 5 in.

Height of Top above Ground 1 ft. 3 in.

Height of Ground above Sea Level 18 ft.

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
	Inches.	Inches.	Date.	.01 in. or more	.04 in. or more
JAN.	1.97	2.9	31	4	7
FEB.	1.04	4.1	2	4	4
MAR.	1.03	3	25	1	1
APR.	1.33	4.3	11	4	6
MAY	1.22	7.1	5	1	5
JUNE	1.86	4.0	4	2	6
JULY	1.86	3.0	3	1	4
AUG.	2.33	1.12	16	2	5
SEPT.	1.14	6.0	17	5	4
OCT.	3.45	1.01	24	1	12
NOV.	5.45	8.0	15	2	16
DEC.	4.40	4.0	24	6	17
Total	22.68			24	86

* Every observer is requested to fill in this section (especially if a change has been made in the position of the gauge or in its exposure), and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Latitude of Station..... Longitude.....

Hour of observation by the clock—in Winter.....in Summer.....

Nearest Railway Station..... Distance..... Direction.....

Nearest Parish Church..... Distance..... Direction.....

If gauge has been moved during the year state—

Date of move..... Distance..... Direction.....

Nature of objects nearest to gauge.....

Heights of objects.....

Distances

Directions

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)



If you know of any record of rainfall not quoted in *British Rainfall*, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

Signature H. Smith

M.O. 7

6 JAN 1930

D

INSTRUCTIONS.

1. Advice as to the selection of the site for a rain gauge, particulars of the gauge recommended for use and other information is given in "Rules for Rainfall Observers," to be obtained from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

- The rain gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash—(not .00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

- When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

- The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as .01 and those which are mere "traces." An entry .005 is not to be made in the register.

- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 } .14 would show that the reading on 18

the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.

- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

- The "total number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace."

- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

- The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; or 120, George Street, Edinburgh; or through any Bookseller. 1926. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by WATERLOW & SONS LIMITED, Birch Lane, London, E.C.3.

(140ws) (335403) Wt. 9586/14345/631 Gp. 127 13000 9-26 W & S Ltd.

* * The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1930.

At Callington Lark
In the County of Hants

Rain Gauge { Diameter of Funnel change in.
Height of Top above Ground 40 ft. in.
Height of Ground above Sea Level ft.

Month.	Total Depth.	Greatest Fall in 24 hours.	Number of Days with .01 in. or more	Number of Days with .04 in. or more
	Inches.	Inches.	Date.	
JAN.	3.03	41	24	5 18
FEB.	1.50	46	1	4 8
MAR.	1.23	34	15	4 9
APRIL	1.42	35	3	3 11
MAY	2.91	52	30	2 13
JUNE	5.0	33	23	1 2
JULY	2.24	70	20	1 10
AUG.	3.99	1.33	3	7 15
SEPT.	3.29	72	19	3 12
OCT.	1.13	28	22	5 6
NOV.	5.38	76	2	3 14
DEC.	2.12	42	11	3 13
Total	28.74			31 134

Signature H. Smith

*See Instruction 2 (f) below.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter in Summer

Nearest Railway Station Distance Direction from gauge

Nearest Parish Church at Distance Direction from gauge

Nature of objects nearest to gauge

Heights of objects

Distances

Directions from gauge

If gauge has been moved during the year state—

Date of move Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

D

INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash— (not .00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

- When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

- The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as .01 and those which are mere "traces." An entry .005 is not to be made in the register.

- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | } .14 would show that the 18 |

reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in

- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

- The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02, or 0.3.

- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

- The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

Se

For

K

in

D

H

ANERLEY - OAKFIELD ROAD

1927 - 30

KENT

364A
FOR OFFICIAL USE.

BRITISH RAINFALL ORGANIZATION.

RAINFALL IN 1927.

TO THE PREVIOUS DAY.

Jan. 1, following.

year in the space on the right of this paragraph.

g made on January 1st of the following

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.05	.12	.19			.70						1
2		1.03					.06	.31					2
3	.26		.09	.07									3
4			.01										4
5	.25		.01	.01	.10								5
6		.08	.11	.40	.23		.60	.80	.61				6
7	.03		.18	.23		.28							7
8	.02	.30	.02	.45		.10							8
9			.03	.26			.08	.35					9
10			.05	.20				.10					10
11			.02										11
12				.02			.11						12
13	.01		.05					.25					13
14	.05			.02				.09					14
15	.30			.04			.56	.08	1.45				15
16							.01	.57					16
17					.14			.07	.33				17
18	.37					.21		.50	.03				18
19						.17		.10	.03				19
20		.13						.36					20
21	.05	.15					.09	.17					21
22	.08	.06			.08			.15					22
23	.13	.06	.10			.08		.05	.21				23
24		.38	.16			.24	.05	.01	.58				24
25			.08					.31					25
26			.40			.16		.04	.11				26
27	.06		.95			.16							27
28	.03				.47	.47	.15						28
29	.15	X		.05		.33							29
30		X	.10			.29			.25				30
31	.07	X	.03	X		X			X		X		31
TOTAL	1.86	2.24	2.51	1.94	1.02	2.49	2.41	4.31	3.60				YEAR'S TOTAL
Days with ".01 in. or more.	15	9	18	12	5	11	11	18	9				
Days with ".04 in. or more.	11	9	13	9	5	11	10	17	7				

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1927.

Kept at Anerley Oakfield Road
in the County of Kent

Diameter of Funnel of Gauge.....5" in.

Height of top of Gauge above Ground.....1 ft. 4 in.

" Ground " Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.05	.12	.19			.70						1
2		1.03					.06	.31					2
3	.26		.09	.07									3
4			.01										4
5	.25		.01	.01	.10								5
6		.08	.11	.40	.23		.60	.80	.61				6
7	.03		.18	.23		.28							7
8	.02	.30	.02	.45		.10							8
9			.03	.26			.08	.35					9
10			.05	.20				.10					10
11			.02										11
12				.02			.11						12
13	.01		.05					.25					13
14	.05			.02				.09					14
15	.30			.04			.56	.08	1.45				15
16							.01	.57					16
17					.14			.07	.33				17
18	.37					.21		.50	.03				18
19						.17		.10	.03				19
20		.13						.36					20
21	.05	.15					.09	.17					21
22	.08	.06			.08			.15					22
23	.13	.06	.10			.08		.05	.21				23
24		.38	.16			.24	.05	.01	.58				24
25			.08					.31					25
26			.40			.16		.04	.11				26
27	.06		.95			.16							27
28	.03				.47	.47	.15						28
29	.15	X		.05		.33							29
30		X	.10			.29			.25				30
31	.07	X	.03	X		X			X		X		31
TOTAL	1.86	2.24	2.51	1.94	1.02	2.49	2.41	4.31	3.60				YEARS TOTAL
Days with .01 in. or more.	15	9	18	12	5	11	11	18	9				
Days with .04 in. or more.	11	9	13	9	5	11	10	17	7				

Section **A**

Anerley (Galsfield Rd.)

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1928.

Kept at Anerley, S.E. 20

in the County of Kent

Diameter of Funnel of Gauge 5 ins

Height of top of Gauge above Ground 1 ft. 5 ins

Ground Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.12	.03	.27	.04	—	.05	.69	.04	—	.03	—	1
2	—	—	.09	.12	—	—	—	.01	—	—	.04	—	2
3	—	.34	—	—	—	—	—	—	—	—	—	—	3
4	—	—	—	.11	.35	—	.45	.98	—	—	.03	—	4
5	—	.04	—	—	—	—	—	—	—	—	—	—	5
6	—	.08	.20	.06	—	—	.02	—	—	—	—	—	6
7	—	—	—	—	—	.53	—	—	—	—	—	—	7
8	—	.01	.05	.02	—	.29	—	.07	—	—	—	.10	8
9	—	.02	.09	—	—	.12	—	—	—	—	—	—	9
10	.45	—	.05	—	—	.02	—	—	.38	.9	—	—	10
11	.20	.10	.01	.05	—	—	—	—	—	.17	.11	—	11
12	—	.05	—	.02	—	.07	—	.03	—	.26	.15	.19	12
13	.15	.26	—	.04	—	—	—	—	—	—	—	.10	13
14	.22	—	—	—	.02	.49	—	.04	—	—	—	—	14
15	—	.10	—	—	.02	.37	—	—	—	.37	.24	—	15
16	—	—	—	.60	.27	—	—	—	—	—	.12	—	16
17	—	.10	—	.12	.15	—	—	—	—	.03	.10	—	17
18	—	—	—	.08	.36	—	—	—	—	.09	—	.17	18
19	—	—	—	—	.24	.11	—	—	—	.13	—	—	19
20	.44	—	—	—	.29	.03	—	.17	—	.41	—	—	20
21	—	—	—	—	—	—	—	.25	—	—	—	—	21
22	.11	—	.06	.14	.68	—	—	—	—	—	.35	.20	22
23	—	—	.07	—	.13	—	—	.07	—	.95	—	—	23
24	—	—	.01	—	.15	—	—	—	—	.06	.11	.06	24
25	.20	—	.31	—	—	—	—	.07	.12	.02	.13	.21	25
26	.05	—	—	—	—	—	—	—	.04	—	.02	—	26
27	.30	—	—	—	—	—	.24	.87	—	.54	—	.19	27
28	—	—	.02	—	—	.10	.81	—	.47	.04	—	.56	28
29	.17	—	—	—	—	—	—	tr	.22	.04	—	.12	29
30	.07	×	.32	.03	—	—	—	—	.01	.02	.02	.22	30
31	.02	×	.20	×	—	×	.29	.04	×	—	×	.20	31
TOTAL	2.38	1.22	1.51	1.66	2.68	2.13	1.86	3.29	.81	3.13	1.45	2.32	YEAR'S TOTAL
Days with .01 in. or more.	12	11	14	13	12	10	6	15	6	15	15	12	14
Days with .04 in. or more.	11	8	11	10	10	8	5	12	4	11	10	12	11
	2.50	1.13	1.75	1.43	2.64	2.18	2.50	2.64	.74	3.16	1.42	2.32	

REGISTER OF RAINFALL IN 1929.

Kept at Anerley
in the County of Kent
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 5 in.
Ground Sea Level ft.

7 W.D.
cd. for W.D.
11/2

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.
Please read the Notes and Instructions Overleaf.

Jan. 1, following.
Nil

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	.03	.20	—	—	—	—	.02	.23	—	.03	—	.27	I
2	.01	.03	—	tr	—	—	—	.63	—	.11	—	—	2
3	—	.14	—	—	—	—	.03	—	tr	.29	.02	.13	3
4	—	—	—	—	—	—	.80	—	—	.04	—	.13	4
5	—	—	—	.23	.12	.31	.45	.01	—	—	—	.50	5
6	.02	—	—	.01	.40	.12	.03	.12	—	.41	—	.22	6
7	—	—	—	—	.18	—	—	.09	—	.03	.07	.38	7
8	—	—	—	—	—	.07	—	.23	—	.22	.29	.29	8
9	—	—	—	—	.02	—	—	—	—	.27	—	.22	9
10	.04	.32	—	.02	—	—	—	—	—	—	—	.17	10
11	.14	—	—	.12	—	—	—	—	—	.05	.01	.18	11
12	—	—	—	.13	.01	—	—	—	—	—	.57	.05	12
13	—	—	—	.16	.14	.13	—	—	—	—	—	—	13
14	—	—	—	.03	.03	—	—	—	—	—	—	.05	14
15	tr	—	—	—	.08	.08	—	—	—	—	—	.25	15
16	.11	.04	—	—	—	.02	—	—	—	—	.55	.02	16
17	—	—	—	—	—	—	.03	.75	—	—	.65	—	17
18	—	—	—	—	—	—	—	.22	—	—	—	—	18
19	—	—	—	—	—	—	—	—	—	—	.14	—	19
20	—	—	—	—	—	—	—	—	—	—	.02	—	20
21	—	—	—	—	—	—	.09	—	—	.19	—	—	21
22	.08	—	.02	—	—	—	—	—	—	—	—	.37	22
23	—	.02	—	—	—	.02	—	—	—	—	.14	.02	23
24	—	—	—	—	—	—	—	—	—	—	.18	.19	24
25	—	—	.01	—	.19	—	—	—	—	.90	.27	.35	25
26	.01	.07	tr	—	—	—	—	—	—	—	.04	—	26
27	—	—	—	.02	—	—	—	—	—	—	.06	.06	27
28	—	—	—	—	—	—	—	—	—	—	.43	.05	28
29	—	—	—	—	—	—	.02	—	—	.07	.14	.21	29
30	.13	X	—	.41	—	—	.01	—	.05	.02	.40	.08	30
31	—	X	—	X	—	X	tr	—	X	—	X	.02	31
TOTAL	.20	.82	.03	1.13	1.17	.02	.23	2.28	.03	2.63	3.98	4.75	19.04
Days with .01 in. or more.	9	6	2	9	9	8	9	7	2	12	18	17	114
Days with .04 in. or more.	6	4	0	5	6	5	4	6	1	10	15	14	81

Section

A

for the entry of Daily Observations.

416
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at 64, Oakfield Rd, Anerley
in the County of Kent

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 5 in.
,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following
trace -
moisture
for

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.20		.03		.36		.01			.10	.02	1
2	.25	.29		.08				.01			.70		2
3		.13			.02	.12	.01	.06			.15		3
4		.05		.40	.11			.57					4
5	.35			.06				.07	.03	.03			5
6					.14			.61		.18			6
7			.01		.02			.11	.69				7
8	.08	.01						.11	.02	.18	.30	.05	8
9	Trace								.04			.09	9
10	.12		.04		.42				.12		.02	.02	10
11	.30		.16		.15			.10	.89			.18	11
12	.25			.67	.12		.02					.28	12
13	.11		.46	.67	.15			.11	.02			.18	13
14	.02			.27	.06		.15	.21	.28				14
15	.11	.12	.13	.02			.21						15
16			.80	.04			.11	.01		.07	.25		16
17						.04	.02		.07		.09		17
18			.16	.19		.20	.03		.23	.19		.02	18
19				.02	.18	.08	.08	.02	.03	.10			19
20				.36					.54		.49		20
21				.04	.12		.50	.21	.30		.10		21
22								.33	.02		.39		22
23	.01			Trace	.23	.02	.17	.05		.26	.04		23
24	.08			.06	.02	.36		.01	.04				24
25	.29				.21	.05	.04			.08	.37	.21	25
26					.58	.05			.07	.02			26
27	.14				.17		trace		.30		.16	.15	27
28						.01	trace		.12		.38		28
29	.01						.04		.30	.04	.50	.10	29
30	.10	X	.09				.16	.88			.13	.21	30
31	.01	X		X	.37	X	.32		X		X		31
TOTAL	2.23	.80	1.55	2.24	3.07	1.24	1.86	3.48	4.11	1.40	4.22	1.51	27.41
* Days with or in. or more.	2.43	.60	1.58	2.21	3.43	.88	1.87	3.47	1.20	4.19	1.49		160
* Days with .04 in. or more.	17	6	9	12	13	8	15	17	19	11	16	12	158
	13	5	4	12	15	6	10	13	14	9	13	9	123

40-9999

*See Instruction 2 (f) on other side.

(Signed) S. S. Stannard

P.T.O.

253

OFFICIAL USE.

County No.

River Dist.

Station No.

FORM 1090.

ME

51

Kept at

THE V

THE WELL HOUSE
APPLEDORE

in the County of

by F. William

THE M

An observer who
following year in the year

065111002

1924-30

24.

ing. 0-17-35 E (See over)

9-10. AM.

on applying SR.

Rain Gauge 5 in.

above Ground 1 ft. 2 in.

Sea Level 23 ft.

PREVIOUS DAY.

in January 1st of the

Jan. 1, following

Records taken in Millimetres should be entered in the space provided.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.06		0.17	N.M.	0.52	0.21	0.08	NM		0.08	0.58	0.26	1 W.W.
2	0.05		0.24	N.M.	0.12	0.20	0.15	NM				0.31	2 W.W.
3	0.05		0.03	0.03	0.60	0.07	0.07	0.23	0.06				3
4	0.05				1.30	0.52	0.08			0.02		0.31	4
5			0.265		0.30		0.06			0.20		0.05	5
6		0.14			0.30			0.10	0.05	1.15		0.02	6
7					0.16	0.02		NM	0.22	0.32			7
8				0.02					0.07	0.15			8
9	0.51	0.23		0.03	0.20	0.04	0.21		0.10				9
10	0.51	0.03		0.28	0.20	0.07			0.01				10
11	0.01			0.45	0.40	0.22			0.07		0.10		11
12				0.23		0.04		0.07	NM		0.50		12
13	0.05			0.30		NM		NM	0.28		0.05	0.13	13
14				0.30				0.08			NM	0.03	14
15									0.08			0.53	15
16	0.04	0.04		0.03				0.06				0.30	16
17	0.24			NM			0.77	0.16				0.03	17
18		0.05			0.05					0.07	0.05		18
19		N.M.					0.05	0.08		0.09			19
20					0.30	0.07	0.10	0.30	0.11	0.05			20
21	0.30		NM		0.11	NM	0.05	0.90	0.25	0.75			21
22	0.28	0.03	0.30					0.11	0.08	0.02			22
23		NM	0.25	0.03	0.27			0.07	0.48			0.62	23
24	0.35	0.10	0.33	0.02	0.26			0.15	0.0		0.08	0.15	24
25				0.02		NM	0.71		0.17	0.03	0.20		25
26		0.05	0.09	0.40			0.11		0.37	0.16	0.30	0.28	26
27		0.15		0.50			0.10		NM	0.07	0.66	1.01	27
28							0.61	0.15		0.04	0.38		28
29	0.04	0.04	0.04	0.20	0.31			0.23		0.75	0.23	0.05	29
30		X		0.02	0.16			0.08		0.45	0.03	0.50	30
31	0.025	X		X	0.52	X		0.01	X	0.25	X	0.17	31
TOTAL	1.955	0.85	1.675	3.10	3.87	1.51	3.15	2.78	2.34	4.65	3.16	4.48	33.37
Days with 01 in. or more	12.5	9.2	8.1	16.7	17.0	11.1	14.0	16.1	15.1	18.4	12.2	17.3	271.65
Days with 04 in. or more	10.6	7	7	8.8	17	10	14	15	14	15.4	11.0	13.7	236.14

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1924.

County No. _____

River Dist. _____

Station No. _____

Kept at THE WELL House, Appledram
 in the County of Kent.
 by F. William Cock M.D.

Lat. 51-1-40N Long. 0-47-35E (See map)
 Time of Observation 9-10.4M.
 Nearest Railway Station Appledram S.R.
 Diameter of Funnel of Rain Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. 2 in.
 " " " " Sea Level 23 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.06		0.17	N.M.	0.52	0.21	0.08	NM		0.08	0.58	0.26	1 W.W.
2	0.05		0.24	N.M.	0.12	0.20	0.15	NM				0.31	2 W.W.
3	0.51		0.03	0.03	0.60	0.07	0.07	0.23	0.06				3
4	0.05				1.30	0.52	0.08			0.02		0.31	4
5			0.265		0.5		0.06			0.20		0.05	5
6		0.14			0.30			0.10	0.05	1.15		0.02	6
7					0.16	0.02		NM	0.22	0.32			7
8				0.02					0.07	0.15			8
9	0.23			0.03	0.20	0.04	0.21		0.10				9
10	0.51	0.03		0.28	0.20	0.07			0.01				10
11	0.01			0.45	0.40	0.22			0.07		0.10		11
12				0.23		0.04		0.07	NM		0.50		12
13	0.05			0.30		NM		NM	0.28		0.05	0.13	13
14				0.30				0.08			NM	0.03	14
15									0.08			0.53	15
16	0.04	0.04		0.03				0.06				0.30	16
17	0.24			NM			0.77	0.10				0.03	17
18		0.05			0.70	0.05				0.07	0.05		18
19		N.M.					0.05	0.08		0.09			19
20					0.30	0.07	0.10	0.30	0.11	0.05			20
21	0.30		NM		0.11	NM	0.05	0.90	0.25	0.75			21
22	0.28	0.03	0.30					0.11	0.08	0.02			22
23		NM	0.25	0.03	0.27			0.07	0.48			0.62	23
24	0.35	0.10	0.33	0.02	0.26			0.15	0.0		0.08	0.15	24
25				0.02		NM	0.71		0.17	0.03	0.20		25
26		0.05	0.09	0.40			0.11		0.37	0.16	0.20	0.28	26
27		0.15		0.59			0.10		NM	0.07	0.66	1.01	27
28							0.61	0.15		0.04	0.38		28
29	0.04	0.04	0.04	0.20	0.31			0.23		0.75	0.23	0.05	29
30		X		0.02	0.16			0.08		0.45	0.03	0.50	30
31	0.025	X		X	0.52	X		0.01	X	0.25	X	0.17	31
TOTAL	1.955	0.85	1.675	3.18	3.87	1.51	3.15	2.78	2.34	4.65	3.16	4.48	33.37
Days with 0.1 in. or more.	12.5	9.2	8.4	16.4	17.0	11.4	14.0	16.4	15.0	18.4	12.2	17.3	27.165
Days with 0.4 in. or more.	10.6	7	7	8.8	17	10	14	15	14	15.4	11.0	13.7	23.6148



Register of Rainfall in 1925.

Kept at Appledorein the County of KentDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 1 ft. 0.2 in.,, Ground ,, Sea Level 23 ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.63	0	0.47	0.10	0	0	0	0.01	0.07	N.M.	0.42	0	1
2	0.40	0.02	0	0.15	0	0	0.35	0	0.02	0	0.72	0	2
3	0.82	0	0	0	0	0	0.72	0	0	0	0.10	0	3
4	0	0	0	0	0.25	0	0.03	0.01	0.01	0.01	0.35	0	4
5	0	0.07	0	0.16	0.11	0	0	0.40	0.12	0	0.10	0	5
6	0	0.06	0	0.06	0	0	0.25	0.04	0.06	0	0.63	0	6
7	0	0.12	0.03	0	0.07	0	0.19	0	0	0	0.03	0.06	7
8	0.07	0	0	0	0.01	0	0.0	0	0	N.M.	N.M.	0.05	8
9	0	0	0	0.03	0.28	0	0	0.02	0.08	N.M.	0.06	0	9
10	0	0.02	0.07	0	N.M.	0	0	0.30	0.05	0	0.47	0	10
11	0.01	0.14	0	0	0	0	0	0.01	0.03	0	0.07	0	11
12	0	0.41	0	0.03	0	0	0	0	0.01	0.06	0	0	12
13	0	0.47	0.11	0.08	0	0	0	0	0.01	0	0	0	13
14	0.30	0.02	0.03	0.20	0	0	0	0	0	0	0	0	14
15	0.15	0.10	0	0.03	0	0	0	0	0.04	0.17	0	0	15
16	0.01	0.03	0	0	0	0	0	0	0	0.13	0	0	16
17	0	0	0	0	N.M.	0	0	0	0	0.05	0	0	17
18	0.03	0.06	0	0.02	N.M.	0	0.04	0	0.06	0	0	0	18
19	0	0	0	0.18	0.02	0.05	0.04	0	1.28	1.35	N.M.	0.35	19
20	0	0	0.06	0	0.25	0	0.08	0.02	0	0.30	0	0.45	20
21	0	0	0.03	0	0.05	0	0.05	0.01	0.22	0.15	0	0.80	21
22	0	0	0	0.13	0	0	1.05	0.05	0.24	0.75	0.01	0.22	22
23	N.M.	0.16	0.09	0.15	0	N.M.	0.02	0.23	0	0.33	0	0.09	23
24	0.02	0.38	0.21	0.65	0.37	0.15	0.24	0.09	0	0.06	0.05	0.35	24
25	0.02	1.12	0.01	0.03	0.16	0	N.M.	0	0.25	0	0.01	0.05	25
26	0.02	0.15	0	0	0	N.M.	0.43	0.06	0	0.35	0	0.13	26
27	0.15	0.01	0	0.63	0.08	0	0.22	0.04	0	0	0.12	0.02	27
28	0.05	0.08	0	0.07	0.68	0	0.10	0	0	0	0	0.40	28
29	0.07	X	0	0.13	0	0	0.05	0	0	0	0.12	0.90	29
30	0	X	0	0.33	0.09	0	0.40	0	0	0	0.02	0.37	30
31	0.12	X	0	X	0	X	0.15	0	X	0	X	0	31
TOTAL	2.87	3.42	1.11	3.16	2.43	0.20	4.42	1.29	2.55	3.71	3.28	4.24	3.68
Days with 0.1 in. or more.	16	18	10	19	13	2	18	14	16	12	16	14	16
Days with 0.4 in. or more.	10	13	6	14	11	12	16	8	11	11	12	13	12

(Signed) F. William Lock M.D. [P.T.O.]

Section



for the entry of Daily Observations.

AIR MINISTRY.

FOR OFFICIAL USE.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Register of Rainfall in 1926.

Kept at The Well House, Appledram
in the County of Kent

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1/2 in.
" Ground " Sea Level 23 ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf. Cons for Auth

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.40	.34				.42	.06		.07		NM		1
2	0.04	.01				.45			.02		.03		2
3	0.23	1.14	.02										3
4		.18	.05	Thunder			.01						4
5	0.07	.04	.07	Thunder	.44		.07				.34	.26	5
6		.17		.33	.02	.14	.05	.06	.04	.01	.01	.04	6
7		.05		.10	.05	.13			.04		.07	.03	7
8		NM.		.13	.03	.04					.82		8
9		.01			.03	.22				.06	.80		9
10					.03	.24		.09		.01	.12		10
11		.04			.25	.20		.21	.01	.05	.12		11
12		.23			.02	.01			.16	.20	~~1.05~~		12
13					.07			.01		.03	<u>1.05</u>	.01	13
14	0.17			.16	1.20	.10				.58	.08	.02	14
15		.02		.53	NM			Thunder		.22	.08		15
16		.17		.22	NM			.81					16
17		.54		~~0.00~~	.11	.50	Thunder				.26	.03	17
18	0.20	.10		.32	.02		.33	.12			.60		18
19			.02	.10	.01		.33				.30	NM	19
20	Cond. Frost 0.01			.37				.73		.01	.60		20
21				.04	in rain		.06	.01			.75	.12	21
22	0.34	.06		.21	0.65					.03	.21	.29	22
23	0.03					.12							23
24						.37	.01		.03	.65			24
25	.07			.18			.23		~~0.00~~	.05	.08	.06	25
26				.01			.20		.09		.27		26
27	.02	.01	.01	.28	.01		.42		.18	.15			27
28	.75			.33	.01		.28			.19	.34	NM	28
29	.02		.04	.07	.20					.12	.01		29
30	.12	X		.04	.15			NM		.05		NM	30
31	.20	X		X	.01	X		NM	X	.19	X		31
TOTAL	2.67	3.11	0.21	3.42	3.31	2.94	2.05	1.44	0.64	2.60	7.13	8.6	30.38
Days with '01 in. or more.	15	16	6	17	19	13	12	8	9	17	21	9	162
Days with '04 in. or more.	11	12	3	16	9	12	10	6	6	12	18	5	123

NM = not measurable.

(Signed).....

J. W. Lock. M.D.

[P.T.O.]

REGISTER OF RAINFALL IN 1927.

Kept at Appledore
in the County of Kent
Diameter of Funnel of Gauge.....5 in.
Height of top of Gauge above Ground.....1 ft. 0.35 in.
" Ground " Sea Level.....2.3 ft.

Jan. cond. for auth
23/7/38 ch.

Days.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

NM = Not measurable Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	NM	0.98		0.01		0.68	0.10	0.26		0.14	0.22		1
2		0.02	0.08	.20		.03				.02		0.05	2
3	.03					.18							3
4	.13		.01	.06			.16						4
5		.07	.13	.32				.15		.11	.17		5
6	.07		.39	.26	.04	.08	2.00	.02	0.15	.13			6
7	.01	.18	.05	.27		.04		.33					7
8	.03		.02	.18		.15	.04	.15	.01		.31		8
9	.06			.06			.07	.05	.10				9
10			.23						.02				10
11						NM		.09					11
12		NM	.08			.05	1.90	.04		.15	.15		12
13	.10	NM					.40	.60	.14	.05	.05		13
14	.14			.07			.65		1.10	.01	.02	.32	14
15				.04			.04	.18					15
16	.10				.15		.01		.60		.02		16
17	.08		.03			.29		.32	.01	.18			17
18	.25	.08				.33		.05	.0	.78	.18		18
19	.06	.16				.02		.08			.05		19
20		.23					.16	.78			.63	.09	20
21	.25	.20			.05			.33	.06		.23	.99	21
22	.01	.04	.32		.26	.50	.04	.01	.12			.44	22
23	.20	.38	.37			.10		.02	.41		.17	.22	23
24	.01	.05	.48	.01		.27		.02			.05	.78	24
25		.39	.12			.18	.01	NM	.09			.78	25
26		.75	.08		.15	NM	.02				.81	.97	26
27	.15	.24	NM		.21	.40	.35			.26	NM		27
28	.01	.05	.02	.05		.45	NM				.17		28
29	.11		.14			.20		NM	.60		.68		29
30	.13	X	.05			.63			.01	.05			30
31	.28	X	.66	X		X	.01		X	.13	X	.17	31
TOTAL	2.24	3.77	3.33	1.53	0.86	4.58	5.96	3.48	3.45	1.52	3.10	4.81	YEARS TOTAL 38.68
Days with .01 in. or more.	21	15	19	12	6	18	16	18	14	8	7	10	33
Days with .04 in. or more.	15	13	15	10	6	16	12	15	10	6	13	10	141

AIR MINISTRY.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

County No.

River Dist.

Station No.

Kept at *Apple dore* *July cond. for auth. 23/7/38 ev.*
in the County of *Kent*
by *F. William Cook M.D.*

Lat. *51° 14' N* Long. *0° 47' 35" E*
Time of Observation *10 AM.*
Nearest Railway Station *Apple dore SR*
Diameter of Funnel of Rain Gauge *5* in.
Height of top of Gauge above Ground *1.1* in.
" " " " Sea Level *23* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02	0	.13	0	0	0	0	0	0	0	.26	0	1
2	.65	.22	0	0	.11	0	0	0	0	0	.21	0	2
3	NM	0	0	.21	.81	0	.15	.72	0	0	.18	.01	3
4	.01	0	0	.15	0	.09	0	.02	0	0	0	0	4
5	.15	.08	.04	NM	0	0	0	0	0	0	0	.10	5
6	0	.05	.02	0	0	.35	0	0	0	0	0	.12	6
7	0	0	.01	.09	0	.10	0	.08	0	0	0	0	7
8	0	.03	.11	0	0	.53	.04	0	0	.21	.08	0	8
9	.05	0	NM	0	0	.09	0	0	.01	.19	0	.11	9
10	.09	.18	.25	.20	.06	0	0	.05	0	.46	0	0	10
11	0	0.02	.12	.10	0	NM	0	0	0	.50	0	.09	11
12	.25	.28	0	0	.05	0	0	0	0	.05	.18	.06	12
13	0	.02	0	0	.02	.67	0	0	0	0	.28	0	13
14	.03	.12	0	.28	.04	.05	0	0	0	.57	.56	0	14
15	.15	0	0	.63	.28	0	0	0	0 NM	.02	.60	0	15
16	0	.04	0	.21	.06	0	0	0	0	.03	.18	.02	16
17	0	0	0	.05	.57	0	0	0	0	.08	0	0	17
18	.50	0	.03	.03	.01	.15	0	0	0	.41	.02	0	18
19	0	0	0	0	.07	.01	0	.19	0	.53	.04	.15	19
20	.13	0	0	0	0	0	0	.09	0	.41	.06	.18	20
21	.08	0	.14	.01	.72	0	0	0	0	1.09	.28	0	21
22	0	0	.13	0	.08	0	0	.02	0	.85	.25	.09	22
23	.24	0	0	0	.10	0	0	0	.03	.07	.37	0	23
24	.05	0	.01	0	0	0	0	.03	NM	.25	.21	.20	24
25	.11	0	0	0	0	NM.	0	.21	0	.08	0	.08	25
26	.38	0	0	0	0	.07	NM	.14	0	1.17	0	.07	26
27	0	0	.03	0	0	.01	.72	.09	0	.10	0	.44	27
28	.25	0	.02	.01	0	0	0	NM.	.27	0	0	.15	28
29	.14	0.11	.50	.27	0	0	.09	0	.03	.16	.60	.32	29
30	0	X	.20	.02	0	.02	.17	0	0	.03	0	0	30
31	.06	X	0	X	0	X	.07	0	X	0	X	.15	31
TOTAL	3.34	1.15	1.74	2.26	2.92	2.14	1.75	1.64	0.34	7.20	4.36	2.34	34.58
Days with ≥1 in. or more.	219	811	615	414	214	312	26	311	34	221	117	217	31161
Days with ≥.04 in. or more	17	8	9	10	12	9	6	8	1	19	16	15	130

M

REGISTER OF RAINFALL IN 1929.

Kept at Apple-dore
in the County of Kent

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0.5 in.
Ground Sea Level 23 ft.

30 hours 5th. Higher than at the

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.14			.02		.01		.33		.29			1
2	.01	.14				.06	.50			.40		.35	2
3			.01				.08			.02		.45	3
4				.16	.18	.24		.14		.06		.31	4
5				.03	.66	.26	.28	.34		.22	.09	.30	5
6					.31	.01	.27	.45		.10	.10	.62	6
7					.03	.19		.01		.37	.41	.70	7
8		.02		.01		.01				.25		.47	8
9	.10	.30		.10							.06	.39	9
10	.30			.16						.25		.65	10
11				.20	.01								11
12				.08	.16	.09						.04	12
13	.02				.07	.07				.01	.25	.01	13
14						.04						.18	14
15	snow .04	snow .05			.15	.16					1.10	.08	15
16					.35			1.00			.47		16
17								Thunder .31		.01			17
18	snow .05							.01			.18		18
19											.04		19
20							.01			.62		.02	20
21	.15		N.M.			Trace					Trace	1.16	21
22			.04					.01			.05	.16	22
23		.08									.25	.29	23
24		.01								.44	.55	.30	24
25	snow .04	snow								.29	.08	.11	25
26		.10		.01	.01						.11	.09	26
27										.03	.70	.07	27
28	.32			.08			.13				.45	.36	28
29	.24			.16		.02		Condens.	.72	.23	.18	.36	29
30	.03	X				.09		" "	.33		.03	.42	30
31	.49	X		X		X	.12		X	.08	X	.0	31
TOTAL	1.93	0.70	0.05	1.01	1.93	1.25	1.39	2.29	1.36	3.67	5.10	7.89	28.57
Days with .01 in. or more.	133	6X	2X	11X	103	13X	7X	8X	30	17X	18X	24X	27132
Days with .04 in. or more.	10	4X	1X	7	7	9	6	5	3	13	17	22	104

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at The Well House Appledore
in the County of Kent

Feb. Mar & Dec cond. for auth
23/1/38 ek.

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 0 ft. 11 in.
Ground Sea Level 23 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	.10	.12		.15		.01	.28				.76		I
2	~~trace~~	.03						.08			.54		2
3	.03	.11		.50				1.31		.01	.04		3
4	.16	.13		.09				.02	.04	.12			4
5	.09	.02			.35			.24					5
6		~~trace~~ .42	.05		.12				.28				6
7		.26			.03			.04	.22	.36	.30		7
8	.15									.04	.50		8
9	.17				.39		.03					.50	9
10	.27		.26		.20					.17		.18	10
11	.11	.05			.05					.08		.27	11
12	.26			.11	.01	.05		.28				.22	12
13	.04		.06	.20	.09		.14	.34	.37				13
14	.02	.10					.09						14
15		.03	.27				.56			.03	.11	.01	15
16		~~trace~~ .04	.02						.09				16
17			.32	.06			.03		.22	.30			17
18			.22	.08	.04						.23	.08	18
19			.25	.04					.96	.08	.50	.01	19
20				.05			.92	.13	.39	.57	.53		20
21								.25		.18	.36		21
22				.07	.38		.10	.18		.26	.35		22
23			.27	.11		.21	.05	.03	.12	.01	.27	.07	23
24	.31				.22	.05	.08			.04	.37	.08	24
25	.11	.02		~~trace~~	.66				.16		.29		25
26	.06					.54	.02		.56		.28	.26	26
27							.01		.19	.01	.23	.07	27
28									.47		.15	.17	28
29	.15						.14	.10	.17		.17	.01	29
30	.10	X			.80	.38	.58				.01	.60	30
31	.38	X	.10	X	.24	X			X	.84	X	.05	31
TOTAL	2.51	1.33	1.83	1.46	3.58	1.24	3.03	3.0	4.24	3.10	5.99	2.58	33.88
*Days with or in. or more.	117	112	110	111	114	116	141	12	014	116	119	115	1160
*Days with or in. or more.	15	8	9	11	12	5	10	10	14	12	18	12	136

278

FORM 1090.

16 ALBERT RD. ASHFORD

Kept at 16
in the Court
by

1924-30

064306002

FOR OFFICIAL USE.

277 A
County No.
River Dept.
Station No.

ALL ORGANIZATION.
IN 1924.
"N. Long. 0° 52' 26" E.
vation 8:50 am GMT. (Summer time, in Summer)
ay Station Ashford (Kent)
unnel of Rain Gauge 5 in.
of Gauge above Ground 1 ft. 0 in.
" " Sea Level 185 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.08	-	0.10	0.03	0.02	0.20	↑	-	-	-	0.62	0.11	1 RUV
2	0.05	-	0.28	-	0.09	0.15	↑	0.02	-	-	-	0.24	2 355
3	-	-	0.06	0.04	0.62	0.04	↑	0.20	0.03	-	-	-	3 C
4	-	-	-	-	0.02	0.50	↑	-	-	↑	-	0.30	4 DHC
5	-	0.07	0.23	-	0.09	-	↑	-	-	↑	0.01	0.09	5
6	-	0.06	-	-	-	-	0.68	0.09	-	1.17	-	-	6
7	-	-	-	-	-	0.01	0.68	0.01	0.18	0.35	-	-	7
8	0.17	0.01	-	0.02	0.07	-	↑	-	0.02	0.20	-	-	8
9	0.12	0.19	-	0.04	0.04	0.03	↑	-	0.14	0.01	-	-	9
10	0.10	-	-	0.21	0.24	0.05	↑	-	0.01	-	0.01	-	10
11	-	-	-	0.34	0.16	0.25	↓	-	0.14	-	0.14	0.02	11
12	0.01	-	-	0.22	0.04	0.03	-	0.03	0.01	-	0.46	-	12
13	0.04	-	-	0.28	0.01	0.05	-	0.11	0.12	-	0.01	0.18	13
14	0.01	-	-	0.22	-	-	↑	0.05	-	-	-	0.02	14
15	-	0.01	-	0.03	-	-	↑	0.09	0.06	-	-	0.62	15
16	0.01	-	-	-	-	-	0.84	0.08	0.01	-	-	0.08	16
17	0.29	-	-	-	-	-	↑	0.25	-	-	-	0.01	17
18	0.36	0.09	-	-	0.55	0.04	↓	0.46	-	-	0.05	-	18
19	0.04	0.05	-	-	-	-	-	0.29	-	0.15	0.04	-	19
20	-	-	-	-	0.12	-	0.03	0.03	0.07	0.03	-	-	20
21	0.33	-	0.01	-	0.08	-	0.05	0.19	0.25	0.59	-	-	21
22	0.29	0.06	0.24	-	-	-	-	0.12	0.12	0.02	-	-	22
23	-	0.02	0.35	0.03	0.26	-	-	0.42	0.23	-	-	0.60	23
24	0.36	0.16	0.19	0.01	0.14	-	-	0.04	-	↑	0.09	0.41	24
25	-	0.07	0.08	0.03	0.03	-	0.49	-	0.29	↑	0.17	-	25
26	-	0.05	0.09	0.44	-	-	0.05	-	0.27	↑	0.37	0.07	26
27	-	0.06	0.01	0.51	-	-	0.11	-	0.01	0.12	0.48	1.00	27
28	-	-	-	0.03	-	-	0.67	0.14	-	0.02	0.56	-	28
29	0.08	0.12	-	0.15	0.40	-	-	0.23	-	0.77	0.24	0.17	29
30	0.01	X	-	0.34	0.32	-	0.14	0.18	0.05	0.60	0.06	0.50	30
31	0.01	X	0.02	X	0.65	X	-	0.01	X	0.26	X	0.35	31 870
TOTAL	2.36	1.02	1.66	2.97	3.95	1.35	3.06	3.04	2.01	4.74	3.31	4.77	YEAR'S TOTAL 34.24
Days with 01 in. or more.	18	14	12	18	20	11	(16)	21	18	(15)	15	17	196-
Days with 01 in. or more.	13	11	9	11	16	8	(15)	16	12	(17)	12	14	149-

FOR OFFICIAL USE.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1924.

Kept at 16 Albert Road, Ashford

in the County of Kent

by A.E. Browne

Lat. 51° 9' 4" N. Long. 0° 52' 26" E.
Time of Observation 8.50 am GMT. (Summer time, in Summer)
Nearest Railway Station Ashford (Kent)
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 18.5 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.08	—	0.10	0.03	0.02	0.20	↑	—	—	—	0.62	0.11	1 RUV
2	0.05	—	0.28	—	0.09	0.15	×	0.02	—	—	—	0.24	2 55
3	—	—	0.66	0.04	0.62	0.04	×	0.20	0.03	×	—	—	3 C
4	—	—	—	—	0.02	0.50	×	—	—	×	—	0.30	4 DFB
5	—	0.07	0.23	—	0.09	—	×	—	—	×	0.01	0.09	5
6	—	0.06	—	—	—	—	0.68	0.09	—	1.17	—	—	6
7	—	—	—	—	—	0.01	0.68	0.01	0.18	0.35	—	—	7
8	0.17	0.01	—	0.02	0.07	—	×	—	0.02	0.20	—	—	8
9	0.12	0.19	—	0.04	0.04	0.03	×	—	0.14	0.01	—	—	9
10	0.10	—	—	0.21	0.24	0.05	—	—	0.01	—	0.01	—	10
11	—	—	—	0.34	0.16	0.25	↓	—	0.14	—	0.14	0.02	11
12	0.01	—	—	0.22	0.04	0.03	—	0.03	0.01	—	0.46	—	12
13	0.04	—	—	0.28	0.01	0.05	—	0.11	0.12	—	0.01	0.18	13
14	0.01	—	—	0.22	—	—	—	0.05	—	—	—	0.02	14
15	—	0.01	—	0.03	—	—	—	0.09	0.06	—	—	0.62	15
16	0.01	—	—	—	—	—	0.84	0.08	0.01	—	—	0.08	16
17	0.29	—	—	—	—	—	×	0.25	—	—	—	0.01	17
18	0.36	0.09	—	—	0.55	0.04	×	0.46	—	—	0.05	—	18
19	0.04	0.05	—	—	—	—	—	0.29	—	0.15	0.04	—	19
20	—	—	—	—	0.12	—	0.03	0.03	0.07	0.03	—	—	20
21	0.33	—	0.01	—	0.08	—	0.05	0.19	0.25	0.59	—	—	21
22	0.29	0.06	0.24	—	—	—	—	0.12	0.12	0.02	—	—	22
23	—	0.02	0.35	0.03	0.26	—	—	0.42	0.23	—	—	0.60	23
24	0.36	0.16	0.19	0.01	0.14	—	—	0.04	—	—	0.09	0.41	24
25	—	0.07	0.08	0.03	0.03	—	0.49	—	0.29	×	0.17	—	25
26	—	0.05	0.09	0.44	—	—	0.05	—	0.27	×	0.37	0.07	26
27	—	0.06	0.01	0.51	—	—	0.11	—	0.01	0.12	0.48	1.00	27
28	—	—	—	0.03	—	—	0.67	0.14	—	0.02	0.56	—	28
29	0.08	0.12	—	0.15	0.40	—	—	0.23	—	0.77	0.24	0.17	29
30	0.01	×	—	0.34	0.32	—	0.14	0.18	0.05	0.60	0.06	0.50	30
31	0.01	×	0.02	×	0.65	×	—	0.01	×	0.26	×	0.35	31 870
TOTAL	2.36	1.02	1.66	2.97	3.95	1.35	3.06	3.04	2.01	4.74	3.31	4.77	YEAR'S TOTAL 34.24
Days with 0.1 in. or more.	18	14	12	18	20	11	(16)	21	18	(15)	15	17	196-
Days with 0.1 in. or more.	13	11	9	11	16	8	(15)	16	12	(12)	12	14	149-



Register of Rainfall in 1925.

274

Kept at 16 Albert Road, Ashfordin the County of KentDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 1 ft. 0 in." Ground " Sea Level 18.5 ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.78	—	0.52	0.09	0.08	—	—	0.02	0.07		0.35	0.02	1
2	0.50	0.01	trace	0.23	—	—	0.06	—	trace		0.61	—	2
3	0.51	0.02	—	trace	0.28	—	0.43	—	0.02		0.15	—	3
4	0.04	trace	—	—	0.16	—	0.04	0.01	—		0.09	—	4
5	—	0.03	—	0.14	—	—	0.01	0.06	0.13		0.24	—	5
6	—	0.16	0.03	0.04	0.07	—	0.13	0.04	trace		0.64	—	6
7	trace	0.13	0.03	trace	0.01	—	0.30	—	trace	0.27	0.03	0.03	7
8	0.08	trace	0.01	—	0.30	—	—	—	0.03		0.01	0.06	8
9	0.01	0.01	—	0.08	—	—	trace	0.02	0.05		0.10	trace	9
10	—	0.04	0.11	—	0.05	—	trace	0.22	0.07		0.36	—	10
11	—	0.04	0.02	trace	—	—	—	0.34	0.02		0.14	—	11
12	0.01	0.43	0.03	—	—	—	—	0.01	0.04		—	trace	12
13	trace	0.48	0.24	0.16	—	—	—	—	—		—	0.01	13
14	0.19	0.02	0.03	0.27	—	—	—	—	—		—	—	14
15	0.22	0.24	—	0.14	—	—	—	—	—	0.26	—	—	15
16	0.02	0.03	—	0.01	0.02	—	—	—	0.03	0.11	—	—	16
17	0.01	0.01	—	—	—	—	—	—	0.03	trace	—	—	17
18	0.02	0.02	—	0.02	0.01	—	0.04	—	—	—	—	—	18
19	0.01	0.04	—	0.05	0.17	0.04	0.01	—	0.08	0.80	—	0.28	19
20	—	—	0.07	—	0.05	—	0.04	—	1.01	0.40		0.35	20
21	—	—	0.02	—	—	—	0.13	0.15	0.09	0.22	—	0.74	21
22	—	—	0.04	0.03	0.01	—	0.95	0.04	0.23	0.51	0.01	0.37	22
23	—	0.19	0.05	0.26	0.72	0.07	0.05	0.22	—	0.72	0.01	0.13	23
24	trace	0.57	0.33	0.01	0.14	0.17	0.32	0.09	0.01	0.04	0.10	0.18	24
25	0.06	1.27	—	0.01	—	0.01	0.01	trace	0.39	—	0.04	0.05	25
26	trace	0.23	—	trace	0.06	0.03	0.15	—	0.04	0.54	—	0.14	26
27	0.14	0.06	—	0.08	0.81	trace	0.56	0.11	—	trace	0.16	0.02	27
28	0.10	—	0.01	0.22	—	—	—	trace	trace	trace	—	0.28	28
29	0.13	X	—	0.16	0.09	—	0.86	—	trace	—	0.11	0.84	29
30	trace	X	—	0.43	—	—	—	—	trace	—	0.07	0.46	30
31	0.13	X	—	X	—	X	—	—	X	trace	X	—	31
TOTAL	2.96	4.03	1.54	2.43	3.03	0.32	4.09	1.33	2.34	3.87	3.22	3.96	33.12
Days with 0.1 in. or more.	18	21	15	19	17	5	19	13	17	13	18	16	191
Days with 0.4 in. or more.	12	13	7	14	13	3	16	9	11	12	14	12	136

(Signed).....

[P.T.O.]

Kept at 16 Albert Road, Ashford
in the County of Kent
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" Ground " Sea Level 185 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.38	0.29	—	—	—	0.12	—	—	0.02	—	tr	—	1
2	0.01	—	—	—	—	0.54	0.05	—	0.02	—	0.02	—	2
3	0.22	0.63	0.06	0.01	—	tr	—	0.01	0.02	—	—	—	3
4	tr	0.08	0.04	—	—	—	0.28	—	tr	tr	—	—	4
5	0.17	0.12	0.07	—	0.17	—	0.04	—	tr	tr	0.38	0.27	5
6	0.02	0.28	0.02	0.29	—	0.14	0.03	0.07	0.04	0.01	0.03	0.06	6
7	0.13	0.06	—	0.15	0.13	0.12	—	0.02	0.02	tr	0.02	0.02	7
8	tr	0.05	—	0.16	tr	0.03	—	—	—	tr	0.40	—	8
9	—	0.02	0.01	—	—	0.19	—	—	—	0.22	0.78	—	9
10	—	0.01	—	—	0.02	0.17	0.01	0.09	—	tr	0.14	—	10
11	tr	0.03	—	—	0.33	0.14	tr	0.31	0.04	0.02	0.08	—	11
12	—	0.16	—	—	0.04	0.02	—	0.01	0.18	0.26	tr	—	12
13	0.04	—	—	—	0.10	—	—	tr	—	0.01	1.25	0.01	13
14	0.10	0.01	—	0.07	0.42	0.19	—	—	—	0.48	0.01	0.09	14
15	0.27	0.03	—	0.56	0.04	0.01	—	—	—	0.43	0.08	—	15
16	tr	0.06	—	0.21	0.01	—	—	1.37	tr	—	0.03	—	16
17	tr	0.39	—	0.01	0.06	0.50	—	tr	tr	—	0.19	0.03	17
18	0.18	0.11	—	0.34	0.08	tr	0.25	0.08	—	—	0.61	—	18
19	tr	tr	0.09	0.58	0.07	—	0.42	0.01	—	—	0.06	0.02	19
20	tr	tr	0.02	0.41	0.01	—	0.01	0.13	—	0.07	0.59	—	20
21	tr	—	—	0.07	0.01	—	0.18	0.03	—	tr	0.58	0.04	21
22	0.35	0.07	—	0.16	—	—	—	—	—	0.01	0.21	0.30	22
23	0.04	tr	—	tr	—	0.05	—	—	x	—	tr	—	23
24	tr	0.01	—	—	—	0.04	—	tr	—	0.72	—	—	24
25	0.07	—	—	0.45	—	—	x	0.01	0.30	0.05	0.11	0.05	25
26	tr	tr	—	—	—	—	x	—	x	—	0.28	—	26
27	0.02	0.02	0.01	0.19	0.02	—	0.52	—	x	0.01	0.01	—	27
28	0.77	—	—	0.16	tr	—	x	—	—	0.24	0.04	0.01	28
29	0.02	X	0.05	0.10	0.19	—	✓	—	—	0.15	0.11	—	29
30	0.14	X	—	0.03	0.15	—	—	0.01	—	0.02	0.01	—	30
31	0.23	X	tr	X	0.02	X	—	tr	X	0.31	X	—	31
TOTAL	3.16	2.43	0.37	3.95	1.87	2.26	1.79	2.15	0.64	3.01	6.02	0.90	YEAR'S TOTAL 28.55
Days with "01 in. or more.	18	19	9	18	14	14	14	13	10	16	24	11	184
Days with "04 in. or more.	14	12	5	12	11	11	9	6	6	10	17	6	123

Please read the Notes and Instructions Overleaf.

Section **A**

for the entry of Daily Observations.

254
FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1927.

Kept at 16 Albert Road Ashford

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

„ Ground „ Sea Level 185 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	<u>1.40</u>	0.01	0.17	—	<u>0.53</u>	0.29	0.31	—	0.15	0.40	trace	1
2	0.02	0.01	0.12	0.18	—	trace	0.01	—	—	0.02	0.02	0.03	2
3	0.16	trace	0.01	—	—	trace	trace	—	—	—	trace	—	3
4	trace	—	trace	0.05	—	—	0.25	—	—	trace	—	0.01	4
5	0.10	0.17	0.12	<u>0.44</u>	—	<u>0.10</u>	0.01	0.09	—	—	0.22	—	5
6	0.01	trace	0.29	0.16	—	—	<u>1.65</u>	0.01	✓	—	0.05	trace	6
7	0.03	0.21	0.01	0.32	—	0.12	—	0.28	—	trace	—	—	7
8	0.13	—	0.09	0.19	—	—	0.03	0.17	✓	—	0.11	trace	8
9	trace	—	0.01	0.05	—	—	0.60	0.09	×	—	0.07	trace	9
10	—	—	0.07	—	0.01	—	—	0.02	✓	2.29	trace	trace	10
11	—	—	0.02	0.01	—	0.11	—	0.04	—	—	trace	—	11
12	0.11	—	0.05	—	trace	—	0.80	0.15	—	0.04	0.36	—	12
13	0.08	0.01	trace	0.02	—	—	0.16	0.44	×	trace	0.02	trace	13
14	0.01	0.01	—	0.03	—	—	0.92	—	×	0.05	0.02	0.15	14
15	0.07	trace	—	—	0.01	—	0.04	0.30	✓	trace	0.01	0.02	15
16	0.01	0.01	—	—	0.13	—	0.01	0.04	×	trace	trace	0.02	16
17	<u>0.65</u>	trace	0.03	—	—	0.33	—	0.12	✓	—	—	—	17
18	0.04	0.03	trace	—	—	0.30	—	0.18	0.03	trace	0.05	—	18
19	0.01	0.12	—	—	—	0.01	—	0.01	—	0.02	0.05	—	19
20	0.12	0.20	—	—	—	—	0.09	<u>0.90</u>	—	—	0.49	0.04	20
21	0.21	0.20	—	—	0.04	—	0.02	0.18	0.04	0.33	0.24	0.86	21
22	0.13	0.03	0.40	—	0.05	0.26	0.10	0.05	0.04	<u>0.77</u>	trace	0.57	22
23	0.01	0.25	0.35	—	—	0.02	—	trace	0.50	0.04	0.21	0.25	23
24	trace	0.18	0.33	0.06	—	0.29	trace	0.03	trace	0.02	0.06	0.78	24
25	—	0.28	0.47	trace	—	0.22	0.01	0.14	0.02	0.01	trace	1.17	25
26	0.15	0.52	0.03	—	0.09	—	0.01	—	—	0.04	0.01	<u>1.67</u>	26
27	0.03	0.29	0.01	—	<u>0.32</u>	0.31	0.39	—	trace	0.33	0.01	—	27
28	0.09	0.09	—	0.05	—	0.25	0.07	—	—	0.02	0.10	—	28
29	0.03	×	0.14	0.01	—	0.13	—	0.01	0.47	0.03	<u>0.72</u>	—	29
30	0.25	×	0.15	—	—	0.17	0.01	—	trace	—	trace	—	30
31	0.01	×	<u>0.73</u>	×	trace	×	0.01	—	×	0.06	×	0.11	31
TOTAL	2.46	4.01	3.44	1.74	0.65	3.15	5.48	3.56	3.39	1.93	3.22	5.68	YEAR'S TOTAL
Days with "01 in. or more.	24	18	21	14	7	16	21	21	15	15	20	13	205
Days with "04 in. or more.	14	12	13	10	5	13	12	16	11	8	14	9	137

R.E. Brown

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1928.

Kept at 16 Albert Road Ashford

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

„ Ground „ Sea Level 185 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	trace	0.01	0.17	0.10	—	—	—	0.06	—	—	0.67	Trace	1
2	0.74	0.24	0.01	—	0.27	—	—	—	—	—	0.27	0.01	2
3	0.01	trace	—	0.12	0.22	—	0.11	0.67	—	—	0.16	0.01	3
4	0.14	0.10	—	0.23	0.01	0.01	—	—	—	—	0.03	—	4
5	0.20	0.16	0.05	0.07	—	trace	0.01	—	—	Trace	—	0.01	5
6	trace	0.01	0.03	—	—	0.17	—	—	—	Trace	—	0.10	6
7	trace	trace	0.01	0.10	—	0.24	trace	0.14	—	—	—	—	7
8	trace	trace	0.06	—	0.02	0.27	0.01	—	—	0.20	0.34	—	8
9	—	trace	0.02	—	—	0.25	—	—	—	0.21	0.01	0.09	9
10	0.09	0.20	0.24	0.18	0.13	trace	—	0.02	—	0.25	0.09	—	10
11	0.01	0.06	0.13	0.13	—	0.02	—	—	—	0.26	0.29	0.16	11
12	0.24	0.08	0.04	—	—	—	—	—	—	0.09	0.01	0.12	12
13	trace	0.19	trace	—	—	0.76	—	0.03	—	—	0.24	0.02	13
14	0.04	0.14	—	0.20	0.16	0.29	—	—	—	0.46	0.33	0.02	14
15	0.04	trace	—	0.47	0.23	0.03	—	—	trace	0.07	0.26	trace	15
16	0.01	0.02	—	0.69	0.07	—	—	—	—	0.06	0.42	0.21	16
17	—	—	0.02	0.01	0.28	—	—	—	trace	0.07	0.02	—	17
18	0.57	—	0.01	0.03	0.08	0.07	—	—	—	0.48	0.01	—	18
19	—	—	—	0.01	0.14	0.09	—	0.18	—	0.34	0.06	0.14	19
20	0.14	—	—	—	0.12	—	—	0.05	—	0.31	0.02	0.24	20
21	0.11	—	0.11	0.02	0.68	—	—	0.07	—	0.98	0.34	trace	21
22	—	—	0.13	0.01	0.12	—	—	0.03	—	0.76	0.14	0.12	22
23	0.37	—	—	trace	0.22	—	—	—	0.02	0.12	0.27	—	23
24	0.09	—	0.04	—	—	—	—	0.03	0.03	0.08	0.25	0.23	24
25	0.05	—	0.03	—	—	0.02	—	0.01	—	0.13	0.01	0.07	25
26	0.31	—	—	—	—	0.04	0.01	0.10	—	1.10	0.01	0.14	26
27	trace	—	0.05	0.02	—	0.01	0.59	0.02	—	0.05	—	0.41	27
28	0.38	trace	0.02	0.05	—	—	—	0.04	0.58	—	—	0.08	28
29	0.07	0.06	0.47	0.09	—	—	trace	0.01	0.07	0.11	0.07	0.50	29
30	0.06	×	0.15	trace	—	0.15	0.13	—	—	0.01	Trace	0.07	30
31	0.09	×	0.20	×	—	×	0.07	—	×	0.02	×	0.10	31
TOTAL	3.76	1.27	1.99	2.53	2.75	2.42	0.93	1.46	0.70	6.16	4.32	2.85	31.14
Days with 0.1 in. or more.	21	12	21	18	15	15	7	16	4	22	24	21	196
Days with 0.4 in. or more.	18	9	13	12	13	10	4	9	2	20	16	16	142

Kept at 16 Albert Road, Ashford
in the County of Kent

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 185 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.
Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.16	0.09	—	0.03	—	Trace	—	0.46	—	0.19	Trace	0.01	1
2	0.06	0.05	—	—	—	0.06	0.21	0.04	—	0.31	0.11	0.34	2
3	Trace	—	0.02	0.01	—	—	0.08	—	Trace	0.09	—	0.40	3
4	0.01	Trace	—	0.19	0.10	0.43	0.05	0.06	—	—	—	0.24	4
5	Trace	—	0.01	0.04	0.87	0.18	0.14	0.16	—	0.14	—	0.56	5
6	Trace	—	—	—	0.28	0.01	0.08	0.60	—	0.20	0.11	0.53	6
7	—	—	—	—	0.04	Trace	—	0.01	—	0.31	0.53	0.23	7
8	—	—	—	—	—	0.24	—	—	—	0.27	0.06	0.53	8
9	0.01	0.31	—	0.13	—	—	—	—	—	Trace	—	0.51	9
10	0.03	0.08	—	0.36	—	—	—	—	—	0.17	0.03	0.44	10
11	—	Trace	—	0.26	Trace	Trace	—	—	—	Trace	0.65	0.12	11
12	—	Trace	Trace	0.12	0.19	0.10	—	—	—	—	—	0.01	12
13	0.03	0.09	—	—	0.06	0.08	—	—	Trace	Trace	Trace	0.01	13
14	Trace	0.01	—	—	0.04	0.04	—	—	—	—	—	0.09	14
15	0.12	0.01	—	—	0.01	x	—	—	—	—	0.91	0.15	15
16	—	—	—	—	—	—	—	0.90	—	—	0.37	Trace	16
17	—	—	Trace	Trace	—	—	—	—	—	—	Trace	—	17
18	Trace	—	—	—	—	0.19	—	—	Trace	1.32	0.17	Trace	18
19	—	—	—	—	—	—	—	—	—	—	0.09	—	19
20	—	—	Trace	—	—	—	0.10	—	Trace	x	—	Trace	20
21	0.15	—	Trace	—	—	—	Trace	0.01	—	—	0.01	1.22	21
22	0.01	—	0.07	—	—	—	—	0.01	—	—	0.04	0.08	22
23	Trace	0.06	—	Trace	—	Trace	—	—	—	—	0.35	0.32	23
24	—	Trace	Trace	Trace	0.01	—	—	0.01	—	x	0.44	0.32	24
25	0.03	Trace	0.01	—	—	—	—	Trace	—	x	0.20	0.10	25
26	0.05	0.05	0.01	0.02	0.04	—	—	—	—	Trace	0.13	0.06	26
27	Trace	—	—	Trace	—	—	—	—	—	Trace	0.59	0.05	27
28	0.22	0.01	—	0.06	—	—	0.16	—	Trace	0.24	0.69	0.34	28
29	0.19	x	—	0.13	—	Trace	Trace	0.01	0.30	Trace	0.40	0.04	29
30	0.01	x	—	—	—	0.15	—	—	0.30	0.06	0.94	0.40	30
31	0.46	x	—	x	—	x	0.14	Trace	x	0.07	x	—	31
TOTAL	1.54	0.76	0.12	1.35	1.64	1.48	0.96	2.27	0.60	3.37	6.82	7.10	28.01
Days with "or in. or more.	15	10	5	11	10	10	8	11	2	15	20	25	142
Days with "04 in. or more.	8	7	1	8	8	9	8	6	2	14	18	22	111

REGISTER OF RAINFALL IN 1930 .

Kept at 16 Albert Road, Ashford
in the County of Kent
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 0 in.
" Ground " Sea Level 185 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	0.14	0.01	—	0.13	—	—	0.69	0.01	—	0.01	0.48	—	I
2	Trace	0.06	—	0.03	0.01	—	—	0.03	—	—	0.94	—	2
3	0.03	0.07	—	0.46	0.01	—	—	1.72	—	0.02	0.04	—	3
4	0.16	0.02	Trace	0.07	0.01	—	0.02	0.12	0.04	0.20	—	—	4
5	0.04	—	—	—	0.37	—	—	0.26	—	0.01	Trace	0.01	5
6	—	0.24	0.04	—	0.28	—	0.01	0.12	0.27	—	—	0.01	6
7	0.03	0.47	0.01	—	0.05	—	—	0.18	0.02	0.29	0.26	0.19	7
8	0.17	—	—	—	—	—	—	—	0.02	Trace	Trace	0.25	8
9	0.19	—	Trace	—	0.33	—	—	Trace	0.03	Trace	0.01	0.03	9
10	0.33	—	0.32	—	X	—	—	Trace	0.03	—	—	0.01	10
II	0.11	0.11	0.02	Trace	0.42	—	Trace	0.01	0.04	0.07	—	0.59	II
12	0.25	—	—	0.18	X	—	—	0.01	0.01	—	—	0.30	12
13	0.02	—	0.07	0.25	0.10	Trace	0.15	0.27	0.35	—	—	0.04	13
14	0.02	—	—	0.01	—	—	0.30	—	Trace	—	Trace	Trace	14
15	0.02	0.15	0.31	0.04	—	—	0.59	—	—	0.05	0.16	0.01	15
16	—	0.02	0.03	—	—	0.01	0.04	—	0.17	Trace	—	—	16
17	—	0.03	0.23	0.10	—	0.01	0.02	—	0.16	0.20	—	—	17
18	—	—	0.36	0.04	0.15	—	—	—	Trace	0.01	0.16	0.08	18
19	—	—	0.16	0.05	—	—	—	0.03	0.68	0.09	0.18	0.02	19
20	—	—	0.02	0.07	—	0.01	0.80	0.07	0.39	0.52	0.54	0.01	20
21	Trace	—	0.01	—	Trace	—	0.09	0.28	0.13	0.04	0.51	—	21
22	Trace	—	—	Trace	0.20	—	0.08	0.10	0.02	0.30	0.15	—	22
23	Trace	Trace	0.05	0.15	—	0.18	0.09	0.10	Trace	Trace	Trace	0.02	23
24	0.29	0.02	—	Trace	0.13	0.07	0.10	—	0.04	0.04	0.47	0.09	24
25	0.11	—	—	Trace	0.51	—	—	—	0.05	0.01	0.33	0.01	25
26	0.04	0.01	—	—	Trace	0.40	0.02	—	0.53	—	0.23	0.30	26
27	—	—	Trace	—	—	0.03	0.02	—	0.28	0.01	0.21	0.06	27
28	Trace	—	—	—	—	—	0.01	—	0.83	—	0.18	0.03	28
29	0.17	X	Trace	—	Trace	—	0.02	0.01	0.11	Trace	0.13	0.20	29
30	0.06	X	—	—	0.92	—	0.11	—	Trace	Trace	0.02	0.45	30
31	0.33	X	0.11	X	0.21	X	—	Trace	X	0.91	X	0.06	31
TOTAL	2.51	1.21	1.74	1.58	3.70	0.71	3.16	3.32	4.20	2.78	5.00	2.77	32.68
*Days with or in. or more.	19	12	14	13	17	7	18	16	21	17	18	22	194
*Days with or in. or more.	14	6	9	11	14	3	11	10	15	12	16	12	133

9221.

ASHFORD

Sept at Kennelin the County of ...by Kennel

1921 - 30.

064306001

ing. 9 4 mon 22ndRain Gauge 5 in.Gauge above Ground 1 ft. in." " Sea Level 190 ft.

IMPORTANT

and the result entered to the previous day.

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

ASHFORD

Records taken in Millimetres should not be entered on this form

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.10	.22	-	-	-	.05	-	-	-	-	-	-	1
2	.25	-	.27	-	-	-	-	-	-	-	.05	.19	2
3	-	.05	-	-	.23	-	-	-	-	-	.50	.07	3
4	.06	-	.25	-	-	-	-	.12	-	-	.27	-	4
5	.17	-	-	-	.05	.10	-	-	-	-	.42	-	5
6	.25	-	-	-	-	-	.05	.14	-	-	.23	-	6
7	-	-	.30	-	.10	-	-	-	-	-	-	.03	7
8	.23	-	-	-	.35	-	-	-	-	-	-	-	8
9	-	-	-	.02	-	-	-	-	-	-	-	-	9
10	-	-	-	-	-	-	-	-	-	-	-	-	10
11	.26	-	-	-	-	-	-	-	.11	.03	-	-	11
12	.17	.25	-	-	-	-	-	-	-	-	-	.02	12
13	<u>1 inch</u>	-	-	-	-	-	-	-	.44	-	-	.08	13
14	-	-	-	.35	-	-	-	.72	-	-	.1	.02	14
15	-	-	-	missed	-	-	-	.12	-	-	-	.46	15
16	.05	-	-	.08	-	-	.04	-	.15	-	-	.03	16
17	.10	-	-	.15	-	-	-	-	-	-	.06	-	17
18	-	-	.34	.45	-	-	-	.32	-	-	-	-	18
19	.12	-	-	.05	-	-	-	-	.05	-	-	-	19
20	-	-	.27	-	-	-	-	-	-	-	-	.08	20
21	-	-	.08	-	-	.02	-	-	-	.46	-	-	21
22	-	-	-	-	-	-	-	-	-	-	.05	-	22
23	-	-	-	-	-	-	-	-	-	.33	-	.21	23
24	-	-	-	.11	-	-	-	.14	-	-	-	-	24
25	.05	-	-	missed	-	-	-	-	-	-	-	.27	25
26	.05	-	.02	.55	.12	-	-	-	-	-	-	-	26
27	-	-	-	-	.04	-	-	.05	-	-	-	.12	27
28	-	-	.02	-	-	-	-	-	-	-	-	.06	28
29	-	-	.25	-	-	.15	.30	.25	-	-	-	.03	29
30	.17	~~X~~	-	-	-	~~X~~	.02	-	-	-	-	.04	30
31	-	~~X~~	-	~~X~~	.14	~~X~~	-	-	~~X~~	-	~~X~~	.21	31
TOTAL	3.03	.32	1.80	1.76	1.18	0.17	0.41	1.86	0.75	0.82	1.68	1.92	YEAR'S TOTAL
Days with 0.1 in. or more	15.	3	9.	8.	8.	3.	4.	8	4	8	8	16	18.40.
Days with 0.4 in. or more	15.	3	7.	7.	8.	2.	3.	8	4	2	8	11.	89

REGISTER OF RAINFALL IN 1922.

Sept at Kennington Ashford
in the County of Kent
by K. A. Bell Mrs. Headley Barr

Lat. _____ Long. _____
Time of Observation 9 AM
Nearest Railway Station Ashford
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 190 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

ASHFORD

Records taken in Millimetres should not be entered on this form

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.10	.22	-	-	-	.05	-	-	-	-	-	-	1
2	.25	-	.27	-	-	-	-	-	-	-	.05	.19	2
3	-	.05	-	-	.23	-	-	-	-	-	.50	.07	3
4	.06	-	.25	-	-	-	-	.12	-	-	.27	-	4
5	.17	-	-	-	.05	.10	-	-	-	-	.42	-	5
6	.25	-	-	-	-	-	.05	.14	-	-	.23	-	6
7	-	-	.30	-	.10	-	-	-	-	-	-	.03	7
8	.23	-	-	-	.35	-	-	-	-	-	-	-	8
9	-	-	-	.02	-	-	-	-	-	-	-	-	9
10	-	-	-	-	-	-	-	-	-	-	-	-	10
11	.26	-	-	-	-	-	-	-	.11	.03	-	-	11
12	.17	.25	-	-	-	-	-	-	-	-	-	.02	12
13	<u>1 inch</u>	-	-	-	-	-	-	-	.44	-	-	.08	13
14	-	-	-	.35	-	-	-	.72	-	-	.1	.02	14
15	-	-	-	missed	-	-	-	.12	-	-	-	.46	15
16	.05	-	-	.08	-	-	.04	-	.15	-	-	.03	16
17	.10	-	-	.15	-	-	-	-	-	-	.06	-	17
18	-	-	.34	.45	-	-	-	.32	-	-	-	-	18
19	.12	-	-	.05	-	-	-	-	.05	-	-	-	19
20	-	-	.27	-	-	-	-	-	-	-	-	.08	20
21	-	-	.08	-	-	.02	-	-	-	.46	-	-	21
22	-	-	-	-	-	-	-	-	-	-	.05	-	22
23	-	-	-	-	-	-	-	-	-	.33	-	.21	23
24	-	-	-	.11	-	-	-	.14	-	-	-	-	24
25	.05	-	-	missed	-	-	-	-	-	-	-	.27	25
26	.05	-	.02	.55	.12	-	-	-	-	-	-	-	26
27	-	-	-	-	.04	-	-	.05	-	-	-	.12	27
28	-	-	.02	-	-	-	-	-	-	-	-	.06	28
29	-	-	.25	-	-	.30	.25	-	-	-	-	.03	29
30	.17	X	-	-	.15	.02	-	-	-	-	-	.04	30
31	+	X	-	X	.14	X	-	-	X	-	X	.21	31
TOTAL	3.03	.32	1.80	1.76	1.18	0.17	0.41	1.86	0.75	0.82	1.68	1.92	YEAR'S TOTAL
Days with .01 in. or more	15.	3	9.	8.	8.	3.	4.	8	4	8	8	16	18.40.
Days with .04 in. or more	15.	3	7.	7.	8.	2.	3.	8	4	2	8	11.	29
													76

AIR MINISTRY.
METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
REGISTER OF RAINFALL IN 1922.....

Kept at Ashford
in the County of Kent
by

Lat..... Long.....
Time of Observation.....
Nearest Railway Station.....
Diameter of Funnel of Rain Gauge..... in.
Height of top of Gauge above Ground..... ft..... in.
" " " " Sea Level..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
<u>22</u>	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	06	02	—	09	—	—	01	03	05	45	10	1
2	04	21	19	20	—	—	08	—	—	—	—	—	2
3	—	03	02	36	16	—	09	21	—	01	12	—	3
4	—	04	15	04	05	—	13	07	03	40	—	—	4
5	—	—	19	02	—	—	67	—	—	10	38	—	5
6	06	—	05	—	—	—	—	07	—	26	11	—	6
7	25	—	77	20	—	—	—	—	—	—	—	04	7
8	02	—	20	03	—	—	25	13	—	—	11	—	8
9	07	—	—	—	—	03	06	35	05	12	—	—	9
10	—	—	—	—	—	—	—	04	25	—	—	03	10
11	05	—	—	—	06	—	—	—	—	—	—	—	11
12	—	—	—	47	—	—	—	—	50	05	—	—	12
13	—	—	—	24	—	29	12	—	69	—	—	—	13
14	—	—	—	01	—	71	35	—	64	—	—	—	14
15	30	25	—	01	—	04	02	—	—	—	—	—	15
16	—	02	—	23	—	—	08	—	—	—	—	23	16
17	—	12	—	01	08	—	03	—	09	—	—	20	17
18	37	—	—	03	01	04	—	—	—	—	—	16	18
19	72	14	06	—	—	—	—	—	48	15	—	57	19
20	—	—	—	—	—	—	—	—	—	07	—	—	20
21	—	24	33	—	—	—	—	—	04	—	—	65	21
22	64	22	—	06	—	03	—	27	—	03	—	12	22
23	—	01	—	06	—	15	—	—	—	05	—	—	23
24	—	—	—	07	—	05	07	25	57	15	—	—	24
25	33	—	17	31	—	15	—	06	—	—	—	05	25
26	08	29	05	15	—	19	23	—	28	—	24	—	26
27	50	28	04	17	—	—	—	32	45	07	—	17	27
28	—	17	04	04	—	18	—	06	02	10	03	17	28
29	11	X	—	—	—	22	—	09	—	45	—	13	29
30	03	X	13	—	—	—	08	23	37	24	11	09	30
31	—	X	—	X	—	X	—	—	X	—	X	20	31
99													YEAR'S TOTAL
TOTAL	3.57	2.08	2.41	2.78	4.5	2.08	2.26	2.16	4.49	2.30	1.55	2.91	28.97
Days with "01 in. or more	15	14	15	19	6	12	14	14	15	16	8	15	163
Days with "04 in. or more	13	11	13	14	5	10	12	13	12	14	7	14	138

AIR MINISTRY.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1923.

Kept at Ashford
in the County of Kent
Miss Headley Bros

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
<u>23</u>	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	10	-	22	-	-	01	-	-	37	04	35	05	1
2	27	-	03	-	04	-	-	-	-	02	02	41	2
3	-	-	-	-	-	05	-	-	-	1.53	13	-	3
4	-	-	-	-	-	01	-	-	13	-	-	20	4
5	26	-	01	-	-	-	-	-	-	07	05	-	5
6	15	-	06	03	04	08	-	-	-	01	-	-	6
7	30	75	62	-	10	-	25	-	01	62	-	-	7
8	06	27	26	-	33	-	-	-	-	38	58	28	8
9	03	02	02	04	05	-	-	-	-	-	02	-	9
10	-	32	-	13	28	-	02	-	-	25	-	01	10
11	02	-	-	02	08	-	-	-	-	53	-	-	11
12	-	32	25	01	20	11	-	-	-	12	-	04	12
13	-	02	13	01	20	-	15	-	-	-	57	-	13
14	03	05	08	-	07	-	-	04	12	01	-	-	14
15	02	03	-	-	24	23	-	06	-	-	28	-	15
16	-	11	-	-	08	01	01	-	-	-	-	15	16
17	-	-	-	-	-	-	-	13	06	-	-	-	17
18	12	41	-	-	-	-	-	-	02	03	-	-	18
19	13	05	-	05	-	08	-	-	04	25	-	02	19
20	-	03	08	-	06	07	-	11	38	-	-	01	20
21	-	25	03	08	-	-	-	01	04	30	-	13	21
22	-	25	02	20	-	-	-	08	20	13	08	02	22
23	-	12	41	-	22	-	06	32	37	77	-	-	23
24	-	03	-	-	-	-	-	32	22	16	-	60	24
25	-	13	12	1.21	09	06	10	-	05	30	-	05	25
26	-	42	-	12	-	-	-	17	-	06	-	23	26
27	-	20	-	01	12	01	-	08	-	-	-	25	27
28	02	15	-	15	95	-	-	01	-	-	30	06	28
29	08	X	07	13	52	-	17	31	-	03	-	-	29
30	-	X	-	-	-	-	-	-	-	30	-	32	30
31	-	X	-	X	03	X	25	-	X	13	X	24	31
99 TOTAL	1.59	3.93	2.41	2.19	3.67	.72	1.01	1.64	2.01	6.04	2.38	3.07	YEAR'S TOTAL 30.66
Days with 0.1 in. or more	14	20	16	14	19	11	8	12	13	22	10	18	177
Days with 0.4 in. or more	9	15	11	9	17	7	6	10	11	17	9	14	134

Kept at Ashford
in the County of Kent
by Messrs Headley Bros.

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.
Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
24	in.	in.	in.	in.	in	in.	in.	in.	in.	in.	in.	in.	
1	.10	—	.11	.04	.03	.32	.04	.01	—	—	.60	.13	1
2	.06	—	.26	.01	.10	.15	.04	—	—	—	—	.21	2
3	—	—	.01	.06	.62	.05	.22	.22	.05	.01	—	—	3
4	—	—	—	.01	.01	.50	.07	—	—	.23	—	.25	4
5	—	.09	.01	—	.10	.04	.06	—	—	.10	—	.10	5
6	—	.07	—	—	—	—	—	—	—	1.14	.01	—	6
7	—	—	—	—	—	—	—	.10	.20	.34	—	—	7
8	.14	.01	—	.03	.10	.01	.22	.01	.05	.21	—	—	8
9	.11	.19	—	.05	.04	.05	.17	—	—	—	—	—	9
10	.11	—	—	.20	.35	.06	—	—	.15	.01	—	—	10
11	—	—	—	.40	.05	.25	—	—	—	—	.12	—	11
12	—	—	—	.30	.05	.05	—	.01	—	—	.46	—	12
13	.06	—	—	.19	.01	.05	.01	.15	.25	—	.01	.14	13
14	.01	—	—	.23	—	—	—	.06	—	—	.01	.07	14
15	—	.01	—	.04	—	—	—	.10	.07	—	—	.50	15
16	—	—	—	—	—	—	—	.01	.02	—	—	.07	16
17	.30	—	—	—	—	—	.80	.31	.01	—	—	.01	17
18	.37	.11	—	—	.49	.04	.05	.48	—	.02	.06	—	18
19	.06	.06	—	—	—	—	—	.32	—	.14	.04	—	19
20	—	—	—	—	.15	—	.01	.04	.02	.16	—	—	20
21	.33	—	—	—	.11	—	.10	.20	.30	.61	—	—	21
22	.30	.09	—	—	—	—	—	.14	.12	.02	—	.01	22
23	.01	.02	.85	.05	.27	—	.01	.30	.25	—	—	.61	23
24	.35	.20	.16	.01	.17	—	—	.18	—	—	.10	.03	24
25	—	.09	.11	.06	—	—	.50	.01	.29	—	.17	—	25
26	—	.06	.08	.30	—	—	.05	—	.30	.16	.38	—	26
27	—	.03	—	.60	—	—	.14	—	.01	.12	.50	1.35	27
28	—	—	.02	.07	—	.01	.59	.15	—	.02	.50	—	28
29	.10	.17	—	.15	.40	—	—	.24	.01	.73	.28	.16	29
30	.01	X	—	.35	.35	—	.12	—	.06	.65	.02	.46	30
31	.03	X	.03	X	.65	X	—	.20	X	.25	X	.37	896 31
99													
TOTAL	2.45	1.20	1.64	3.15	4.05	1.55	3.20	3.24	2.16	4.92	3.26	4.47	35.29
Days with "01 in. or more	17	14	10	20	10	13	16	21	17	18	15	16	198
Days with ".04 in or more	13	10	6	16	16	10	15	16	12	13	11	13	151
YEAR'S TOTAL													

Kept at Ashford
in the County of Hert
measured by Headley Bros

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
25	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	80	—	52	10	09	—	—	45	09	—	35	04	1
2	36	01	—	23	—	—	04	01	—	—	55	—	2
3	51	01	—	01	29	—	44	01	01	—	13	—	3
4	02	—	01	—	15	—	04	01	—	02	10	—	4
5	—	—	—	14	—	—	—	08	15	—	25	—	5
6	—	16	03	04	09	—	30	07	01	—	59	—	6
7	—	14	—	—	02	—	15	—	—	05	02	—	7
8	10	—	05	—	31	—	—	—	05	12	03	10	8
9	—	02	—	—	—	—	—	04	07	—	13	—	9
10	—	04	14	—	04	—	—	24	07	—	38	—	10
11	—	06	02	—	—	—	—	35	03	—	13	—	11
12	—	44	04	—	—	—	—	01	02	10	11	—	12
13	—	45	26	25	—	—	—	—	—	03	—	02	13
14	21	—	04	28	—	—	—	—	—	—	—	01	14
15	20	27	—	15	01	—	—	—	—	28	—	—	15
16	01	04	—	01	—	—	—	—	06	12	—	—	16
17	01	—	—	—	—	—	—	—	04	—	—	—	17
18	—	06	—	—	04	—	05	—	—	—	—	—	18
19	—	02	—	07	18	05	01	—	06	72	—	10	19
20	—	—	08	—	08	—	05	—	109	38	—	52	20
21	—	—	01	01	—	—	11	18	10	19	—	78	21
22	—	01	04	01	01	—	100	13	22	50	02	36	22
23	—	22	08	30	43	08	06	12	—	68	02	14	23
24	05	56	33	—	40	17	35	10	01	04	12	—	24
25	—	116	—	01	—	—	05	01	40	—	04	20	25
26	—	23	01	01	08	—	13	—	05	50	—	13	26
27	14	07	—	09	75	—	60	12	—	—	18	08	27
28	10	02	03	25	—	—	—	—	—	—	—	26	28
29	14	X	—	18	—	—	07	01	—	—	12	85	29
30	—	X	—	43	—	—	30	—	—	—	08	45	30
31	10	X	—	X	—	X	15	—	X	—	X	—	31
99													
TOTAL	2.75	3.99	1.69	2.57	2.97	30	3.90	1.94	2.53	3.73	3.35	4.04	YEAR'S TOTAL 33.76
Days with 01 in. or more	14	20	16	19	16	3	18	17	18	14	19	15	189
Days with 04 in. or more	11	14	10	13	13	3	15	11	13	12	15	13	145



Register of Rainfall in 1926.

Kept at *Invicta Press, Ashford,*in the County of *Kent.*Diameter of Funnel of Gauge *five* in.Height of top of Gauge above Ground *one* ft. — in.„ Ground „ Sea Level *190* ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
26													
1	.35	.30	—	—	—	.15	—	—	.04	—	—	—	1
2	.04	—	—	—	—	.50	.05	—	.03	—	.03	—	2
3	.18	.63	.11	—	—	.01	—	—	.02	—	—	—	3
4	—	.13	.05	.02	—	—	.35	.01	—	—	.01	—	4
5	.16	.10	.01	—	.19	—	.04	—	—	—	.35	.30	5
6	.03	.34	.09	.33	.01	—	.05	.11	.06	—	—	.06	6
7	.13	.01	—	.15	.24	.15	.01	.03	.02	—	.30	—	7
8	—	.06	—	.15	—	—	—	—	—	—	.10	—	8
9	—	.03	—	.01	—	.35	—	—	—	.23	.80	—	9
10	—	.01	—	—	.01	.17	.01	.11	—	.01	.15	—	10
11	—	.07	—	—	.33	.15	—	.32	—	.03	.08	—	11
12	—	.16	—	—	.10	—	—	.02	.23	.27	—	—	12
13	.01	—	—	—	.05	—	—	—	—	.01	1.20	—	13
14	.11	.03	—	.07	.48	.18	—	—	—	.48	.01	.12	14
15	.25	.04	—	.54	.01	.01	—	—	—	.42	.10	—	15
16	—	.01	—	.22	.03	—	—	1.43	—	—	.03	—	16
17	.01	.44	—	—	.08	.50	—	—	—	—	.18	.05	17
18	.18	.12	—	.40	.10	.01	.30	.09	—	—	.62	—	18
19	—	.01	.12	.61	.10	—	.48	—	—	—	.04	.03	19
20	—	—	.02	.45	—	—	.01	.15	—	.08	.60	—	20
21	—	—	—	.05	—	—	.16	.04	—	—	.56	.05	21
22	.34	.08	—	.19	.02	—	—	—	—	.02	.18	.32	22
23	.04	—	—	.02	—	.06	—	—	.15	.02	—	—	23
24	—	—	—	—	—	.04	—	—	—	.73	—	—	24
25	.08	—	—	.47	—	—	.04	—	—	.05	.14	.07	25
26	—	—	—	—	—	—	.16	—	.08	—	.25	—	26
27	.03	—	.02	.22	.01	—	.02	—	.15	.01	—	—	27
28	.77	.01	—	.15	.03	—	.35	—	—	.25	.05	.03	28
29	.03	×	.06	.12	.10	—	.01	—	—	.26	.11	—	29
30	.25	×	—	.04	.25	—	—	.01	—	.02	.01	—	30
31	.10	×	—	×	.03	×	—	—	×	.33	×	—	31
99													
TOTAL	3.09	2.58	.48	4.21	2.17	2.28	2.04	2.32	.78	3.22	5.90	1.03	YEARS TOTAL 30.10
Days with .01 in. or more.	19	19	8	19	19	13	15	14	9	17	23	9	181
Days with .04 in. or more.	14	12	5	16	11	10	10	7	6	10	18	7	126

(Signed)

Headley Bros.

[P.T.O.]



FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1927.

253

Kept at Smurista Press, Ashford.
 in the County of Kent.
 Diameter of Funnel of Gauge five in.
 Height of top of Gauge above Ground one ft. — in.
 „ Ground „ Sea Level 190 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
<u>27</u>	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	<u>1.40</u>	<u>.01</u>	<u>.18</u>	—	<u>.60</u>	<u>.13</u>	<u>.35</u>	—	<u>.14</u>	<u>.43</u>	—	1
2	<u>.01</u>	<u>.02</u>	<u>.10</u>	<u>.19</u>	—	<u>.01</u>	—	—	—	<u>.03</u>	<u>.03</u>	<u>.04</u>	2
3	<u>.19</u>	—	<u>.02</u>	—	—	—	—	—	—	—	—	<u>.01</u>	3
4	<u>.11</u>	—	—	<u>.06</u>	—	—	<u>.28</u>	—	<u>.01</u>	—	—	—	4
5	—	—	<u>.15</u>	<u>.47</u>	—	<u>.08</u>	<u>.01</u>	<u>.10</u>	—	—	<u>.06</u>	<u>.01</u>	5
6	—	—	<u>.25</u>	<u>.18</u>	—	<u>.04</u>	<u>1.78</u>	—	<u>.10</u>	—	<u>.22</u>	—	6
7	<u>.04</u>	<u>.44</u>	<u>.02</u>	<u>.32</u>	—	<u>.13</u>	—	<u>.32</u>	—	<u>.01</u>	—	—	7
8	<u>.14</u>	—	<u>.09</u>	<u>.20</u>	—	—	—	<u>.19</u>	—	—	—	—	8
9	—	—	—	<u>.10</u>	—	—	<u>.70</u>	<u>.10</u>	<u>.10</u>	—	—	—	9
10	—	—	<u>.07</u>	—	—	—	—	<u>.03</u>	<u>.32</u>	—	—	—	10
11	—	—	<u>.01</u>	<u>.07</u>	—	<u>.14</u>	—	<u>.09</u>	—	—	—	—	11
12	<u>.12</u>	<u>.02</u>	—	<u>.15</u>	<u>.01</u>	—	<u>.70</u>	<u>.15</u>	—	<u>.04</u>	<u>.36</u>	—	12
13	<u>.09</u>	—	—	<u>.04</u>	—	—	<u>.25</u>	<u>.46</u>	<u>.17</u>	—	<u>.05</u>	—	13
14	—	—	—	<u>.03</u>	—	—	<u>.87</u>	<u>.005</u>	<u>1.25</u>	<u>.05</u>	<u>.03</u>	<u>.15</u>	14
15	<u>.09</u>	—	—	—	<u>.01</u>	—	<u>.05</u>	<u>.33</u>	<u>.01</u>	—	—	<u>.03</u>	15
16	<u>.01</u>	—	—	—	<u>.15</u>	—	—	<u>.06</u>	<u>.20</u>	—	<u>.02</u>	<u>.03</u>	16
17	<u>.62</u>	—	—	—	—	—	<u>.01</u>	<u>.12</u>	—	—	—	—	17
18	<u>.05</u>	<u>.03</u>	<u>.10</u>	—	—	<u>.60</u>	—	<u>.20</u>	<u>.24</u>	—	<u>.07</u>	—	18
19	—	—	—	—	—	<u>.05</u>	—	<u>.01</u>	—	<u>.03</u>	<u>.15</u>	—	19
20	<u>.12</u>	<u>.32</u>	—	—	—	—	<u>.11</u>	<u>1.00</u>	—	—	<u>.35</u>	<u>.05</u>	20
21	—	<u>.20</u>	—	—	—	—	—	<u>.09</u>	<u>.06</u>	<u>.35</u>	<u>.28</u>	<u>.85</u>	21
22	<u>.14</u>	<u>.04</u>	<u>.39</u>	—	<u>.08</u>	<u>.28</u>	<u>.11</u>	<u>.07</u>	<u>.05</u>	<u>.73</u>	—	<u>.55</u>	22
23	—	<u>.28</u>	<u>.35</u>	—	—	<u>.05</u>	—	<u>.005</u>	<u>.48</u>	<u>.09</u>	<u>.23</u>	<u>.27</u>	23
24	<u>.01</u>	<u>.15</u>	<u>.33</u>	<u>.08</u>	—	<u>.30</u>	—	<u>.03</u>	—	<u>.03</u>	<u>.07</u>	<u>.65</u>	24
25	—	<u>.30</u>	<u>.49</u>	<u>.01</u>	—	<u>.20</u>	<u>.01</u>	<u>.18</u>	<u>.02</u>	<u>.01</u>	—	<u>1.30</u>	25
26	<u>.17</u>	<u>.50</u>	—	—	<u>.12</u>	<u>.05</u>	—	—	<u>.01</u>	<u>.05</u>	—	<u>1.30</u>	26
27	<u>.05</u>	<u>.30</u>	<u>.05</u>	—	<u>.35</u>	<u>.35</u>	<u>.40</u>	—	—	<u>.34</u>	<u>.03</u>	—	27
28	<u>.10</u>	<u>.09</u>	—	<u>.06</u>	—	<u>.29</u>	<u>.07</u>	—	—	<u>.03</u>	<u>.13</u>	—	28
29	<u>.03</u>	×	<u>.15</u>	—	—	<u>.20</u>	—	<u>.02</u>	<u>.52</u>	—	<u>.65</u>	—	29
30	<u>.27</u>	×	<u>.16</u>	—	—	<u>.28</u>	—	—	—	<u>.04</u>	—	—	30
31	—	×	<u>.65</u>	×	<u>.01</u>	×	<u>.02</u>	—	×	<u>.09</u>	×	<u>.12</u>	31
<u>99</u> TOTAL	<u>2.36</u>	<u>4.09</u>	<u>3.39</u>	<u>2.14</u>	<u>.73</u>	<u>3.65</u>	<u>5.50</u>	<u>3.54</u>	<u>2.06</u>	<u>3.16</u>	<u>5.36</u>	<u>39.89</u>	YEAR'S TOTAL
Days with "01 in. or more.	<u>19</u>	<u>14</u>	<u>17</u>	<u>15</u>	<u>6</u>	<u>17</u>	<u>15</u>	<u>20</u>	<u>14</u>	<u>15</u>	<u>17</u>	<u>13</u>	<u>182</u>
Days with "04 in. or more.	<u>15</u>	<u>11</u>	<u>14</u>	<u>13</u>	<u>4</u>	<u>16</u>	<u>12</u>	<u>16</u>	<u>11</u>	<u>10</u>	<u>13</u>	<u>9</u>	<u>144</u>

Please read the Notes and Instructions Overleaf.

Section **A**

for the entry of Daily Observations.

267
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1928.

Kept at Imvicta Press, Ashford,
in the County of Kent.
Diameter of Funnel of Gauge five in.
Height of top of Gauge above Ground one ft. — in.
„ „ Ground „ „ Sea Level 190 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
28	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02	.01	.15	.05	—	—	—	.08	—	—	.65	—	1
2	.78	.26	—	—	.25	—	—	—	—	—	.17	—	2
3	—	—	.03	.15	.25	—	.13	.28	—	—	.16	.01	3
4	.15	.06	—	—	.01	.02	—	.41	—	—	.02	—	4
5	.21	.20	—	—	—	—	—	—	—	—	—	.01	5
6	—	—	.09	—	—	.20	—	—	—	—	—	.12	6
7	.01	.01	.01	.15	—	.25	—	.15	—	—	—	—	7
8	—	.01	.06	—	.01	.32	.01	—	—	.21	.37	—	8
9	—	—	.01	—	—	.24	—	—	.01	.23	.02	—	9
10	.10	.22	.25	.20	.17	—	—	.03	—	.28	.15	—	10
11	.02	.16	.15	.14	—	.01	—	—	—	.23	.25	.25	11
12	.24	.02	.05	—	—	—	—	—	—	.27	.02	.14	12
13	—	.18	—	—	—	.85	—	.05	—	—	.25	.03	13
14	—	.15	—	.20	.20	.30	—	—	—	.47	.35	.02	14
15	.09	—	—	.50	.25	.03	—	—	—	.08	.26	—	15
16	.02	.03	—	.62	.08	—	—	—	—	.07	.40	.22	16
17	—	—	—	.01	.28	—	—	—	—	.08	—	—	17
18	.57	—	.09	.04	.08	.09	—	—	—	.47	.01	—	18
19	—	—	—	.02	.05	.10	—	.17	—	.38	.10	.15	19
20	.15	—	—	—	.27	—	—	.10	—	.56	.03	.26	20
21	.10	—	.11	.03	.76	—	—	.02	—	.77	.34	—	21
22	.01	—	.15	.01	.13	—	—	.03	—	.72	.15	.13	22
23	.35	—	.02	—	.23	—	—	.04	.02	.12	.26	—	23
24	.10	—	—	—	—	—	—	—	.04	.09	.25	.15	24
25	.06	—	.01	—	—	.01	—	—	.01	.15	.01	—	25
26	.33	—	—	—	—	.07	.01	.10	—	1.00	—	.25	26
27	—	—	.12	.04	—	.01	.60	.03	—	.05	—	.40	27
28	.36	—	.03	—	—	—	—	—	.57	—	—	.09	28
29	.10	.09	.45	.16	—	—	.01	.02	.07	.13	.09	.50	29
30	.08	X	.14	.01	—	.16	.15	—	—	.02	.01	.09	30
31	.10	X	.25	X	—	X	.09	—	X	.04	X	.10	31
99													YEAR'S TOTAL
TOTAL	3.95	1.40	2.17	2.33	3.02	2.66	1.00	1.51	.72	6.42	4.32	2.92	32.42
Days with 01 in. or more.	22	13	16	16	15	15	7	14	5	22	23	18	186
Days with 04 in. or more.	17	8	11	11	13	10	4	9	3	21	16	14	137

Section



for the entry of Daily Observations.

278
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1929.

Kept at Invicta Press, Ashford,
in the County of Kent.

Diameter of Funnel of Gauge five in.
Height of top of Gauge above Ground one ft. — in.
„ „ Ground „ Sea Level 190 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
29													
1	.18	.12	—	.01	—	.02	—	.46	—	.20	—	—	1
2	.07	—	—	—	—	.05	—	.05	—	.35	.13	.31	2
3	—	—	.02	—	—	—	.36	—	—	.18	—	.39	3
4	.01	—	—	.20	—	.50	.01	.15	—	.01	—	.27	4
5	—	—	—	.05	.96	.20	.12	.09	—	.03	—	.50	5
6	—	—	—	—	.32	.01	.10	.55	—	.35	.13	.48	6
7	—	—	—	—	.05	.01	—	.02	—	.29	.52	.07	7
8	—	—	—	—	—	.20	—	—	—	.28	.04	.60	8
9	—	.35	—	.11	—	—	—	—	—	.01	—	.41	9
10	.05	.10	—	.36	—	—	—	—	—	.18	.04	.44	10
11	—	—	—	.25	—	—	—	—	—	—	.52	.11	11
12	—	.01	—	.12	.20	.10	—	—	—	—	—	.01	12
13	.04	.12	—	—	.07	.09	—	—	—	.01	.02	.02	13
14	.01	.01	—	—	.05	.05	—	—	—	—	—	.02	14
15	—	.02	—	—	.02	.21	—	—	—	—	.86	.22	15
16	.10	—	—	—	—	—	—	.91	—	—	.29	—	16
17	—	—	—	—	—	—	—	—	—	—	—	—	17
18	—	—	—	—	—	—	—	—	.05	—	.22	—	18
19	—	—	—	—	—	—	—	—	—	—	.12	—	19
20	—	—	—	—	—	—	.11	—	—	.45	—	—	20
21	.18	—	—	—	—	—	—	—	—	—	.02	1.25	21
22	—	—	.06	—	—	—	—	.01	—	—	.05	.15	22
23	—	.09	—	—	—	—	—	—	—	—	.50	.31	23
24	.01	.01	—	.01	—	—	—	—	—	.58	.29	.25	24
25	.05	—	.05	—	—	—	—	—	—	.26	.20	.10	25
26	.04	.04	—	.03	.06	—	—	—	—	—	.14	—	26
27	.01	—	—	—	—	—	—	—	—	—	.62	.15	27
28	.22	—	—	.08	—	—	.17	—	—	.25	.68	.20	28
29	.19	X	—	.12	—	—	.01	—	.33	.01	.38	.14	29
30	.01	X	—	—	—	.18	—	—	.30	.07	.60	.40	30
31	.47	X	—	X	—	X	.14	—	X	.09	X	—	31
TOTAL	1.64	.87	.13	1.34	1.73	1.62	1.02	2.24	.64	3.60	6.37	6.80	YEAR'S TOTAL 28.00
Days with 01 in. or more.	16	10	3	10	8	12	6	7	2	18	21	23	136
Days with 04 in. or more.	11	6	2	8	7	9	5	6	2	13	19	20	108

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at Smivets Press, Ashford
in the County of Kent
Diameter of Funnel of Gauge five in.
Height of top of Gauge above Ground one ft — in.
,, Ground ,, Sea Level 190 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
30	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	.16	.05	—	.16	—	—	.80	.03	—	.01	.70	—	I
2	—	.04	—	.02	—	—	—	.10	—	—	.75	—	2
3	.04	.08	—	.46	.01	—	—	1.35	—	.03	.05	—	3
4	.16	.02	—	.05	—	—	.04	.04	.08	.20	—	—	4
5	.04	—	—	.01	.45	—	—	.26	—	.01	—	—	5
6	—	.42	.06	—	.32	—	—	.10	—	—	—	—	6
7	.01	.42	.02	—	.06	—	—	.23	.28	.28	.29	.22	7
8	.20	—	—	—	—	—	—	—	—	.01	—	.25	8
9	.18	—	—	—	.36	—	—	.02	.05	.01	—	.04	9
10	.30	—	.31	—	.25	—	—	.01	—	—	—	.01	10
11	.03	.12	.03	—	.05	—	—	.01	—	.08	—	.52	11
12	.28	—	.08	.25	.20	—	—	.02	—	—	—	.30	12
13	.04	—	—	.20	.12	—	.16	.30	.35	—	—	.05	13
14	.02	—	—	.01	—	—	.32	—	—	—	—	—	14
15	.02	.10	.23	.06	—	—	.60	—	—	.06	.17	—	15
16	—	.08	.08	.01	—	.01	.06	—	.16	—	—	—	16
17	—	.06	.23	.02	—	—	.03	—	.15	.05	—	—	17
18	—	—	.35	.05	.15	—	—	—	—	.01	.17	.10	18
19	—	—	.25	.07	—	—	—	.04	.60	.11	.25	.03	19
20	—	—	.05	.12	.02	—	.75	.10	.38	.55	.50	.02	20
21	—	—	—	—	.01	.01	.10	.24	.10	.05	.50	—	21
22	—	—	—	.01	.22	—	.10	.12	.03	.32	.18	—	22
23	—	—	.08	.17	—	.23	.12	.10	—	—	—	—	23
24	.31	.04	—	.01	.15	.08	.14	—	.05	.05	.50	.10	24
25	.08	—	—	.01	.60	—	—	—	.07	.05	.40	—	25
26	.06	.02	—	—	—	.43	.04	—	.55	—	.20	.25	26
27	—	—	.01	—	—	.03	.02	—	.08	—	.20	.10	27
28	—	—	—	—	—	—	—	—	1.00	.01	.20	—	28
29	.18	X	—	—	—	—	.04	.03	.12	.01	.12	.18	29
30	.08	X	—	—	1.00	—	.14	—	—	—	.03	.42	30
31	.40	X	.12	X	.22	X	—	.01	X	.84	X	.07	31
99 TOTAL	2.59	1.45	1.90	1.69	4.19	.79	3.46	3.11	4.05	2.74	5.21	2.66	33.84
Days with ·01 in. or more.	19	12	14	18	17	4	16	19	16	20	17	16	188
Days with ·04 in. or more.	15	10	11	10	14	3	14	12	15	12	16	13	145

Section
FORM 109
Kept at
in the Cor
Diameter
Height of

~~3645~~
AXLESFORD — FORSTAL
KENT
1928 — 30.

340A
FOR OFFICIAL USE.
BRITISH RAINFALL ORGANIZATION.
IN 1928.

TH

THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02	.00	.12	.19	.00	.00	.00	.12	.00	.00	.10	.02	1
2	.41	.53	.03	.00	.12	.00	.00	.00	.00	.00	.07	.01	2
3	.00	.00	.00	.07	.11	.00	.30	.40	.00	.00	.06	.03	3
4	.07	.03	.00	.06	.00	.07	.00	.63	.00	.00	.00	.00	4
5	.14	.15	.07	.00	.00	.00	.01	.00	.00	.00	.00	.00	5
6	.01	.00	.00	.00	.00	.34	.00	.00	.00	.00	.00	.05	6
7	.00	.02	.01	.09	.00	.21	.00	.11	.00	.00	.00	.00	7
8	.00	.02	.12	.00	.01	.35	.02	.00	.06	.00	.05	.00	8
9	.07	.00	.04	.00	.00	.08	.00	.00	.03	.35	.00	.00	9
10	.09	.17	.00	.53	.03	.03	.00	.02	.00	.11	.11	.00	10
11	.17	.11	.00	.00	.00	.03	.00	.02	.00	.03	.17	.16	11
12	.11	.07	.00	.02	.00	.00	.00	.00	.00	.00	.07	.38	12
13	.00	.14	.00	.00	.00	.70	.00	.16	.00	.00	.09	.08	13
14	.03	.06	.00	.13	.63	.22	.00	.02	.00	.48	.35	.00	14
15	.05	.07	.00	.99	.34	.00	.00	.00	.00	.03	.15	.00	15
16	.02	.02	.00	.66	.17	.00	.00	.00	.00	.06	.24	.18	16
17	.00	.00	.00	.00	.27	.00	.00	.00	.00	.18	.00	.00	17
18	.39	.00	.04	.07	.08	.08	.00	.00	.00	.30	.01	.00	18
19	.00	.00	.00	.03	.08	.06	.00	.15	.00	.55	.00	.06	19
20	.07	.00	.00	.00	.05	.00	.00	.11	.00	.44	.05	.45	20
21	.04	.00	.06	.07	.17	.00	.00	.00	.00	.43	.44	.00	21
22	.00	.00	.12	.00	.08	.00	.00	.11	.00	.31	.20	.07	22
23	.17	.00	.02	.00	.11	.00	.00	.00	.00	.03	.13	.00	23
24	.03	.00	.00	.00	.00	.00	.00	.05	.11	.04	.21	.12	24
25	.06	.00	.02	.00	.00	.02	.00	.00	.05	.09	.07	.04	25
26	.14	.00	.00	.60	.00	.06	.07	.24	.00	.90	.00	.10	26
27	.00	.00	.00	.00	.00	.05	.90	.05	.00	.15	.00	.58	27
28	.38	.00	.03	.00	.00	.00	.00	.00	.20	.00	.00	.16	28
29	.06	.06	.18	.09	.00	.00	.00	.00	.07	.16	.05	.78	29
30	.00	X	.59	.05	.00	.05	.16	.00	.00	.01	.00	.14	30
31	.09	X	.30	X	.00	X	.08	.00	X	.00	X	.57	31
TOTAL	2.86	1.09	1.76	2.75	2.22	2.31	1.50	2.16	.27	1.32	3.10	3.68	38.16
Days with 0.1 in. or more.	22	13	15	14	14	15	4	14	6	19	19	19	144
Days with 0.4 in. or more.	16	8	10	12	11	12	5	10	4	15	16	16	135

Section

FOR OFFICIAL USE.

WISCONSIN RAINFALL ORGANIZATION.

FORM 1090

REGISTER OF RAINFALL IN 1928.

Kept at Aylesford, Forstal
Forstal - Aylesford - N. Hardstone
in the County of Kent.

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 4 in.
Ground Sea Level 20 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02	.00	.12	.19	.00	.00	.00	.12	.00	.00	.10	.02	1
2	.41	.33	.03	.00	.12	.00	.00	.00	.00	.00	.07	.01	2
3	.00	.00	.00	.07	.11	.00	.30	.40	.00	.00	.06	.03	3
4	.07	.03	.00	.06	.00	.07	.00	.63	.00	.00	.00	.00	4
5	.14	.15	.07	.00	.00	.00	.07	.00	.00	.00	.00	.00	5
6	.01	.00	.00	.00	.00	.34	.00	.00	.00	.00	.00	.05	6
7	.00	.02	.07	.09	.00	.31	.00	.11	.00	.00	.00	.00	7
8	.00	.02	.12	.00	.07	.35	.02	.00	.02	.00	.05	.00	8
9	.07	.00	.02	.00	.00	.08	.00	.00	.03	.35	.00	.00	9
10	.09	.17	.00	.12	.03	.03	.00	.02	.00	.11	.11	.00	10
11	.17	.11	.00	.00	.00	.02	.00	.02	.00	.03	.17	.16	11
12	.11	.07	.00	.02	.00	.00	.00	.00	.00	.00	.07	.38	12
13	.00	.14	.00	.00	.00	.40	.00	.16	.01	.00	.09	.08	13
14	.03	.06	.00	.12	.63	.22	.00	.02	.00	.48	.35	.00	14
15	.05	.07	.00	.09	.34	.00	.00	.00	.00	.03	.15	.00	15
16	.02	.02	.00	.66	.17	.00	.00	.00	.00	.06	.24	.18	16
17	.00	.00	.00	.00	.37	.00	.00	.00	.00	.18	.00	.00	17
18	.39	.00	.02	.07	.08	.08	.00	.00	.00	.30	.07	.00	18
19	.00	.00	.00	.02	.08	.06	.00	.15	.00	.35	.00	.06	19
20	.07	.00	.00	.00	.05	.00	.00	.11	.00	.44	.05	.45	20
21	.04	.00	.06	.07	.17	.00	.00	.00	.00	.43	.44	.00	21
22	.00	.00	.12	.00	.08	.00	.00	.11	.00	.31	.30	.07	22
23	.17	.00	.02	.00	.11	.00	.00	.00	.00	.03	.12	.00	23
24	.03	.00	.00	.00	.00	.00	.00	.02	.11	.04	.37	.12	24
25	.06	.00	.02	.00	.00	.04	.00	.00	.05	.09	.07	.04	25
26	.14	.00	.00	.60	.00	.06	.07	.24	.00	.90	.00	.10	26
27	.00	.00	.00	.00	.00	.05	.90	.05	.00	.12	.00	.58	27
28	.38	.00	.02	.00	.00	.00	.00	.00	.20	.00	.00	.16	28
29	.06	.06	.18	.09	.00	.00	.00	.00	.07	.06	.05	.18	29
30	.00	X	.59	.05	.00	.05	.16	.00	.00	.01	.00	.14	30
31	.09	X	.30	X	.00	X	.08	.00	X	.00	X	.57	31
TOTAL	2.86	1.09	1.46	2.75	2.22	2.31	1.50	2.16	.47	4.32	3.10	3.68	38.11
Days with .01 in. or more.	22	13	15	14	14	15	4	14	6	19	19	19	144
Days with .04 in. or more.	16	8	10	12	11	12	5	10	4	15	16	16	135

REGISTER OF RAINFALL IN 1929 .

Kept at *Forslæ - Aylesford - St. Marys Lane*
in the County of *Kent*

Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *1* ft *4* in.
,, Ground ,, Sea Level *20* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	.00	.05	.00	.05	.01	.00	.00	.13	.00	.28	.00	.01	I
2	.02	.40	.00	.00	.00	.04	.09	.00	.00	.22	.06	.08	2
3	.00	.00	.01	.00	.00	.00	.29	.00	.00	.04	.00	.26	3
4	.00	.00	.00	.15	.14	.04	.19	.00	.00	.00	.00	.24	4
5	.00	.00	.01	.04	.62	.15	.14	.23	.00	.12	.00	.30	5
6	.00	.00	.00	.00	.11	.00	.15	.24	.00	.06	.04	.24	6
7	.00	.00	.00	.00	.02	.00	.00	.24	.00	.31	.44	.08	7
8	.00	.00	.00	.00	.00	.13	.00	.00	.00	.21	.00	.23	8
9	.03	.11	.00	.02	.00	.00	.00	.00	.00	.00	.00	.21	9
10	.13	.06	.00	.12	.00	.00	.00	.00	.00	.13	.09	.28	10
11	.00	.00	.00	.44	.00	.00	.00	.00	.00	.00	.49	.03	11
12	.00	.00	.02	.21	.13	.04	.00	.00	.00	.00	.00	.02	12
13	.06	.00	.00	.00	.05	.00	.00	.00	.00	.00	.00	.01	13
14	.00	.00	.00	.00	.06	.01	.00	.00	.00	.00	.00	.14	14
15	.08	.00	.00	.00	.00	.08	.00	.00	.00	.00	.42	.19	15
16	.00	.00	.00	.00	.00	.00	.00	1.00	.00	.00	.46	.00	16
17	.00	.00	.00	.00	.00	.00	.00	.00	.44	.00	.00	.00	17
18	.02	.00	.00	.00	.00	.00	.00	.03	.46	.00	.16	.00	18
19	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.00	19
20	.00	.00	.00	.00	.00	.00	.03	.00	.00	.49	.00	.00	20
21	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.82	21
22	.10	.00	.03	.00	.00	.02	.00	.02	.00	.00	.11	.06	22
23	.00	.05	.00	.00	.00	.00	.00	.00	.00	.00	.64	.15	23
24	.01	.00	.00	.00	.00	.00	.00	.00	.00	.92	.26	.32	24
25	.04	.01	.02	.00	.00	.00	.00	1.00	.00	.22	.05	.04	25
26	.00	.00	.00	.03	.00	.00	.00	.00	.00	.00	.09	.09	26
27	.92	.00	.00	.00	.00	.00	.00	.00	.00	.00	.58	.03	27
28	.12	.03	.00	.06	.00	.00	.00	.00	.00	.15	.42	.15	28
29	.11		.00	.31	.00	.00	.00	.00	.03	.00	.43	.03	29
30	.02	X	.00	.00	.00	.09	.00	.00	.38	.00	.08	.26	30
31	.28	X	.00	X	.00	X	.00	.00	X	.00	X		31
TOTAL	1.04	.41	.09	1.44	1.16	.99	.89	1.92	1.28	3.18	5.10	4.30	YEAR'S TOTAL 22.40
Days with ".01 in. or more.	14	4	5	10	8	9	6	4	4	12	18	25	125
Days with ".04 in. or more.	9	5	-	4	6	6	5	5	3	12	14	19	94

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at *Foslar - Cuxhaven - N. Hardeburg*
in the County of *Neur.*

Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *1* ft. *2* in.
,, Ground ,, Sea Level *20* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.10	.48	.00	.18	.00	.00	.21	.00	.00	.00	.31	.00	1
2	.00	.12	.00	.07	.00	.00	.00	.02	.00	.00	.69	.00	2
3	.06	.08	.00	.40	.00	.00	.00	1.40	.00	.00	.08	.00	3
4	.20	.07	.00	.20	.00	.00	.00	.02	.02	.11	.00	.00	4
5	.07	.00	.00	.00	.23	.00	.00	1.29	.00	.03	.00	.00	5
6	.00	.00	.03	.07	.34	.00	.00	.09	.43	.00	.00	.00	6
7	.04	.52	.02	.00	.03	.00	.00	.06	.00	.22	.43	.04	7
8	.09	.00	.24	.00	.00	.00	.00	.00	.00	.00	.00	.25	8
9	.32	.03	.07	.00	.32	.00	.00	.62	.02	.00	.02	.07	9
10	.31	.11	.00	.00	.12	.00	.40	.04	.00	.00	.00	.04	10
11	.16	.03	.19	.00	.03	.00	.00	.00	.02	.00	.00	.46	11
12	.12	.00	.05	.05	.09	.00	.00	.04	.07	.00	.00	.22	12
13	.00	.00	.33	.05	.06	.00	.04	.19	.24	.00	.00	.00	13
14	.03	.05	.00	.02	.00	.00	.29	.00	.07	.00	.00	.04	14
15	.00	.04	.11	.05	.00	.00	.34	.00	.00	.03	.10	.00	15
16	.00	.00	.12	.00	.00	.00	.02	.00	.04	.06	.00	.00	16
17	.00	.03	.00	.16	.00	.07	.00	.00	.19	.04	.00	.00	17
18	.00	.00	.00	.03	.12	.00	.00	.00	.00	.00	.09	.05	18
19	.00	.00	.00	.20	.00	.00	.00	.04	.83	.09	.34	.02	19
20	.00	.00	.00	.04	.00	.00	.68	.08	.23	.05	.40	.02	20
21	.02	.00	.00	.00	.00	.00	.07	.21	.02	.00	.41	.00	21
22	.02	.00	.00	.00	.29	.00	.04	.09	.00	.40	.18	.00	22
23	.02	.00	.00	.09	.00	.34	.14	.04	.04	.00	.00	.04	23
24	.34	.00	.00	.00	.14	.00	.11	.00	.00	.05	.20	.04	24
25	.04	.00	.00	.00	.13	.00	.00	.00	.02	.02	.20	.00	25
26	.06	.00	.00	.00	.09	.15	.00	.00	.30	.00	.25	.25	26
27	.00	.00	.00	.00	.00	.00	.00	.00	.08	.00	.35	.09	27
28	.00	.00	.00	.00	.00	.00	.00	.00	.33	.00	.34	.10	28
29	.22	X	.05	.00	.07	.00	.11	.28	.04	.00	.35	.11	29
30	.04	X	.00	.00	.81	.00	.16	.00	.00	.00	.02	.14	30
31	.25	X	.02	X	.13	X	.00	.00	X	.11	X	.09	31
TOTAL	2.48	1.55	1.21	1.52	3.02	.50	2.21	3.94	3.33	1.18	5.12	2.04	28.16
*Days with or in. or more.	20	11	11	14	16	3	12	16	18	11	18	18	168
*Days with or in. or more.	15	4	8	10	13	2	10	13	11	8	16	15	118

40-9999

*See Instruction 2 (f) on other side.

(Signed)

[P.T.O.]

Section **A** 290

FORM 1090.

Kept at **BARHAM P. S.**

in the County

Diameter of

Height of top

" Gr

THE

An observer following year

1928-30

064640001

ALL ORGANIZATION.

928.

are requested to read the instructions before filling in this form.

Observer should fill in section C

PREVIOUS DAY.

made on January 1st of the

Jan. 1 following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	.13	.02	—	—	—	.04	—	—	1.02	—	1
2	.03	.24	.02	—	.10	—	—	—	—	—	.60	—	2
3	.80	—	—	.10	—	—	.13	.44	—	—	.12	.01	3
4	—	.13	—	.18	—	.01	—	.52	—	—	.01	—	4
5	.03	.11	—	.15	—	—	.01	—	—	—	—	—	5
6	—	—	.04	—	—	.39	—	—	—	—	—	.11	6
7	—	.01	—	.06	—	.16	—	.13	—	—	—	—	7
8	—	.02	.09	—	—	.32	—	—	—	.15	.13	—	8
9	.01	—	.03	—	—	.09	—	—	—	.12	—	—	9
10	.04	.13	.04	.14	.10	—	—	—	—	.29	.06	—	10
11	—	.03	.03	.12	—	.01	—	—	—	.11	.24	.22	11
12	.24	.04	—	—	—	—	—	.04	—	.03	—	.29	12
13	—	.12	—	—	.04	.86	—	—	—	—	.30	.02	13
14	.03	.11	—	.34	.02	.20	—	.04	—	.30	.52	—	14
15	.04	.01	—	.80	.22	—	—	—	.01	.02	.18	—	15
16	.02	.02	—	.52	.24	—	—	—	—	.04	.33	.21	16
17	—	—	.04	.03	.42	—	—	—	—	.12	.02	—	17
18	.41	—	—	—	.04	.09	—	—	—	.42	.02	—	18
19	—	—	—	.04	.03	.05	—	.05	—	.52	.04	.18	19
20	.12	—	—	.02	—	—	—	.04	—	.34	.02	.31	20
21	.25	—	.04	.19	1.33	—	—	.16	—	.84	.43	—	21
22	—	—	.13	—	.14	—	—	.11	.03	.98	.11	.11	22
23	.35	—	—	—	.15	—	—	—	.03	.08	.24	—	23
24	.13	—	.02	—	—	—	—	.04	.04	.20	.21	.15	24
25	.05	—	—	—	—	.01	—	.14	.03	.09	.02	.18	25
26	.43	—	—	—	—	.08	.02	.05	—	.69	—	.13	26
27	—	—	.05	.05	—	—	.52	.12	—	.05	—	.64	27
28	.48	—	.11	—	—	—	—	—	.38	—	—	.05	28
29	.06	.04	.54	.05	—	—	—	—	.11	.11	.04	.48	29
30	.04	XX	.10	.20	—	.05	.10	—	—	.04	—	.14	30
31	.12	XX	.44	X	—	X	.01	—	X	.01	X	.05	31
TOTAL	3.44	1.04	2.03	3.04	2.89	2.02	.49	2.04	.63	5.55	4.66	3.28	YEARS TOTAL 31.44
Days with .01 in. or more.	20	13	16	14	12	13	6	14	4	22	21	14	148
Days with .04 in. or more.	15	8	12	14	10	10	3	14	3	19	16	15	139

(Signed)

F. L. Ball

F. L. Ball

Kept at Barham Pumping Station
in the County of Kent

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground — ft. — in.
" Ground " Sea Level 43 ft.

Observers are requested to read the instructions printed overleaf before filling in this form.
Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	.13	.02	—	—	—	.04	—	—	1.02	—	1
2	.03	.24	.02	—	.10	—	—	—	—	—	.60	—	2
3	.80	—	—	.10	—	—	.13	.44	—	—	.12	.01	3
4	—	.13	—	.18	—	.01	—	.52	—	—	.01	—	4
5	.03	.11	—	.15	—	—	.01	—	—	—	—	—	5
6	—	—	.04	—	—	.39	—	—	—	—	—	.11	6
7	—	.01	—	.06	—	.16	—	.13	—	—	—	—	7
8	—	.02	.09	—	—	.32	—	—	—	.15	.13	—	8
9	.01	—	.03	—	—	.09	—	—	—	.12	—	—	9
10	.04	.13	.04	.4	.10	—	—	—	—	.29	.06	—	10
11	—	.03	.03	.12	—	.01	—	—	—	.11	.24	.22	11
12	.24	.04	—	—	—	—	—	.04	—	.03	—	.29	12
13	—	.12	—	—	.04	.56	—	—	—	—	.30	.02	13
14	.03	.11	—	.34	.02	.20	—	.04	—	.30	.52	—	14
15	.04	.01	—	.80	.22	—	—	—	.01	.02	.18	—	15
16	.02	.02	—	.52	.24	—	—	—	—	.04	.33	.21	16
17	—	—	.04	.03	.42	—	—	—	—	.12	.02	—	17
18	.41	—	—	—	.04	.09	—	—	—	.42	.02	—	18
19	—	—	—	.04	.03	.05	—	.05	—	.52	.04	.18	19
20	.12	—	—	.02	—	—	—	.04	—	.34	.02	.31	20
21	.25	—	.04	.19	1.33	—	—	.16	—	.84	.43	—	21
22	—	—	.13	—	.12	—	—	.11	.03	.98	.11	.11	22
23	.35	—	—	—	.15	—	—	—	.03	.08	.24	—	23
24	.13	—	.02	—	—	—	—	.04	.04	.20	.21	.15	24
25	.05	—	—	—	—	.01	—	.14	.03	.09	.02	.18	25
26	.43	—	—	—	—	.08	.02	.05	—	.69	—	.13	26
27	—	—	.05	.05	—	—	.52	.12	—	.05	—	.64	27
28	.48	—	.11	—	—	—	—	—	.38	—	—	.05	28
29	.06	.04	.54	.05	—	—	—	—	.11	.11	.04	.48	29
30	.04	XX	.10	.20	—	.05	.10	—	—	.04	—	.14	30
31	.12	XX	.44	X	—	X	.01	—	X	.01	X	.05	31
TOTAL	3.44	1.04	2.03	3.04	2.89	2.02	.49	2.04	.63	5.55	4.66	3.28	YEARS TOTAL 31.44
Days with .01 in. or more.	20	13	16	14	12	13	6	14	4	22	21	14	148
Days with .04 in. or more.	15	8	12	14	10	10	3	14	3	19	16	15	139

(Signed) F. L. Ball
F. L. Ball Esq.

FORM 1090.

REGISTER OF RAINFALL IN 1929 .

Kept at Barham Pumping Station
in the County of Kent

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground — ft. — in.
,, Ground ,, Sea Level 143 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.
Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	.08	.16	—	.03	—	—	—	.21	—	.21	—	—	I
2	.05	—	—	—	—	.04	.15	—	—	.23	.11	.43	2
3	—	—	.04	—	—	—	.21	—	—	.02	—	.51	3
4	—	.01	—	.11	.13	.44	.02	.08	—	—	—	.24	4
5	.01	—	.01	—	.84	.08	.11	.23	—	.09	—	.45	5
6	—	—	—	—	.22	.01	.04	.45	—	.14	.04	.66	6
7	.03	—	—	—	—	.03	—	.43	—	.52	.54	.30	7
8	—	—	—	—	—	.19	—	—	—	.14	.02	.53	8
9	—	—	—	.12	—	—	—	—	—	—	—	.59	9
10	.03	.33	—	.14	—	—	—	—	—	.14	.04	.50	10
11	—	—	—	.20	—	—	—	—	—	—	.92	.11	11
12	—	—	.02	.35	.05	.09	—	—	—	—	—	—	12
13	.05	.04	—	—	.14	.08	—	—	—	—	—	—	13
14	—	.05	—	—	.01	.10	—	—	—	—	—	.10	14
15	.02	.01	—	—	.03	.10	—	—	—	—	.69	.14	15
16	.06	—	—	—	—	—	—	.44	—	—	.50	—	16
17	—	—	—	—	—	—	—	—	—	—	—	—	17
18	—	—	—	—	—	—	—	—	.05	—	.14	—	18
19	—	—	—	—	—	—	—	—	.02	—	.14	—	19
20	—	—	—	—	—	—	—	—	—	.40	—	—	20
21	.15	—	—	—	—	.01	—	.01	—	—	.01	1.03	21
22	.03	—	.04	—	—	—	—	—	—	—	.05	.12	22
23	—	.04	—	.03	—	—	—	—	—	.01	.44	.35	23
24	.03	.01	—	—	—	—	—	—	—	.54	.45	.34	24
25	.04	.01	—	—	—	—	—	—	—	.13	.23	.05	25
26	.02	.13	—	—	.01	—	—	—	—	—	.14	.12	26
27	.02	—	—	—	—	—	—	—	—	.04	.55	.04	27
28	.20	—	—	.09	—	—	.15	—	—	.25	.44	.45	28
29	—	X	—	.10	—	—	.02	—	.24	—	.25	.01	29
30	.14	X	—	—	—	.14	.03	—	.42	.08	.03	.60	30
31	.35	X	—	X	—	X	.11	—	X	.10	X	—	31
TOTAL	1.34	.85	.14	1.29	1.43	1.43	.84	2.48	.43	3.34	6.09	8.03	28.65
Days with or in. or more.	14	10	4	9	8	12	9	4	4	16	20	22	138
Days with or in. or more.	9	6	2	2	5	9	6	6	3	14	14	21	105

REGISTER OF RAINFALL IN 1930.

Kept at Barham Pumping Station
in the County of Kent

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground — ft — in.
,, Ground ,, Sea Level 173 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.09	.03	—	.12	—	—	.29	.09	—	.02	.59	—	1
2	—	.02	—	.01	—	—	.01	.06	—	—	.93	—	2
3	.03	.06	—	.68	—	—	—	1.56	—	.01	.01	—	3
4	.11	.02	—	.01	—	—	.01	.01	.06	.20	—	—	4
5	.06	.04	—	.01	.24	—	—	.12	—	.03	—	—	5
6	—	.10	.03	—	.25	—	.02	.08	.28	.01	—	—	6
7	—	.05	.03	—	.12	—	—	.04	—	.28	.46	.07	7
8	.14	—	—	—	—	—	—	—	.03	—	—	.32	8
9	.26	—	—	—	.31	—	—	—	.05	—	—	.01	9
10	.36	—	.32	—	.23	—	—	—	—	—	—	—	10
11	.10	.08	.03	—	.05	—	—	—	.03	.04	—	.69	11
12	.29	—	—	.12	.05	—	—	—	.13	—	—	.30	12
13	.03	—	.09	.19	.10	.05	.07	.26	.32	—	—	.02	13
14	.01	.02	.03	.02	—	—	.11	—	—	—	—	—	14
15	.01	.08	.09	—	—	—	.66	.07	—	.02	—	—	15
16	—	—	.35	—	—	.01	.02	—	.07	—	.11	—	16
17	—	.01	.29	.08	—	.02	.02	—	.13	.10	—	—	17
18	—	—	.49	.05	.01	—	—	—	.06	—	.14	.02	18
19	—	—	.60	.04	—	—	—	—	1.03	.14	.23	—	19
20	—	—	.03	.12	.02	—	.93	.19	.31	.26	.35	.02	20
21	.02	—	—	—	.03	—	.02	.24	.05	.04	.45	—	21
22	—	—	—	—	.31	—	.03	.11	—	.14	.20	—	22
23	—	.01	.11	.09	—	.18	.14	.09	.01	—	—	.01	23
24	.33	.04	—	.05	.20	.12	.34	—	—	.09	.55	.08	24
25	.12	—	—	.09	.40	—	—	—	—	—	.23	—	25
26	.10	—	—	—	—	.45	—	—	.67	—	.43	.33	26
27	—	—	—	—	—	.01	—	—	.10	—	.40	.10	27
28	.01	—	—	—	—	—	—	—	.80	—	.19	.02	28
29	.22	X	—	—	—	—	.01	—	.01	—	.23	.40	29
30	.10	XX	—	—	1.02	.36	.04	—	—	—	.03	.51	30
31	.48	X	.08	X	.23	X	—	—	X	.13	X	.08	31
TOTAL	2.87	.56	2.25	1.68	3.57	1.20	2.72	2.92	4.14	1.51	5.53	2.98	31.93
Days with "or in. or more.	20	3	14	15	16	8	16	13	18	5	17	16	181
Days with ".04 in. or more.	14	7	9	11	13	5	8	12	14	10	15	10	128

B

** The following register of month is required if daily or cannot be given on the other

RAINFALL IN 1926

NOTE.—Records taken in millim be entered on Form 10

At Barming (Maidstone)

In the County of Kent

(Diameter of Funnel)

Height of Top above Ground

Height of Ground above Sea Level

Month.	Total Depth.	Greatest Fall in 24 hours.	
	Inches.	Inches.	Date
JAN.	2.36		
FEB.	2.36		
MAR.	.39		
APR.	5.55		
MAY	1.30		
JUNE	2.87		
JULY	1.78		
AUG.	1.33		
SEPT.	.71		
OCT.	2.23		
NOV.	5.84		
DEC.	.46		
Total	27.63	✓	

MAIDSTONE - BARMING HEATH

KENT

1926

MONTHLY

(especially if a change has its exposure), and also the

register should be sent:—

C.E.
Maidstone Kent

in Summer


Direction

Direction

Direction

Heights of objects
Distances
Directions

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

Copy by B.R.O.

See end 1A File 752456/29

Signature

D

INSTRUCTIONS.

1. Advice as to the selection of the site for a raingauge, particulars of the gauge recommended for use and other information is given in "Rules for Rainfall Observers," to be obtained from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type* :—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.
- The raingauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash — (not '00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
 - When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as .01 and those which are mere "traces." An entry .005 is not to be made in the register.
- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 } .14 would show that the reading on 18 the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.
- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.
- The "total number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace."
- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.
- The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; or 120, George Street, Edinburgh; or through any Bookseller. 1926. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by WATERLOW & SONS LIMITED, Birch Lane, London, E.C.3.

(140ws) (335403) Wt. 9586/14345/631 Gp. 127 13000 9-26 W & S Ltd.

B

Summary.

* * The following register of monthly totals, &c., is required if daily or weekly values cannot be given on the other side.

RAINFALL IN 1926

NOTE.—Records taken in millimetres should be entered on Form 1091.

At Barming (Maidstone W.W.)

In the County of Kent

Rain Gauge. (Diameter of Funnel 5 in.
Height of Top above Ground 1 ft 6 in.
Height of Ground above Sea Level 250 ft.)

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
	Inches.	Inches.	Date.	'01 in. or more	'04 in. or more
JAN.	2.36				
FEB.	2.36				
MAR.	.39				
APR.	5.55				
MAY	1.30				
JUNE	2.87				
JULY	1.78				
AUG.	1.33				
SEPT.	.71				
OCT.	2.23				
NOV.	5.84				
DEC.	.46				
Total	27.63	✓			

* Every observer is requested to fill in this section (especially if a change has been made in the position of the gauge or in its exposure), and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

W. J. Lowe Esq. C.E.
Engineer & Manager Maidstone W.W.
Maidstone Kent

Latitude of Station..... Longitude.....

Hour of observation by the clock—in Winter..... in Summer.....

Nearest Railway Station..... Distance..... Direction.....

Nearest Parish Church..... Distance..... Direction.....

If gauge has been moved during the year state—

Date of move..... Distance..... Direction.....

Nature of objects nearest to gauge.....

Heights of objects.....

Distances

Directions

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)



If you know of any record of rainfall not quoted in *British Rainfall*, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

Copy by B.R.O.

See encl 1A File 752456/27

Signature.....

D

INSTRUCTIONS.

1. Advice as to the selection of the site for a raingauge, particulars of the gauge recommended for use and other information is given in "Rules for Rainfall Observers," to be obtained from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

- The raingauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash — (not .00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

- When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

- The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as .01 and those which are mere "traces." An entry .005 is not to be made in the register.

- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 } .14 would show that the reading on 18 } the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.

- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

- The "total number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace."

- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

- The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; or 120, George Street, Edinburgh; or through any Bookseller. 1926. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by WATERLOW & SONS LIMITED, Birch Lane, London, E.C.3.

(140ws) (335403) Wt. 9586/14345/631 Gp. 127 13000 9-26 W & S Ltd.

Kept at
in the County of

MAIDSTONE - BARMING HEATH
KENT

1921-22, 24-25, 27-30

by
If an Observer prefers
the reading at 9 a.m. of
this paragraph. Full
and particular
sent post-free on appl
Square, London, N.W. 1

ORGANIZATION.

21.....
Long. 0°-29'
Station Maidstone
of Rain Gauge 5 in.
ge above Ground 1 ft. 6 in.
Sea Level 250 ft.
sult entered to the previous day.
requested to add
or it at the end of
ing of rain gauges,
Rainfall Observers,"
ation, 62, Camden
y Place, Edinburgh.
s form.

Jan. 1, following.

Date	Jan.	Feb.	in.	in.	in.	in.	in.	in.	in.	Oct.	Nov.	Dec.	Date
1	.20		.05								.03	.13	1
2	.01				.22				.04		.45	.01	2
3			.05		.01	.10		.24			.29		3
4	.13				.28			.03			.35		4
5			.01					.15			.21		5
6	.21		.45		.03								6
7	.20	.05			.13		.02						7
8	.03			.06									8
9				.05				.01					9
10	.15	.02	.03					.05	.28				10
11	.11	.02			.02			.43					11
12	.25		.12				.21	.31				.12	12
13	.30		.07	.32			.19	.03	.02			.03	13
14									.02			.53	14
15				.10								.02	15
16	.02			.10							.10	.01	16
17	.05		.17	.41			.10	.01					17
18	.09	.03						.03					18
19			.22		.02	.03			.08			.10	19
20			.02			.01	.01		.20				20
21										.09			21
22									.06			.21	22
23				.26			.04	.17				.06	23
24				.09				.01				.09	24
25	.01	.55										.06	25
26			.02		.41							.17	26
27	.04							.01				.03	27
28			.16		.06		.39	.07				.03	28
29	.01		.04		.11		.01					.04	29
30	.11				.03					.25		.06	30
31	.06												31
TOTAL	1.97	.67	1.44	1.39	1.33	.14	.46	1.18	1.21	.66	1.77	1.66	13.84
Days with or more	18	5	13	8	11	3	4	11	8	3	8	17	112
Days with or more	13	2	9	8	6	1	1	7	4	4	7	11	74

REGISTER OF RAINFALL IN 1921.....

Kept at Garnsey
in the County of Kent
by THE MAIDSTONE WATER WORKS COM.

Lat. 51°-16' Long. 0°-29'
Time of Observation 9 a.m.
Nearest Railway Station Maidstone
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.20		.05								.03	.12	1
2	.01				.22				.04		.45	.01	2
3			.05		.01	.10		.24			.29		3
4	.13				.28			.03			.35		4
5			.01					.15			.21		5
6	.21		.45		.03								6
7	.20	.05			.13		.02						7
8	.03			.06									8
9				.05					.01				9
10	.15	.02	.03						.05	.28			10
11	.11	.02			.02				.43				11
12	.25		.12					.21	.31			.12	12
13	.30		.07	.32				.19	.03	.02		.03	13
14										.02		.52	14
15				.10								.02	15
16	.02			.10							.10	.01	16
17	.05		.17	.41				.10	.01				17
18	.09	.03							.03				18
19			.22		.02	.03				.08		.10	19
20			.02			.01		.01		.20			20
21											.09		21
22										.06		.21	22
23				.26			.04	.17				.06	23
24				.09				.01				.09	24
25	.01	.55										.06	25
26			.02		.41							.17	26
27	.04							.01				.02	27
28			.16		.06		.39	.07				.02	28
29	.01	X	.04		.11		.01					.04	29
30	.11	X			.03						.25	.06	30
31	.06	X		X		X			X		X		31
TOTAL	1.94	.67	1.41	1.39	1.32	.14	.46	1.18	1.21	.66	1.77	1.66	13.84
Days with ".01 in. or more	18	5	13	8	11	3	4	11	8	6	8	17	112
Days with ".01 in. or more	13	2	9	8	6	1	2	7	4	4	7	11	74

REGISTER OF RAINFALL IN 1922.

Kept at Barming Heath
in the County of Kent
by The Maidstone Waterworks Co.

Lat. 51°-16" Long. 0°-29"
Time of Observation 9 a.m.
Nearest Railway Station Maidstone
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 46 ft. in.
" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

1/13

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.08	.10		.14		.01	.06	.01	.01	.37	.03	1
2	.03	.30	.13	.14			.03						2
3		.08	.05	.57	.15		.05	.20		.03	.05		3
4		.03	.09		.05		.10	.34		.24			4
5		.02	.08	.02	.06		1.05			.08	.65		5
6	.10		.04				.07	.07		.16	.10		6
7	.18		.53	.21				.13					7
8	.03		.11	.05		.05	.19	.01			.02		8
9	.06						.06	.02	.03	.15		.01	9
10						.01			.22		.09		10
11	.03				.10			.07					11
12				.30	.02			.10	.47				12
13	.02			.29		.20	.06		.08				13
14				.01		.38	.84	.18	.79				14
15	.26	.14					.01				.01		15
16		.01		.11	.06		.03		.04			.42	16
17		.20			.05		.04	.01	.04			.18	17
18	.42				.03		.02					.25	18
19	.69	.12	.06		.02				.34	.27		.62	19
20	.01		.02						.01	.03			20
21	.18	.21	.15	.02								.62	21
22		.12		.07		.02	.03	.13				.03	22
23				.04		.06	.07		.16				23
24	.01		.07	.02	.21	.08	.02	.24	.02				24
25	.17			.27	.06	.02		.03	.01	.03		.03	25
26	.15	.16	.05	.25		.23	.16		.07		.03	.01	26
27	.33	.30	.02	.06				.21	.33	.04		.19	27
28	.07	.16	.10			.25			.01	.34	.01	.09	28
29	.11					.10		.16		.15		.12	29
30			.14	.02		.01	.05	.28	.23	.07	.07	.31	30
31	.09							.06		.03		.31	31
TOTAL	2.94	1.93	1.74	2.45	.95	1.41	2.89	2.30	2.86	1.63	1.40	3.22	YEAR'S TOTAL 25.72
Days with 01 in. or more	19	14	16	17	12	12	19	18	17	14	10	15	183
Days with 04 in. or more	13	11	14	12	9	8	12	14	11	9	6	10	129

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

REGISTER OF RAINFALL IN 1924.

Kept at Barming N^o Maidstone
in the County of Kent
by Maidstone Waterworks Company

Lat. 51-16 Long. 0-29
Time of Observation 9 A.M.
Nearest Railway Station Maidstone (West)
Diameter of Funnel of Rain Gauge 6 in.
Height of top of Gauge above Ground 6 ft. 2 in.
Sea Level 246 ft. 0.0

County No. _____
River Dist. _____
Station No. 358

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.04	.00	.07	.03	.13	.10	.04	.01	.00	.00	.29	.01	1 <u>5.0</u>
2	.05	.00	.25	.00	.01	.33	.00	.03	.00	.00	.00	.27	2 <u>0.0</u>
3	.00	.00	.08	.04	.42	.03	.31	.18	.12	.00	.00	.00	3 <u>0</u>
4	.00	.00	.00	.02	.05	.36	.00	.00	.03	.18	.00	.10	4 <u>WHP.</u>
5	.00	.05	.02	.00	.00	.00	.03	.00	.00	.29	.00	.07	5
6	.00	.00	.00	.00	.00	.00	.00	.16	.00	.31	.00	.00	6
7	.00	.00	.00	.00	.02	.14	.00	.00	.16	.34	.00	.00	7
8	.12	.00	.00	.08	.07	.00	.22	.00	.04	.05	.00	.00	8
9	.09	.21	.00	.00	.14	.02	.02	.00	.18	.00	.00	.00	9
10	.11	.02	.00	.28	.23	.01	.00	.00	.05	.00	.00	.00	10
11	.02	.00	.00	.68	.15	.37	.00	.00	.20	.00	.18	.02	11
12	.00	.00	.00	.17	.03	.36	.00	.10	.01	.00	.75	.00	12
13	.04	.00	.00	.25	.00	.00	.03	.04	.36	.00	.04	.30	13
14	.00	.00	.00	.19	.00	.00	.00	.04	.00	.00	.00	.00	14
15	.00	.00	.00	.02	.00	.00	.00	.00	.06	.00	.00	.32	15
16	.00	.00	.00	.04	.00	.00	.00	.01	.04	.00	.00	.06	16
17	.15	.00	.00	.00	.00	.00	.84	.09	.00	.10	.00	.00	17
18	.30	.01	.00	.00	.07	.00	.00	.24	.00	.05	.07	.03	18
19	.20	.09	.00	.00	.00	.05	.00	.03	.00	.06	.04	.00	19
20	.00	.00	.00	.00	.13	.00	.06	.11	.05	.03	.00	.00	20
21	.40	.02	.00	.00	.04	.00	.05	.00	.21	1.22	.00	.10	21
22	.34	.00	.18	.00	.00	.00	.36	.32	.18	.00	.00	.00	22
23	.00	.01	.22	.00	.30	.00	.02	.31	.10	.00	.00	.49	23
24	.40	.05	.17	.02	.32	.00	.00	.04	.00	.00	.09	.34	24
25	.00	.05	.10	.00	.10	.00	.46	.00	.41	.00	.24	.02	25
26	.00	.02	.00	.35	.00	.00	.04	.00	.75	.10	.33	.10	26
27	.00	.06	.03	.42	.00	.00	.21	.00	.00	.14	.25	.65	27
28	.00	.00	.00	.07	.00	.00	.64	.15	.00	.03	.33	.00	28
29	.07	.10	.00	.15	.35	.00	.00	.18	.00	.65	.26	.05	29
30	.02	X	.00	.69	.20	.00	.29	.14	.35	.63	.04	.23	30
31	.00	X	.00	X	.47	X	.00	.03	X	.15	X	.23	31 <u>8.19</u>
TOTAL	2.35	.69	1.12	3.58	3.23	1.46	3.61	2.24	3.20	4.23	5.01	3.29	32.24
Days with ".01 in. or more.	15	12	9	17	19	10	16	10	16	11	13	17	18
Days with ".04 in. or more	13	7	7	13	16	7	12	14	16	14	13	13	14

Section



for the entry of Daily Observations.

AIR MINISTRY.

FOR OFFICIAL USE.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Register of Rainfall in 1925.

Kept at Barming N. Mainstone
in the County of Kent

Diameter of Funnel of Gauge 5 ins
Height of top of Gauge above Ground 1 ft. 6 in.
" Ground " Sea Level 250 ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in 'section C' overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1 following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.45	.00	.18	.12	.01	.00	.00	.10	.04	.00	.31	.00	1
2	.26	.01	.02	.12	.00	.00	.00	.00	.00	.00	.36	.00	2
3	.26	.01	.00	.00	.14	.00	.10	.00	.01	.00	.05	.00	3
4	.02	.00	.00	.00	.20	.00	.01	.06	.00	.02	.08	.00	4
5	.00	.12	.00	.28	.00	.00	.00	.08	.09	.00	.21	.00	5
6	.00	.16	.00	.09	.12	.00	.21	.01	.00	.00	.44	.02	6
7	.00	.08	.08	.00	.01	.00	.20	.00	.00	.04	.01	.01	7
8	.03	.02	.01	.00	.22	.00	.00	.00	.00	.00	.00	.04	8
9	.00	.05	.01	.02	.13	.00	.00	.05	.22	.00	.08	.00	9
10	.00	.00	.08	.00	.02	.00	.00	.30	.11	.00	.63	.01	10
11	.00	.18	.03	.00	.00	.00	.00	.35	.04	.00	.35	.00	11
12	.00	.35	.00	.00	.00	.00	.00	.01	.04	.13	.00	.00	12
13	.01	.36	.15	.05	.00	.00	.00	.08	.00	.02	.00	.00	13
14	.09	.03	.04	.21	.00	.00	.00	.00	.00	.00	.00	.00	14
15	.16	.02	.00	.02	.00	.00	.00	.00	.00	.22	.00	.00	15
16	.02	.00	.00	.00	.01	.00	.00	.00	.04	.40	.00	.00	16
17	.01	.00	.00	.00	.05	.00	.00	.00	.00	.00	.00	.00	17
18	.00	.12	.00	.00	.00	.00	.02	.00	.00	.00	.00	.00	18
19	.02	.02	.00	.00	.20	.02	.00	.01	.16	.44	.00	.23	19
20	.00	.00	.10	.00	.00	.00	.42	.02	.44	.28	.00	.22	20
21	.00	.00	.00	.00	.00	.00	.14	.09	.13	.53	.00	.58	21
22	.00	.03	.06	.09	.00	.00	.84	.04	.38	.68	.00	.33	22
23	.00	.10	.05	.18	.38	.02	.03	.14	.00	.25	.00	.11	23
24	.06	.40	.06	.02	.06	.30	.00	.26	.00	.01	.05	.10	24
25	.06	.90	.00	.00	.00	.00	.00	.00	.28	.26	.00	.03	25
26	—	.35	.00	.08	.02	.02	.34	.00	.03	.00	.00	.09	26
27	.25	.02	.00	.12	.36	.00	.31	.04	.00	.00	.08	.00	27
28	.10	.00	.03	.04	.00	.00	.00	.00	.01	.00	.00	.33	28
29	.16	X	.00	.04	.08	.00	.00	.00	.01	.00	.10	.44	29
30	.02	X	.01	.25	.00	.00	.24	.00	.00	.00	.01	.34	30
31	.07	X	.02	X	.00	X	.16	.00	X	.00	X	.01	31
TOTAL	1.99	3.33	.93	1.49	2.04	.36	3.08	1.40	2.12	3.30	2.49	2.89	
Days with ".01 in. or more.	14	20	16	16	16	14	13	16	16	13	14	16	14
Days with ".04 in. or more.	10	12	9	13	11	1	10	12	12	10	12	11	12

(Signature) Francis J. Bourne [P.T.]

REGISTER OF RAINFALL IN 1927.

Kept at Harring N. Hadstone
in the County of Kent
Diameter of Funnel of Gauge.....5" in.
Height of top of Gauge above Ground.....7 ft. 6" in.
„ Ground „ Sea Level.....25.0 24.0 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.00	1.20	.00	.06	.00	.04	.18	.44	.00	.05	.25	.00	1
2	.00	.00	.04	.14	.00	.21	.01	.00	.00	.03	.00	.07	2
3	.09	.07	.00	.00	.02	.03	.00	.00	.00	.00	.01	.03	3
4	.00	.00	.03	.04	.00	.10	.25	.00	.00	.00	.00	.02	4
5	.15	.12	.06	.10	.00	.02	.00	.32	.00	.00	.13	.00	5
6	.01	.00	.28	.25	.00	.03	1.40	.03	.12	.00	.04	.00	6
7	.03	.27	.04	.33	.00	.14	.01	.18	.00	.00	.02	.00	7
8	.03	.00	.09	.20	.00	.00	.11	.23	.00	.00	.29	.00	8
9	.00	.00	.00	.04	.00	.00	.05	.09	.27	.00	.00	.00	9
10	.00	.00	.00	.00	.00	.00	.27	.01	1.25	.00	.00	.00	10
11	.00	.00	.00	.00	.00	.07	.26	.35	.00	.00	.00	.00	11
12	.06	.00	.03	.00	.00	.00	.40	.18	.00	.04	1.05	.00	12
13	.06	.00	.00	.00	.00	.00	.10	.23	.11	.00	.02	.00	13
14	.09	.00	.00	.03	.01	.00	.68	.06	1.65	.00	.04	.45. Snow	14
15	.00	.20	.00	.02	.00	.00	.01	.40	.01	.00	.00	.07. Snow	15
16	.00	.00	.00	.00	.14	.00	.00	.02	.20	.00	.00	.00	16
17	.52	.00	.01	.00	.00	.25	.00	.25	.07	.00	.00	.03. Snow	17
18	.30	.00	.00	.00	.00	.32	.00	.37	.04	.00	.04	.00	18
19	.00	.14	.00	.00	.00	.00	.00	.03	.00	.00	.09	.00	19
20	.07	.13	.00	.00	.00	.00	.03	.62	.00	.00	.34	.06	20
21	.19	.12	.00	.00	.09	.00	.00	.18	.03	.25	.14	.73	21
22	.09	.00	.15	.00	.18	.23	.43	.08	.02	.49	.00	.33	22
23	.01	.43	.30	.00	.00	.10	.00	.04	.77	.01	.15	.16	23
24	.00	.09	.33	.00	.00	.71	.00	.01	.00	.00	.09	.36	24
25	.00	.38	.50	.00	.00	.14	.00	.08	.00	.00	.00	1.00	25
26	.17	.55	.07	.00	.11	.01	.00	.00	.05	.02	.02	1.42	26
27	.12	.33	.00	.00	.25	.10	.27	.00	.00	.22	.00	.00	27
28	.12	.13	.00	.06	.00	.16	.00	.00	.00	.02	.20	.00	28
29	.06	X	.15	.00	.00	.32	.00	.06	.48	.00	.69	.00	29
30	.00	X	.07	.00	.00	.31	.00	.00	.00	.10	.00	.00	30
31	.00	X	.85	X	.14	X	.02	.00	X	.10	X	.12	31
TOTAL	2.20	3.88	3.00	1.57	.94	3.32	4.46	4.27	5.02	1.33	2.61	4.79	YEARS TOTAL 37.36
Days with "01 in. or more.	18	13	16	11	8	19	17	23	14	11	18	14	18.2
Days with "04 in. or more.	14	12	13	9	6	15	12	19	17	7	14	10	14.2



for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1928.

Kept at Barnham N. Hardstone
in the County of Kent
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 4 in.
" Ground " Sea Level 245 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	.00	.12	.14	.00	.00	.00	1.48	.00	.01	.67	.01	1
2	.69	.46	.03	.00	.11	.00	.00	.00	.00	.00	.24	.00	2
3	.01	.00	.00	.10	.04	.00	.32	.56	.00	.00	.16	.02	3
4	.09	.04	.00	.03	.00	.02	.00	.34	.00	.00	.00	.00	4
5	.14	.26	.05	.20	.00	.00	.01	.00	.00	.00	.00	.00	5
6	.00	.00	.00	.00	.00	.35	.00	.00	.00	.00	.01	.08	6
7	.00	.01	.00	.12	.00	.55	.00	.11	.00	.00	.00	.00	7
8	.00	.03	.19	.00	.00	.29	.03	.00	.00	.01	.03	.00	8
9	.00	.00	.01	.00	.00	.13	.00	.00	.00	.36	.00	.00	9
10	.10	.14	.00	.28	.01	.00	.00	.02	.00	.13	.12	.00	10
11	.20	.01	.01	.04	.00	.00	.00	.03	.00	.09	.21	.20	11
12	.20	.13	.00	.01	.00	.00	.00	.00	.00	.02	.00	.21	12
13	.00	.15	.00	.00	.00	.64	.00	.02	.00	.00	.09	.04	13
14	.04	.08	.00	.08	.40	.14	.00	.04	.00	.60	.40	.00	14
15	.05	.00	.00	.62	.29	.00	.00	.00	.00	.03	.22	.00	15
16	.00	.03	.00	.51	.15	.00	.00	.00	.00	.06	.22	.16	16
17	.00	.00	.00	.04	.15	.00	.00	.00	.00	.15	.00	.00	17
18	.45	.00	.01	.05	.04	.10	.00	.00	.00	.33	.00	.00	18
19	.00	.00	.00	.01	.09	.11	.00	.16	.00	.26	.04	.10	19
20	.04	.00	.00	.00	.00	.00	.00	.14	.00	.24	.01	.16	20
21	.05	.00	.06	.04	.28	.00	.00	.00	.00	.53	.26	.00	21
22	.00	.00	.15	.00	.09	.00	.00	.15	.00	.24	.25	.09	22
23	.21	.00	.01	.00	.12	.00	.00	.00	.01	.10	.20	.00	23
24	.02	.00	.00	.00	.00	.00	.00	.00	.05	.04	.19	.12	24
25	.09	.00	.00	.00	.00	.03	.00	.00	.00	.12	.01	.05	25
26	.16	.00	.00	.00	.00	.08	.04	.19	.00	.85	.00	.14	26
27	.00	.00	.02	.00	.00	.04	.90	.00	.00	.18	.00	.60	27
28	.04	.00	.04	.00	.00	.00	.00	.00	.20	.00	.00	.15	28
29	.08	.06	.26	.04	.00	.00	.00	.00	.03	.04	.04	.25	29
30	.00	X	.55	.06	.00	.09	.16	.00	.00	.01	.00	.04	30
31	.11	X	.20	X	.00	X	.09	.10	X	.00	X	.50	31
TOTAL	3.33	1.14	1.41	2.38	2.04	2.30	1.58	3.40	.29	4.44	3.26	3.48	29.514
Days with .01 in. or more.	20	12	15	19	16	13	7	13	4	11	19	18	171
Days with .04 in. or more.	14	9	9	14	11	11	8	10	4	14	15	16	136

Kept at Barnham N. Maidstone
in the County of Kent
Diameter of Funnel of Gauge 5" in.
Height of top of Gauge above Ground 1 ft. 4 in.
Ground Sea Level 245 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.
An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.
Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	.01	.16	.00	.03	.00	.00	.00	.13	.00	.23	.00	.01	I
2	.01	.52	.00	.00	.00	.00	.14	.00	.00	.16	.06	.18	2
3	.00	.00	.00	.00	.00	.05	.32	.00	.00	.04	.00	.39	3
4	.00	.00	.00	.18	.15	.39	.19	.00	.00	.00	.00	.36	4
5	.00	.00	.00	.03	.62	.22	.11	.32	.00	.16	.00	.45	5
6	.00	.00	.00	.00	.12	.00	.14	.24	.00	.04	.09	.16	6
7	.00	.00	.00	.00	.02	.00	.00	.15	.00	.31	.25	.16	7
8	.00	.00	.00	.03	.00	.13	.00	.00	.00	.25	.01	.35	8
9	.00	.12	.00	.01	.00	.00	.00	.00	.00	.00	.00	.28	9
10	.11	.05	.00	.11	.00	.00	.00	.00	.00	.11	.09	.31	10
11	.00	.00	.00	.34	.01	.00	.06	.00	.00	.00	.68	.05	11
12	.00	.00	.00	.13	.14	.04	.00	.00	.00	.00	.00	.05	12
13	.03	.00	.00	.01	.04	.00	.00	.00	.00	.00	.00	.02	13
14	.01	.00	.00	.00	.00	.02	.00	.00	.00	.00	.00	.18	14
15	.04	.00	.00	.00	.04	.13	.00	.00	.00	.00	.95	.18	15
16	.06	.00	.00	.00	.00	.00	.00	1.03	.00	.00	.49	.00	16
17	.00	.00	.00	.00	.00	.00	.00	.00	.06	.00	.00	.00	17
18	.01	.00	.00	.00	.00	.00	.00	.04	.50	.00	.12	.00	18
19	.00	.00	.00	.00	.00	.00	.00	.00	.02	.00	.03	.00	19
20	.00	.00	.00	.00	.00	.00	.03	.00	.00	.43	.00	.03	20
21	.12	.00	.00	.00	.00	.00	.00	.01	.00	.00	.00	.84	21
22	.00	.00	.00	.00	.00	.00	.00	.02	.00	.00	.11	.06	22
23	.00	.02	.00	.00	.00	.00	.00	.00	.00	.01	.56	.20	23
24	.01	.00	.00	.00	.00	.00	.00	.00	.00	.96	.36	.35	24
25	.02	.03	.03	.00	.00	.00	.00	.00	.00	.25	.08	.10	25
26	.00	.00	.00	.03	.00	.00	.00	.00	.00	.00	.06	.08	26
27	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.68	.05	27
28	.15	.01	.04	.06	.00	.00	.14	.00	.00	.10	.48	.54	28
29	.13	X	.00	.21	.00	.00	.00	.00	.05	.00	.43	.02	29
30	.03	X	.00	.00	.00	.15	.00	.00	.20	.00	.06	.28	30
31	.32	X	.00	X	.00	X	.02	.00	X	.00	X	.00	31
TOTAL	1.08	.81	.03	1.14	1.14	1.16	1.12	1.94	.83	3.18	5.89	5.65	YEAR'S TOTAL 24.06
Days with ".01 in. or more.	16	4	1	12	8	8	8	8	5	13	19	26	131
Days with ".04 in. or more.	4	4	—	6	6	4	6	6	4	12	14	21	96

Section **A**

for the entry of Daily Observations.

372
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at Barming St. Lawrence
in the County of Kent

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 4 in.
Ground Sea Level 245 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.04	.61	.00	.20	.00	.00	.20	.00	.00	.00	.32	.00	1
2	.00	.18	.00	.01	.00	.00	.00	.01	.00	.00	1.02	.00	2
3	.04	.08	.00	.46	.00	.00	.00	1.40	.00	.00	.04	.00	3
4	.28	.01	.00	.26	.00	.00	.00	.00	.00	.12	.00	.00	4
5	.01	.00	.00	.00	.26	.00	.00	.84	.00	.06	.00	.00	5
6	.00	.01	.12	.00	.62	.00	.00	.32	.34	.00	.00	.00	6
7	.06	.50	.02	.00	.01	.00	.00	.03	.00	.24	.45	.02	7
8	.12	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.19	8
9	.28	.00	.01	.00	.33	.00	.00	.00	.03	.00	.00	.00	9
10	.38	.03	.20	.00	.14	.00	.00	.03	.01	.00	.00	.05	10
11	.16	.01	.00	.00	.06	.00	.00	.00	.00	.00	.00	.39	11
12	.18	.00	.00	.06	.09	.00	.00	.00	.00	.00	.00	.18	12
13	.01	.00	.11	.20	.06	.00	.11	.20	.32	.00	.00	.00	13
14	.03	.06	.03	.00	.00	.00	.22	.00	.00	.00	.00	.03	14
15	.00	.04	.46	.04	.00	.00	.33	.00	.00	.03	.16	.00	15
16	.00	.00	.00	.00	.00	.03	.00	.00	.05	.00	.00	.00	16
17	.00	.02	.04	.14	.00	.01	.00	.00	.21	.09	.00	.00	17
18	.00	.00	.19	.02	.38	.00	.00	.00	.00	.00	.12	.04	18
19	.00	.00	.04	.06	.00	.00	.00	.24	.60	.09	.41	.03	19
20	.00	.00	.00	.02	.00	.00	.64	.09	.25	.19	.35	.01	20
21	.01	.00	.00	.00	.00	.00	.01	.22	.08	.01	.54	.00	21
22	.03	.00	.00	.01	.21	.00	.05	.09	.01	.24	.25	.03	22
23	.02	.00	.00	.10	.00	.34	.12	.02	.04	.00	.00	.01	23
24	.45	.00	.00	.00	.10	.05	.04	.00	.00	.02	.26	.10	24
25	.06	.00	.00	.00	.19	.00	.00	.00	.00	.01	.32	.00	25
26	.04	.00	.00	.00	.23	.14	.00	.00	.28	.00	.25	.25	26
27	.00	.00	.00	.00	.00	.00	.00	.00	.51	.00	.26	.11	27
28	.01	.00	.00	.00	.00	.00	.00	.00	.32	.00	.24	.11	28
29	.25	X	.09	.00	.00	.00	.08	.15	.03	.00	.54	.11	29
30	.06	X	.00	.00	.81	.00	.14	.00	.00	.00	.02	.25	30
31	.38	X	.01	X	.21	X	.00	.00	X	.14	X	.01	31
TOTAL	2.96	1.61	1.35	1.55	3.69	.54	2.00	3.40	3.05	1.30	2.55	2.04	YEAR'S TOTAL 29.34
*Days with or in. or more.	22	11	12	13	15	8	11	13	15	12	14	18	16.4
*Days with or 04 in. or more.	15	4	8	9	14	3	10	10	12	9	16	13	12.4

40-9999

*See Instruction 2 (f) on other side.

(Signed)

P.T.O.

REGIS

BECKENHAM

ZATION.

Kept at

Beckenham

KENT

in the County of

Kent

by

Beckenham 91

1921-30

IMPORTANT NOTE.—Rain

If an Observer prefers not to con-
the reading at 9 a.m. on 1st Janu-
this paragraph. Full instructions f
and particulars as to the British
sent post-free on application to
Square, London, N.W. 1.

Records

-24.

House to Beckenham June:

ge 8 in.

ound 1 ft. - in.

Level 110 ft.

to the previous day.

to add
end of
gauges,
rivers,
and

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	17	03	13	-	-	-	-	-	04	-	03	12	1
2	01	-	-	-	10	-	-	01	-	-	46	02	2
3	-	02	04	-	24	10	-	06	-	13	37	-	3
4	10	-	-	-	16	-	-	01	-	-	31	-	4
5	02	-	-	-	-	-	-	08	-	-	32	-	5
6	17	03	17	-	-	-	-	-	-	-	-	-	6
7	32	02	-	-	17	-	-	-	-	-	-	-	7
8	-	-	02	04	02	-	-	-	-	-	-	-	8
9	-	-	-	01	-	-	-	-	03	-	-	-	9
10	12	-	-	-	-	-	-	01	-	47	-	-	10
11	12	02	-	-	09	-	-	-	1.32	-	03	02	11
12	20	-	03	-	-	-	-	17	37	-	-	15	12
13	07	-	04	40	-	-	-	09	04	02	-	01	13
14	-	-	02	-	08	-	02	01	-	-	-	32	14
15	-	-	-	08	-	-	-	-	-	-	01	03	15
16	03	-	03	11	-	-	-	15	-	-	41	01	16
17	08	-	14	35	-	-	02	03	-	-	-	-	17
18	06	02	-	-	-	-	-	-	02	03	-	-	18
19	-	-	20	01	-	02	-	-	01	01	-	04	19
20	-	-	06	-	-	-	-	-	-	11	-	-	20
21	-	-	-	-	-	-	-	-	-	-	08	-	21
22	-	-	-	02	-	-	-	-	-	12	-	23	22
23	-	-	-	24	-	-	-	26	-	04	-	11	23
24	-	-	-	05	-	-	-	-	-	-	-	05	24
25	03	07	-	-	04	10	-	-	-	-	-	11	25
26	04	01	01	-	22	09	-	-	-	-	-	21	26
27	04	-	-	-	-	-	-	-	-	-	02	04	27
28	-	-	31	-	05	-	09	-	-	-	-	02	28
29	02	-	11	-	15	-	-	-	-	-	-	05	29
30	12	X	-	04	03	-	-	-	-	-	22	05	30
31	05	X	-	X	02	X	-	-	X	-	X	-	31
TOTAL	1.77	22	1.31	1.35	1.37	31	13	88	1.83	93	2.26	1.59	YEAR'S TOTAL
Days with 01 in. or more	19	8	14	11	13	4	3	11	7	8	11	18	127
Days with 04 in. or more	14	1	9	8	10	3	1	6	4	5	7	12	80

REGISTER OF RAINFALL IN 1921

Kept at Beckenham
in the County of Kent
by Beckenham U. D. Council

Lat. 0°-2'-W Long. 51°-24.
Time of Observation 9 a.m.
Nearest Railway Station Beckenham Junction
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 110 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	17	03	13	-	-	-	-	-	04	-	03	12	1
2	01	-	-	-	10	-	-	01	-	-	46	02	2
3	-	02	04	-	24	10	-	06	-	13	37	-	3
4	10	-	-	-	16	-	-	01	-	-	31	-	4
5	02	-	-	-	-	-	-	08	-	-	32	-	5
6	17	03	17	-	-	-	-	-	-	-	-	-	6
7	32	02	-	-	17	-	-	-	-	-	-	-	7
8	-	-	02	04	02	-	-	-	-	-	-	-	8
9	-	-	-	01	-	-	-	-	03	-	-	-	9
10	12	-	-	-	-	-	-	01	-	47	-	-	10
11	12	02	-	-	09	-	-	-	1.32	-	03	02	11
12	20	-	03	-	-	-	-	17	37	-	-	15	12
13	07	-	04	40	-	-	-	09	04	02	-	01	13
14	-	-	02	-	08	-	02	01	-	-	-	32	14
15	-	-	-	08	-	-	-	-	-	-	01	03	15
16	03	-	03	11	-	-	-	15	-	-	41	01	16
17	08	-	14	35	-	-	02	03	-	-	-	-	17
18	06	02	-	-	-	-	-	-	02	03	-	-	18
19	-	-	20	01	-	02	-	-	01	01	-	04	19
20	-	-	06	-	-	-	-	-	-	11	-	-	20
21	-	-	-	-	-	-	-	-	-	-	08	-	21
22	-	-	-	02	-	-	-	-	-	12	-	23	22
23	-	-	-	24	-	-	-	26	-	04	-	11	23
24	-	-	-	05	-	-	-	-	-	-	-	05	24
25	03	07	-	-	04	10	-	-	-	-	-	11	25
26	04	01	01	-	22	09	-	-	-	-	-	21	26
27	04	-	-	-	-	-	-	-	-	-	02	04	27
28	-	-	31	-	05	-	09	-	-	-	-	02	28
29	02	-	11	-	15	-	-	-	-	-	-	05	29
30	12	~~X~~	-	04	03	-	-	-	-	-	22	05	30
31	05	~~X~~	-	~~X~~	02	~~X~~	-	-	~~X~~	-	~~X~~	-	31
TOTAL	1.77	22	1.31	1.35	1.37	31	13	88	1.83	93	2.26	1.59	YEAR'S TOTAL 13.95
Days with "01 in. or more	19	8	14	11	13	4	3	11	7	8	11	18	127
Days with "04 in. or more	14	1	9	8	10	3	1	6	4	5	7	12	80

AIR MINISTRY.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1922.

Kept at Beckenham
in the County of Kent
by Beckenham District Council

Lat. 51° 24' Long. 0° 24'
Time of Observation 9 a.m.
Nearest Railway Station Beckenham Junction & Black Horse
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 110 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.11	.15	—	.04	—	.03	—	.04	.01	.66	.31	1
2	.04	.22	.13	.21	—	—	.07	—	.06	—	—	—	2
3	—	.11	.06	.66	.20	—	—	.19	—	—	.17	—	3
4	—	.13	.12	.01	.10	—	.09	.03	—	.35	—	—	4
5	—	—	.13	.11	—	—	1.03	—	—	.10	.52	—	5
6	.09	—	.07	—	—	—	.05	.68	—	—	.18	—	6
7	.08	—	.45	.17	—	—	.10	.10	—	—	—	.05	7
8	.06	—	.15	.06	—	.02	.21	—	—	—	.01	.04	8
9	.06	—	—	.01	—	—	.03	.15	—	.10	.01	.03	9
10	.01	—	—	—	—	—	—	—	.12	—	.14	.01	10
11	.04	—	—	—	.06	—	—	.17	—	—	—	—	11
12	—	—	—	.55	—	—	—	.16	.22	—	—	—	12
13	.01	—	—	.34	—	.08	.18	—	.07	—	.01	—	13
14	—	—	—	—	—	.49	.48	—	.58	—	.01	—	14
15	.31	.26	—	.01	—	.01	—	—	—	—	.01	.02	15
16	.01	.03	—	.20	.11	—	.06	—	.09	—	—	.14	16
17	—	.35	—	.02	.02	—	.02	—	—	—	—	.14	17
18	.71	—	—	—	—	—	—	—	.07	.06	—	.07	18
19	.58	.04	.04	—	—	—	—	—	.46	.37	—	.48	19
20	—	.02	.01	—	—	—	—	—	—	.06	—	—	20
21	.11	.42	—	.10	—	—	.01	—	—	.03	—	1.10	21
22	.02	.03	—	.21	.11	.16	.01	.17	—	.02	—	.13	22
23	—	.01	—	—	—	.01	.06	—	.17	—	—	—	23
24	.03	—	.03	.10	.21	.09	.03	.17	.01	—	—	—	24
25	.17	—	—	.33	1.41	.10	—	—	.03	—	—	.14	25
26	.17	.19	.04	.22	—	.15	.16	—	.02	—	.01	.10	26
27	.15	.12	.10	.28	—	—	—	.16	.09	.09	—	.31	27
28	.09	.23	.22	—	—	.48	—	—	.01	—	.03	.06	28
29	.05	X	—	—	—	.14	.04	.20	—	.17	—	.16	29
30	—	X	.19	.01	—	—	.03	.27	.24	.01	.06	.59	30
31	.06	X	—	X	—	X	.10	.19	X	.03	X	.63	31
TOTAL	2.85	2.27	1.89	3.60	2.26	1.73	2.79	2.64	2.28	1.40	1.82	4.51	YEAR'S TOTAL
Days with .01 in. or more	21	15	15	19	9	11	20	13	16	13	13	19	184
Days with .04 in. or more	16	11	13	14	8	8	13	12	12	8	6	16	137

AIR MINISTRY.
METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
REGISTER OF RAINFALL IN 1923.

Kept at Beckenham
in the County of Kent
by District Council

Lat. 51.24 Long. 0.2 W
Time of Observation 9 a.m.
Nearest Railway Station Beckenham Junction + Clock House
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 110 ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	07	-	16	-	-	-	-	-	07	04	16	10	1
2	12	02	11	-	11	-	-	-	-	18	-	09	2
3	05	-	01	-	-	06	-	-	05	112	-	04	3
4	02	-	-	-	-	-	-	-	05	-	02	12	4
5	33	-	-	09	-	02	-	-	-	09	05	01	5
6	32	04	08	02	-	06	-	-	01	-	-	-	6
7	04	121	41	-	04	-	-	-	-	40	-	16	7
8	05	18	03	-	01	-	-	-	-	30	56	-	8
9	08	05	01	02	01	-	223	-	-	01	03	-	9
10	-	11	-	31	11	-	01	-	-	36	-	03	10
11	05	05	-	32	04	-	-	-	-	45	-	03	11
12	-	46	74	11	22	09	-	-	-	49	01	01	12
13	-	14	26	05	-	-	05	-	-	-	38	-	13
14	-	05	04	03	03	-	-	10	25	-	-	01	14
15	02	02	05	01	20	12	02	-	09	-	22	01	15
16	01	08	-	-	03	03	-	-	-	01	23	01	16
17	04	03	01	-	-	-	02	08	04	-	-	-	17
18	08	16	-	-	-	03	-	20	-	01	-	-	18
19	18	06	-	-	-	01	04	-	16	82	-	06	19
20	02	05	16	-	01	01	-	-	36	07	01	-	20
21	-	17	-	07	03	-	-	-	-	09	08	29	21
22	-	36	03	-	-	-	-	-	15	20	01	09	22
23	-	05	08	01	55	-	03	118	01	49	-	05	23
24	-	02	-	05	02	-	-	78	17	02	-	07	24
25	-	12	08	48	03	14	14	01	09	47	-	35	25
26	-	20	06	04	-	-	-	-	-	30	-	28	26
27	-	04	06	-	10	-	02	15	-	07	-	12	27
28	01	15	-	20	47	-	11	02	-	-	14	-	28
29	16	X	04	02	57	-	03	40	-	-	-	26	29
30	01	X	-	-	-	-	08	-	-	16	-	17	30
31	01	X	-	X	-	X	28	03	X	04	X	14	31
TOTAL	1.67	3.82	2.42	1.83	2.58	.57	3.06	2.95	1.50	6.19	1.90	2.50	YEAR'S TOTAL 30.99
Days with 01 in. or more	20	24	19	16	18	10	13	10	13	23	13	23	202
Days with 04 in. or more	13	20	14	10	10	5	7	7	11	19	8	16	140

AIR MINISTRY.

FORM 1090

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1924.

Kept at Beckenham
in the County of Kent
by District Council

Lat. 51.24 Long. 0.2. W. S.
Time of Observation 9 a.m.
Nearest Railway Station Beckin Junction & Black Horse
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 2.5 in.
" " " " Sea Level 110 ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan. in.	Feb. in.	March in.	April in.	May in.	June in.	July in.	August in.	Sept. in.	Oct. in.	Nov. in.	Dec. in.	Date
1	.03	-	-	-	.06	.23	.07	.04	-	-	.47	.04	RWV 185 2
2	.05	-	.18	-	-	.26	.01	.11	-	-	-	.17	3
3	-	-	.02	-	.17	.03	.06	.22	.09	-	-	-	4
4	-	-	-	-	-	.63	-	-	.14	.16	-	.10	5
5	-	.10	.10	-	.03	-	.01	-	-	.06	-	.13	6
6	-	.10	-	-	-	.01	-	.27	-	.33	-	-	7
7	.02	-	-	-	.03	.45	-	-	.08	.32	-	.01	8
8	.24	.04	-	.27	.04	.02	-	-	.01	.08	-	-	9
9	.03	.13	-	.11	.02	.03	-	-	.19	-	-	-	10
10	.26	-	-	.26	.32	.05	-	-	-	-	-	-	11
11	.02	-	-	.45	.15	.10	-	-	-	-	.81	.02	12
12	-	.03	-	.21	.05	.72	-	.04	.04	-	.66	-	13
13	.03	-	-	.21	.52	-	-	.03	.48	.01	.05	.13	14
14	.02	-	-	.17	.02	-	-	.02	-	-	.08	.03	15
15	-	.03	-	.01	-	-	-	-	.06	-	-	.42	16
16	-	-	-	-	-	-	-	.12	.07	-	-	.04	17
17	.08	-	-	-	.03	-	.81	.06	.02	-	-	.02	18
18	.34	.10	-	-	.31	.10	.01	.98	-	.01	.03	-	19
19	.17	-	-	-	-	-	-	.15	-	.06	.03	-	20
20	.03	-	-	-	.03	-	.12	.07	.07	.09	-	-	21
21	.44	-	.01	-	.01	-	.09	.11	.12	.65	-	-	22
22	.52	.03	.19	-	-	-	.12	.24	.13	-	-	-	23
23	-	-	.10	-	.18	-	.01	.18	.05	-	-	.57	24
24	.41	.09	.05	.03	.06	-	-	.14	-	-	.10	.23	25
25	.02	.02	.14	.04	.24	-	.58	.01	.67	.02	.10	-	26
26	-	.01	-	.42	-	-	.17	-	.48	.10	.47	.25	27
27	-	.17	-	.55	-	.04	.29	-	-	.09	.26	.78	28
28	-	-	-	.05	-	-	.35	.12	-	.03	.29	-	29
29	-	.08	-	.19	.35	-	.88	.36	.03	.63	.05	.12	30
30	-	X	-	.87	.03	X	.12	.15	.60	.60	.21	.32	31
31	.01	X	.03	X	.71	X	-	.09	X	.11	X	.15	898 31
TOTAL	2.72	.93	.82	3.84	3.36	2.67	3.70	3.51	3.33	3.35	3.61	3.53	35.37
Days with 01 in. or more	18	13	9	15	21	13	16	21	18	17	14	18	193
Days with 04 in. or more	9	8	6	13	13	9	12	18	15	13	12	14	142



FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Register of Rainfall in 1925.

392

 Kept at Beckenham
 in the County of Kent

 Diameter of Funnel of Gauge 8 in.
 Height of top of Gauge above Ground 1 ft. — in.
 „ Ground „ Sea Level 110 ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.64	—	.05	.05	.04	—	—	.18	.07	.01	.30	—	1
2	.16	.02	—	.19	—	.03	—	—	.02	—	.33	—	2
3	.10	—	.02	—	.11	—	.01	—	—	—	.13	—	3
4	—	—	.02	—	.18	—	—	.31	—	.03	.10	—	4
5	.02	.19	—	.43	.04	—	—	—	.15	—	.03	—	5
6	.01	.18	.02	.13	.11	—	.49	.02	—	—	.32	.02	6
7	—	.10	.03	.09	.07	—	.01	—	.03	.05	.14	.01	7
8	.05	.04	—	—	.04	—	—	—	.03	—	—	.20	8
9	—	.02	—	.06	—	—	—	.15	.39	—	.18	—	9
10	—	—	.05	—	.07	—	—	.15	.23	—	.10	.01	10
11	—	.09	—	—	—	—	—	.02	.02	—	.12	—	11
12	.02	.77	—	—	—	—	—	.12	—	.14	—	.02	12
13	—	.76	.14	.05	—	—	—	.01	—	.04	—	—	13
14	.14	.11	.03	.18	—	—	—	—	—	—	—	.01	14
15	.20	—	—	.12	—	—	—	—	—	.26	—	—	15
16	—	.03	—	.01	—	—	—	—	.20	.11	—	—	16
17	—	—	—	.03	—	—	—	—	—	.03	—	—	17
18	.01	.07	—	—	.60	—	.16	.02	.03	.02	—	.01	18
19	.01	—	—	—	—	—	—	—	.24	.81	—	.11	19
20	—	—	.11	—	—	—	.33	.10	.49	.22	—	.22	20
21	—	—	.03	—	—	—	.24	.27	.05	.38	—	.35	21
22	—	.03	.10	.19	.03	—	1.31	.16	.55	.20	—	.62	22
23	.02	.12	.07	—	.25	—	.06	.65	.03	.02	—	.05	23
24	—	.35	—	.06	.10	.18	—	.10	—	.03	.26	.05	24
25	.03	.96	.02	.03	—	—	.03	—	.21	.03	—	.06	25
26	.02	.41	—	.03	.03	.04	.41	.32	.03	.25	—	.08	26
27	.27	.05	—	.02	.25	—	.60	.04	—	—	.18	.05	27
28	.11	—	—	.40	—	—	—	—	.05	—	—	.16	28
29	.08	×	—	—	.10	—	.02	—	—	—	.08	.27	29
30	—	×	—	.30	—	—	.29	—	—	.02	.05	.78	30
31	.12	×	.06	×	.06	×	.04	—	×	—	×	.83	31
TOTAL	2.01	4.30	.75	2.37	2.08	.25	4.00	2.62	2.82	3.15	2.32	3.11	YEAR'S TOTAL
Days with "01 in. or more.	18	18	14	18	16	3	14	16	18	18	14	20	29.78.
Days with "04 in. or more.	10	14	7	13	14	2	10	12	11	10	13	13	187
													129

(Signed)..... (P.T.O.)

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1926.

374

Kept at Beckenham

in the County of Kent

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft.

Ground Sea Level 110 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.37	.20	—	—	—	.22	—	—	.10	—	.02	—	1
2	.06	.02	—	—	—	1.28	.03	—	.63	—	.03	—	2
3	.18	.65	.07	—	—	—	—	.01	—	—	—	—	3
4	—	.07	.04	.37	—	—	.14	—	—	—	.20	—	4
5	.05	.06	.10	—	.08	—	.05	—	—	—	.22	.20	5
6	.07	.40	—	.37	.03	—	.07	.09	.26	—	.06	—	6
7	.37	.04	—	.29	.11	.12	—	.05	.03	—	.30	.03	7
8	—	—	—	.21	—	—	—	.04	—	.11	.68	—	8
9	—	.02	—	—	—	.30	.02	.56	.04	—	.21	—	9
10	—	.01	—	—	.03	.10	.01	.06	—	.02	.27	—	10
11	—	.25	—	—	.10	.06	—	.36	.05	.02	.04	.03	11
12	—	.07	—	—	.06	.04	—	.02	—	.26	—	.02	12
13	.02	.01	—	—	—	.20	—	.01	—	.28	1.04	.02	13
14	.25	.02	—	.10	.35	—	—	—	—	.73	.03	.15	14
15	.10	.03	—	.38	—	—	—	—	—	.38	.10	—	15
16	—	.20	—	.29	.01	—	—	.20	—	—	.02	—	16
17	—	.58	—	.04	.04	.70	—	—	—	—	.10	.02	17
18	.08	.10	—	.26	.03	.15	.51	.06	—	—	.48	—	18
19	—	—	.05	.13	.09	—	.26	—	—	—	.07	—	19
20	.02	—	.02	.66	.04	—	.02	.09	—	.11	.54	—	20
21	.01	—	—	.10	—	—	.16	—	—	.02	.26	—	21
22	.26	.06	—	.19	—	—	—	—	—	.09	.06	.03	22
23	.10	.04	—	—	—	.02	—	—	—	—	—	—	23
24	—	—	—	—	.15	.19	.05	—	.19	.63	—	—	24
25	.10	—	.01	1.03	—	—	.10	—	.01	.20	.05	.04	25
26	—	.02	—	.02	—	—	.32	—	.07	—	.26	—	26
27	.10	.02	.02	.14	.02	.43	.06	—	.32	—	—	—	27
28	.33	—	—	.12	.01	—	.46	—	.01	.35	.22	.02	28
29	.03	X	—	.04	.18	—	.02	—	—	.09	.53	—	29
30	.02	X	—	.11	.10	—	.15	—	—	.02	.21	—	30
31	.20	X	—	X	.01	X	—	1.02	X	—	X	—	31
TOTAL	2.72	2.87	.31	4.85	1.44	3.81	2.43	2.57	1.71	3.31	6.00	.56	YEAR'S TOTAL 32.58
Days with ".01 in. or more.	20	21	7	19	18	13	17	13	11	15	25	10	189
Days with ".04 in. or more.	15	13	4	18	11	12	12	10	8	11	21	3	138

Please read the Notes and Instructions Overleaf.

(Signed) H. Stan Beal The Surveyor

Section **A**

for the entry of Daily Observations.

364
FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1927.

Kept at Beckenham
in the County of Kent
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. — in.
Ground Sea Level 110 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	<u>1.12</u>	—	.01	—	—	.28	.32	—	.04	.40	—	1
2	.01	—	.07	.11	—	.02	—	—	—	.09	.05	—	2
3	.10	—	.01	.01	—	—	.01	—	—	—	—	.02	3
4	.01	—	.02	.02	.11	—	.06	—	—	—	—	.01	4
5	.07	.18	.21	.44	<u>.37</u>	—	.02	.28	—	—	.10	—	5
6	—	—	.25	.20	—	.24	<u>.61</u>	.04	.09	—	—	—	6
7	.05	.38	.06	<u>.52</u>	—	.11	.11	.32	—	.02	.02	—	7
8	.03	—	.03	.26	—	—	.09	.24	—	—	.02	—	8
9	—	—	.06	.30	—	—	.01	.10	.43	—	—	.01	9
10	—	—	—	—	—	—	—	—	.47	—	—	—	10
11	—	—	—	.01	—	—	.12	—	—	—	—	—	11
12	.06	.01	.04	—	—	—	—	.08	—	—	—	—	12
13	.10	—	—	.02	—	—	.16	.17	.14	.04	.04	.01	13
14	.34	.02	—	.05	—	—	.55	.18	<u>1.65</u>	—	.02	.44	14
15	—	.02	—	—	.02	—	.01	<u>.70</u>	.02	—	.02	—	15
16	—	—	—	—	—	—	—	.13	.75	—	—	—	16
17	<u>.64</u>	—	.02	—	.26	—	—	.52	.08	—	—	—	17
18	.201	—	—	—	—	.40	—	.12	.04	—	.06	—	18
19	—	.21	—	—	—	.01	—	.16	—	.02	.13	—	19
20	.15	.18	—	—	—	—	.12	.34	—	—	.56	.16	20
21	.09	.11	—	—	.11	.02	.12	.19	.12	.16	.06	.55	21
22	.13	.07	.16	—	.02	.11	.01	—	.17	.35	—	.61	22
23	.02	.60	.31	—	—	.23	—	—	.96	—	.09	.30	23
24	—	.14	.20	.04	—	.15	.01	.33	—	—	—	.35	24
25	—	.35	<u>.58</u>	—	—	.20	—	.14	.20	.01	—	<u>2.01</u>	25
26	.21	.48	.09	—	—	.16	—	—	.08	.02	—	.42	26
27	.11	.50	—	—	.30	.49	.18	—	—	<u>.42</u>	.02	—	27
28	.35	.25	.02	.04	.20	.66	.35	—	—	.02	.28	—	28
29	—	X	.13	—	—	.34	—	.02	.58	.01	<u>.95</u>	—	29
30	.14	X	.04	—	—	<u>.73</u>	—	—	.02	.10	.01	—	30
31	.15	X	.26	X	.02	X	.06	—	X	.07	X	.38	31
TOTAL	2.77	4.62	2.56	2.03	1.41	3.87	2.88	4.38	5.80	1.37	2.83	5.27	YEAR'S TOTAL 39.79
Days with ".01 in. or more.	20	16	19	14	9	15	19	19	16	14	17	13	191
Days with ".04 in. or more.	15	13	14	9	6	12	13	18	14	8	11	9	142



Section for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1928.

Kept at Beckenham
in the County of Kent
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. — in.
" Ground " Sea Level 110 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following:

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.05	—	.12	.23	—	—	—	.06	—	—	.04	—	1
2	.69	.59	.01	.02	—	—	—	—	—	—	.01	.03	2
3	—	.01	—	.17	.48	—	.53	1.07	—	—	.03	.04	3
4	.09	.05	—	.01	—	.03	—	.16	—	—	—	—	4
5	.18	.18	.20	.01	—	—	.06	—	—	—	.02	—	5
6	—	—	.01	.08	—	.27	—	—	—	—	—	.07	6
7	—	—	.05	.04	—	.37	—	.10	—	.01	—	—	7
8	—	.02	.09	—	—	.19	.02	—	—	.10	—	—	8
9	.14	—	.06	—	—	.05	—	—	.35	.12	—	—	9
10	.17	.13	—	.08	.01	.03	—	—	—	.07	.18	—	10
11	.08	.07	.02	.03	—	.02	—	.02	—	.35	.24	.26	11
12	.25	.20	.01	.06	—	—	—	—	—	.03	—	.16	12
13	—	.11	—	—	.01	.76	—	—	—	—	.08	—	13
14	.03	.13	—	.03	.01	.42	—	.06	—	.51	.25	—	14
15	.01	—	—	.56	.35	—	—	—	—	—	.17	—	15
16	.06	.03	—	.22	.13	—	—	—	—	.04	.21	.30	16
17	—	—	—	.01	.39	—	—	—	—	.13	—	—	17
18	.52	—	.01	.07	.44	.13	—	—	—	.28	.01	—	18
19	—	—	—	—	.39	.04	—	.18	—	.50	.02	.04	19
20	.08	—	—	—	—	—	—	.13	—	.18	.04	.20	20
21	.11	—	.07	.08	.25	—	—	—	—	.28	.28	—	21
22	—	—	.10	—	.14	—	—	.09	.01	1.00	.24	.13	22
23	.26	—	.05	—	.30	—	—	—	—	.06	.05	—	23
24	.04	—	.46	—	—	—	—	.04	.16	.08	.19	.36	24
25	.05	—	—	—	—	.05	—	—	.05	.03	.01	.03	25
26	.36	—	—	—	—	.05	.18	.76	—	.62	—	.20	26
27	.02	—	.03	—	—	.06	.82	.03	.01	.08	—	.75	27
28	.24	—	—	—	—	—	—	—	.25	—	—	.19	28
29	.10	.05	.41	—	—	.01	—	—	.03	.05	—	.38	29
30	.02	×	.26	.04	—	.03	.43	.03	—	.03	—	.24	30
31	.14	×	.38	×	—	×	.44	.05	×	.03	×	.05	31
TOTAL	3.69	1.57	2.34	1.74	2.90	2.51	2.48	2.78	.86	4.58	2.07	3.43	YEAR'S TOTAL 30.95
Days with ".01 in. or more.	23	12	18	17	12	16	7	14	7	22	18	17	183
Days with ".04 in. or more.	19	9	12	11	9	11	6	11	4	17	12	15	136

REGISTER OF RAINFALL IN 1929 .

Kept at Beckenham
in the County of Kent.

Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. — in.
" Ground " Sea Level 110 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.01	—	—	—	.03	—	.20	—	.45	.01	—	1
2	—	.16	—	—	—	—	.05	—	—	.06	.03	.30	2
3	—	—	.02	—	—	—	1.24	—	—	.02	.01	.22	3
4	—	—	—	.25	.23	.24	.34	.02	—	—	—	1.10	4
5	.01	—	—	.01	.48	.15	.05	.23	—	.38	—	.41	5
6	.01	—	—	—	.24	—	—	.15	—	.06	.04	.48	6
7	—	—	—	—	.03	—	—	.24	—	.43	.64	.62	7
8	—	—	—	.04	.04	.08	—	—	—	.25	—	.34	8
9	.04	.22	—	—	—	—	—	—	—	—	—	.53	9
10	.15	.04	—	.04	—	—	—	—	—	.04	.12	.24	10
11	—	—	—	.16	.01	.02	—	—	—	—	.84	.08	11
12	—	—	.02	.20	.24	.15	—	—	—	—	—	.06	12
13	.04	—	—	.05	.05	.04	—	—	—	—	—	—	13
14	—	—	—	—	.04	.13	—	—	—	—	—	.20	14
15	.06	.02	—	—	—	.06	—	—	—	—	.54	.14	15
16	—	—	—	—	—	—	—	1.00	—	—	1.25	—	16
17	.01	—	—	—	—	—	—	.20	—	—	—	—	17
18	—	—	—	—	—	—	—	.20	—	—	—	—	18
19	—	—	—	—	—	—	—	—	—	—	.31	—	19
20	—	—	—	—	—	—	.25	.02	—	.48	—	.04	20
21	.12	—	.02	—	—	—	—	—	—	—	—	.65	21
22	.02	—	—	—	—	.01	—	.01	—	—	.24	—	22
23	—	.04	—	—	—	—	—	—	—	.04	.24	.24	23
24	.01	—	.01	—	—	—	—	.03	—	1.22	.56	.35	24
25	—	.06	—	—	—	—	—	—	—	.03	.36	—	25
26	—	—	—	.05	—	—	—	—	—	—	.04	.11	26
27	—	—	—	.01	—	—	—	—	—	.04	.40	.05	27
28	.12	—	—	.03	—	—	—	—	—	.04	.26	.35	28
29	.11	—	—	.44	—	—	.21	—	.04	.02	.38	.04	29
30	.01	X	—	—	—	.04	.01	—	.08	—	.26	.04	30
31	.02	X	—	X	—	X	.13	—	X	—	X	.01	31
TOTAL	1.04	.54	.04	1.46	1.44	1.10	2.34	2.03	.15	3.42	4.13	7.31	29.44
Days with ".01 in. or more.	14	4	4	11	9	11	8	11	2	15	19	23	13.4
Days with ".04 in. or more.	8	5	—	8	4	8	4	4	2	12	16	22	10.2

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1930 .

Kept at Beckenham
in the County of Kent
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft - in.
,, Ground ,, Sea Level 110 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	.04	.31	-	.10	-	-	-	.01	-	-	.26	-	I
2	-	.19	-	-	.02	.05	.06	.10	-	-	.42	-	2
3	-	.06	-	.53	.15	-	-	.44	-	.04	.05	-	3
4	.55	-	-	.05	-	-	-	.10	.14	.14	-	-	4
5	-	-	-	-	.22	-	-	.51	-	.06	-	-	5
6	-	-	.02	-	.04	-	-	.12	.59	.05	-	-	6
7	.11	.03	.01	-	-	-	-	.24	-	.16	.54	.04	7
8	.03	-	-	.02	-	-	-	-	.06	-	-	.12	8
9	.20	-	.03	-	.59	-	-	-	.12	-	.01	.03	9
10	.54	-	.21	-	.14	-	-	.08	.93	-	-	.12	10
II	.29	-	-	.06	.16	-	-	-	-	-	-	.61	II
12	.26	-	-	.09	.24	-	-	.11	.02	-	-	.24	12
13	.01	-	-	.23	.06	-	.31	.30	.28	-	-	-	13
14	.05	.18	.15	.01	-	-	.14	-	-	-	-	.04	14
15	-	-	.16	.03	-	-	.14	-	-	.05	.33	-	15
16	-	-	.44	-	-	-	.03	-	.06	-	-	-	16
17	-	-	-	.24	-	.33	-	-	.34	.25	-	-	17
18	-	-	.01	.02	.14	.05	.05	-	.10	-	.12	.03	18
19	-	-	-	.29	-	-	-	.04	.94	.12	.34	.01	19
20	-	-	-	.09	.16	-	.64	.32	.41	.04	.33	-	20
21	-	-	.02	-	-	-	.10	.54	.03	.03	.45	-	21
22	-	-	-	.02	.26	.01	.08	.06	-	.32	.14	-	22
23	.10	-	-	.12	-	.44	-	-	.03	-	.08	.05	23
24	.40	-	-	-	.49	-	.04	-	-	.04	.42	.14	24
25	.03	-	-	-	.42	-	-	-	.03	.06	.09	.01	25
26	.14	-	-	-	.36	-	-	-	.44	-	.14	.24	26
27	-	-	-	-	-	-	-	-	.36	.02	.53	.08	27
28	-	-	-	-	-	-	.06	-	.34	.02	.40	.12	28
29	.16	-	.04	-	.10	-	.44	-	.35	-	.19	.10	29
30	.33	X	-	-	.38	-	.34	1.23	-	-	.02	.16	30
31	.31	X	.03	X	.43	X	-	-	X	.08	X	.05	31
TOTAL	3.64	.44	1.48	1.92	4.96	.91	2.63	4.54	5.62	1.51	5.59	2.25	35.62
*Days with or in. or more.	14	5	11	15	18	5	13	15	19	16	19	18	141
*Days with .04 in. or more.	14	4	5	10	14	4	12	14	15	13	14	14	129

Kept at Bedgebury **BEDGEBURY PARK GARDENS**
in the County of Kent
by Kent
GOLDHURST
KENT

IMPORTANT NOTE

If an Observer prefers the reading at 9 a.m. of this paragraph. Full instructions and particulars as to the form sent post-free on application, London, N.W. 1,

1922-30

ORGANIZATION.

22...
ong...
9 AM
ion Gondhurst
f Rain Gauge 5 in.
e above Ground 1 ft. in.
,, Sea Level 280 ft.
ult entered to the previous day.
requested to add
it at the end of
ng of rain gauges,
ainfall Observers,"
tion, 62, Camden
Place, Edinburgh.
form.

Jan. 1, following.

30

Date	Jan.	Feb.	Mar.	Apr.	May	Jun.	Jul.	Aug.	Sep.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.16	.14				.02		.05		.79	.15	1
2		.06	.08		.20			.06					2
3		.29	.17	1.01			.11				.02		3
4		.12	.05		.15		.15	.09					4
5		.08	.01		.05		.17		.03	.44	.53		5
6			.23	.02	.03		1.05			.25		.09	6
7	.10		.19				.04						7
8	.18		.63	.22			.02	.31					8
9	.04		.21	.05			.49	.15			.20		9
10	.09							.52		.09			10
11	.06					.11			.16				11
12	.48												12
13	.28			.51					.62		.14		13
14	.61			.38		.18	.03	.13	.23				14
15	.12			.03		.22	.33	.15	.59				15
16	.48	.23		.05			.14						16
17	.10	.06		.08									17
18	.00	.15			.10		.04						18
19	.68											1.00	19
20	.61		.02						.46	.24		.65	20
21	.10									.02			21
22		.52	.19						.03			.86	22
23	.28	.12						.18		.12		.11	23
24			.10		.20	.04			1.25	.02			24
25	.10		.10	.19			.25	.01					25
26	.20		.04	.37	.30	.24	.01				.04	.11	26
27	.12	.34	.02	.04		.05	.70		.10				27
28	.51	.42		.13			.16	.13				.34	28
29	.15		.19			.20	.03	.01					29
30						.05	.20			.60		.16	30
31			.21				.08	.45				.09	31
TOTAL	3.70	2.55	2.48	3.21	.83	1.28	3.49	2.64	3.64	1.79	1.72	3.56	31.21
Days with ".01 in. or more	15	12	76	74	6	8	15	14	15	8	6	16	137 days
Days with ".04 in. or more	16	12	13	12	5	8	12	12	9	7	5	10	119 days

REGISTER OF RAINFALL IN 1922

Kept at Bedgebury Park Gardens
in the County of Kent
by Henry Arnold

Lat. _____ Long. _____
Time of Observation 9 AM
Nearest Railway Station Goudhurst
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 280 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following:
30

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.16	.14				.02		.05		.79	.15	1
2		.06	.08		.20			.06					2
3		.29	.17	1.01			.11				.02		3
4		.12	.05		.15		.15	.09					4
5		.08	.01		.05		.17		.03	.44	.53		5
6			.23	.02	.03		1.05			.25		.09	6
7	.10		.19				.04						7
8	.18		.63	.22			.02	.31					8
9	.04		.21	.05			.49	.15			.20		9
10	.09							.52		.09			10
11	.06					.11			.16				11
12	.48												12
13	.32			.51					.62		.14		13
14	.61			.38		.18	.03	.13	.23				14
15	.70			.03		.22	.33	.15	.59				15
16	.48	.23		.05			.14						16
17	.10	.06		.08									17
18	.00	.15			.10		.04						18
19	.68											1.00	19
20	.61		.02						.46	.24		.65	20
21	.10									.02			21
22		.52	.19						.03			.86	22
23	.28	.12						.13		.12		.11	23
24			.10			.20	.04		1.25	.02			24
25	.10		.10	.19				.25	.01				25
26	.20		.04	.37	.30	.27		.01			.04	.11	26
27	.12	.34	.02	.04		.05	.70		.10				27
28	.51	.42		.13				.16	.13			.34	28
29	.15		.19			.20		.03	.01				29
30						.05		.20		.60		.16	30
31			.21				.08	.45				.09	31
TOTAL	3.70	2.55	2.48	3.21	.83	1.28	3.49	2.64	3.64	1.78	1.42	3.56	YEAR'S TOTAL
Days with .01 in. or more	15	12	16	14	6	8	15	14	15	8	6	10	138 days
Days with .04 in. or more	16	12	13	12	5	8	12	13	9	7	5	10	119 days

Section

A

for the entry of Daily Observations

Station No. 322

METEOROLOGICAL OFFICE

METFORM 1090

(Rev. Feb. 1965)

REGISTER OF RAINFALL IN 1922

Kept at Bedgebury Park Gardens

in the County of

Diameter of funnel of gauge in.

Height of top of gauge above ground ft. in.

Height of ground above sea level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		.06	.08		.20			.06						1
2		.29	.17	1.01			.11				.02			2
3		.12	.05		.15		.10	.09						3
4		.08	.01		.05		.17		.03	.44	.53			4
5			.23	.02	.03		1.05			.25		.09		5
6	.10		.19				.04							6
7	.18		.63	.22			.02	.31						7
8	.04		.21	.05			.49	.15			.20			8
9	.09							.52		.09				9
10	.06					.11			.16					10
11														11
12				.51					.62		.14			12
13				.38		.18	.03	.13	.23					13
14				.03		.22	.35	.15	.59					14
15	.48	.23		.05			.14							15
16		.06		.08										16
17		.15			.10		.07							17
18	.68											1.00		18
19	.61		.02						.46	.24		.65		19
20	.10									.02				20
21		.52	.19						.03			.86		21
22	.28	.12						.13		.12		.11		22
23				.10		.20	.07		1.25	.02				23
24	.10		.10	.19				.25	.01					24
25	.20		.04	.37	.30	.27		.01			.04	.11		25
26	.12	.34	.02	.07		.05	.70		.10					26
27	.51	.42		.13				.16	.13			.34		27
28	.15	.14	.19			.20		.03	.01					28
29		X				.05		.20		.60		.16		29
30		X	.21			.02	.08	.40			.15	.09		30
31	.16	X		X		X		.00	X	.79	X	.30		31
TOTAL	3.86	2.53	2.34	3.21	0.83	1.30	3.47	2.69	3.62	2.57	1.08	3.71	Year's Total	31.21
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(g) on other side.

†Spare column, no entries required, except year's total.

(Signed)

(P.T.O.)

AIR MINISTRY.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1928.

Kept at Beagbury H. Gardens
 in the County of Hert
 by Henry Arnold

Lat. _____ Long. _____
 Time of Observation 9 A.M.
 Nearest Railway Station Gynahurst
 Diameter of Funnel of Rain Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. — in.
 " " " " Sea Level 280 ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day.
 An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.13	.01	.26			.02					(30) .68		1
2	.13		.01							.24		.18	2
3						.09				1.15			3
4								.10	.10			.24	4
5	.35										.12		5
6	.31	.04	.06			.12						.10	6
7	.09	1.02	.34		.11					.66			7
8	.02	.27	.02		.25					.25	.52	.20	8
9	.09	.01	.02		.03		.13				.03	.02	9
10		.18		.35	.16					.33	.01		10
11	.03			.42	.08					.43		.18	11
12		.30	.37	.12	.27	.11				.50			12
13		.06	.38		.10						.40		13
14		.08			.20			.01	.59	.11		.05	14
15	.04				.28	.20					.31		15
16		.11									(10)	.01	16
17		.08			.15			.16	.02				17
18	.09	.24						.07	.10				18
19		.06		.11					.09	.61		.02	19
20		.02	.07		.05			.01	.33	.08			20
21	.13	.47		.20	.07	.05			.03	.32	.42	.25	21
22		.46	.06		.13			.08	.42	.54	.02		22
23		.05			.19		.05	.31	.21	.90		.01	23
24		.05						1.34	.20	.29			24
25		.09	.43	1.31		.08			.01	.26		.10	25
26		.50	.07	.21				.35		.16		.68	26
27		.26			.01		.01	.42		.03			27
28		.18		.03	1.19		.22	.02			(20)		28
29				.13	.81		.04	.24					29
30	.05	X			.01		.05			.21		.33	30
31		X		X		X	.32		X	.40	X	.18	31
TOTAL	1.46	4.54	2.09	2.88	4.07	.64	.82	3.05	2.10	7.47	2.43	3.26	34.84
Days with 0.1 in. or more	12	22	12	9	18	7	7	12	11	19	8	16	153
Days with 0.1 in. or more	10	19	9	8	15	6	6	8	8	18	5	12	127

AIR MINISTRY.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1924.

County No.

River Dist.

Station No. 322

Kept at Badgebury Park
in the County of Kent
by Henry Arnold

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Goudhurst
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 280 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.03		.14	.01		.24					.58	.08	1 <u>R.R.</u>
2	.06		.20		.35	.45	.05	.05				.14	2 <u>759</u>
3			.11		.44	.15	.54	.22	.05			.04	3
4				.06		.61	.34		.02	.09		.30	4 <u>30</u>
5		.23					.08			.34		.03	5
6		.06			.12			.21		.48			6
7	.02					.04			.14	.22			7
8	.08					.04	.12		.01	.11			8
9	.10	.31			.28				.23	.01			9
10	.17			.28	.69	.07			.11				10
11	.02			.34	.24	.40			.16		.14		11
12				.26	.05	.38			.03		.40		12
13	.08			.35		.08			.16		.18	.16	13
14	.02			.28				.05				.02	14
15								.12	.11			.68	15
16				.06				.14	.01			.03	16
17	.23	.28					.82	.23	.03				17
18	.47				.21		.01	.01		.02	.21		18
19	.26						.02	.03	.02	.14	.05	.01	19
20		.14			.14		.10	.08	.16	.05			20
21	.27						.02	.10	.16	.85			21
22	.25		.34				.03	.04	.12				22
23		.05	.35		.31			.11	.40			.65	23
24	.38		.17	.06	.31			.10	.01		.05	.26	24
25		.10	.36		.01		.89		.42	.03	.30		25
26				.44	.01		.16	.05	.23	.13	.39	.21	26
27		.15		.70			.14		.01	.10	.62	1.20	27
28	.06			.01			.80	.19			.37	.01	28
29				.16	.40			.22	.01	.87	.32	.18	29
30		X	.06					.25	.20	.57	.02	.38	30
31		X		X	.20	X		.01	X	.27	X	.42	31 <u>945</u>
TOTAL	2.50	1.32	1.73	3.01	4.06	2.46	4.12	2.21	2.80	4.58	3.63	4.80	YEAR TOTAL <u>37.22</u>
Days with 0.1 in. or more.	16	8	8	13	15	10	15	19	23	16	18	16	174
Days with 0.1 in. or more.	12	8	8	11	13	10	11	16	14	13	12	13	141

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Register of Rainfall in 1925.

315
322

Kept at Bridgebury Park
in the County of Kent

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
Ground Sea Level 280 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.95	—	.32	.09	.03	—	—	.09	—	—	.46	—	1
2	.90	.01	.02	.12	—	—	.14	—	.01	—	.83	—	2
3	.56	—	—	—	.23	—	.29	—	.08	—	.15	—	3
4	.13	—	—	—	.26	—	—	.03	—	.03	.35	—	4
5	—	.13	—	.45	.08	—	—	.04	.13	—	.14	—	5
6	—	.16	—	.14	.12	—	—	.12	—	—	.43	—	6
7	—	.14	.01	.16	.03	—	—	—	—	—	.04	.05	7
8	.09	—	—	—	.19	—	.26	—	—	—	—	.07	8
9	—	.06	.01	.01	.02	—	.02	.01	.04	—	.13	—	9
10	—	.03	.05	—	.08	—	—	.22	.08	—	.36	—	10
11	—	.25	.05	—	—	—	—	.01	.05	—	.15	—	11
12	—	.25	—	—	—	—	—	.01	.04	.02	—	—	12
13	—	.54	.18	.06	—	—	—	.01	—	—	—	—	13
14	.43	.04	.04	.25	—	—	—	—	—	—	—	—	14
15	.16	.01	.01	.20	.01	—	—	—	—	.13	—	—	15
16	.02	.06	—	—	.04	—	—	—	.10	.18	—	—	16
17	—	.01	—	—	.04	—	—	—	.10	—	—	—	17
18	—	.06	—	—	.14	—	.02	—	—	.01	—	—	18
19	—	—	—	—	.03	.04	—	.03	.16	.90	—	.34	19
20	—	—	.10	—	—	—	.01	.04	.70	.49	—	.29	20
21	—	—	—	—	—	—	.04	.18	.10	.40	—	.46	21
22	—	.03	—	.10	—	—	1.48	.19	.77	1.34	—	.34	22
23	.03	.22	.14	.20	.32	.03	.01	.33	.02	.80	—	.25	23
24	.03	.44	.21	.09	.18	.16	.14	.28	—	.09	.11	.12	24
25	.01	1.44	—	.02	—	—	.02	—	.26	—	—	.17	25
26	.03	.24	—	.12	.13	—	.38	.11	.03	.46	—	.02	26
27	.14	.08	—	.13	.90	—	.33	.02	—	.11	.05	—	27
28	.20	—	.05	.12	.02	—	—	—	—	—	.38	—	28
29	.21	X	—	.24	.22	—	.08	—	.02	—	.10	1.04	29
30	.01	X	—	.31	—	—	.34	—	—	—	—	.40	30
31	.11	X	—	X	—	X	.09	—	X	—	X	—	31
TOTAL	4.04	4.62	1.19	2.84	3.13	.23	3.68	1.75	2.42	4.85	3.42	4.61	180
Days with 0.1 in. or more.	14	20	13	18	20	3	16	14	14	12	13	14	180
Days with 0.4 in. or more.	11	15	9	16	14	2	11	10	13	9	13	13	136

(Signed) Henry Arnold (P.T.O.)

303
322

Kept at Bidebury Park.
in the County of Kent
Diameter of Funnel of Gauge.....5.....in.
Height of top of Gauge above Ground.....7.....ft.....in.
,, Ground ,, Sea Level.....280.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.54	.36				.30			.11		.06		1
2	.06	.02				.64	.02		.09		.03		2
3	.25	.84	.20					.05					3
4	.01	.21		.09			.05				.04		4
5	.06		.14		.43		.04		.02		.32	.21	5
6	.04	.14	.01	.30		.09	.10	.06				.03	6
7	.13	.01		.11	.21	.12			.09				7
8		.02		.24	.02	.04					.62	.01	8
9		.01	.04			.30				.35	1.25		9
10					.01	.14		.44			.03		10
11		.06			.15	.14		.43			.22		11
12					.08	.02			.13	.34	.01		12
13	.06				.02					.01	1.45		13
14	.15	.03		.20	.10	.02				.61	.03		14
15	.11	.08		.57		.11				.28	.06		15
16		.04		.30				1.08			.02		16
17	.02	.53		.01	.01	.66					.16	.02	17
18	.25	.10		.15	.20		.44	.12			.77		18
19			.09	.06			.43				.13		19
20				.54				.22			1.19		20
21				.05	.01		.05	.03		.02	.74		21
22	.54	.02		.16	.14						.16	.28	22
23	.08					.11							23
24	.09					.35	.05		.08	.64			24
25	.08			.35			.19			.10	.03	.10	25
26							.10		.08		.14		26
27	.06	.02	.04	.32	.02		.14		.22	.11			27
28	.44			.33	.08	.20	.30		.02	.28	.32		28
29	.10	X	.03	.54	.20		.01			.25	.12		29
30	.11	X		.04	.25			.01					30
31	.28	X		X		X			X		X		31
TOTAL	3.49	2.52	.61	4.36	1.96	3.27	1.92	2.44	.84	3.02	7.90	.65	YEARS TOTAL (33.31)
Days with ".01 in. or more.	21	16	4	18	16	15	13	9	9	11	23	6	164
Days with ".04 in. or more.	19	9	5	14	10	13	11	7	7	9	14	3	124

Please read the Notes and Instructions Overleaf.

Section

A

for the entry of Daily Observations.

292
FOR OFFICIAL USE.

Form 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1927.

Kept at *The Lardens*
Bedgetbury Park, Goudhurst
in the County of *Kent*

Diameter of Funnel of Gauge.....5 in. *elld*
Height of top of Gauge above Ground.....1 ft. in.
" Ground " Sea Level 28.0 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		1.53		.10		.06	.26	.55		.28	.31		1
2			.05	.14		.29				.05	.02	.02	2
3	.22		.06			.05						.03	3
4	.02		.04	.07			.32				.12		4
5	.07	.10	.16	.38	.02	.04		.18					5
6			.46	.30		.01	1.19	.09	.25		.01		6
7		.24	.08	.26		.08	.05	.16			.04		7
8	.07			.16			.09	.25	.05		.12		8
9				.15			.04	.08	.11				9
10			.21		.01			.01	.23				10
11						.05		.22					11
12	.13						.17	.07		.06	.06		12
13	.17						.25	.09	.14	.01	.02	.02	13
14				.09			.47	.07	1.61			.33	14
15	.04						.06	.50	.08				15
16	.04				.08			.02	.40			.04	16
17	.36		.04			.34		.58	.03				17
18	.10					.50		.33			.17		18
19		.12				.02		.05			.08		19
20	.14	.19					.09	.96			.48	.13	20
21	.16	.23			.16		.08	.13	.14	.41	.13	1.12	21
22	.16	.02	.24	.01	.12	.19		.18	.03	.75		.68	22
23		.55	.41			.10			1.04	.01	.18	.18	23
24		.16	.56	.01		.35			.01	.04	.10	.62	24
25		.31	.50			.16		.04	.02	.07		1.00	25
26	.24	.70	.05		.11	.03			.02	.05		1.00	26
27		.37			.25	.22	.38			.48			27
28	.22	.17	.03	.07		.60				.05	.19		28
29	.11	X	.14			.39			.54		.80		29
30	.11	X	.11			1.35	.04		.02	.09			30
31		X	1.16	X	.09	X			X	.04	X	.27	31
TOTAL	2.36	4.69	4.60	1.77	.84	4.83	3.49	4.46	4.72	2.39	2.83	5.44	YEARS TOTAL
Days with "01 in. or more.	17	13	14	12	8	19	14	20	17	14	16	13	180
Days with "04 in. or more.	16	12	16	10	6	16	14	18	11	12	13	10	154



for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1928.

Kept at Bridgebury Park Gardens
in the County of Huddersfield - Kent

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
„ Ground „ Sea Level 280 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.04		.16	.09							.37		1
2	.82	.26									.25		2
3				.29	.15	.01	.38	.95			.05	.04	3
4		.16		.03	.05			.10					4
5	.18	.07	.10									.01	5
6						.39						.14	6
7	.04			.15		.22		.08					7
8		.06	.06			.46	.02			.03			8
9	.05		.08			.21			.02	.21			9
10	.15	.19		.24	.02			.05		.25	.19		10
11		.04		.12				.02		.48	.14	.22	11
12	.43	.13	.02	.02						.06	.03		12
13		.18				1.34		.04					13
14	.13	.11		.23	.48	.12				.45	.48		14
15	.06			.61	.20					.03	.48		15
16	.01	.09		.39	.15					.10	.37	.32	16
17					.35					.11			17
18	.56				.01	.21				.46	.01		18
19					.22			.15		.80	.06	.15	19
20	.13							.06		.77	.09		20
21	.15		.12	.12	.30					.82	.58		21
22			.13		.08			.03		.46	.41	.28	22
23	.30		.07		.02				.01	.13	.36		23
24	.08								.06	.11	.11	.35	24
25	.17									.09		.25	25
26	.22		.02			.04		.14		1.18		.11	26
27			.06			.07	.60	.04		.07		.60	27
28	.74							.02	.33			.15	28
29	.07	.10	.66	.23			.20		.12	.09		.82	29
30		X	.25	.10		.20	.13			.10		.08	30
31	.14	X	.30	X		X	.10	.10	X		X	.27	31
TOTAL	4.47	1.39	2.03	2.62	2.03	3.27	1.43	1.48	.53	6.80	4.31	3.82	YEAR'S TOTAL 24.48
Days with .01 in. or more.	20	10	13	13	12	11	6	13	5	21	16	15	155
Days with .04 in. or more.	18	10	11	11	9	10	5	10	3	19	14	14	134

Kept at Belgetury Park Gardens
in the County of Kent

Diameter of Funnel of Gauge.....5 in.
Height of top of Gauge above Ground.....1 ft. — in.
,, Ground ,, Sea Level 280 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I		.09		.04				.36		.35	.08	.04	I
2		.59					.15			.40		.56	2
3						.04	.04			.04		.44	3
4				.25	.23	.24	.15	.09		.04		.47	4
5	.02			.12	.94	.22	.03	.55		.10		.45	5
6	.02				.19	.01	.21	.36		.06	.11	.70	6
7					.02	.06		.12		.61	.45	.63	7
8						.15				.41		.35	8
9		.23		.02							.02	.59	9
10	.11			.09						.13		.58	10
11		.04		.22							1.22	.30	11
12			.03	.15	.20	.12							12
13	.03		.02		.15	.05					.02	.02	13
14				.01	.10	.04						.26	14
15	.15					.18					1.50		15
16								.95			.24		16
17													17
18	.02										.35		18
19											.07		19
20							.05			.94			20
21	.06											1.01	21
22	.07							.02			.08		22
23		.08								.07	.43	.41	23
24	.07				.03					.79	.76	.86	24
25	.02		.06							.25	.30	.15	25
26				.03	.01						.09	.14	26
27											.77	.09	27
28				.08			.18			.37	.78	.53	28
29	.26	X		.20		.07			.20		.28	.06	29
30	.08	X				.02			.29		.30	.32	30
31	.51	X		X		X	.18		X	.08	X		31
TOTAL	1.42	1.03	.11	1.21	1.27	1.20	.99	2.45	.49	4.64	8.15	8.96	32.52
Days with ".01 in. or more.	X3	5	3	11	9	12	8	7	2	15	19	22	126
Days with ".04 in. or more.	8	5	1	8	6	10	7	6	2	15	14	21	106

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1930.

Kept at Bergetbury Park Gardens
in the County of Kent

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
,, Ground ,, Sea Level 280 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.22	.47		.09			.60				.72		1
2	.02	.24		.16	.15			.65			.70		2
3	.10	.15		.55				.92					3
4	.35	.03						.21	.05	.30			4
5								.23					5
6		.08	.05		.04			.29	.21				6
7	.04	1.10						.16	.19	.48	.55	.17	7
8	.17											.25	8
9	.34		.02		.30				.10		.02		9
10	.61		.20		.21							.22	10
11	.15						.01			.25		.40	11
12	.35			.17	.08							.30	12
13	.05	.09	.06	.16	.09	.17	.20	.30	.40			.07	13
14	.07	.11	.10				.55						14
15	.08		.30	.06			.39			.12	.18		15
16			.23			.03			.09				16
17			.40	.20		.08			.25	.04	.22		17
18			.02				.03			.05			18
19				.19					1.26	.16	.36	.10	19
20				.05	.11		1.12	.34	.49	.15	.36		20
21	.02							.28	.04	.07	.56		21
22	.04			.13	.35		.09	.13	.12	.20	.40		22
23	.47		.24	.19		.40		.10			.12	.08	23
24	.21				.53	.11	.07				.32	.18	24
25	.15	.10			.22		.12		.10		.70		25
26	-	.02			110	.30	.09		.25		.23	.32	26
27	-								.14		.43	.06	27
28	.25								.72	.04	.20	.24	28
29	.11	X							.10		.37	.18	29
30	-	X			.41		.10				.01	.42	30
31	.60	X	.09	X	.22	X			X	.13	X	.06	31
TOTAL	4.40	2.39	1.71	1.95	2.67	1.09	3.37	3.61	4.51	1.99	6.45	3.08	37.22
*Days with or in. or more.	27	10	11	11	12	6	12	11	16	12	18	15	154
*Days with or in. or more.	19	8	9	11	12	5	10	11	16	12	16	15	144

40-9999

*See Instruction 2 (f) on other side.

(Signed) H. A. A. A.

[P.T.O.]

Kept at Belvedere

In the County of Kent

by Callender's

BELVEDERE

KENT

1921-1922

IMPORTANT NOTE

If an Observer prefers not to read the reading at 9 a.m. on the day of this paragraph. Full instructions and particulars as to the use of the instrument sent post-free on application to the Meteorological Office, 62, Camden Square, London, N.W. 1.

30 Long. 0° 10' E

levation 92 C.T.T.

ray Station

Funnel of Rain Gauge in.

of Gauge above Ground 1 ft. 0 in.

Sea Level 14 ft.

the result entered to the previous day.

earnestly requested to add provided for it at the end of and placing of rain gauges, for Rainfall Observers," Organization, 62, Camden

Jan. 1, following.

in this form.

Date	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	3.8	1.5	1.0						0.55			2.8	1
2	2.2	-	-		1.8	-	-	-	-		11.5		2
3	-	0.4	-		3.37	4.6	-	2.0	-	0.3	6.1		3
4	2.4	-	-		2.15	-	-	0.15	-		(8.0)		4
5	1.1	-	0.2		-	-	-	1.1	-		6.1		5
6	2.8	0.4	-		0.4	-	0.5	-	-				6
7	5.2	-	-		0.9	-	-	-	-				7
8	0.1	-	0.1	1.65	0.6	0.25	-	-	-				8
9	-	0.2	-	-	0.2	-	-	-	0.3				9
10	4.1	-	-	-	-	-	-	-	-	7.8			10
11	4.2	0.5	-	-	-	-	-	-	26.5				11
12	4.3	0.5	0.2	-	-	-	-	2.9	7.45			2.1	12
13	2.4	-	2.1	10.2	-	-	-	3.9	2.25				13
14	-	-	-	-	-	-	-	-	-	2		5.9	14
15	-	-	-	2.0	-	-	-	-	-				15
16	0.8	-	0.1	1.5	-	-	-	6.7	-		(5.0)		16
17	1.3	-	1.8	12.8	-	-	-	12.9	-	2			17
18	2.5	-	-	-	-	-	-	-	0.3				18
19	-	-	2.7	-	0.15	0.35	-	-	-			2.1	19
20	-	0.4	1.8	-	-	-	-	-	-				20
21	-	0.1	-	-	-	-	-	-	-				21
22	-	0.1	-	-	-	-	-	-	-	6.1		3.4	22
23	-	-	-	2.2	-	-	-	9.2	-			1.0	23
24	-	-	-	1.4	-	-	-	0.2	-				24
25	0.4	3.1	-	-	-	2.5	-	-	-			(1.0)	25
26	0.5	-	-	-	4.5	-	-	-	-			(5.0)	26
27	0.6	-	-	-	-	-	-	-	-				27
28	-	-	6.2	-	1.6	-	1.7	-	-			(3.0)	28
29	0.2	-	3.1	-	3.45	-	-	-	-			(1.0)	29
30	3.3	X	-	0.25	-	-	-	-	-		7.0	(2.0)	30
31	0.3	X	-	X	-	X	-	-	X		X		31
TOTAL	42.5	7.2	20.1	32.0	19.37	7.7	2.2	39.05	34.65	14.6	45.6	(29.3)	297.27
Days with 0.2 mm. or more	19	8	9	8	12	4	2	8	6	5	7	11	99
Days with 1.0 mm. or more	13	2	7	7	6	2	1	7	3	2	7	11	68

REGISTER OF RAINFALL IN 1921.

Kept at Belvedere M.O.

In the County of Kent

by Callender's Cable & Construction Co. Ltd.

Lat. 51° 30' Long. 0° 10' E
Time of Observation 9h G.M.T.
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 14 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	3.8	1.5	1.8	-	0.25	-	-	-	0.55			2.8	1
2	2.2	-	-	-	1.8	-	-	-	-		11.5		2
3	-	0.4	-	-	3.37	4.6	-	2.0	-	.3	6.1		3
4	2.4	-	-	-	2.15	-	-	0.15	-		(8.0)		4
5	1.1	-	0.2	-	-	-	-	1.1	-		6.1		5
6	2.8	0.4	-	-	0.4	-	0.5	-	-				6
7	5.2	-	-	-	0.9	-	-	-	-				7
8	0.1	-	0.1	1.65	0.6	0.25	-	-	-				8
9	-	0.2	-	-	0.2	-	-	-	0.3				9
10	4.1	-	-	-	-	-	-	-	-	7.8			10
11	4.2	0.5	-	-	-	-	-	-	26.5				11
12	4.3	0.5	0.2	-	-	-	-	2.9	4.45			2.1	12
13	2.4	-	2.1	10.2	-	-	-	3.9	2.25				13
14	-	-	-	-	-	-	-	-	-	2		5.9	14
15	-	-	-	2.0	-	-	-	-	-	-			15
16	0.8	-	0.1	1.5	-	-	-	6.7	-		(5.0)		16
17	1.3	-	1.8	12.8	-	-	-	12.9	-	2			17
18	2.5	-	-	-	-	-	-	-	0.3				18
19	-	-	2.7	-	0.15	0.35	-	-	-			2.1	19
20	-	0.4	1.8	-	-	-	-	-	-				20
21	-	0.1	-	-	-	-	-	-	-				21
22	-	0.1	-	-	-	-	-	-	-	6.1		3.4	22
23	-	-	-	2.2	-	-	-	9.2	-			1.0	23
24	-	-	-	1.4	-	-	-	0.2	-				24
25	0.4	3.1	-	-	-	2.5	-	-	-			(1.0)	25
26	0.5	-	-	-	4.5	-	-	-	-			(5.0)	26
27	0.6	-	-	-	-	-	-	-	-				27
28	-	-	6.2	-	1.6	-	1.7	-	-			(3.0)	28
29	0.2	-	3.1	-	3.45	-	-	-	-			(1.0)	29
30	3.3	~~X~~	-	0.25	-	-	-	-	-			(2.0)	30
31	0.3	~~X~~	-	~~X~~	-	~~X~~	-	-	~~X~~		7.0		31
TOTAL	42.5	7.2	20.1	32.0	19.37	7.7	2.2	39.05	34.65	14.6	45.6	(29.3)	297.27
Days with 0.2 mm. or more	19	8	9	8	12	4	2	8	6	5	7	11	99
Days with 1.0 mm. or more	13	2	7	7	6	2	1	7	3	2	7	11	68

REGISTER OF RAINFALL IN 1921.

Kept at Belvedere
in the County of Kent
by Calender Cable Construction Co

Lat. N 51° 30' Long. E 0° 10'
Time of Observation 9h
Nearest Railway Station Belvedere
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 7 ft. 12 in.
" " " " Sea Level 14 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.15	0.05	-		0.01				0.02			0.110	1
2	0.08	0.01	0.07		0.07						0.457		2
3	-	0.01	-		0.13	0.18		0.07		0.012	0.240		3
4	0.09	-	-		0.08			0.01			(.30)		4
5	0.04	-	-		-			0.04					5
6	0.11	0.01	0.01		0.01		0.20				0.240		6
7	0.20	-	-	-	0.03								7
8	-	-	-	0.06	0.02	0.07							8
9	-	0.01	trace	-	0.01				0.01				9
10	0.16	-	-	-	-								10
11	0.16	0.02	-	-	-				1.04	0.306			11
12	0.17	0.02	-	-	-			0.11	0.29			0.082	12
13	0.09	-	0.01	0.42				0.13	0.08				13
14	-	-	0.08	-				-		0.009		0.236	14
15	-	-	-	0.07				-					15
16	0.03	-	-	0.05				0.26			(.20)		16
17	0.05	-	trace	0.54				0.50		0.007			17
18	0.09	trace	0.07		-				0.01				18
19	-	-	-	-	0.01	0.01						0.082	19
20	-	0.01	-	trace									20
21	-	trace	0.17	-							0.078		21
22	-	trace	-	-						0.240		0.134	22
23	-	-	-	0.08				0.36				0.039	23
24	-	-	-	0.05				0.01					24
25	0.01	0.01	-	trace	-	0.09						.04	25
26	0.01	-	-	-	0.17							.20	26
27	0.02	-	-	-	-								27
28	-	-	-	-	0.06		0.06					.12	28
29	0.01	-	0.24	-	0.13							.04	29
30	0.13	X	0.12	0.01	-						0.275	.08	30
31	0.01	X	-	X	-	X			X		X		31
TOTAL	1.61	0.25	0.77	1.28	0.73	0.29	0.26	1.49	1.45	0.574	1.790	0.683	11.657
Days with 0.1 in. or more	19	9	8	8	12	4	2	9	6	35	5	6	91
Days with 0.4 in. or more	13	2	6	7	6	2	12	7	3	2	5	56	59



METEOROLOGICAL OFFICE, AIR MINISTRY,

METEOROLOGICAL
OFFICE

23 MAY 1922

QUERY FORM.

SOUTH KENSINGTON, LONDON, S.W. 7.

On examination of the return of observations made at

Belvedere

1921

the following queries arise by comparison of the readings with the charts, &c. The Director will be obliged if the book containing the original observations may be referred to and this paper returned, with the required information, as soon as possible.

QUERY.

Will you kindly say whether the Rainfall is measured in inches, and then converted to millimetres, or whether it is measured in mm. only.

*C. S.
18/5/22*

REPLY.

The rainfall is measured in mm. only.

*S. H. G. at
19.5.22*

For use at M.O.

N.B.—This paper should be folded so as to bring the printed address outside, and returned immediately. Sealing is unnecessary and defaces or causes a gap in the paper, which is to be filed in this Office.

1. The amendments indicated in red ink are adopted.....
2. Necessary corrections made in Monthly Return.....
3. " " " " Weekly (Form 3110).....
4. " " " " noted for communication to Forecast Service.....
5. " " " " directly in Forecast Service.....

REGISTER OF RAINFALL IN 1922

Kept at Belvedere
in the County of Kent
by L. H. Cox (Ballin's table & construction)

Lat. 51° 30' N. Long. 0° 10' E.
Time of Observation 9 h. Gal. S.
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " Sea Level 15 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	-	4.2	2.0		0.4				0.8	10.6	7.4		1
2	-	8.4	2.1	4.1			2.7						2
3			0.4	11.2	3.6			3.4	1.7	6.5			3
4			-		7.0		1.2		-	0.6			4
5			5.3	4.2			17.4				14.8		5
6			0.7				2.8				4.0		6
7			5.8	3.3			8.3				-	1.0	7
8	3.4		1.6	-		0.1							8
9	2.4		-	-			3.2	0.4		0.5			9
10	-		-	-								0.4	10
11	0.2		-	-				2.1	2.3				11
12			-	-									12
13	0.6		-	-		1.4	3.6		13.2				13
14						7.7	12.8						14
15	7.3						3.1			0.35			15
16		3.4			2.5								16
17							0.7		1.3			4.4	17
18	9.7			13.0			0.1		2.0	0.8		1.9	18
19	11.0		0.3						7.2	7.8		8.4	19
20	0.2		-						-	0.1			20
21	-	5.8								1.9		17.2	21
22	2.5	0.9			5.3	2.6	13.4	(50.0)				0.7	22
23					1.2							-	23
24				1.2									24
25				-									25
26	3.5	2.4	0.5	-		0.9	2.4		0.7				26
27	5.0	1.3	1.2	-					6.2			30.9	27
28	1.8	5.0	3.1	-		11.3							28
29	-	X	-	-		1.0				1.6			29
30	-	X	1.9	-		0.7							30
31	-	X	-	X	-	X	6.8		X	0.7	X		31
TOTAL	47.6	31.4	24.9	37.0	20.0	25.7	78.5	(55.9) imp	35.4	31.45	26.2	64.9	YEAR'S TOTAL 478.95
Days with 0.2 mm. or more													
Days with 1.0 mm. or more													

REGISTE

BENENDEN

NATIONAL SAN.

KENT

1921 - 1930

Sept at *National Sanatorium*
in the County of *Kent*
by *Miss Robertson*

9 A M
Biddenden
Rain Gauge *5* in.
Above Ground *1* ft.
Sea Level *180* ft.

IMPORTANT NOTE.—R
previous day. If an Observer
requested to add the reading at
for it at the end of this paragraph. Full instructions for the measurement of rain,
the selection and placing of rain gauges, and particulars as to the British Rainfall
Organization are given in "Rules for Rainfall Observers," sent post-free on application to
THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.21	—	.06	—	—	—	—	—	—	—	.01	.20	1
2	.04	—	.10	—	.63	—	—	.01	—	—	.32.	.01	2
3	.03	—	—	—	—	.01	—	.23	—	—	.47	—	3
4	.08	—	.01	—	.16	—	—	.04	—	—	.38	—	4
5	—	—	.15	—	.01	—	—	.15	—	—	.44	.01	5
6	.14	—	—	—	.15	—	.02	—	—	—	—	.02	6
7	.14	.03	.02	—	.19	—	—	—	—	—	—	—	7
8	.03	—	—	.03	—	—	—	—	—	—	—	—	8
9	—	—	.02	.04	—	—	—	—	—	—	—	—	9
10	.25	.11	—	—	—	—	—	—	.03	.07	—	—	10
11	.19	.02	.27	—	.02	—	—	—	.30	—	—	—	11
12	.22	—	.07	—	.01	—	—	.27.	.03	—	—	.10	12
13	.23	.02	—	.30	.01	—	—	.14	.05	.02	.07	.01	13
14	—	—	—	—	—	—	—	.02.	—	—	—	.36	14
15	—	—	—	.15	.03	—	—	—	—	—	—	.02	15
16	.06	—	.10	.19	—	—	—	.01	—	—	—	—	16
17	.09	—	—	.48	—	—	—	.10	—	—	.06	—	17
18	.17	.02	.12	.03	—	—	—	—	.03	—	—	—	18
19	—	—	—	—	—	—	—	—	—	.02	—	.4	19
20	—	—	—	.05	—	—	—	—	—	.59	—	.02	20
21	—	—	—	—	—	.01	—	.01	—	—	—	—	21
22	—	.02	—	—	—	—	—	—	—	.11	—	.22	22
23	—	—	—	.32	—	—	.04	.27.	—	.02	—	.07	23
24	—	—	—	.01	—	—	—	.01	—	—	—	.03	24
25	—	.59	.04	—	—	—	—	—	—	—	—	.20	25
26	.04	—	—	—	.04	—	—	—	—	—	—	.12	26
27	.05	—	.31	—	—	—	—	—	—	—	—	.10	27
28	—	—	.31	—	.04	—	.28	.03	—	—	—	.12	28
29	.02	—	—	—	.20	—	.03	—	—	—	—	.06	29
30	.14	X	—	—	.15	—	—	—	—	—	.01	.25	30
31	.05	X	—	X	.02.	X	—	—	X	—	X	—	31
Total	2.18	.81	1.57	1.60	1.69	.02	.37	1.29	.44	.83	1.76	2.02	14.58
Rain Days.	19	87	13	10	14.	2	4	13	5	6	8	19	119
	16	2	10	7	8	0	2	7	2	3	6	12	75

REGISTER

Kept at National Sanatorium Benenden
in the County of Kent
by Miss Robertson

Lat. _____ Long. _____
Time of Observation 9 A M
Nearest Railway Station Biddenden
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.21	—	.06	—	—	—	—	—	—	—	.01	.20	1
2	.04	—	.10	—	.63	—	—	.01	—	—	.32.	.01	2
3	.03	—	—	—	—	.01	—	.23	—	—	.47	—	3
4	.08	—	.01	—	.16	—	—	.04	—	—	.38	—	4
5	—	—	.15	—	.01	—	—	.15	—	—	.44	.01	5
6	.14	—	—	—	.15	—	.02	—	—	—	—	.02	6
7	.14	.03	.02	—	.19	—	—	—	—	—	—	—	7
8	.03	—	—	.03	—	—	—	—	—	—	—	—	8
9	—	—	.02	.04	—	—	—	—	—	—	—	—	9
10	.25	.11	—	—	—	—	—	—	.03	.07	—	—	10
11	.19	.02	.27	—	.02	—	—	—	.30	—	—	—	11
12	.22	—	.07	—	.01	—	—	.27.	.03	—	—	.10	12
13	.23	.02	—	.30	.01	—	—	.14	.05	.02	.07	.01	13
14	—	—	—	—	—	—	—	.02	—	—	—	.36	14
15	—	—	—	.15	.03	—	—	—	—	—	—	.02	15
16	.06	—	.10	.19	—	—	—	.01	—	—	—	—	16
17	.09	—	—	.48	—	—	—	.10	—	—	.06	—	17
18	.17	.02	.12	.03	—	—	—	—	.03	—	—	—	18
19	—	—	—	—	—	—	—	—	—	.02	—	.11	19
20	—	—	—	.05	—	—	—	—	—	.59	—	.02	20
21	—	—	—	—	—	.01	—	.01	—	—	—	—	21
22	—	.02	—	—	—	—	—	—	—	.11	—	.32	22
23	—	—	—	.32	—	—	.04	.27.	—	.02	—	.07	23
24	—	—	—	.01	—	—	—	.01	—	—	—	.08	24
25	—	.59	.04	—	—	—	—	—	—	—	—	.20	25
26	.04	—	—	—	.04	—	—	—	—	—	—	.12	26
27	.05	—	.31	—	—	—	—	—	—	—	—	.10	27
28	—	—	.31	—	.04	—	.28	.03	—	—	—	.12	28
29	.02	—	—	—	.20	—	.03	—	—	—	—	.06	29
30	.14	X	—	—	.15	—	—	—	—	—	.01	.25	30
31	.05	X	—	X	.02.	X	—	—	X	—	X	—	31
Total	2.18	.81	1.57	1.60	1.69	.02	.37	1.29	.44	.83	1.76	2.02	YEAR'S TOTAL 14.58
Rain Days.	19	87	13	10	14.	2	4	13	5	6	8	19	119120
	16	2	10	7	8	0	2	7	2	3	6	12	75

AIR MINISTRY.
FORM 1090 METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
(formerly B.R.O. Form A.1). REGISTER OF RAINFALL IN 1922.

Kept at National Sanatorium, Biddenden
in the County of Kent
by Dr. Spence

Lat. _____ Long. _____
Time of Observation 9 A.M.
Nearest Railway Station Biddenden
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

23

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.01	.05	—	.11	—	.03	.02	.02	.02	.04	.09	1
2	.03	.32	.16	(snow) .15	.01	—	.11	.04	—	—	.64	.04	2
3	—	.07	.04	(snow) .65	.14	—	.11	.19	—	.02	.02	—	3
4	—	.05	.08	.10	.06	—	.16	.03	.02	.34	.15	—	4
5	—	.02	.15	.03	.03	—	1.00	—	—	.11	—	—	5
6	.07	—	.13	—	—	—	.01	.15	—	.01	.42	—	6
7	.30	—	.67	.21	—	—	—	.04	—	—	.09	—	7
8	.04	—	.16	.12	—	.10	.40	.18	.01	—	—	—	8
9	.05	—	—	—	—	—	.11	.42	.01	.16	.08	—	9
10	.01	—	—	—	—	.01	—	—	.05	—	.01	.02	10
11	.02	—	—	—	.05	—	—	—	—	—	.14	—	11
12	—	—	—	.59	—	—	—	.09	.43	—	—	—	12
13	—	—	—	.33	—	.13	.06	—	.33	—	—	—	13
14	—	—	.02	.03	—	.25	.44	.10	.49	—	—	—	14
15	.44	.20	—	.02	—	.05	.01	—	—	—	—	—	15
16	—	.02	—	.05	—	—	.02	—	.10	—	—	.02	16
17	—	.17	—	—	.08	—	.04	—	.04	—	—	.33	17
18	.19	—	—	.02	—	.01	—	—	—	—	—	.12	18
19	(snow) .55	.13	.03	—	.03	—	—	—	.32	—	—	.24	19
20	.05	—	(snow) .01	—	—	—	—	—	.01	.02	—	.62	20
21	.30	.40	(snow) .12	.03	—	—	—	—	—	.02	—	—	21
22	.03	.29	(snow) .17	.09	—	.02	.02	.11	—	—	—	.88	22
23	—	.11	—	.05	—	.09	.05	.30	1.30	.06	—	.15	23
24	.06	—	.09	.19	—	.15	.03	—	.01	.03	—	—	24
25	.22	—	.23	.38	.11	.16	—	.05	.02	.03	—	.02	25
26	.13	.35	.11	.34	—	.13	.19	—	.12	—	—	.11	26
27	.52	.34	—	.03	—	—	—	.21	.28	—	.02	.01	27
28	.03	.19	.05	.06	—	.20	—	.01	.10	.09	.02	.15	28
29	.19	—	—	—	—	.05	.03	.10	—	.12	.03	.16	29
30	.01	—	—	.21	.12	—	.06	.36	.13	.33	—	.16	30
31	.06	—	.01	—	—	—	—	.09	—	.13	—	.10	31
TOTAL	3.30	2.67	2.49	3.59	.62	1.40	2.88	2.49	3.70	1.49	1.66	3.22	YEAR'S TOTAL 29.60
Days with .01 in. or more	21	15	19	21	8	13	19	18	19	15	12	17	198
Days with .04 in. or more	15	12	15	15	6	—	12	15	12	8	7	13	140

REGISTER OF RAINFALL IN 1923.

Kept at National Sanatorium Benenden
in the County of Kent
by S. H. Spurrer

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Biddenden
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.23	.02	.25	---	---	---	---	.27	---	---	.13	.38	1
2	.27	.01	.02	---	---	.02	---	---	---	---	.28	.27	2
3	---	---	---	---	.01	---	---	---	---	.14	.04	.05	3
4	---	---	---	---	---	.04	---	---	---	.75	.02	.22	4
5	.29	---	---	.02	---	---	---	---	.09	---	---	.02	5
6	.25	.05	.07	.03	---	.01	---	---	---	.15	.06	---	6
7	.13	.84	.54	---	---	.11	---	---	---	.07	.01	.40	7
8	.03	.26	.04	---	.10	---	.08	---	.01	.53	.01	---	8
9	.11	.03	.02	.02	.27	---	---	---	---	.30	.60	---	9
10	---	.18	---	.19	.03	---	---	---	---	.04	.03	.03	10
11	.04	---	---	.10	.17	---	---	---	---	.28	---	---	11
12	---	.41	.35	.06	.12	---	---	---	---	.65	---	.02	12
13	.02	.06	.22	.02	.27	.09	.02	---	---	(.15)	---	---	13
14	---	.05	.03	---	.12	---	---	---	---	.03	.77	.07	14
15	---	.02	---	.04	.11	---	---	---	.35	.11	---	---	15
16	.01	.09	---	---	.30	.23	---	.01	.03	---	.31	.01	16
17	---	.01	---	---	.18	---	---	---	---	---	.25	---	17
18	.12	.31	---	---	---	---	---	.17	.20	---	---	---	18
19	.11	.04	---	.05	---	.02	---	.02	.02	.05	---	.01	19
20	.03	.08	.09	.02	---	.04	---	---	.55	.40	---	---	20
21	---	.24	---	---	.09	.01	---	.01	.40	.08	.03	.13	21
22	---	.46	.18	.13	---	.01	---	---	.05	.33	.02	.06	22
23	---	.05	.16	.03	.01	---	---	.06	.38	.27	.03	.03	23
24	---	.02	---	---	.15	---	.03	.37	.45	.10	---	.02	24
25	.02	.25	.12	.01	---	---	---	.84	.21	.33	---	.47	25
26	---	.52	---	.28	.03	.06	.07	.02	.02	.25	---	.25	26
27	---	.09	.12	.10	.01	---	---	.24	---	.10	.02	.21	27
28	---	.17	.01	.02	.02	---	.03	.12	---	.01	(.12)	---	28
29	.06	---	.04	.07	.93	---	.18	.03	---	---	.04	.25	29
30	---	X	---	.09	.73	---	.05	.30	---	---	.01	.07	30
31	---	X	---	X	.01	X	.05	.01	X	.27	X	.20	31
TOTAL	1.62	4.26	2.26	2.28	3.67	.64	.51	.247	2.26	6.38	2.20	3.14	32.31
Days with 0.1 in. or more	15	24	18	18	21	11	8	13	13	25	19	21	204
Days with 0.4 in. or more	10	18	11	10	13	6	5	8	9	21	10	14	126

REGISTER OF RAINFALL IN 1924.

Kept at National Sanatorium Bencaden
 in the County of Kent
 by D. H. Quaries

Lat. _____ Long. _____
 Time of Observation 9 a.m.
 Nearest Railway Station Biddenden
 Diameter of Funnel of Rain Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. _____ in.
 " " " " Sea Level 180 ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02	—	.10	.03	.04	1.01	—	.02	—	—	.59	.15	Rvt 1
2	.07	—	.27	—	.05	.04	—	.08	.2305	—	—	.31	Iss 2
3	.01	—	.14	.05	.37	.42	.19	.22	—	—	—	.01	C 3
4	—	—	—	—	—	.03	.07	—	—	.12	—	.25	Rvt 4
5	—	.10	.12	—	.12	.52	.02	—	—	.28	—	.08	5
6	—	.04	.01	—	—	—	—	.14	.02	1.49	—	—	6
7	.02	—	—	—	—	—	—	—	.02	.41	—	—	7
8	.04	.13	—	.03	.06	.08	.08	—	.20	.08	—	—	8
9	.26	.15	—	.07	.05	—	—	—	.05	—	—	—	9
10	.20	.01	—	.22	.10	—	—	—	.22	—	—	—	10
11	—	—	—	.22	—	—	—	—	.02	—	.19	—	11
12	.09	—	—	.20	.35	.52	—	.08	.07	—	.56	.01	12
13	.09	—	—	.30	.05	.22	—	.02	—	—	.10	.14	13
14	.01	—	.01	.26	—	—	—	.05	.09	—	—	—	14
15	.01	.01	—	.03	—	—	—	.02	.01	—	—	.59	15
16	—	—	—	—	—	—	—	.34	.03	—	—	.02	16
17	.25	—	—	—	—	—	.70	.36	—	—	—	—	17
18	.49	.07	—	—	—	—	.01	—	—	.06	—	—	18
19	.02	.04	—	—	.81	—	.04	.07	.16	.10	.56	—	19
20	.01	—	—	—	—	—	.05	.06	.15	.02	.02	—	20
21	.31	—	—	—	.11	.28	.02	.20	.20	.67	—	—	21
22	.27	—	.33	—	.10	—	—	.05	.28	—	—	—	22
23	—	.01	.37	.04	—	—	—	.23	—	—	—	.52	23
24	.45	.12	.23	.04	.45	—	—	.18	.32	—	.07	.50	24
25	—	.06	.28	.03	.15	—	.70	—	.06	.01	.28	—	25
26	.01	.02	.09	.85	.04	—	.03	—	—	.14	.16	.16	26
27	—	.10	—	.45	—	—	.10	—	—	.09	.70	1.20	27
28	—	.02	—	—	—	.01	.66	.15	.01	.02	.35	—	28
29	.04	.06	—	.17	—	.07	.00	.26	.04	.75	.22	.20	29
30	.01	X	—	.46	.66	—	—	.02	.18	.50	—	.26	30
31	.02	X	—	X	.04	X	—	—	X	.25	X	.39	90 31
TOTAL	2.61	.94	1.95	3.15	3.55	3.20	2.67	2.25	2.25	4.99	3.30	4.72	YEAR'S TOTAL
Days with 01 in. or more	21	15	11	17	17	11	13	19	20	16	12	16	35.58
Days with 04 in. or more	11	10	9	13	17	9	9	15	14	13	11	13	188

Section



for the entry of Daily Observations.

AIR MINISTRY.

FOR OFFICIAL USE.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Register of Rainfall in 1926.

257

Kept at *National Sanatorium Benenden*
in the County of *Kent.*

Diameter of Funnel of Gauge *5* in.Height of top of Gauge above Ground *1* ft. in.Ground Sea Level *180* ft.

Observers are requested to read the instructions
printed overleaf before filling in this form.

Every Observer should fill in section C
overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the
following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.44	.11	.45	.09	—	—	—	.25	.06	—	.40	—	1
2	.56	—	—	.19	—	—	.04	—	—	—	.61	—	2
3	.62	—	—	—	.23	—	.35	—	.02	—	.16	—	3
4	—	.01	—	—	.14	—	.02	.005	—	.04	.16	—	4
5	—	.11	—	.24	.16	—	—	.68	.12	—	.31	—	5
6	—	.12	—	.04	.01	—	.20	.05	.15	—	.44	—	6
7	—	.14	.02	—	.14	—	.11	—	—	.01	—	—	7
8	.05	—	—	—	.19	—	—	—	—	—	—	.03	8
9	—	.03	—	.02	—	—	—	.02	.05	—	.13	.05	9
10	—	.02	.04	—	.40	—	—	.24	.06	—	.26	—	10
11	—	.12	—	—	.01	—	—	.03	.06	—	.15	—	11
12	—	.31	.01	—	—	—	—	.005	—	.06	—	—	12
13	—	.66	.15	.09	—	—	—	.01	—	—	—	—	13
14	.36	.01	.02	.22	—	—	—	—	—	—	—	—	14
15	.16	.04	—	.15	—	—	—	—	—	.21	—	—	15
16	.01	.08	—	—	.04	—	—	—	.05	.16	—	.01	16
17	—	.01	—	—	.08	—	—	—	.05	—	—	—	17
18	.01	.03	—	—	—	—	—	—	—	—	—	—	18
19	—	—	—	.06	.16	.05	—	—	.09	.92	—	.31	19
20	—	—	.10	—	.03	—	.36	—	.40	.44	—	.24	20
21	—	—	—	—	—	—	.06	.04	.13	.30	—	.49	21
22	—	.03	—	.06	—	—	.91	.10	.80	.91	—	.24	22
23	.02	.18	.04	.19	.36	.005	.02	.24	.005	.81	—	.20	23
24	—	.55	.36	.14	.18	.10	.26	.13	—	.10	.08	.12	24
25	.01	1.10	.03	.01	—	—	.03	—	.28	—	—	.16	25
26	.02	.24	—	.06	.06	.01	.14	—	—	.46	—	.12	26
27	.15	.06	.06	.12	.80	—	.40	.09	—	—	.11	.01	27
28	.10	—	—	.05	.02	—	—	—	—	—	—	.41	28
29	.12	X	—	.14	.13	—	.10	—	—	—	.10	.92	29
30	.01	X	—	.24	—	—	.29	—	—	—	.01	.54	30
31	—	X	—	X	—	X	.08	—	X	—	X	—	31
TOTAL	2.94	3.96	1.34	2.23	3.14	.165	3.73	1.95	2.625	4.39	2.95	4.24	33.42
Days with ".01 in. or more.	15	21	11	18	18	4	16	13	14	12	13	15	170
Days with ".04 in. or more.	9	14	4	16	14	2	13	9	13	11	12	12	132

(Signed)

H. Spence

[P.T.O.]

Section **A**

for the entry of Daily Observations.

AIR MINISTRY.

FOR OFFICIAL USE.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Register of Rainfall in 1926.

Kept at National Sanatorium Benenden
in the County of Kent.

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1 in.
" Ground " Sea Level 250 ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf. Corr for Anish

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.44	.39	tr.	-	.05	tr.	-	-	TR	-	.05	-	1
2	.01	.01	-	-	-	.22	-	-	.04	-	.01	-	2
3	.25	1.01	.14	-	-	.52	.03	-	.10	-	.10	-	3
4	tr.	.12	.04	-	-	tr.	tr.	.09	-	-	-	-	4
5	.04	.15	.08	-	-	tr.	-	-	tr.	-	.01	-	5
6	.04	.15	-	-	.25	-	tr.	-	-	-	.48	.34	6
7	.19	.02	tr.	.29	tr.	.10	.07	.06	.02	-	.05	.05	7
8	tr.	.02	-	.10	.10	.11	tr.	tr.	.01	-	TR	.04	8
9	-	.02	-	.20	-	.63	-	.09	-	.42	.60	-	9
10	-	.01	tr.	-	-	.16	-	-	-	TR	.95	-	10
11	-	.05	-	-	.02	.11	tr.	.40	-	.01	.08	-	11
12	-	.04	-	-	.15	.18	-	.25	TR	.02	.15	-	12
13	tr.	.01	-	-	.08	.02	-	-	.19	.27	TR	-	13
14	tr.	.01	-	-	.03	-	-	TR	-	-	1.38	tr.	14
15	tr.	.04	-	.19	.25	.03	-	-	TR	.55	.04	tr.	15
16	-	.06	-	.46	tr.	.03	-	-	-	.32	.07	-	16
17	tr.	.46	-	.16	-	-	-	1.11	-	-	.02	-	17
18	.43	.09	-	tr.	.05	.69	-	TR	-	-	.08	.06	18
19	-	tr.	-	.24	tr.	-	.36	.09	-	-	.71	-	19
20	.01	-	.04	.09	.21	-	.40	-	-	-	.08	.01	20
21	-	-	-	.59	.03	-	-	.17	-	tr.	.81	-	21
22	.35	.03	-	.03	-	-	.09	TR	-	-	.80	-	22
23	.05	tr.	-	.13	.19	-	-	-	-	-	.25	.40	23
24	.01	-	-	tr.	-	.08	-	-	-	-	-	-	24
25	.12	-	-	-	-	.13	tr.	-	.07	.76	-	-	25
26	tr.	tr.	-	.30	-	-	.15	-	-	.05	.05	.12	26
27	.03	.01	-	-	-	.02	.21	-	.06	-	.36	-	27
28	.62	-	tr.	.63	.05	-	.33	-	.22	.12	-	-	28
29	.03	X	-	.23	.03	.29	.31	-	-	.36	.25	.02	29
30	.09	X	-	.30	.19	-	-	-	-	.21	.16	-	30
31	.24	X	-	X	.19	X	-	-	X	-	X	-	31
TOTAL	3.01	2.76	.36	.34	.18	.72	1.95	2.26	.71	.309	1.54	1.04	31.25
Days with '01 in. or more.	14	20	24	15	8	16	9	8	8	11	24	8	156
Days with '04 in. or more.	12	11	14	14	12	10	8	8	5	9	21	6	122

(Signed)

H. Spurr

[P.T.O.]

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1927.

Kept at National Sanatorium Benenden
in the County of Kent

Diameter of Funnel of Gauge.....5.....in.Height of top of Gauge above Ground.....1.....ft.....1.....in.,, Ground ,, Sea Level 250.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.32	—	.04	—	.14	.42	.48	—	.27	.24	—	1
2	.02	—	.10	.22	—	.08	TR	—	—	.06	.02	.05	2
3	.03	—	TR	—	—	.09	—	—	—	—	—	.01	3
4	—	—	.01	.08	—	—	.30	—	—	—	—	.005	4
5	.03	.12	.21	.36	—	.05	TR	.18	—	—	.20	TR	5
6	.02	.02	.36	.13	—	TR	1.50	.07	.20	—	.13	—	6
7	.01	.25	.04	.37	—	.09	—	.15	—	—	.015	—	7
8	.05	—	.04	.23	—	—	—	.23	.05	—	.10	.005	8
9	.01	—	—	.03	—	—	.30	.16	.05	—	.04	—	9
10	—	—	.41	—	TR	—	—	—	.25	—	—	—	10
11	—	—	—	TR	—	.06	—	.05	.02	—	—	—	11
12	.12	TR	—	—	—	—	.95	.15	—	.06	.12	—	12
13	.10	—	—	.01	—	—	.11	.42	.17	.01	.03	.015	13
14	.01	TR	—	.07	TR	—	.06	.02	1.25	.01	.03	.25	14
15	.11	—	—	.02	—	—	TR	.32	TR	TR	—	.05	15
16	.02	.01	—	—	.11	—	—	.01	.22	—	.02	.03	16
17	.28	.01	.07	—	.01	.33	—	.20	.21	—	—	.02	17
18	.10	—	—	—	—	.45	—	.34	.01	—	.14	—	18
19	—	.03	—	—	—	.04	.01	.01	—	.01	.09	—	19
20	.10	.31	—	—	—	—	.74	.96	.01	—	.48	.12	20
21	.18	.04	—	—	.06	TR	.02	.26	.10	.46	.14	.82	21
22	.06	.17	.35	—	.06	.29	.15	.08	.10	.68	—	.61	22
23	—	.32	.50	—	—	.04	—	TR	.58	.01	.17	.20	23
24	.02	.16	.33	.01	—	.42	TR	TR	TR	.03	.09	.61	24
25	.01	.25	.45	—	—	.17	TR	.01	.05	.06	—	.94	25
26	.22	.57	.07	—	.07	TR	TR	—	.01	.05	—	1.09	26
27	.03	.34	.02	—	.31	.19	.34	—	—	.46	.03	.07	27
28	.26	.10	—	.05	—	.43	TR	—	—	.04	.09	—	28
29	.22	X	.15	—	—	.33	—	.04	.62	TR	.78	—	29
30	.30	X	.15	—	—	.66	TR	—	.01	.10	TR	—	30
31	.06	X	.76	X	.01	X	.04	—	X	—	X	.19	31
TOTAL	2.37	3.02	4.02	1.62	.63	3.83	4.34	4.14	3.91	2.31	2.955	5.085	YEARS TOTAL
Days with ".01 in. or more.	25	16	17	13	.7	17	13	20	18	15	19	16	196
Days with ".04 in. or more.	14	11	15	9	5	17	11	16	13	10	14	7	142

Please read the Notes and Instructions Overleaf.

W. Spurr

Section



for the entry of Daily Observations.

248
FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1928.

Kept at National Sanatorium Benenden
in the County of KentDiameter of Funnel of Gauge.....5 in.Height of top of Gauge above Ground.....1 ft. 1 in.„ Ground „ Sea Level 260 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.065	*	.13	.18	—	—	—	.04	—	—	.20	.01	1
2	.78	.35	.04	—	.20	—	—	—	—	—	.34	—	2
3	.015	*	—	.18	.85	—	.16	.46	—	—	.18	.02	3
4	.02	.10	—	.19	.08	.04	—	.67	—	TR	.01	TR	4
5	.15	.10	.03	.09	—	.03	—	—	—	—	.005	TR	5
6	TR	*	.05	—	—	.40	—	—	—	—	—	.14	6
7	—	.02	.02	.16	—	.13	—	.11	—	.01	—	—	7
8	TR	.05	.11	—	.015	.34	—	—	—	.13	.05	—	8
9	.05	—	.03	TR	—	.28	.04	—	.01	.24	—	—	9
10	.12	.20	.05	.27	.09	.03	—	.01	—	.28	.13	—	10
11	TR	.05	.06	.10	—	.05	—	.04	—	.58	.22	.13	11
12	.42	.11	.04	TR	.04	—	—	.03	—	.03	.02	.11	12
13	—	.22	—	—	.025	1.05	—	—	—	—	.21	TR	13
14	.10	.10	—	.17	.40	.12	—	—	—	.58	.47	—	14
15	.05	TR	—	.50	.22	.01	—	—	—	.06	.40	—	15
16	.02	.06	—	.44	.20	—	—	—	—	.04	.36	.18	16
17	—	—	TR	.05	.27	—	—	—	—	.16	.04	—	17
18	—	—	TR	.04	*	.08	—	—	—	.45	.005	—	18
19	.505	—	—	—	—	.04	—	.13	—	.51	.14	.11	19
20	.15	—	—	TR	.25	—	—	.02	—	.64	.04	.19	20
21	.13	—	.10	.08	—	TR	—	TR	—	.77	.28	—	21
22	TR	—	.09	TR	.58	—	—	.04	—	.54	.33	.11	22
23	.36	—	.06	—	.08	—	—	TR	.005	.005	.35	—	23
24	.05	—	.04	—	.08	—	—	.04	.01	.08	.19	.26	24
25	.10	—	.23	—	—	.05	—	.03	—	.11	.01	.17	25
26	.16	—	—	—	—	.07	.02	.11	—	.96	—	.10	26
27	—	—	.04	—	—	—	.55	.08	.02	.07	—	.47	27
28	.42	—	.04	—	—	—	—	—	.40	—	—	.12	28
29	.09	.11	.54	—	—	—	.13	—	.06	.11	.05	.60	29
30	.03	X	.07	—	—	.11	.09	—	—	.10	—	.07	30
31	*	X	.13	X	—	X	.11	.01	X	.02	X	.13	31
TOTAL	3.725	(1.37)	1.70	2.45	3.36	2.83	1.10	1.81	.505	6.475	4.03	2.92	YEARS TOTAL
Days with .01 in. or more.	20	12	20	13	15	16	7	15	5	22	21	17	31.825
Days with .04 in. or more.	15	8	16	13	14	13	6	11	2	19	18	15	15.03

* Broken Gauge

(Signed)

H. Spurrier
med. Capt.



for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1929.

Kept at National Sanatorium Bexenden
in the County of Kent.

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1 in.
" Ground " Sea Level 250 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.03	.12	TR	-	TR	-	-	.25	-	.24	.01	.02	1
2	.02	.22	-	-	-	-	.225	TR	-	.35	.085	.44	2
3	TR	-	-	-	-	.05	.39	.01	-	.105	-	.39	3
4	.01	-	.10	.30	-	TR	-	.08	-	.03	-	.26	4
5	TR	-	TR	.03	.11	.37	.17	.22	-	.175	-	.46	5
6	TR	-	TR	-	.523	.19	.21	.62	-	.10	.085	.65	6
7	-	-	TR	-	.20	.02	-	TR	-	.295	.325	.515	7
8	-	-	-	-	.04	TR	-	-	-	.19	.03	.36	8
9	.01	.26	-	-	-	.26	-	-	-	-	.01	.53	9
10	.04	.04	-	-	.12	-	-	-	-	.21	.05	.50	10
11	TR	-	-	-	-	-	-	TR	-	-	.93	.24	11
12	-	.02	-	.11	.02	.11	-	-	-	-	-	.05	12
13	TR	.21	-	.17	.16	.05	-	-	-	-	.55	.05	13
14	TR	-	-	.09	.11	.09	-	-	-	-	-	.09	14
15	.14	-	-	-	.09	-	-	-	-	-	.26	.13	15
16	-	-	-	-	.05	TR	-	.83	-	-	.41	.005	16
17	.02	-	-	-	-	-	-	.01	-	.005	-	-	17
18	-	-	-	-	TR	-	-	-	.255	-	.225	-	18
19	-	-	-	-	-	-	-	-	-	-	.15	-	19
20	-	-	-	-	-	-	.08	-	.005	.05	-	.08	20
21	.20	-	-	-	-	-	.0075	-	TR	-	TR	.81	21
22	.01	-	-	-	-	-	-	-	-	-	.06	.10	22
23	-	.05	.02	-	-	-	-	-	-	.035	.365	.20	23
24	TR	.005	-	-	-	TR	-	-	-	.64	.485	.34	24
25	TR	.005	-	-	TR	-	-	-	-	.255	.17	.05	25
26	TR	.005	-	-	-	-	-	-	-	-	.145	.10	26
27	TR	TR	-	TR	.01	-	-	-	-	-	.51	.09	27
28	.15	-	-	-	-	-	.16	-	-	.275	.725	.46	28
29	.22	-	-	.07	-	-	.01	-	.25	.02	.47	.16	29
30	.02	X	-	.16	-	.08	-	-	.40	-	.1	.34	30
31	.30	X	TR	X	-	X	.20	-	X	.04	X	-	31
TOTAL	1.17	.92	.12	.93	1.433	1.22	1.455	2.02	.905	2.98	7.15	7.41	YEAR'S TOTAL
Days with .01 in. or more.	13	7	2	7	11	9	8	7	3	16	22	27	132
Days with .04 in. or more.	6	6	0	6	9	8	7	5	12	13	19	25	105

Section



for the entry of Daily Observations.

26.6
FOR OFFICIAL USE

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at National Sanatorium Benenden

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

„ Ground „ Sea Level 250 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.20	.35	—	.15	—	TR	—	.01	—	—	.44	.04	1
2	.01	.13	—	.03	—	—	.35	.03	—	—	.98	—	2
3	.06	.03	—	.42	.04	TR	—	1.59	—	.02	.05	—	3
4	.21	.61	—	.01	.08	—	—	.04	.09	.22	—	—	4
5	.03	—	—	.02	.21	—	—	.27	—	.01	—	—	5
6	—	.04	TR	TR	.11	—	—	.12	.27	—	—	—	6
7	.05	.65	—	TR	.11	—	—	.25	.26	.42	.39	.14	7
8	.19	—	—	—	.05	—	—	TR	.02	—	.16	.32	8
9	—	—	—	TR	—	—	—	—	.05	.09	TR	.02	9
10	.24	—	.23	—	.20	—	—	—	—	.06	—	.01	10
11	.41	.10	TR	—	.02	—	TR	—	—	—	—	.02	11
12	TR	—	—	.13	.04	.17	—	.06	.01	.03	TR	.34	12
13	.37	—	.09	.25	.08	TR	.13	.26	.29	—	TR	.82	13
14	.03	.03	—	.04	TR	—	.26	—	.01	—	TR	.09	14
15	.03	.08	.41	.09	—	—	.43	—	—	.05	.02	—	15
16	—	TR	.01	.05	—	.05	.02	—	.05	—	TR	—	16
17	.01	.01	.23	.10	—	.01	.35	—	.21	.07	TR	—	17
18	TR	—	.12	.05	.02	—	.25	—	—	—	.16	.02	18
19	—	—	.27	.04	TR	—	—	.03	.66	.11	.41	.07	19
20	.01	—	.13	.17	—	.15	.05	.70	.54	.23	.54	—	20
21	—	—	TR	TR	—	—	.05	.30	—	.08	.23	.01	21
22	TR	—	—	—	.30	—	.11	.07	.02	.25	—	—	22
23	—	TR	.18	.07	—	.33	.09	.07	—	.01	.54	—	23
24	.39	TR	—	—	.12	.05	.35	—	.05	.05	.36	TR	24
25	.16	.01	—	TR	.31	.01	TR	—	.12	.01	.34	—	25
26	.07	TR	—	—	.01	.42	.03	—	.42	—	.27	.56	26
27	—	—	—	—	—	—	.20	—	.02	TR	TR	.02	27
28	.01	—	—	—	—	—	.05	—	.54	TR	.11	.10	28
29	.07	—	—	—	—	—	.36	.16	.22	TR	.24	.01	29
30	—	X	—	—	.56	.01	.59	—	—	.27	.01	.52	30
31	.25	X	.07	X	.31	X	—	—	X	.02	X	—	31
TOTAL	2.80	2.04	1.74	1.62	2.57	1.20	3.66	3.36	3.85	2.00	5.25	2.61	YEAR'S TOTAL 32.80
Days with 0.1 in. or more.	19	11	10	15	17	9	17	15	19	18	17	17	184
Days with 0.4 in. or more.	12	7	9	12	14	6	15	12	14	12	15	10	138

RECORD

Kept at Alibon

BETSON'S HILL

in the County of Kent

by Metropolitan

KENT

1921 - 30

IMPORTANT NOTE.—

If an Observer prefers not to the reading at 9 a.m. on 1st J this paragraph. Full instruction and particulars as to the British sent post-free on application 1 Square, London, N.W. 1.

Reco

Gauge.....in.
Ground.....ft.....in.
Sea Level.....ft.
ered to the previous day.
ed to add
the end of
in gauges,
Observers,"
Camden

Jan. 1, following.

NOT BE ENTERED ON THIS FORM.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	30	02	07								04	09	1
2											32	03	2
3	03	02	14		42	04		14			31		3
4	21		02		07			05			38		4
5	05				20			16			24		5
6	28	03	31		01								6
7	42	04			08							02	7
8	04	04	03		17								8
9				11									9
10	35	01	03						03	49			10
11	26	05			03				78		01		11
12	28				01			26	40			12	12
13	31		15	51				30	05	05			13
14			03									42	14
15					05							03	15
16	12			08				44			25	01	16
17	13		30	46				05					17
18	10	03				06				01			18
19			32	01						08		22	19
20										39			20
21	02										08		21
22				15						33		25	22
23				47			06	49				16	23
24										02		15	24
25	03	28		02		18						11	25
26	05				06							30	26
27	06				06							04	27
28	01		37		03		23					05	28
29			17				04	02				06	29
30	25				27						25	13	30
31	09				08							01	31
TOTAL	3.39	4.8	1.94	1.81	1.54	2.8	3.3	1.91	1.26	1.37	1.88	2.20	YEAR'S TOTAL
Days with 01 in. or more	21	8	12	8	14	3	3	9	4	7	9	18	18.39
Days with 04 in. or more	17	3	8	6	10	3	3	8	3	5	8	13	116
													87

REGISTER OF RAINFALL IN 1921

Kept at Belbaird Sch.
in the County of Kent
by Metropolitan Water Board.

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.30	.02	.07								.04	.09	1
2											.32	.03	2
3	.03	.02	.14		.42	.04		.14			.31		3
4	.21		.02		.07			.05			.38		4
5	.05				.20			.16			.24		5
6	.28	.03	.31		.01								6
7	.42	.04			.08							.02	7
8	.04	~~.04~~	.03		.17								8
9				.11									9
10	.35	.01	.03						.03	.49			10
11	.26	.05			.03				.78		.01		11
12	.28				.01			.26	.40			.12	12
13	.31		.15	.51				.30	.05	.05			13
14			.03									.42	14
15					.05							.03	15
16	.12			.08				.44			.25	.01	16
17	.13		.30	.46				.05					17
18	.10	.03				.06				.01			18
19			.32	.01						.08		.22	19
20										.39			20
21	.02										.08		21
22				.15						.33		.25	22
23				.47			.06	.49				.16	23
24										.02		.15	24
25	.03	.28		.02		.18						.11	25
26	.05				.06							.30	26
27	.06				.06							.04	27
28	.01		.37		.03		.23					.05	28
29			.17				.04	.02				.06	29
30	.25	~~X~~			.27						.25	.13	30
31	.09	~~X~~		~~X~~	.08	~~X~~			~~X~~		~~X~~	.01	31
TOTAL	3.39	.48	1.94	1.81	1.54	.28	.33	1.91	1.26	1.37	1.88	2.20	YEAR'S TOTAL 18.39
Days with ".01 in. or more	21	8	12	8	14	3	3	9	4	7	9	18	116
Days with ".04 in. or more	17	3	8	6	10	3	3	8	3	5	8	13	87

only new rates 44 - 243

386

FORM 1090 METEOROLOGICAL OFFICE—BRITISH RAINFALL ORGANIZATION.
(formerly B.R.O. Form A.1). REGISTER OF RAINFALL IN 192

Kept at Bellons Hill
in the County of Kent
by Metropolitan Water Board

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		11	25		22		07	09			80	20	1
2	02	37	23	15			12		22	01		02	2
3		15	18	65	20		18	21	05	02	11		3
4		10	22		17		26	13		31			4
5			14	07	02		122	62	02	05	37		5
6	16		07				12			12	36		6
7	30		61	31			03	20			12	03	7
8			08	04		06	36	05			03	05	8
9	10			09			01	10		02	02	03	9
10									14		32		10
11	07				11			12				02	11
12				60				17	30		01		12
13	02			47		15	09		03		01		13
14				03		69	78	20	64		02		14
15	30	31		03		02					01		15
16	02	10		35	10		03		22			25	16
17		34			04		03	03				20	17
18	68			03	02		03			05		16	18
19	70	18	07		03				54	56		56	19
20	02	06	02							08			20
21	35	20	12	06						10		81	21
22		15		30	08	01	12	18				08	22
23		08		06		05	03		06				23
24	04		11	04	04	20		30					24
25	47			45	43			03	02			22	25
26	16	34	05	25		36	15	(22)	03	02	03	06	26
27	33	25	10	08		01			02	01		23	27
28	25	38	07	04		33		02	08		03	13	28
29						04	02	30		13		13	29
30	03	X	18			08	03	35	29		12	90	30
31	12	X		X		X	08	23	X	05	X	50	31
TOTAL	4.14	3.12	2.50	4.10	1.46	2.00	3.76	3.55	2.66	1.53	2.36	4.58	YEAR'S TOTAL
Days with 0.1 in. or more	19	15	16	20	12	12	20	19	15	14	15	19	35.76
Days with 0.1 in. or more	14	15	15	14	9	9	12	16	10	9	7	15	148

REGISTER OF RAINFALL IN 1923.

Kept at Bellom's Hill
in the County of Kent
by Metropolitan Water Board

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.14	.06	.19						.07	.04	.22	.20	1
2	.25	.03	.04		.09					.14	.04	.15	2
3	.04	.01				.06				.128	.04	.04	3
4	.02								.20	.01		.14	4
5	.31			.20		.04				.13	.06		5
6	.25	.06	.09	.03		.07							6
7	.15	.89	.42		.08					.50			7
8	.10	.24	.10		.10	.01				.36	.68		8
9	.16	.05	.04	.01	.02		1.90			.02	.03		9
10		.24		.45	.16		.05			.35	.04	.06	10
11	.05			.44	.17					.53		.11	11
12		.44	.68	.14	.23	.11				.63	.01	.11	12
13	.05	.10	.16	.08			.05			.02	.55		13
14	.02	.07	.03	.04				.01	.39		.01		14
15	.03	.02	.03	.01	.22	.19	.08	.02	.15		.26		15
16		.10			.08	.03				.04	.17	.04	16
17					.01			.22	.06		.04		17
18	.13	.27						.21	.09	.05			18
19	.16	.06		.03		.05	.04		.13	.89		.06	19
20	.05	.06	.12		.03	.05		.03	.35	.15			20
21		.30	.01	.07		.03			.06	.17	.05	.30	21
22		.50	.07		.02	.01		.07	.32	.28	.03	.07	22
23		.10	.07		.38		.06	.43	.20	.78	.01	.04	23
24			.25	.02				.72	.21	.06			24
25		.16	.06	.90	.03	.13	.20	.04	.06	.57		.56	25
26		.30	.37	.22	.04			.10		.31		.30	26
27		.13	.07		.16		.02	.23		.06		.38	27
28	.02	.06	.03	.21	.88		.32	.03			.18		28
29	.14			.02	.87		.16	.43	.01	.01		.25	29
30	.02	X					.11			.20		.20	30
31	.02	X		X		X	.41	.01	X	.04	X	.20	31
TOTAL	2.11	4.25	2.83	2.87	3.57	.78	3.40	2.55	2.30	7.56	2.42	3.21	YEAR'S TOTAL
Days with 0.1 in. or more	20	23	19	16	18	12	12	14	14	26	17	18	37.79
Days with 0.4 in. or more	14	20	15	10	13	8	11	9	13	22	12	18	209
													165

368

AIR MINISTRY.
METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
REGISTER OF RAINFALL IN 1924.

Kept at Peabons Hill
in the County of Kent
by Metropolitan Water Board

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day.
An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
1	^{in.} 08	^{in.}	^{in.}	^{in.} 03	^{in.} 08	^{in.} 19	^{in.} 10	^{in.} 01	^{in.} 01	^{in.}	^{in.} 60	^{in.} 05	WV 1
2	11		27		01	29	09	28				22	WV 2
3			10		36	04	25	42	21				C 3
4						59			02	12		07	BS 4
5		09	11		01		02	02		16		28	5
6		12						14		38		16	6
7	03				13	81	01		14	40			7
8	23			07	10				01	13			8
9	15	21		13	07	02			47	01			9
10	20			45	40	02				01			10
11	02			45	30	25			16	06	67		11
12	10	01		32	10	30	X3	13	11		81		12
13				46	06			06	84	01	06	20	13
14	05			32				09			06	14	14
15		03							10			78	15
16				01				75	07			17	16
17	22						1.01	18	06			01	17
18	65	11			31	15		45		04	06	01	18
19	24					02	01	05	01	11	05	02	19
20					07		18	15	15	05		03	20
21	45		01		14		12	03	22	78			21
22	44		31				53	11	26	01			22
23			36		20			15	28			81	23
24	02	13	18	09	30			35			10	29	24
25		08	21	05	28		47	01	84	04	21	07	25
26		03	02	60			36		35	10	51	11	26
27		12	01	65			42	01	01	28	53	82	27
28				17			90	21		04	45		28
29		10		24	51		99	48	18	83	12	12	29
30		X		87	05		64	18	1.11	63	10	10	30
31	02	X	01	X	86	X	01	20	X	19	X	48	1218 31
TOTAL	3.51	1.03	1.59	4.91	4.34	2.68	6.11	4.51	5.61	4.38	4.33	4.94	47.94
Days with 01 in. or more	16	11	11	16	20	11	17	23	22	21	14	21	203
Days with 04 in. or more	12	8	7	14	18	8	13	18	17	17	14	17	163

REGISTER OF RAINFALL IN 1925.

Kept at Melrose Hill
 in the County of Kent.
 by The Kentish Water Board.

Lat. _____ Long. _____
 Time of Observation _____
 Nearest Railway Station _____
 Diameter of Funnel of Rain Gauge _____ in.
 Height of top of Gauge above Ground _____ ft. _____ in.
 " " " " Sea Level _____ ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. An Observer who prefers not to conform to this almost universal rule should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Inches should be entered on Form 1090.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
1	.98		.78	.13	.03			.15	.07	.02	.58	.01	1
2	.45		.01	.27			.01				.63		2
3	.21	.02	.04		.19				.03		.13		3
4	.06				.16			.19	.01	.01	.05		4
5		.18	.01	.55				.02	.14		.08		5
6		.19		.18	.22		.33	.09			.38	.02	6
7		.28	.04	.01	.02		.24		.04	.04	.03	.16	7
8	.09	.07			.36				.03			.36	8
9		.03		.04	.02			.16	.42		.16	.01	9
10		.06	.08		.14			.10	.40		.92	.01	10
11		.12	.01		.02			.02	.10		.21		11
12	.02	.76						.03	.05	.07		.02	12
13	.01	.65	.19	.10				.03		.08			13
14	.57	.20	.05	.35									14
15	.27			.10	.29					.17			15
16	.05	.10		.03					.16	.15		.01	16
17		.01		.01					.05			.01	17
18	.02	.10		.07	.18		.21			.04			18
19	.01	.04				.01		.01	.25	.85		.18	19
20			.08				.05	.06	.66	.84		.20	20
21		.02	.03				.37	.14	.06	.75		.43	21
22				.15	.01		1.49	.30	.85	1.00		.50	22
23	.03	.24	.11	.19	.50		.05	.40	.01	.20		.05	23
24		.39	.04	.03	.06	.18		.13		.11	.13	.10	24
25	.04	1.13	.01	.05		.02	.03	.03	.44	.03	.01	.06	25
26	.03	.24			.04	.02	.80	.18	.05	.33		.18	26
27	.26	.04		.12	.68		.29	.06		.01	.10	.07	27
28	.15			.19					.06			.50	28
29	.26			.02	.17		.09		.03		.14	.85	29
30		X		.51			.30		.01		.05	.68	30
31	.18	X		X		X	.15		X		X	.04	31
TOTAL	3.69	4.87	1.48	3.10	3.09	.23	4.41	2.10	3.92	4.70	3.60	4.45	YEAR'S TOTAL
Days with 0.2 mm. or more.	19	21	14	20	17	4	12	18	22	17	15	22	39.64
Days with 1.0 mm. or more	13	17	9	15	12	1	12	12	16	13	13	15	203
													148

REGISTER OF RAINFALL IN 1926.

Kept at Belsom Hill
in the County of Kent
Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
„ „ Ground „ „ Sea Level ft.

356

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.65	.31	.01	.88	.	.21	.05	.	.10	.	.01	.	1
2	.09	.03	.	.	.	1.24	.05	.	.25	.	.01	.	2
3	.22	.75	.18	.48	.	.09	.08	.03	.01	.	.01	.	3
4	.01	.14	.03	.17	.	.	.08	.	.01	.	.08	.	4
5	.13	.17	.19	.15	.17	.	.	.	.	.	.45	.26	5
6	.06	.32	.01	.	.	.02	.	.10	.20	.	.10	.02	6
7	.22	.10	.	.	.07	.12	.	.11	.04	.	.36	.	7
8	.	.03	.	.	.01	.01	.	.	.01	.04	1.05	.	8
9	.	.03	.08	.	.	.49	.	.03	.	.29	.45	.	9
10	.	.02	.	.	.04	.09	.	.	.	.	.20	.	10
11	.	.15	.	.	.11	.22	.	.69	.03	.02	.03	.	11
12	.	.05	.	.	.03	.13	.	.15	.	.72	.01	.01	12
13	.09	.05	.	.	.01	.01	.	.04	.	.15	1.27	.01	13
14	.27	.	.	.23	.44	.17	.	.02	.	.58	.	.16	14
15	.18	.14	.	.35	.02	.	.	.	.02	.52	.29	.	15
16	.	.22	.	.29	.	.	.	.18	.	.	.05	.	16
17	.	.74	.	.16	.	.77	.	.01	.	.	.13	.05	17
18	.21	.11	.	.	.09	.05	.27	.81	.	.	.70	.	18
19	.03	.01	.03	.02	.17	.	.23	.21	.	.	.03	.02	19
20	.	.	.02	.73	.06	.	.07	.06	.	.05	1.26	.	20
21	.	.	.	.15	.	.01	.13	.	.	.	.	.	21
22	.55	.07	.	.09	.05	.	.01	.	.	.05	.15	.10	22
23	.13	.03	.	.	.	.26	.	.01	.	.	.01	.	23
24	.	.	.	.	.	.08	.02	.	.15	.73	.	.	24
25	.21	.	.	.65	.	.	.09	.06	.06	.23	.10	.15	25
26	.02	.01	.	.02	.	.	.34	.	.	.	.26	.	26
27	.07	.05	.04	.19	.05	.12	.23	.	.27	.01	.	.	27
28	.64	.	.	.33	.07	.	.47	.	.03	.31	.20	.04	28
29	.04	.	.	.25	.35	.	.05	.	.	.10	.20	.	29
30	.09	X	.	.11	.	.	.12	.05	.	.	.20	.01	30
31	.26	X	.	X	.01	X	.	1.33	X	.	X	.	31
TOTAL	4.17	3.53	.59	5.25	1.75	4.09	2.29	3.89	1.18	3.80	7.61	.83	YEARS TOTAL
Days with 0.1 in. or more.	21	22	9	18	17	18	16	17	13	14	25	11	202
Days with 0.4 in. or more.	18	15	4	16	12	14	14	12	7	12	19	6	149

Please read the Notes and Instructions Overleaf.

REGISTER OF RAINFALL IN 1927.

Kept at *Betsan's Kiel*
in the County of *Kent*
Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		<i>.70</i>	<i>.03</i>	<i>.02</i>		<i>.16</i>	<i>.53</i>	<i>.20</i>	<i>.01</i>	<i>.25</i>	<i>.59</i>	<i>.01</i>	1
2	<i>.02</i>		<i>.16</i>	<i>.16</i>		<i>.02</i>	<i>.02</i>		<i>.01</i>	<i>.05</i>	<i>.03</i>	<i>.03</i>	2
3	<i>.15</i>	<i>.03</i>	<i>.03</i>			<i>.01</i>			<i>.01</i>			<i>.06</i>	3
4	<i>.02</i>		<i>.05</i>	<i>.07</i>			<i>.04</i>						4
5	<i>.21</i>	<i>.19</i>	<i>.25</i>	<i>.53</i>	<i>.36</i>	<i>.13</i>	<i>.02</i>	<i>.47</i>			<i>.12</i>		5
6	<i>.02</i>	<i>.01</i>	<i>.35</i>	<i>.30</i>	<i>.04</i>		<i>.60</i>	<i>.04</i>	<i>.11</i>				6
7	<i>.04</i>	<i>.33</i>	<i>.07</i>	<i>.40</i>		<i>.30</i>	<i>.02</i>	<i>.26</i>			<i>.02</i>		7
8	<i>.06</i>		<i>.02</i>	<i>.27</i>		<i>.01</i>	<i>.10</i>	<i>.17</i>	<i>.07</i>		<i>.12</i>	<i>.02</i>	8
9			<i>.04</i>	<i>.17</i>			<i>.13</i>	<i>.07</i>	<i>.22</i>				9
10								<i>.01</i>	<i>.90</i>	<i>.01</i>			10
11			<i>.02</i>	<i>.04</i>			<i>.36</i>	<i>.07</i>					11
12	<i>.13</i>	<i>.01</i>					<i>.01</i>	<i>.40</i>		<i>.05</i>			12
13	<i>.11</i>			<i>.03</i>			<i>.04</i>	<i>.37</i>	<i>.16</i>	<i>.02</i>	<i>.06</i>	<i>.06</i>	13
14	<i>.08</i>			<i>.11</i>	<i>.05</i>		<i>.46</i>	<i>.46</i>	<i>1.96</i>		<i>.03</i>	<i>.40</i>	14
15	<i>.01</i>	<i>.01</i>					<i>.10</i>	<i>.72</i>	<i>.02</i>		<i>.01</i>	<i>.04</i>	15
16					<i>.26</i>		<i>.02</i>	<i>.04</i>	<i>.33</i>			<i>.01</i>	16
17	<i>.57</i>		<i>.03</i>			<i>.33</i>		<i>.63</i>	<i>.10</i>				17
18	<i>.26</i>					<i>.53</i>		<i>.33</i>	<i>.05</i>		<i>.11</i>		18
19	<i>.01</i>	<i>.20</i>						<i>.12</i>	<i>.02</i>		<i>.12</i>		19
20	<i>.24</i>	<i>.19</i>					<i>.14</i>	<i>.77</i>	<i>.01</i>		<i>.50</i>	<i>.15</i>	20
21	<i>.11</i>	<i>.30</i>	<i>.01</i>		<i>.23</i>	<i>.01</i>	<i>.05</i>	<i>.53</i>	<i>.34</i>	<i>.39</i>	<i>.13</i>	<i>.60</i>	21
22	<i>.20</i>	<i>.06</i>	<i>.36</i>			<i>.26</i>	<i>.07</i>	<i>.04</i>	<i>.14</i>	<i>.60</i>	<i>.01</i>	<i>.88</i>	22
23		<i>.48</i>	<i>.33</i>			<i>.18</i>	<i>.01</i>		<i>.58</i>	<i>.04</i>	<i>.18</i>	<i>.38</i>	23
24		<i>.25</i>	<i>.57</i>	<i>.03</i>		<i>.68</i>		<i>.02</i>	<i>.02</i>	<i>.04</i>	<i>.07</i>	<i>1.40</i>	24
25	<i>.01</i>	<i>.41</i>	<i>.68</i>	<i>.01</i>		<i>.18</i>	<i>.01</i>	<i>.07</i>	<i>.08</i>	<i>.06</i>		<i>.64</i>	25
26	<i>.17</i>	<i>.65</i>	<i>.25</i>		<i>.20</i>	<i>.08</i>	<i>.05</i>		<i>.01</i>	<i>.14</i>	<i>.02</i>	<i>.35</i>	26
27	<i>.14</i>	<i>.60</i>	<i>.05</i>		<i>.32</i>	<i>.52</i>	<i>.40</i>			<i>.80</i>			27
28	<i>.33</i>	<i>.35</i>	<i>.04</i>	<i>.07</i>		<i>.25</i>	<i>.01</i>			<i>.12</i>	<i>.38</i>		28
29			<i>.20</i>			<i>.41</i>		<i>.02</i>	<i>.70</i>		<i>1.09</i>		29
30	<i>.29</i>	<i>X</i>	<i>.13</i>			<i>.46</i>			<i>.01</i>	<i>.19</i>	<i>.02</i>		30
31	<i>.03</i>	<i>X</i>	<i>.59</i>	<i>X</i>	<i>.01</i>	<i>X</i>	<i>.06</i>		<i>X</i>	<i>.02</i>	<i>X</i>	<i>.20</i>	31
TOTAL	<i>3.15</i>	<i>5.77</i>	<i>4.22</i>	<i>2.23</i>	<i>1.47</i>	<i>4.52</i>	<i>3.27</i>	<i>5.83</i>	<i>5.86</i>	<i>2.78</i>	<i>3.61</i>	<i>5.43</i>	YEARS TOTAL
Days with 01 in. or more.	<i>23</i>	<i>17</i>	<i>22</i>	<i>14</i>	<i>8</i>	<i>18</i>	<i>23</i>	<i>22</i>	<i>23</i>	<i>15</i>	<i>19</i>	<i>16</i>	<i>220</i>
Days with 04 in. or more.	<i>16</i>	<i>13</i>	<i>16</i>	<i>10</i>	<i>7</i>	<i>14</i>	<i>15</i>	<i>19</i>	<i>14</i>	<i>12</i>	<i>12</i>	<i>12</i>	<i>160</i>

Please read the Notes and Instructions Overleaf.

Kept at Bellbank Hill
in the County of Kent
Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
„ Ground „ Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.35		.21	.37				.15			.14	.05	1
2	1.04	.35	.05		.02			.02			.04		2
3	.01			.22	.35		.67	1.23			.08	.02	3
4	.02	.15		.02	.07	.01		.10					4
5	.23	.37	.09	.01		.01	.08						5
6		.01				.38				.01		.08	6
7	.06	.02	.04	.12		.35	.04	.23					7
8		.08	.07			.42			.20	.24		.01	8
9	.04	.01	.21			.26				.26			9
10	.22	.27	.03	.20	.01			.01		.11	.25		10
11	.15	.16		.05		.35		.10		.30	.27	.14	11
12	.51	.11	.02		.01			.08		.02	.03	.16	12
13		.19	.01			.96		.05			.13	.04	13
14	.20	.18		.14	.05	.29		.33		.78	.36		14
15		.01		.40	.28	.07		.01		.01	.20	.2	15
16	.10	.13		.24	.15					.16	.41	.30	16
17				.22	.16					.23	.03	.07	17
18	.53		.06	.03	.67	.10				.43			18
19	.01			.04	.41	.07		.29		.54	.02	.13	19
20	.18		.01					.07		.30	.16	.16	20
21	.24		.07	.10	.06	.01				.38	.47	.01	21
22			.15		.02			.09		.63	.39	.16	22
23	.39		.04		.17					.19	.32		23
24	.11		.07		.01			.04	.11	.06	.13	.90	24
25	.08					.10			.01	.03	.02		25
26	.18					.12	.04	.40		.70	.02		26
27	.04		.07			.08	.83	.05		.13		.58	27
28	.73		.06					.01	.40			.25	28
29	.10	.08	.63	.08	.01	.03		.03	.01	.13	.04	.50	29
30	.01	X	.57	.05		.09	.36			.01		.26	30
31	.19	X	.45	X		X	.15	.17	X	.08	X	.41	31
TOTAL	5.92	2.12	2.91	2.29	2.45	3.70	2.17	3.26	.73	5.73	3.51	4.17	YEAR'S TOTAL
Days with ".01 in. or more.	25	15	20	16	16	18	7	20	5	23	20	19	204
Days with ".04 in. or more.	21	11	16	13	10	14	7	15	3	18	15	15	158

REGISTER OF RAINFALL IN 1927.

Kept at Betsam Hill

in the County of Leic

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

„ Ground „ Sea Level.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.06	.01	.06		.05		.38		.40			1
2		.31		.01			.04			.36	.03	.46	2
3							1.10			.07		.32	3
4	.01		.01	.36	.45	.08	.37	.19		.01		.60	4
5	.02			.01	.95	.16	.11	.36		.18		.31	5
6					.25	.03	.04	.35		.13	.10	.75	6
7					.03	.03		.25		.46	.64	.73	7
8						.09				.36	.01	.50	8
9	.01	.17		.02	.05					.01		.40	9
10	.25			.07						.08	.12	.44	10
11	.01			.20	.30	.01				.01	1.25	.13	11
12				.12	.07	.45						.04	12
13	.06	.01		.01	.15	.09						.13	13
14	.02				.02	.20						.10	14
15	.07	.01			.10	.12					.68	.25	15
16	.01							.81			.40		16
17	.01												17
18	.03										.41		18
19	.01								.02		.12		19
20							.06	.03		.45		.02	20
21	.11		.03					.07			.01	.44	21
22	.02							.03			.30	.02	22
23	.01	.05								.34	.45	.30	23
24					.01			.06		1.00	.65	.56	24
25	.01	.04								.10	.16	.04	25
26				.06						.01	.18	.10	26
27				.06			.25	.10			.86	.06	27
28	.13	.01								.30	.62	.42	28
29	.16			.21		.17			.07	.01	.38	.18	29
30	.02	X		.01					.14		.52	.44	30
31	.41	X		X		X	.33		X		X		31
TOTAL	1.39	.66	.05	1.10	2.38	1.48	2.30	2.65	.23	4.28	7.89	7.74	YEAR'S TOTAL
Days with .01 in. or more.	20	8	3	13	11	12	8	11	3	18	20	25	32.15
Days with .04 in. or more.	7	5	—	8	8	9	8	9	2	13	17	23	152
													109

Section **A**

for the entry of Daily Observations.

395
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1930 .

Kept at Belton's Hill

in the County of KENT

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

„ Ground „ Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	.21	.50		.14			.01	.01			1.05 ⁴	.01	I
2	.01	.23		.02	.05	.01	.03	.60			⁴		2
3	.19	.13		.51	.34 ^x					.02	.06		3
4	.38	.01		.05					.01	.35 ^x			4
5				.01	.17			.32		⁴			5
6	.01		.02		.23			.26	.52 ^x	.01		.05	6
7	.17	.33	.01	.01	.01			.16	⁴	.31	.61		7
8	.07							.01	.04	.01	.03	.20	8
9	.37	.04	.10		.40			.16 [✓]	.11			.03	9
10	.47	.05	.21		.30 ^x			⁴	.01			.13	10
11	.30	.02			⁴		.01			.05		.48	11
12	.10			.30	.04		.09	.04	.03			.29	12
13	.05	.01	.32		.15			.34	.31 ^x	.01		.02	13
14	.15	.12	.09	.02	.01		1.07						14
15	.01	.04	.72	.03			.29			.03	.19	.01	15
16							.14		.12		⁴	.01	16
17		.01	.07	.35 ^x	.17	.16	.01		.32	.26			17
18			.05	⁴	⁴		.01	.01		.10	.20	.10	18
19			.01	.14 ^x			1.05	.18	.76		.37	.02	19
20				⁴	.01	.01	⁴	.35	.46 ^x	.22	.38	.01	20
21	.01		.03		.02	.01	.07	.61	⁴	.07	.74		21
22	.06			.03	.34		.10	.11	.04	.36	.17 ^x		22
23	.19	.01		.27	.01	.46	.02	.08 ^x	.07	.06	⁴	.12	23
24	.37	.05		.03	.45 ^x	.02	.14	⁴		.06	.37	.23	24
25	.05				⁴			.01	.06	.04	.07		25
26	.15	.04			.01		.04		.44	⁴	.17	.28	26
27					.07				1.14 ^x	.04	.38	.22 ^x	27
28	.01						.01		⁴	.04	.40	⁴	28
29	.16		.11				.55	.05	.08	.02	.30 ^x	.08	29
30	.01	X			.30		.20				⁴	.38	30
31	.31	X	.07	X	.85	X	.01		X	.10	X	.08	31
TOTAL	3.81	1.59	1.81	1.91	3.93	.67	3.90	3.30	4.52	2.16	5.49	2.75	35.84
Days with or in. or more.	24	15	13	16	22	6	219	19	220	21	19	221	215
Days with .04 in. or more.	18	10	9	9	16	2	12	13	14	15	17	13	148

192/

Long. $E 0^{\circ} 8'$

Station *Bexley Heath S.E.R.*

Height of Rain Gauge *6* in.

Gauge above Ground *12* in.

Sea Level *161* ft.

result entered to the previous day.

stly requested to add
d for it at the end of
placing of rain gauges,
r Rainfall Observers,"
nization, 62, Camden
3.R.O. 1431
is form.

Jan. 1, following.

Kept at *Bexley Heath*
in the County of *Kent*
by *G. I.*

BEXLEY HEATH
KENT

1921-1922

IMPORTANT

If an Observer pre
the reading at 9 a.
this paragraph. Fu
and particulars as
sent post-free on
Square, London, N.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	4.0	0.8	2.7	0.3	—	—	—	—	—	—	—	4.5	1
2	~~2.2~~ ^{2.3}	0.3	—	—	1.4	—	—	—	0.8	—	13.0	0.3	2
3	—	0.2	1.2	—	4.5	4.0	—	2.7	—	2.3	4.9	—	3
4	2.7	—	—	—	3.0	—	—	0.3	—	—	8.0	—	4
5	0.6	—	—	—	—	—	—	~~1.3~~ ^{1.5}	—	—	5.9	<i>Trace</i>	5
6	3.4	0.6	7.0	—	0.7	—	0.5	—	—	—	—	—	6
7	5.9	<i>Trace</i>	—	—	~~1.4~~ ^{1.1}	—	—	—	—	—	—	—	7
8	<i>Trace</i>	—	0.3	1.3	0.3	0.2	—	—	—	—	—	—	8
9	0.1	—	—	3.3	0.3	—	—	—	—	—	—	—	9
10	4.7	—	—	—	—	—	—	—	0.9	10.7	—	—	10
11	~~4.7~~ ^{4.3}	0.4	—	—	1.1	—	—	—	~~27.5~~	—	—	—	11
12	4.2	0.2	1.3	—	—	—	—	2.8	7.0	—	—	2.7	12
13	2.8	—	~~2.1~~ ^{2.2}	10.2	0.4	—	—	3.9	2.1	1.5	—	—	13
14	—	—	0.4	—	1.8	—	—	—	—	—	—	7.6	14
15	—	—	—	~~1.5~~ ^{1.5}	0.4	—	—	<i>Trace</i>	—	—	0.2	0.2	15
16	0.6	—	0.8	2.0	—	—	—	1.6	—	—	5.0	0.4	16
17	1.3	—	2.3	13.0	—	—	2.3	~~8.9~~ ^{1.2}	0.9	—	—	—	17
18	4.4	0.2	—	—	—	—	—	—	—	<i>Trace</i>	—	—	18
19	—	—	3.7	0.6	0.3	0.6	—	—	0.6	0.2	—	<i>Trace</i>	19
20	—	—	1.8	—	—	<i>Trace</i>	—	—	—	3.7	—	—	20
21	—	—	—	—	—	—	—	—	<i>Trace</i>	—	1.8	—	21
22	—	—	—	—	—	—	—	—	—	6.0	—	5.4	22
23	—	—	—	4.4	—	—	—	17.0	—	0.2	—	0.9	23
24	—	0.4	—	1.3	—	—	—	0.2	—	—	—	0.8	24
25	~~0.6~~ ^{1.2}	3.1	—	0.3	—	2.9	—	—	—	—	0.3	1.4	25
26	~~0.2~~ ^{1.5}	—	0.1	—	6.4	0.4	—	—	—	—	0.3	4.4	26
27	1.4	—	0.5	—	0.2	—	—	—	—	—	0.3	—	27
28	—	—	6.8	—	1.4	—	1.8	—	—	—	0.4	0.5	28
29	<i>Trace</i>	—	2.7	—	3.7	—	—	—	—	—	~~4.6~~	1.1	29
30	3.4	~~X~~	—	1.1	0.2	—	—	—	—	—	4.6	~~1.2~~ ^{1.4}	30
31	0.8	~~X~~	—	~~X~~	0.5	~~X~~	—	—	~~X~~	—	~~X~~	—	31
TOTAL	48.0	6.2	33.7	39.3	28.0	8.1	4.6	38.7	39.8	24.6	44.7	31.4	257.6
Days with 0.2 mm. or more	18	9	14	12	18	5	3	9	7	7	12	14	128
Days with 1.0 mm. or more	15	1	10	9	9	2	2	7	3	5	7	8	76

REGISTER OF RAINFALL IN 192/.

"Rookwood"

Kept at Broadway Bealey Heathin the County of Huntby G. B. HamlinLat N 51° 28' Long E 0° 8'Time of Observation 9hNearest Railway Station Bealey Heath S.E.R.Diameter of Funnel of Rain Gauge 5 in.Height of top of Gauge above Ground 12 ft." " " " Sea Level 161 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Rain Gauge NXZ 3403 Measure B.R.O. 1431

Records taken in Inches should not be entered on this form.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	4.0	0.8	2.7	0.3	—	—	—	—	—	—	—	4.5	1
2	~~2.2~~ ^{2.3}	0.3	—	—	1.4	—	—	—	0.8	—	13.0	0.3	2
3	—	0.2	1.2	—	4.5	4.0	—	2.7	—	2.3	4.9	—	3
4	2.7	—	—	—	3.0	—	—	0.3	—	—	8.0	—	4
5	0.6	—	—	—	—	—	—	~~1.3~~ ^{1.5}	—	—	5.9	Trace	5
6	3.4	0.6	7.0	—	0.7	—	0.5	—	—	—	—	—	6
7	5.9	Trace	—	—	~~1.4~~ ^{1.1}	—	—	—	—	—	—	—	7
8	Trace	—	0.3	1.3	0.3	0.2	—	—	—	—	—	—	8
9	0.1	—	—	3.3	0.3	—	—	—	—	—	—	—	9
10	4.7	—	—	—	—	—	—	—	0.9	10.7	—	—	10
11	~~4.1~~ ^{4.3}	0.4	—	—	1.1	—	—	—	~~27.5~~	—	—	—	11
12	4.2	0.2	1.3	—	—	—	—	2.8	7.0	—	—	2.7	12
13	2.8	—	~~2.1~~ ^{2.2}	10.2	0.4	—	—	3.9	2.1	1.5	—	—	13
14	—	—	0.4	Trace	1.8	—	—	—	—	—	—	7.6	14
15	—	—	—	1.5	0.4	—	—	Trace	—	—	0.2	0.2	15
16	0.6	—	0.8	2.0	—	—	—	1.6	—	—	5.0	0.4	16
17	1.3	—	2.3	13.0	—	—	2.3	~~8.9~~	0.9	—	—	—	17
18	4.4	0.2	—	—	—	—	—	—	—	Trace	—	—	18
19	—	—	3.7	0.6	0.3	0.6	—	—	0.6	0.2	—	Trace	19
20	—	—	1.8	—	—	Trace	—	—	—	3.7	—	—	20
21	—	—	—	—	—	—	—	—	Trace	—	1.8	—	21
22	—	—	—	—	—	—	—	—	—	6.0	—	5.4	22
23	—	—	—	4.4	—	—	—	17.0	—	0.2	—	0.9	23
24	—	0.4	—	1.3	—	—	—	0.2	—	—	—	0.8	24
25	~~0.6~~ ^{1.2}	3.1	—	0.3	—	2.9	—	—	—	—	0.3	1.4	25
26	~~0.2~~ ^{1.5}	—	0.1	—	6.4	0.4	—	—	—	—	0.3	4.4	26
27	1.4	—	0.5	—	0.2	—	—	—	—	—	0.3	—	27
28	—	—	6.8	—	1.4	—	1.8	—	—	—	0.4	0.5	28
29	Trace	—	2.7	—	3.7	—	—	—	—	—	4.6	1.1	29
30	3.4	—	—	1.1	0.2	—	—	—	—	—	4.6	~~1.2~~ ^{1.4}	30
31	0.8	—	—	—	0.5	—	—	—	—	—	—	—	31
TOTAL	48.0	6.2	33.7	39.3	28.0	8.1	4.6	38.7	39.8	24.6	44.7	31.4	357.6
Days with 0.2 mm. or more	18	9	14	12	18	5	3	9	7	7	12	14	128
Days with 1.0 mm. or more	15	1	10	9	9	2	2	7	3	5	7	8	76

REGISTER OF RAINFALL IN 1921

Kept at Berley Heath MO
in the County of Kent
by G. B. Hamlin

Lat. 51° 28' Long. 0° 8' E
Time of Observation 9h 21h G.M.T.
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 161 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	4.0	0.8	2.7	0.3	-	-	-	-	-	-	-	4.5	1
2	2.3	0.3	-	-	1.4	-	-	-	0.8	-	13.0	0.3	2
3	-	0.2	1.2	-	4.5	4.0	-	2.7	-	2.3	4.9	-	3
4	2.7	-	-	-	3.0	-	-	0.3	-	-	8.0	-	4
5	0.6	-	-	-	-	-	-	1.5	-	-	5.9	-	5
6	3.4	0.6	7.0	-	0.7	-	0.5	-	-	-	-	-	6
7	5.9	-	-	-	1.1	-	-	-	-	-	-	-	7
8	-	-	0.3	1.3	0.3	0.2	-	-	-	-	-	-	8
9	0.1	-	-	3.3	0.3	-	-	-	-	-	-	-	9
10	4.7	-	-	-	-	-	-	-	0.9	10.4	-	-	10
11	4.3	0.4	-	-	4.1	-	-	-	24.5	-	-	-	11
12	4.2	0.2	1.3	-	-	-	-	2.8	7.0	-	-	2.4	12
13	2.8	-	2.2	10.2	0.4	-	-	3.9	2.1	1.5	-	-	13
14	-	-	0.4	-	1.8	-	-	-	-	-	-	7.6	14
15	-	-	-	1.5	0.4	-	-	-	-	-	0.2	0.2	15
16	0.6	-	0.8	2.0	-	-	-	1.6	-	-	5.0	0.4	16
17	1.3	-	2.3	13.0	-	-	2.3	17.6	0.9	-	-	-	17
18	4.4	0.2	-	-	-	-	-	-	-	-	-	-	18
19	-	-	3.7	0.6	0.3	0.6	-	-	0.6	0.2	-	-	19
20	-	-	1.8	-	-	-	-	-	-	3.7	-	-	20
21	-	-	-	-	-	-	-	-	-	-	1.8	-	21
22	-	-	-	-	-	-	-	-	-	6.0	-	5.4	22
23	-	-	-	4.4	-	-	-	17.0	-	0.2	-	0.9	23
24	-	0.4	-	1.3	-	-	-	0.2	-	-	-	0.8	24
25	1.2	3.1	-	0.3	-	2.9	-	-	-	-	0.3	1.4	25
26	1.5	-	0.1	-	6.4	0.4	-	-	-	-	0.3	4.4	26
27	1.4	-	0.5	-	0.2	-	-	-	-	-	0.3	-	27
28	-	-	6.8	-	1.4	-	1.8	-	-	-	0.4	0.5	28
29	-	-	2.7	-	3.7	-	-	-	-	-	-	1.1	29
30	3.4	~~X~~	-	1.1	0.2	-	-	-	-	-	4.6	1.4	30
31	0.8	~~X~~	-	~~X~~	0.5	~~X~~	-	-	~~X~~	-	~~X~~	-	31
TOTAL	49.6	6.2	33.8	39.3	27.7	8.1	4.6	47.6	39.8	24.6	44.7	31.6	YEAR'S TOTAL
Days with 0.2 mm. or more	18	9	14	12	18	5	3	9	7	7	12	14	357.6
Days with 1.0 mm. or more	15	1	10	9	9	2	2	7	3	5	4	8	12.8

Re: Heat

M.O. 3

Would you please confirm
your figures in Jan., March, May & Aug.
In August where the only serious difference
occurs, the version sent direct to us
seems more likely to be correct.

John Lasspoole

20.4.22

Jan Correctly copied.

11th. wrong addition on part of observer.

25th 0.6 3 up for the time ending 9h.

26th 0.8

March Correctly copied.

13th. wrong addition on part of observer.

May Correctly copied.

11th wrong addition by observer.

Aug Correctly copied.

7th 8.9 is for the 12 hrs ending 9h

AIR MINISTRY.

FORM 1091 METEOROLOGICAL OFFICE—BRITISH RAINFALL ORGANIZATION.
(formerly R.O. Form A.2). REGISTER OF RAINFALL IN 1922

Kept at Bexley Heath
in the County of Kent
by G. B. Hamlin

Lat. 51°28' Long. 0°8'E
Time of Observation 7.2 & 21.2
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 16.1 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	-	1.6	3.0	-	-	-	0.6	-	0.4	0.6	8.3	1.5	1
2	1.4	5.8	1.7	1.6	0.5	-	1.5	-	5.8	-	-	-	2
3	-	4.3	0.5	18.3	4.4	-	1.3	3.1	-	-	4.1	-	3
4	-	0.9	3.8	-	2.1	-	2.2	1.5	-	7.2	-	-	4
5	-	-	2.0	3.9	1.8	-	21.8	-	-	1.7	6.8	-	5
6	1.4	-	0.9	-	-	-	0.5	5.9	-	-	9.3	-	6
7	1.9	-	5.4	4.2	-	-	3.1	4.6	-	-	-	0.4	7
8	0.9	-	4.8	3.6	-	-	2.0	0.2	-	-	0.3	0.9	8
9	2.7	-	-	0.2	-	-	6.3	3.7	-	0.6	-	0.5	9
10	-	-	-	-	-	-	-	-	2.5	0.3	2.7	-	10
11	0.7	-	-	-	0.6	-	-	1.4	-	-	-	-	11
12	-	-	-	6.5	-	-	-	4.1	-	-	-	-	12
13	0.8	-	-	6.3	-	2.1	2.0	-	-	-	-	-	13
14	-	-	-	0.4	-	8.1	18.6	0.2	12.5	-	0.3	-	14
15	9.5	1.8	-	0.3	-	4.4	0.3	-	-	-	0.2	-	15
16	0.6	2.4	-	3.7	3.1	-	3.2	-	0.6	-	0.2	2.5	16
17	-	6.2	-	-	0.6	-	0.4	0.3	2.6	-	-	3.2	17
18	10.4	-	-	-	0.4	-	0.8	-	-	0.8	-	2.2	18
19	14.3	0.9	0.4	-	0.1	-	-	-	10.1	8.9	-	10.0	19
20	-	-	0.3	-	-	-	-	-	0.3	4.8	-	-	20
21	2.8	4.3	1.0	0.4	-	-	-	-	-	1.2	-	15.6	21
22	0.4	2.1	-	5.6	5.1	6.2	3.0	3.5	-	-	-	-	22
23	-	0.5	-	0.2	-	0.3	7.3	-	1.7	-	-	-	23
24	1.0	-	0.6	1.7	1.4	2.9	0.6	3.9	-	-	-	-	24
25	4.3	-	-	8.2	1.8	1.4	-	1.0	-	-	-	2.4	25
26	4.5	3.0	1.0	1.7	-	1.1	2.5	-	0.7	-	0.6	0.4	26
27	4.9	2.3	1.7	1.4	-	-	-	4.2	4.2	1.8	-	6.3	27
28	2.5	6.6	4.5	0.2	-	11.8	-	1.2	-	0.2	0.6	0.5	28
29	-	~~X~~	-	-	-	2.4	0.5	7.6	-	3.0	-	1.9	29
30	-	~~X~~	3.5	-	-	0.5	0.6	7.5	7.3	-	1.4	13.2	30
31	2.1	~~X~~	-	~~X~~	-	~~X~~	2.4	2.5	~~X~~	0.2	~~X~~	8.0	31
TOTAL	67.1	42.7	35.1	68.4	21.9	41.2	81.5	56.4	48.7	31.3	34.8	69.5	YEAR'S TOTAL
Days with 0.2 mm. or more	19	14	16	19	11	11	22	18	12	13	12	16	183
Days with 1.0 mm. or more	14	11	11	13	7	9	14	15	8	7	6	11	126

Kept at Sunnydene
in the County of Surrey
by Sir W. R. ...

IMPORTANT NOTE.
If an Observer prefers not to
the reading at 9 a.m. on 1st
this paragraph. Full instructions
and particulars as to the B
sent post-free on application
Square, London, N.W. 1, or to
R

SUNNYDENE
BICKLEY
KENT
1921-1926

LL ORGANIZATION.

1921.....
Long 5° 8' 11"
ation 8 2 20
y Station Bickley
nnel of Rain Gauge 15 in.
f Gauge above Ground 1 ft. in.
" " Sea Level 227 ft.
he result entered to the previous day.
nently requested to add
led for it at the end of
placing of rain gauges,
for Rainfall Observers,"
ganization, 62, Camden
thesay Place, Edinburgh.
on this form.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.14		0.10						0.03		.01	.21	1
2											.45	.01	2
3	0.04		0.06	.14	.07		.06			.04	.38		3
4	0.11			.23							.33		4
5							.07				.33		5
6	0.12	0.04	0.26	.04									6
7	0.31	0.03		.12									7
8				.005									8
9					.09								9
10	0.12									.29			10
11	0.16	0.04		.04				1.15					11
12	0.21		0.02				.26	.25				.10	12
13	0.29		0.10	.40				.11				.01	13
14			0.02	.10								.25	14
15						.005						.01	15
16	0.005		0.001	.18			.15				.34		16
17	0.07		0.04	.50			.06						17
18	0.09	0.04						.05					18
19			0.19		.63				.02		.05		19
20			0.03		.005				.07				20
21										.09			21
22									.11		.15		22
23				.24			.33		.01		.09		23
24				.04							.04		24
25	0.03	0.14		.06	.12						.06		25
26	0.04			.09							.16		26
27	0.04			.005									27
28			0.52	.09	.10						.05		28
29			0.10	.13						.15	.03		29
30	0.18	X		.005	.005						.02		30
31	0.04	X		.03	X			X		X			31
TOTAL	1.905	0.29	1.35	1.455	1.18	.225	.11	.93	1.59	5.4	2.08	1.24	12.895
Days with ".01 in. or more	17	5	12	7	2	13	2	6	5	6	8	3	99
Days with ".01 in. or more	14	5	8	6	11	3	1	6	4	6	8	12	74

Kept at Stunningden Beckley
in the County of Kent
by Sir Burch Tower

Lat. 51° 24' Long. 5° 2'
Time of Observation 8 a.m.
Nearest Railway Station Beckley
Diameter of Funnel of Rain Gauge 7.5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 227 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.14		0.10						0.3		0.1	2.1	1
2					.10						.45	.01	2
3	0.04		0.06		.14	.07		.06		.04	.38		3
4	0.11				.23						.33		4
5								.07			.33		5
6	0.12	0.04	0.26		.04								6
7	0.31	0.03			.12								7
8					.005								8
9				0.9									9
10	0.12									.29			10
11	0.16	0.04			.04				1.15 1.15				11
12	0.21		0.02					.26	.25			.10	12
13	0.29		0.10	40					.11			.01	13
14			0.02		.10							.25	14
15							.005					.01	15
16	0.005		0.201	18				.15			.34		16
17	0.07		0.14	50				.06					17
18	0.09	0.04	0.0						.05				18
19			0.19			.63				.02		.05	19
20			0.03			.005				.07			20
21											.09		21
22										.11		.15	22
23				24				.33		.01		.09	23
24				.04								.04	24
25	0.03	0.14			.06	.12						.06	25
26	0.04				.09							.16	26
27	0.04			.005									27
28			0.32		.09		.10					.05	28
29			0.10		.13						.15	.03	29
30	0.18	X			.005		.005					.02	30
31	0.04	X		X	.03	X			X		X		31
TOTAL	1.905	0.29	1.35	1.455	1.18	.225	.11	.93	1.59 5.55	5.4	2.08	1.24	12.895 11.86
Days with "01 in. or more	17	5	12	7	2	13	2	6	5	6	8	3	99
Days with "01 in. or more	14	5	8	6	11	8	1	6	4	6	8	12	94

0 APL 1922

SUNNYDENE.

SICKLEY,

KENT.

TELEPHONE BROMLEY 900.

7. 4. 22

The Superintendent

British Rainfall Organisation

Dear Sir

Thank you for your letter of the 4th —
I have looked at my Rainfall records
& I find that I have undoubtedly misread
the figures for the 11th Sept. They should
have been 1.15 and 0.115
will you kindly correct the error?

Yrs faithfully

J. W. Rendell. Yours

REGISTER OF RAINFALL IN 1922

Kept at *Sunnydene Bickley*
 in the County of *Kent*
 by *Sir Dench Town*

Lat. *51.24* Long. *1.20*
 Time of Observation *9 a.m.*
 Nearest Railway Station *Bickley*
 Diameter of Funnel of Rain Gauge *5* in.
 Height of top of Gauge above Ground *1* ft. — in.
 " " " " Sea Level *22.7* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.05	.15		.05		.04		.03		.57		1
2	.05	.24	.08	.02			.01		.08			.21	2
3		.05	.04	.72	.17		.06	.07			.11		3
4		.15	.16		.05		.10	.14		.25			4
5			.15	.10	.07		1.04			.03	.40		5
6	.04		.03				.05	.69			.21		6
7	.06		.33	.13			.07	.10					7
8	.04		.18	.14		.02	.19					.06	8
9	.06						.05	.10				.03	9
10									.07	.03	.11		10
11	.03				.05			.10					11
12				.38				.16	.21				12
13				.31		.06	.06		.02				13
14						.54	.70		.48				14
15	.30	.15		.04		.05	.03						15
16				.25	.08		.08		.02			.13	16
17		.34	.04	.01	.02				.05			.11	17
18	.50						.05			.05		.10	18
19	.61	.02							.46	.37		.61	19
20			.03							.10			20
21	.12	.25		.04						.05		1.09	21
22		.04		.25	.16	.03		.16				.03	22
23							.07		.12				23
24			.01	.10	.09	.06	.05	.15	.02				24
25	.20			.29	.85	.06						.15	25
26	.16	.21	.03	.14		.20	.14		.02				26
27	.17	.18	.07	.19				.11	.11	.09		.45	27
28	.08	.34	.15			.43		.07			.05	.06	28
29						.10	.03	.22		.14		.16	29
30		X	.17	.01			.02	.31	.27		.05	.58	30
31	.09	X		X		X	.11	.07	X		X	.50	31
TOTAL	2.51	2.02	1.62	3.12	1.59	1.55	2.95	2.45	1.96	1.11	1.50	4.27	YEAR'S TOTAL
Days with .01 in. or more	15	12	15	17	10	10	20	14	14	9	7	15	26.65
Days with .04 in. or more	14	11	11	14	9	8	18	14	9	6	7	13	133

AIR MINISTRY.

FORM 1090

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1923.

Kept at Sunnyside Bickley
in the County of Kent
by Sir Wmch Tower

Lat. 51. 24 Long. 0. 4 East
Time of Observation 9 A M
Nearest Railway Station Bickley
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 22.7 ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day.
An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.04		0.15						0.09		0.11	0.37	1
2	0.14		0.11		0.10								2
3	0.03									1.15		0.03	3
4	—								0.08			0.10	4
5	0.24			0.12		0.09				0.05			5
6	0.24		0.07	0.04									6
7	0.02	1.21	0.40		0.04	0.13				0.34		0.20	7
8	0.06	0.20								0.28	0.56		8
9	0.07		0.08				1.86						9
10		0.13		0.37	0.12		0.13			0.27		0.01	10
11	0.03			0.31						0.37		0.01	11
12	—	0.43		0.07	0.31	0.07				0.40		0.01	12
13	—	0.10	0.70	0.05			0.05				0.45		13
14	—	0.06	0.21					0.08	0.17				14
15	—		0.05		0.17	0.11	0.02		0.08		0.35		15
16	—	0.06	0.05								0.20		16
17	—							0.05					17
18	0.09	0.19						0.22					18
19	0.15	0.06					0.03		0.10	1.44			19
20	0.05		0.12						0.34	0.09			20
21	—	0.24	0.05	0.06						0.09	0.05	0.29	21
22	—	0.43							0.40	0.11		0.12	22
23	—		0.11		0.60		0.01	0.37		0.39		0.05	23
24	—	0.04						1.11	0.16			0.05	24
25	—		0.05	0.49	0.13	0.13	0.14		0.01	0.40		0.35	25
26	—	0.25	0.18							0.25		0.34	26
27	—	0.04	0.04					0.26		0.09		0.10	27
28	—	0.10		0.17	0.60		0.10						28
29	0.13			0.11	0.63			0.56				0.22	29
30	—	X					0.07			0.11		0.17	30
31	—	X		X		X	0.22		X		X	0.15	31
TOTAL	1.29	3.54	2.37	1.79	2.57	0.53	2.63	2.65	1.43	5.86	1.72	2.56	28.94
Days with 0.1 in. or more	13	15	15	10	8	5	10	7	9	16	6	16	130
Days with 0.1 in. or more	10	15	15	10	8	5	7	7	8	16	6	13	120

YEAR'S TOTAL

FORM 1090.

AIR MINISTRY.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

County No.

River Dist.

Station No.

REGISTER OF RAINFALL IN 1924.

Kept at Sunningden Brickleyin the County of Hantsby Sir Wm. JonesLat. 51.24 Long. 0.42Time of Observation 9 a.m.Nearest Railway Station BrickleyDiameter of Funnel of Rain Gauge 5 in.Height of top of Gauge above Ground 1 ft. — in." " " " Sea Level 227 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.04				0.02	0.27	0.05	0.06			0.40	0.05	1 RVW
2	0.05		0.19			0.25		0.10				0.04	2 W.
3					0.14	0.09	0.10	0.17	0.10				3 C
4						0.60			0.09	0.07		0.03	4 B.S.
5		0.15	0.20				0.02			0.04		0.15	5
6		0.01						0.21		0.28			6
7						0.59			0.07	0.32			7
8				0.22	0.12	0.12				0.10			8
9		0.28			0.02	0.04			0.20				9
10	0.47			0.21	0.30	0.05							10
11				0.46	0.13	0.15					0.50		11
12	0.01	0.04		0.25	0.04	0.47			0.02		0.65		12
13	0.01			0.19	0.65			0.05	0.50		0.05	0.15	13
14	0.03			0.20				0.03				0.03	14
15									0.03			0.40	15
16								0.10	0.02			0.06	16
17	0.10						0.70	0.09					17
18	0.30				0.39	0.15		0.83		0.02	0.03		18
19	0.10	0.11						0.04		0.04			19
20	0.01						0.10		0.04	0.07			20
21	0.35				0.05		0.09	0.10	0.12	0.50			21
22	0.45		0.09				0.05	0.35	0.13				22
23			0.25		0.09			0.03	0.05			0.45	23
24	0.36	0.07	0.09		0.30			0.15			0.07	0.30	24
25		0.01	0.07		0.18		0.54		0.50	0.03	0.14		25
26				0.40			0.14		0.50	0.04	0.32	0.28	26
27				0.55			0.24			0.13	0.45	0.60	27
28				0.05			0.36	0.09		0.02	0.29		28
29				0.19	0.36		0.27	0.39	0.02	0.50	0.04	0.04	29
30		X		0.92	0.67		0.22	0.16	0.50	0.50	0.30	0.38	30
31		X		X	0.33	X		0.17	X	0.05	X	0.22	31 8/2
TOTAL	2.28	0.67	0.89	3.64	3.79	2.78	2.88	3.12	2.89	2.71	3.24	3.08	YEAR'S TOTAL 31.57 ✓
Days with '01 in. or more.	13	5	6	11	16	11	13	18	16	16	12	15	15 4
Days with '04 in. or more	9	5	6	11	14	11	12	16	12	13	11	13	13 3

Section



for the entry of Daily Observations.

AIR MINISTRY.

FOR OFFICIAL USE.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

387

Register of Rainfall in 1925.

Kept at "Sunnydene" Brierley
in the County of Devon.

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" Ground " Sea Level 227 ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.50	—	0.07	0.08	0.03	—	—	0.04	0.08	—	0.29	—	1
2	0.18	—	—	0.20	—	—	—	0.26	—	—	0.36	—	2
3	0.09	—	—	—	—	—	—	—	0.02	—	0.22	—	3
4	—	—	—	—	0.10	—	—	0.20	—	—	0.07	—	4
5	—	0.03	—	0.32	0.13	—	—	0.02	0.12	—	0.04	—	5
6	—	0.15	—	0.15	—	—	—	0.02	—	—	0.27	—	6
7	—	0.10	0.05	0.14	0.03	—	0.40	—	—	0.02	0.12	0.10	7
8	0.03	—	—	—	0.03	—	—	—	0.04	—	—	0.12	8
9	—	—	—	0.05	0.06	—	—	0.05	0.37	—	0.06	—	9
10	—	0.03	0.08	—	0.03	—	—	0.16	0.29	—	0.24	—	10
11	—	0.10	—	—	—	—	—	—	0.06	—	0.30	—	11
12	—	0.77	—	—	—	—	—	—	0.02	0.11	—	—	12
13	—	0.44	0.15	0.15	—	—	—	0.06	—	0.03	—	—	13
14	0.09	0.16	0.05	0.10	—	—	—	—	—	—	—	—	14
15	0.20	—	—	—	—	—	—	—	—	0.21	—	—	15
16	—	—	—	0.02	—	—	—	—	0.11	0.11	—	—	16
17	—	—	—	—	—	—	—	—	—	0.02	—	—	17
18	—	0.07	—	—	0.36	—	0.10	—	—	—	—	—	18
19	—	—	—	—	0.02	—	—	—	0.17	0.75	—	0.15	19
20	—	—	0.04	—	—	—	0.11	0.06	0.69	0.27	—	0.20	20
21	—	—	—	0.16	—	—	0.12	0.10	0.02	0.39	—	0.31	21
22	—	—	—	0.04	—	—	1.31	0.11	0.78	0.96	—	0.55	22
23	—	0.04	0.15	—	0.28	—	0.04	0.42	0.02	0.02	—	0.02	23
24	—	0.35	—	—	0.11	0.16	—	0.21	—	0.03	0.11	0.03	24
25	0.07	0.60	—	—	—	—	0.01	—	0.17	—	—	0.05	25
26	—	0.40	—	0.06	—	0.02	0.37	—	0.03	0.24	—	0.09	26
27	0.37	0.05	—	0.30	0.23	—	0.33	0.24	—	—	—	0.03	27
28	0.08	—	—	—	—	—	—	—	0.03	—	0.15	0.16	28
29	0.09	—	—	0.30	0.07	—	—	—	—	—	—	0.14	29
30	—	X	—	—	—	—	0.26	—	—	—	—	0.83	30
31	0.13	X	—	X	0.03	X	0.04	—	X	—	X	0.02	31
TOTAL	1.73	3.29	0.59	2.07	1.51	0.18	3.09	1.95	3.02	3.16	2.23	2.80	26.62
Days with "01 in. or more.	4	14	7	14	14	2	11	14	17	13	12	15	144
Days with "04 in. or more.	10	12	7	13	8	1	10	13	11	8	12	11	117

(Signed)..... [Signature] P.T.O.

Section **A**

for the entry of Daily Observations.

FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1926

370

Kept at Surrey Heath, Bickley
in the County of Kent
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" Ground " Sea Level 2278 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.31	18	—	—	—	—	—	—	0.6	—	—	—	1
2	06	—	—	—	—	13	—	—	36	—	—	—	2
3	18	60	0.6	—	—	90	—	—	0.3	—	—	—	3
4	—	02	0.3	77	—	02	14	—	—	—	30	—	4
5	0.3	11	0.5	—	07	—	02	—	02	—	11	21	5
6	04	36	—	—	—	—	02	04	24	—	0.5	—	6
7	28	0.3	0.3	—	0.5	11	—	19	0.4	—	24	0.3	7
8	—	—	—	21	—	—	—	01	—	0.9	75	—	8
9	—	—	—	—	—	36	—	—	0.5	0.8	1.9	—	9
10	—	—	—	—	02	10	—	75	—	—	27	—	10
11	—	19	—	—	02	08	—	32	0.1	0.2	0.2	—	11
12	—	09	—	—	0.5	10	—	74	—	24	—	—	12
13	—	—	—	—	—	—	—	—	—	25	91	—	13
14	—	—	—	04	56	16	—	—	—	65	—	15	14
15	—	02	—	16	—	—	—	—	—	36	0.6	—	15
16	—	12	—	31	—	—	—	18	—	—	—	—	16
17	—	56	—	02	0.3	66	—	—	—	—	12	0.7	17
18	36	0.7	—	23	0.6	0.8	21	0.3	—	—	3.8	—	18
19	—	—	—	—	18	—	28	—	—	—	—	—	19
20	—	—	—	28	0.5	—	—	0.6	—	11	5.4	—	20
21	—	—	—	21	—	—	0.6	—	—	0.1	3.7	—	21
22	26	0.7	—	15	—	—	—	—	—	5.4	0.7	—	22
23	0.6	0.2	—	—	—	0.3	—	—	—	—	—	—	23
24	—	—	—	—	0.7	0.7	0.2	—	12	5.7	—	—	24
25	0.9	—	0.2	1.03	—	—	2.9	—	0.2	2.0	0.2	11	25
26	0.6	—	—	14	—	—	0.4	—	0.8	—	2.0	—	26
27	3.7	0.2	—	—	—	0.8	0.2	—	2.6	—	—	—	27
28	—	—	—	24	—	—	32	—	—	2.7	1.4	—	28
29	0.3	—	—	12	1.7	—	0.2	—	—	0.8	4.9	—	29
30	0.2	X	—	10	0.7	—	—	—	—	—	2.5	—	30
31	1.6	X	—	X	—	X	—	9.5	X	—	X	—	31
TOTAL	231	2.46	1.9	4.65	1.36	2.88	1.44	2.53	1.23	2.97	5.48	5.7	YEARS TOTAL
Days with "01 in. or more.	15	15	5	17	13	14	12	9	12	14	20	5	151
Days with "04 in. or more.	12	10	2	16	8	12	7	7	8	12	18	4	116

Please read the Notes and Instructions Overleaf.

FORM A. 1. METEOROLOGIC
REGIS

ST. LUKES VICARAGE

ORGANIZATION.

921.....

Kept at.....S. Luke's Vicarage

in the County of.....Kent

by.....C. C. Gosnell

BICKLEY

KENT

Long.....

tion.....Bickley

of Rain Gauge.....5 in.

ge above Ground.....2 ft. in.

Sea Level.....ft.

sult entered to the previous day.

requested to add
or it at the end of
ing of rain gauges,
Rainfall Observers,"
ation, 62, Camden

Jan. 1, following.

IMPORTANT NOTE.—Rai
If an Observer prefers not to co
the reading at 9 a.m. on 1st Jan
this paragraph. Full instructions
and particulars as to the British
sent post-free on application to
Square, London, N.W. 1.

Record

1921-1922.

s form.

Date	Jan.	Feb.	March							Oct.	Nov.	Dec.	Date
	in.	in.	in.							in.	in.	in.	
1	11		10								02	13	1
2	02				10						43	02	2
3			04		13	08		09			40		3
4	10				20			03			26		4
5	01										38		5
6	10	04	26		03								6
7	28	02			12								7
8	01			06									8
9				05									9
10	09							03	30				10
11	10	03						113					11
12	20		02		04			38	28			11	12
13	18		09	37	03			02	01	02			13
14			02		06		01	04				25	14
15				09								02	15
16	03			11				14					16
17	05		13	45			01	07	01		34		17
18	05	02							05	02			18
19			15			03						05	19
20			02			02				06			20
21											10		21
22										14		15	22
23				26						02		10	23
24				05				32				02	24
25	02	14		01	06	12						07	25
26	03				10	03						11	26
27	03				02								27
28			27		09		10					06	28
29			10		13							03	29
30	17	~~X~~		02	02						25	02	30
31	03	~~X~~		~~X~~	02	~~X~~		~~X~~		~~X~~	~~X~~		31
TOTAL	161	25	120	147	115	28	12	109	151	56	218	114	YEAR'S TOTAL 12.56
Days with 01 in. or more	19	5	11	10	15	5	3	8	6	6	8	14	110
Days with 04 in. or more	11	2	8	8	10	2	1	6	3	3	7	9	70

REGISTER OF RAINFALL IN 1921.

Kept at S. Luke's, Vicarage, Buckley
in the County of Kent
by C. C. Gosnell

Lat. _____ Long. _____
Time of Observation 9 am
Nearest Railway Station Buckley
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. — in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	11		10								02	13	1
2	02				10						43	02	2
3			04		13	08		09			40		3
4	10				20			03			26		4
5	01										38		5
6	10	04	26		03								6
7	20	02			12								7
8	01			06									8
9				05									9
10	09								03	30			10
11	10	03							113				11
12	20		02		04			38	28			11	12
13	18		09	37	03			02	01	02			13
14			02		06		01	04				25	14
15				09								02	15
16	03			11				14					16
17	05		13	45			01	07	01		34		17
18	05	02							05	02			18
19			15			03						05	19
20			02			02				06			20
21											10		21
22										14		15	22
23				26						02		10	23
24				05				32				02	24
25	02	14		01	06	12						07	25
26	03				10	03						11	26
27	03				02								27
28			27		09		10					06	28
29			10		13							03	29
30	17	~~X~~		02	02						25	02	30
31	03	~~X~~		~~X~~	02	~~X~~			~~X~~		~~X~~		31
TOTAL	161	25	120	147	115	28	12	109	151	56	218	114	YEAR'S TOTAL 12.56
Days with "01 in. or more	19	5	11	10	15	5	3	8	6	6	8	14	110
Days with "04 in. or more	11	2	8	8	10	2	1	6	3	3	7	9	70

AIR MINISTRY.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1922.

Kept at S' Luke's Vicarage Bickley
in the County of Kent
by Rev. C.C. Gosse

Lat. _____ Long. _____
Time of Observation 9 am
Nearest Railway Station Bickley
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. — in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		09	14		05		03		03		48	19	1
2	04	20	08	08	01		02	13	09				2
3		11	10	58	16		04	08			11		3
4		07	09		17		09			22			4
5			12	10			103	75		03	50		5
6	04		02				03	11			12		6
7	05		38	18			07	02		01		05	7
8	03		08	07		03	16	10			02		8
9	06			02			06			04		04	9
10								10	07		11		10
11	03				06			14					11
12				37					19				12
13				26		08	14		04				13
14				01		60	61		46				14
15	30	12		02		02							15
16	01	01		24	09		05		02			12	16
17		28		02	02		02		05			11	17
18	58			01			03			05		09	18
19	52	02	06						37	41		47	19
20		01								05		01	20
21	12	19	02	06						05		100	21
22		03		21	(22)	03	03	18		02		02	22
23		01					06		18				23
24			03	08	09	05	04	13	02				24
25	20			29	73	05						13	25
26	15	15	03	14		20	14		02		04	08	26
27	16	12	08	16				15	11	08		26	27
28	07	33	12			40		03	02		02	06	28
29			15			09	02	22		15		14	29
30		X		04			03	31	24		03	56	30
31	09	X		X		X	13	08	X	03	X	45	31
TOTAL	245	174	150	294	159	155	283	253	191	114	145	378	YEAR'S TOTAL
Days with 0.1 in. or more	16	15	15	20	10	10	21	15	15	12	9	17	25.41
Days with 0.4 in. or more	13	10	11	15	8	7	13	13	10	8	6	15	17.5
													12.9

FORM A. 1. METEOROLOGIC
REGIS

4 JAN 1922 97
ZATION.
4 JAN 1922

BICKLEY - "FARRANTS"

Kept at "Farrant's"
in the County of Kent
by L. E. Chalm

KENT

1921-30

m.
Bickley
uge. in.
ound 1 ft. in.
a Level ft.
d to the previous day.
to add
end of
gauges,
servers,"
Camden

IMPORTANT NOTE.—Rai
If an Observer prefers not to co
the reading at 9 a.m. on 1st Jan
this paragraph. Full instructions
and particulars as to the British
sent post-free on application to
Square, London, N.W. 1.
Record

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.14		.10						.3		.3	.15	1
2	.3				.9						.48		2
3			.6		.14	.7		.6		.7	.41		3
4	.10				.16						.30		4
5								.8			.34	.1	5
6	.4	.6	.23		.3								6
7	.34				.10								7
8	.2			.5	.2								8
9	.1			.4									9
10	.14								.2	.34			10
11	.16	.5			.3				1.26				11
12	.16		.3					.18	.35			.11	12
13	.16		.11	.38	.6			.7	.3	.1			13
14					.5		.1					.28	14
15			.2		.2								15
16	.3			.16				.5			.35		16
17	.5		.15	.48				.15	.1				17
18	.7	.3							.2	.2			18
19			.18			.2			.1			.7	19
20			.3							.7			20
21											.11		21
22										.16		.16	22
23				.26				.34		.2			23
24				.5								.9	24
25	.3	.14		.1	.4	.11						.12	25
26												.17	26
27	.5		.1										27
28			.29										28
29	.3		.10		.20							.11	29
30	.18	X		.2							.25	.2	30
31		X		X		X			X		X		31
TOTAL	1.74	.28	1.31	1.45	.94	.20	.01	.93	1.73	.69	2.27	1.29	12.84
Days with 01 in. or more	.18	4	12	9	12	3	1	7	8	7	8	11	109
Days with 04 in. or more	.12	3	8	7	8	2	0	7	2	4	7	9	69

REGISTER OF RAINFALL IN 1921.

Kept at "Farrants" Bickley
in the County of Kent
by L. E. Chalmers Esq.

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Bickley
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	14		10						3		3	15	1
2	3				9						48		2
3			6		14	7		6		7	41		3
4	10				16						30		4
5								8			34	1	5
6	4	6	23		3								6
7	34				10								7
8	2			5	2								8
9	1			4									9
10	14								2	34			10
11	16	5			3				126				11
12	16		3					18	35			11	12
13	16		11	38	6			7	3	1			13
14					5		1					28	14
15			2		2								15
16	3			16				5			35		16
17	5		15	48				15	1				17
18	7	3							2	2			18
19			18			2			1			7	19
20			3							7			20
21											11		21
22										16		16	22
23				26				34		2			23
24				5								9	24
25	3	14		1	4	11						12	25
26												17	26
27	5		1										27
28			29										28
29	3		10		20							11	29
30	18			2							25	2	30
31													31
TOTAL	174	28	131	145	94	20	01	93	173	69	227	129	1284
Days with .01 in. or more	18	4	12	9	12	3	1	7	8	7	8	11	109
Days with .04 in. or more	12	3	8	7	8	2	0	7	2	4	7	9	69
YEAR'S TOTAL													1284

FORM 1090 METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
(formerly B.R.O. Form A.1).

AIR MINISTRY.

408

REGISTER OF RAINFALL IN 1922.

Kept at "Farrants" Bickley
in the County of Kent
by L. E. Chalman Esq. JP.

Lat. _____ Long. _____
Time of Observation 9 am
Nearest Railway Station Bickley
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.14	.19		.5		.1				.55	.21	1
2	.7	.22	.9	.4			.9		.15		.1		2
3		.14	.14	.80	.19		.4	.15			.13		3
4		.9	.10		.10		.11	.9		.27			4
5			.19	.14			1.09				.52		5
6	.2		.3				.6	.75		.5	.16		6
7	.9		.41	.21			.6	.12				.5	7
8	.5		.13	.9		.2	.21	.2				.2	8
9	.8			.1			.5	.10		.4	.2	.2	9
10									.9		.12		10
11	.3				.6						.2		11
12				.45				.26	.23				12
13				.31		.8	.14	.3					13
14				.2		.50	.62		.59				14
15	.39	.16		.3		.5	.1						15
16		.2		.28	.10		.9		.3			.13	16
17	.1	.33		.2	.1		.2			.5		1.2	17
18	.66						.3					.10	18
19	.56	.3	.7						.52	.45		.54	19
20		.3								.8		1.08	20
21	.13	.27		.5						.6			21
22		.3		.24	.22	.3	.4	.18		.2		.3	22
23		.2		.2			.7		.15				23
24	.4	.2	.3	.10	.9	.6		.16	.2				24
25	.22			.32	1.00	.7						.16	25
26	.14	.20		.11		.18	.17				.4	.10	26
27	.20	.17	.4	.20				.20	.16	.10		.34	27
28	.7	.34	.20	.1		.45					.3	.7	28
29						.8	.3	.27		.16		.17	29
30		~~X~~	.19	.4			.3	.34	.37	.1	.5	.65	30
31	.3	~~X~~		~~X~~		~~X~~	.14	.8	~~X~~		~~X~~	.49	31
TOTAL	2.79	2.21	1.81	3.49	1.82	1.52	3.11	2.75	2.31	1.29	1.65	4.28	YEAR'S TOTAL 29.03
Days with ".01 in. or more	17	16	13	21	9	10	21	14	10	11	11	17	170
Days with ".04 in. or more	13	10	11	15	8	8	15	12	8	9	7	14	130

AIR MINISTRY.
METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
REGISTER OF RAINFALL IN 1923.

Kept at Farrant's Bickley
in the County of Kent
by L. E. Chalmers Esq J.P.

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Bickley
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level _____ ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day.
An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

5

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.05		.15						.8	.6	.16	.10	1
2	.15		.10		.10					.10		.24	2
3						.5				1.06	.1	.5	3
4									.9				4
5	.35			.14		.8				.6	.4		5
6	.15	.4	.8	.3		.16							6
7	.4	1.16	.41		.5					.37		.30	7
8	.7	.21	.2		.2					.31	.57		8
9	.7	.4	.7	.1			1.90				.4		9
10		.14		.37	.8		.22			.30			10
11	.2	.2		.26	.5					.39		.3	11
12		.43	.74	.7	.28	.8				.44			12
13		.14	.21	.5			.6				.30		13
14	.1	.5	.6		.2			.4	.18				14
15	.2		.5	.2	.14	.11	.2		.14		.37		15
16		.6			.4	.2					.20		16
17	.3	.3					.2	.9	.4				17
18	.3	.17				.2		.21	.2	.3		.2	18
19	.16	.5					.4		.11	.91		X.11	19
20	.4	.5	.15			.2			.32	.9			20
21		.23	.6	.6						.9	.5	X.26	21
22		.45	.4		.3				.14	.12		.7	22
23		.4	.9		.51		.2	.40	.3	.39		.6	23
24		.1		.6	.1			1.30	.15			.37	24
25		.9	.6	.43	.2		.14		.2	.46			25
26		.17	.20	.2						.17		X.30	26
27		.6	.4		.15		.2	.24		.6		.9	27
28	.1	.10		.13	.45		.9				X.5		28
29	.12			.14	.62		.5	.54				.22	29
30		X					.2			.17		.20	30
31	.2	X		X	.1	X	.22		X	.4	X	.16	31
TOTAL	1.34	3.74	2.53	1.79	2.58	.54	2.82	2.82	1.32	5.62	1.79	2.58	29.47
Days with "01 in. or more	17	22	17	14	17	8	13	7	12	20	10	16	173
Days with "04 in. or more	18	19	16	10	11	5	8	7	9	19	9	14	138

X Snow

AIR MINISTRY.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

County No. _____

River Dist. _____

Station No. _____

REGISTER OF RAINFALL IN 1924

Kept at "Farrar's" Bickley

in the County of Kent

by Miss Chalmers.

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Bickley
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level _____ ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.5				.3	.28		.8			.40	.2	1 RWR.
2	.4		.20			.33	.6	.10				.7	2 WPM
3			.1		.17	.5	.9	.22	.9				3
4						.59			.10	.7		.10	4
5		.16	.15		.5		.2			.5		.21	5
6		.2						.25		.21		.16	6
7					.1	.56			.9	.32		.2	7
8	.32	.4		.24	.10	.2				.11		.45	8
9	.24	.17			.1	.2			.21			.7	9
10				.17	.26	.1							10
11	.2			.47	.20	.14					.66		11
12	.1	.3		.30	.4	.42			.2		.72		12
13	.4			.19	.80			.5	.60		.4		13
14				.20				.2					14
15				.1					.4			.7	15
16	.2	.2		.2				.7	.7			.16	16
17	.9						.78	.15	.2				17
18	.27				.36	.11		.80		.5	.7		18
19	.12	.12						.3		.6	.3		19
20	.1				.2		.11	.2	.8	.7	.4	.2	20
21	.41				.4		.9	.10	.13	.71			21
22	.50		.21				.4	.47	.13				22
23	.38		.15		.11		.1	.3	.10			.49	23
24		.7	.7	.2	.16			.15			.8	.30	24
25				.3	.22		.50		.65	.4	.15	.2	25
26		.3		.40			.17		.67	.3	.40	.20	26
27		.11		.55			.20			.14	.54	.90	27
28				.3			.45	.10		.2	.28		28
29		.6		.18	.35		.66	.38	.3	.57	.10	.7	29
30		X		1.00	.3		.19	.17	.66	.62	.30	.40	30
31	.3	X		X	.66	X		.16	X	.10	X	.15	31 898
TOTAL	2.55	.83	.79	3.81	3.62	2.53	3.37	3.35	3.69	3.17	3.77	3.88	YEAR'S TOTAL 35.36
Days with .01 in. or more.	15	11	6	15	19	11	14	19	17	16	13	19	176
Days with .04 in. or more.	13	7	5	10	14	8	12	15	14	14	12	15	175

AIR MINISTRY.

Form 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Register of Rainfall in 1925.

388

Kept at "Farvants" Bickley

in the County of Kent.

Diameter of Funnel of Gauge 5 1/2 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" Ground " Sea Level ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

30 (1926)

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	63		17	4	2			14	7	1	29		1
2	21	2		21	(21)				3		39		2
3	11				12						19		3
4					15			29		2	8		4
5		16	2	39					13		5		5
6		17		15	16		33	7			30		6
7			3	17	5		9		2	2	13	9	7
8	6	15	3		12				2		3	12	8
9		3		6				15	36		X 9		9
10			7					14	31		X 33	1	10
11		10							8		19		11
12		79						1	2	14			12
13		49	15	4				6					13
14	13	13	5	16									14
15	23			7	2					28			15
16									11	8			16
17				2									17
18		9			30		13	1				2	18
19					1				19	91		16	19
20			13				19	8	91	21		23	20
21							18	12	5	42		38	21
22			X 14	11			1.60	16	76	90		60	22
23	3	13	4	8	30		6	51	2			3	23
24		41		3	12	17		15		5	12	X 5	24
25	9	90					2		17	3		6	25
26		43		5	1		44	24	6	24		13	26
27	28	6		5	25		35	4			X 10		27
28	9			34					4			19	28
29	11				8						6	28	29
30		X		36			32				4	71	30
31	12	X	2	X	5	X	5		X		X	2	31
TOTAL	2.09	4.06	8.5	2.33	1.76	17	3.76	2.17	3.15	3.31	2.39	3.08	29.12
Days with .01 in. or more.	12	15	11	17	15	1	12	15	18	13	15	16	160
Days with .04 in. or more.	11	13	7	15	11	-	11	13	13	9	14	12	129

X - Snow

1.60

Thunder storm
Severe Hail

(Signed) A. B. Hude for Miss Chalmer. P.T.O.

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1926.

Kept at "Farrant's", Bickley,
in the County of Kent
Diameter of Funnel of Gauge.....5 in.
Height of top of Gauge above Ground.....1 ft.....in.
,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.30	.20				.17			.6				1
2	.6	.2				.95	.1		.31		.2		2
3	.17	.56	.6			.2		.1	.3				3
4		.4	.5	.78			.25				.14		4
5	.5	.9	.8		.4		.4				.27	.24	5
6	.6	.37		.36		.1	.2	.4	.26		.8		6
7	.24	.4		.24	.6	.11	.4	.15	.5		.29	.4	7
8				.23						.10	.75		8
9		.2				.20		.75		.5	.26		9
10					.2	.28			.3		.20		10
11		.19			.2	.9		.45	.2	.3	.2		11
12		.4			.6	.10				.25		.2	12
13	.4				.52	.1				.14	.95	.1	13
14	.22			.9		.18				.67	.2	.10	14
15		.4		.20	.2					.39	.7		15
16		.14		.33				.19					16
17		.62		.3	.5	.81					.8	.12	17
18	.11	.4		.30	.5	.4	.24	.3			.53		18
19				.2	.20		.31			.11	.2		19
20			.3	.29	.4		.1	.4			.64		20
21				.24	.1		.6				.45		21
22	.24	.4		.18						.17	.4	.3	22
23		.4				.3							23
24	.5				.4	.8			.12	.61			24
25	.9		.2	1.02			.4			.20	.5	.12	25
26				.2			.34		.9		.18		26
27	.6	.2		.14		.9	.3		.22				27
28	.38			.28	.3		.35			.30	.18		28
29	.5			.16	.16					.9	.45		29
30	.3	X		.11	.8		.5	.1			.25		30
31	.14	X		X	.1	X		.99	X		X		31
TOTAL	2.35	2.60	.24	5.02	1.44	3.17	1.85	2.72	1.19	3.01	5.97	.68	30.24
Days with '01 in. or more.	17	17	5	19	17	16	14	10	10	13	23	8	169
Days with '04 in. or more.	16	14	3	16	11	11	10	7	7	12	19	5	137

Please read the Notes and Instructions Overleaf.

(144ws)

X Snow.

(Signed) A.B. Hudd for Miss C.M. Chalmer

Section **A**

for the entry of Daily Observations.

FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1927.

361

Kept at Farrants Bickley
in the County of Kent
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" Ground " Sea Level — ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

93

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		<u>x1.32</u>		<u>.2</u>			<u>.52</u>	<u>.25</u>		<u>.6</u>	<u>.34</u>		1
2			<u>.6</u>	<u>.10</u>						<u>.6</u>	<u>.5</u>	<u>.2</u>	2
3	<u>.5</u>											<u>.1</u>	3
4	<u>.1</u>		<u>.2</u>	<u>.3</u>	<u>.11</u>		<u>.6</u>				<u>.10</u>		4
5	<u>.4</u>	<u>.13</u>	<u>.18</u>	<u>.44</u>	<u>.34</u>		<u>.1</u>	<u>.14</u>					5
6			<u>.16</u>	<u>.18</u>	<u>.9</u>	<u>.20</u>	<u>.80</u>		<u>.7</u>				6
7	<u>.4</u>	<u>.33</u>	<u>.5</u>	<u>.55</u>		<u>.12</u>		<u>.38</u>			<u>.3</u>		7
8	<u>.3</u>			<u>.18</u>			<u>.3</u>	<u>.30</u>			<u>.2</u>		8
9				<u>.14</u>			<u>.3</u>	<u>.8</u>	<u>.15</u>			<u>.2</u>	9
10			<u>.2</u>						<u>.53</u>				10
11				<u>.2</u>			<u>.30</u>						11
12	<u>.5</u>		<u>.3</u>				<u>.3</u>	<u>.9</u>		<u>.3</u>			12
13	<u>.9</u>						<u>.7</u>	<u>.17</u>	<u>.11</u>		<u>.2</u>		13
14	<u>.29</u>	<u>.2</u>		<u>.8</u>	<u>.2</u>		<u>.54</u>	<u>.20</u>	<u>.147</u>	<u>.2</u>	<u>.2</u>	<u>x.31</u>	14
15		<u>.2</u>					<u>.2</u>	<u>.62</u>	<u>.2</u>		<u>.1</u>		15
16					<u>.24</u>		<u>.1</u>	<u>.9</u>	<u>.24</u>			<u>.4</u>	16
17	<u>x.56</u>					<u>.21</u>		<u>.48</u>	<u>.14</u>				17
18						<u>.42</u>		<u>.17</u>	<u>.3</u>				18
19						<u>.2</u>		<u>.5</u>			<u>.15</u>		19
20	<u>x.10</u>	<u>30</u>					<u>.9</u>	<u>.40</u>			<u>.57</u>	<u>.6</u>	20
21	<u>x.6</u>	<u>.11</u>			<u>.8</u>	<u>.3</u>		<u>.17</u>	<u>.8</u>	<u>.20</u>	<u>.7</u>	<u>.64</u>	21
22	<u>x.10</u>	<u>.4</u>	<u>.17</u>		<u>.9</u>	<u>.9</u>			<u>.18</u>	<u>.38</u>		<u>.53</u>	22
23		<u>.46</u>	<u>.27</u>			<u>.14</u>	<u>.5</u>		<u>.55</u>	<u>.2</u>	<u>.9</u>	<u>.25</u>	23
24		<u>.13</u>	<u>.16</u>	<u>.3</u>		<u>.21</u>		<u>.15</u>				<u>.30</u>	24
25		<u>.37</u>	<u>.64</u>			<u>.22</u>		<u>.15</u>	<u>.23</u>		<u>x.1.88</u>		25
26	<u>.20</u>	<u>.67</u>	<u>.5</u>		<u>.20</u>	<u>.8</u>	<u>.4</u>		<u>.4</u>	<u>.1</u>	<u>.1</u>	<u>x.63</u>	26
27	<u>.16</u>	<u>.44</u>			<u>.30</u>	<u>.41</u>	<u>.49</u>			<u>.6</u>			27
28	<u>.24</u>	<u>.25</u>	<u>.2</u>	<u>.4</u>		<u>.43</u>				<u>.27</u>	<u>.24</u>		28
29			<u>.11</u>			<u>.23</u>		<u>.1</u>	<u>.48</u>		<u>.98</u>		29
30	<u>.15</u>	<u>x</u>	<u>.3</u>			<u>.51</u>	<u>.2</u>		<u>.3</u>	<u>.9</u>			30
31	<u>.4</u>	<u>x</u>	<u>.31</u>	<u>x</u>	<u>.2</u>	<u>x</u>	<u>.2</u>		<u>x</u>	<u>.10</u>	<u>x</u>	<u>x.29</u>	31
TOTAL	<u>2.21</u>	<u>4.59</u>	<u>2.28</u>	<u>1.81</u>	<u>1.49</u>	<u>3.32</u>	<u>3.13</u>	<u>3.90</u>	<u>4.35</u>	<u>1.30</u>	<u>2.70</u>	<u>4.98</u>	YEARS TOTAL
Days with "01 in. or more.	<u>18</u>	<u>14</u>	<u>16</u>	<u>12</u>	<u>10</u>	<u>15</u>	<u>18</u>	<u>18</u>	<u>16</u>	<u>12</u>	<u>15</u>	<u>13</u>	<u>176</u>
Days with "04 in. or more.	<u>15</u>	<u>12</u>	<u>11</u>	<u>8</u>	<u>8</u>	<u>13</u>	<u>10</u>	<u>17</u>	<u>13</u>	<u>8</u>	<u>9</u>	<u>10</u>	<u>134</u>

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1928.

Kept at *Farrants Bickley*in the County of *Kent*Diameter of Funnel of Gauge *5* in.Height of top of Gauge above Ground *1* ft. *—* in." Ground " Sea Level *—* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.3		.11	.27				.25				.5	1
2	.56	.48	.2		.1							.4	2
3				.15	.55		.48	.84			.15	.5	3
4		.7		.2		.2		.37					4
5	.30	.20	.8	.10			.5						5
6						.27						.5	6
7				.5		.37		.10		.1			7
8		.3	x.10			.24	.2		.2	.2			8
9	.9		x.7	.3		.2			.36	.16			9
10	.9	.13	x.4	.11	.2	.4				.6			10
11	.11	.9	x.1	.5		.2		.8		.7	.40	.22	11
12	.21	.17		.4				.1				.20	12
13		.10				.66						.1	13
14	.4	.11		.3	.5	.44				.52	.30		14
15				.50	.29						.20		15
16		.2		.25	.8					.4	.20	.20	16
17	.6				.33					.15			17
18	.45		.2	.7	.42	.13					.2	.1	18
19					.35	.2		.18		.47	.3	.3	19
20	.5							.10		.34	.5		20
21	.14		.4	.14	.25					.25	.31	.20	21
22	.2		.8		.9			.10		.10	.21	.10	22
23	.20		.5		.26					.6	.10	.25	23
24	.4		.25		.2	.3			.19		.17		24
25								.3	.1	.8	.4	.3	25
26	.29						.10	.57		.60		.20	26
27						.12	.92	.3		.4		.62	27
28	.27								.28			.21	28
29	.9	.3	.42	.3		.1		.1	.4	.4		.43	29
30		x	.41	.10		.4	.36	.5				.14	30
31	.14	x	.37	x		x	.10	.3	x	.2	x	.13	31
TOTAL	3.18	1.43	2.07	1.94	2.72	2.43	2.03	2.75	.90	4.03	2.18	3.17	29.83
Days with ".01 in. or more.	19	11	15	16	13	15	7	15	6	18	13	20	168
Days with ".04 in. or more.	17	8	12	12	10	9	6	10	4	15	11	16	130

40-9999

X Snow

(Signed) *A. B. Wood* for *Miss Chalverton* B.T.O.

REGISTER OF RAINFALL IN 1929.

Kept at Farrants, Bickley
in the County of Kent

Diameter of Funnel of Gauge.....5 in.
Height of top of Gauge above Ground.....1 ft. — in.
,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.
Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I		.2		.1		.3		.42		.20			I
2		.19					.4			.23		.36	2
3						~~.29~~	1.23			.5		.20	3
4				.30	.13	.29	.41	.1				.77	4
5					.80	.13	.4	.17		.22		.45	5
6					.20			.17		.8	.6	.75	6
7								.31		.36	.44	.52	7
8					.3	.7				.24		.33	8
9		.8								.2	.9	.43	9
10	.20	.6		.5						.6		.24	10
11				.17	.3						.77	.9	11
12				*.18	.23	.20						.7	12
13	.6			.3	.5	.3		.2					13
14	*.1				.5	.12						.20	14
15	*.5					.4					.60	.14	15
16								.84			.85		16
17													17
18	.1							.10			.22		18
19													19
20							.9	.2		.42		.2	20
21	.10		.1								.3	.52	21
22						.1		.2			.10		22
23										.10	.44	.24	23
24		.2						.3		1.10	.54	.56	24
25		*.8	.1							.5	.18	.1	25
26				.4							.14	.10	26
27											.57	.6	27
28	.10			.3			.15			.6	.37	.12	28
29	.7			.48					.5	.2	.22	.30	29
30		x				.2			.8		.28	.9	30
31	.40	x		x		x	.11		x		x		31
TOTAL	1.00	.45	.02	1.29	1.52	.94	2.07	2.11	.13	3.21	5.90	6.57	YEAR'S TOTAL 25.21
Days with ".01 in. or more.	9	6	2	9	8	10	7	11	2	15	17	23	119
Days with ".04 in. or more.	7	4	-	6	6	6	7	6	2	13	16	21	94

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at "Farrant's" Bickley
in the County of Kent

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
,, Ground ,, Sea Level — ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.5	.50		.9		.1	.1				.33		1
2		.29			.5	.1	.2	.7			.49		2
3	.3			.45	.12			.47		.2	.2		3
4	.43			.2				.11	.3	.13			4
5					.17			.30		.4			5
6			.12		.17			.12	.61	.3			6
7	.9	.5			.1			.22	.1	.14	.40	.5	7
8	.2			.2						.1		.9	8
9	.22	.2	.10		.42				.4				9
10	.45		.28		.12			.8	.18			.16	10
11	.24			.6	.10							.54	11
12	.20	.4		.6	.16			.9	.4			.20	12
13	.2		.11	.32	.7		.8	.26	.23				13
14	.8	.13	.12				.25		.1				14
15		.3	.68	.3			.13	.1		.2	.28		15
16									.5	°			16
17			.19	.15		.15	.8		.26	.27			17
18				.2	.7	.4			.1		.10		18
19				.28				.7	.80	.8	.31		19
20				.6	.9		.45	.26	.24	.3	.25	.3	20
21	.2						.9	.53	.4	.3	.39		21
22				.1	.31	.1	.8	.3	.1	.21	.16	.3	22
23	.10			.11		.37			.1	.1			23
24	.38			.1	.44		.8			.4	.30	.11	24
25	.2	.2			.32	.3				.2	.17		25
26	.12				*80					.38	.8	.21	26
27										.32	.41	.7	27
28					.8		.2		.27	.3	.65	.8	28
29	.12		.3				.42	.70	.18		.20	.7	29
30		X			.55		.24					.11	30
31	.30	X	.3	X	.61	X			X	.12	X	.5	31
TOTAL	2.89	1.08	1.66	1.69	4.86	.62	1.95	3.32	3.74	1.21	4.54	1.80	29.36
*Days with .01 in. or more.	18	8	9	15	19	7	13	15	21	16	16	14	171
*Days with .04 in. or more.	13	5	7	9	18	3	10	13	14	8	15	12	127

40-9999 X = Snow. * = Thunderstorm with hail.

*See Instruction 2 (f) on other side.

(Signed) Alfred for Miss Chalmer [P.T.O.]

1921.....

Long.....

on.....

Station.....

el of Rain Gauge.....in.

auge above Ground.....ft.....in.

Sea Level.....

result entered to the previous day.

ly requested to add
l for it at the end of
placing of rain gauges,
r Rainfall Observers,"
nization, 62, Camden

Jan. 1, following.

this form.

Kept at Pickles
in the County of
by E. M. Edwards

BICKNOR
RECTORY

KENT

1921-1925

IMPORTANT

If an Observer pre
the reading at 9 a.
this paragraph. F
and particulars as
sent post-free on
Square, London, N

Date	Jan.	Feb.								Oct.	Nov.	Dec.	Date
	in.	in.								in.	in.	in.	
1	25										05	07	1
2	04										50		2
3	02		08		25	18		13			28		3
4	16				25			04			40		4
5	03					01		16			15		5
6	24		49		03		06					02	6
7	26				16								7
8	03		02	11	03								8
9	01												9
10	10							06	03				10
11	15	17						61				04	11
12	33		12					56	26			12	12
13	45		06	31				15	03				13
14			01					05		04		64	14
15			11	09								05	15
16			02	08				02		09			16
17	06		17	40				26					17
18	03	04						06					18
19			17		03	02			09		07		19
20			06			08		02	48				20
21						01		02		09			21
22									10		26		22
23				21			04	15			10		23
24				03				02	04		14		24
25	02	94									08		25
26	01		02		27	03					16		26
27					02						01		27
28			08		14		43	21			02		28
29			18		08		03				05		29
30	11		09							27	06		30
31	04												31
TOTAL	2.34	1.15	1.56	1.26	1.35	33	56	1.79	1.09	74	1.83	1.89	15.89
Days with 01 in. or more	19	3	13	8	11	6	4	13	7	5	8	16	113
Days with 04 in. or more	12	3	10	6	7	2	3	9	5	4	8	13	82

REGISTER OF RAINFALL IN 1921.....

Kept at Tricknam Rectory
in the County of Kent
by E. W. Edwards

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	25										05	07	1
2	04				25				03		50		2
3	02		08			18		13			28		3
4	16				25			04			40		4
5	03					01		16			15		5
6	24		49		03		06					02	6
7	26				16								7
8	03		02	11	03								8
9	01												9
10	10								06	03			10
11	15	17							61			04	11
12	33		12					56	26			12	12
13	45		06	31				15	03				13
14				01				05		04		64	14
15				11	09							05	15
16			02	08				02			09		16
17	06		17	40				26					17
18	03	04							06				18
19			17		03	02				09		07	19
20			06			08		02		48			20
21						01		02			09		21
22										10		26	22
23				21			04	15				10	23
24				03				02	04			14	24
25	02	94										08	25
26	01		02		27	03						16	26
27					02							01	27
28			08		14		43	21				02	28
29			18		08		03					05	29
30	11	~~X~~	09								27	06	30
31	04	~~X~~		~~X~~		~~X~~		~~X~~		~~X~~			31
TOTAL	2.34	1.15	1.56	1.26	1.35	.33	.56	1.79	1.09	.74	1.83	1.89	15.89
Days with 0.1 in. or more	19	3	18	8	11	6	4	13	7	5	8	16	113
Days with 0.4 in. or more	12	3	10	6	7	2	3	9	5	4	6	13	82

Kept at Bicknor Rectory
in the County of Glent
by E. W. Edwards

Lat..... Long.....
Time of Observation.....
Nearest Railway Station.....
Diameter of Funnel of Rain Gauge..... in.
Height of top of Gauge above Ground..... ft..... in.
" " " " Sea Level..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		17	10		08		04	07	03	09	36		1
2	05	31	15	14			04			02		02	2
3		10	09	58	17		10	30		09	09		3
4		10	15	02	14		19	10		31			4
5			10	02			88			09	57		5
6	04		10				05	10			23		6
7	27		79	27		09	03	10				05	7
8	03		11	05			44	01			02		8
9	12						08	04	04	32			9
10	02								22	04	15		10
11							14				02	02	11
12				29	14			12	58				12
13	02			27		53	09		20				13
14	02			03		61	50	26	60				14
15	14	22		01			07						15
16		02		10	02		07		08				16
17		16			04		02		06			42	17
18	50	01				01					01	18	18
19	57	15	10						42	17		40	19
20	02	06										57	20
21	23	15	28							07			21
22	02	07				01	02	21				70	22
23		02		13		04	22		59			05	23
24			06	05	64	09	03	37					24
25	30		08	25	03	02		02				02	25
26	10	25	07	18		40	24		20		05	06	26
27	36	40	14	10		01		27	48	14		20	27
28	03	14		10		28			09	39	03	12	28
29	14					22		07		21		13	29
30	02					02	07		50	05	09	17	30
31	06		13					05		15		28	31
TOTAL	3.06	2.33	2.45	2.59	1.26	2.33	3.18	2.23	4.09	2.14	1.62	3.39	YEAR'S TOTAL
Days with 01 in. or more	21	17	16	18	8	13	19	16	14	14	11	16	183
Days with 04 in. or more	13	14	16	14	6	8	15	14	13	13	7	13	146

AIR MINISTRY.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1923.

Kept at Bicknor Rectory
 in the County of Kent
 by E. W. Edwards

Lat. _____ Long. _____
 Time of Observation _____
 Nearest Railway Station _____
 Diameter of Funnel of Rain Gauge _____ in.
 Height of top of Gauge above Ground _____ ft. _____ in.
 " " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.11		.24							.07	.28		1
2	.16				.08					.21	.01	.36	2
3	.02					.16			.14	1.00	.04	.01	3
4	.02											.16	4
5	.23	.02	.01	.05						.06			5
6	.20		.07	.07		.08							6
7	.27	.81	.46		.08		.05			.47		.17	7
8	.06	.25	.09		.21					.30	.75		8
9	.09		.04	.06									9
10		.22		.14	.15					.29	.03	.03	10
11	.04		.01	.14	.04					.50		.03	11
12		.45	.30	.07	.14	.11							12
13	.05	.06	.23	.02	.01		.10			.19	.47		13
14	.02	.05	.13		.15				.34	.01		.05	14
15		.04	.01	.02	.19	.20	.04	.02			.22		15
16		.07			.05				.03		.09	.04	16
17		.01						.04					17
18	.09	.21						.07	.04	.02			18
19	~~08~~	.10		.02		.09	.01		.05	.84		.01	19
20		.07	.29			.03		.01	.46	.06			20
21		.23	.02	.11					.02	.11	.06		21
22		.50	.06					.05	.31	.19		.19	22
23		~~.04~~	.30		.50		.03	.33	.14	.66		.02	23
24		.02						.32	.15	.06		.08	24
25		.20	.07	.79	.10	.12	.17	.01	.04	.49		.50	25
26		.41		.13				.09		.13		.19	26
27		.10			.12		.07	.40		.02		.13	27
28		.08	.08	.05	<u>1.29</u>		.19	.29			.25	.01	28
29	.10		.04	.38	.28		.09					.21	29
30	.01	X					.03			.23		.06	30
31		X		X	.10	X	.22		X	.09	X	.27	31
TOTAL	~~1.55~~	3.94										2.52	YEAR'S TOTAL
Days with .01 in. or more	1.55	3.94	2.45	2.05	3.49	.79	1.00	1.63	1.72	6.00	2.20	~~2.52~~	29.34
Days with .04 in. or more	16	21	18	14	16	7	11	11	11	22	10	21	178
	12	18	14	11	15	6	8	8	9	19	8	15	143

FORM 1090

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1924.

Kept at Picknor Rectory
in the County of Kent
by E. W. Edwards

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	05	29	10		07	11	10					12	1
2	10		25	02	06	20		24				27	2
3			07	04	16	03	42	23	12				3
4			19	04	06	40			01	29		17	4
5										52		04	5
6							02	20		41			6
7					02	06			09	40			7
8	29	03		10	14	28	02		05	11			8
9	06	27			05	05			27				9
10	07			43	31	03			12				10
11	02			85	16	19			30		12		11
12				11	05	31		02			66		12
13	03			27			06	21	27		03	33	13
14				23					07			02	14
15		02		02	02			08	06			36	15
16								07	03			08	16
17	18						1 05	08	02				17
18	36	03			09		25	32		06	06	01	18
19	17					01	07	09		06	01	04	19
20					13	04		19	08	04			20
21	60				04		05	02	19	85			21
22	35		20				33	33	13				22
23			25		39		03	28	21			68	23
24	45	21	17	05	26			04			08	35	24
25		03	07	02	03		41	01	35		22	15	25
26	01	04		57			06		32	12	47		26
27		06		50			18		01	13	54	69	27
28			03	05			87	19		02	29		28
29	09	07		18	44		08	28		78	31	11	29
30		X	02	75	10		06	24	10	68	01	21	30
31		X	03	X	82	X		02	X	19	X	23	31
													91231
TOTAL	2.83	1.05	1.38	4.23	3.40	1.71	4.06	3.14	2.80	4.66	2.80	3.86	35.92
Days with "1 in. or more	15	10	11	17	20	12	17	20	20	15	12	17	186
Days with "0.4 in. or more	12	6	8	14	17	9	14	16	16	14	9	15	150

Kept at Bicknor Rectory

in the County of Glent

Rev. E. W. Edwards

Lat. _____ Long. _____

Time of Observation _____

Nearest Railway Station _____

Diameter of Funnel of Rain Gauge _____ in.

Height of top of Gauge above Ground _____ ft. _____ in.

Sea Level _____ ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	37		40	15				29	08		35		1
2	19		01	16			11		04		45		2
3	33	06			21		15						3
4	04				22		04	06	16	08	11		4
5		13		25			57	03			29		5
6		15	01	20	21			05		11	50		6
7		13	09	02	03				05		05		7
8	03				21								8
9				12	14				17		13		9
10		04	13		05			28	11		47		10
11					01			07	04		18		11
12		44								16			12
13		68	19	10				03					13
14	16	08	03	23				13					14
15	20			02					07	27			15
16	02				05					11			16
17					01								17
18		05			06			16					18
19		02			17	03			21	79			19
20			15				15			31		58	20
21			03				15	06	61	61		61	21
22				13	06		98	07	06	93		35	22
23		23			73	06	04	06	62	59		12	23
24		30		19	10	27	09	50		09			24
25	13	102	05		05	02			38		10	12	25
26		21		02	55	03	43	03	03	32	09		26
27	22			15			21	09		01		10	27
28	13		08	11					04			33	28
29	29			29	09		03					43	29
30		X	02	20			29					32	30
31	11	X		X		X			X		X	03	31
TOTAL	2.22	3.54	1.19	2.34	2.95	41	324	191	2.67	4.38	272	3.12	780
Days with 01 in. or more	13	15	12	16	18	5	13	15	15	13	11	73	159
Days with 04 in. or more	11	14	7	13	15	2	12	12	14	12	11	12	135
YEAR'S TOTAL													30.69

Kept at.....*Augustus Villa*
in the County of.....
by.....*Ernest*

IMPORTANT NOTE

If an Observer prefers not to read the reading at 9 a.m. on this paragraph. Full instructions and particulars as to the sent post-free on application to the Meteorological Office, Square, London, N.W. 1.

AUGUSTUS VILLA
BIDDENDEN
KENT

1921-1925

JAN 1922

0° 39' 0"
Winter 10am Summer
Biddenden KTES Rly
in Gauge.....*5*.....in.
above Ground.....ft.....in.
Sea Level.....*175*.....ft.
entered to the previous day.
tested to add
at the end of
rain gauges,
Observers,"
62, Camden

Jan. 1, following.

Date	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.									in.	in.	
1	0.18	.	.	.	.	.	.	.	.	.	0.02	0.16½	1
2	0.03	0.01	.	.	0.16½	.	.	.	.	.	0.40	0.01½	2
3	0.01½	.	.	.	.	.	0.21	.	.	.	0.39½	.	3
4	0.12	.	0.07	.	0.15	.	0.03	.	.	.	0.39	.	4
5	0.02	.	.	.	.	.	0.17	.	.	.	0.43	0.01	5
6	0.14½	.	0.02	.	0.12½	.	0.06½	.	.	.	.	0.01	6
7	0.10	0.02½	0.21	.	0.17	.	.	.	.	.	.	.	7
8	0.01½	.	.	0.14½	0.01½	.	.	.	.	.	.	.	8
9	.	.	.	.	.	.	.	.	.	.	.	.	9
10	0.27	0.13½	.	.	.	.	.	0.04	0.04	.	.	.	10
11	0.16½	0.02	0.01	.	0.02	.	.	0.49	.	.	.	.	11
12	0.42	0.01	.	.	.	.	0.39	0.07½	.	.	0.11½	.	12
13	0.39	.	0.15	.	.	.	0.08	0.02½	0.01½	0.04	0.01	.	13
14	.	.	0.07	.	.	.	0.03	.	.	.	0.32	.	14
15	.	.	.	0.49	0.03	.	.	.	0.01	.	0.07½	.	15
16	0.04	.	.	0.18½	.	.	0.02	.	.	0.06	.	.	16
17	0.06½	.	.	0.44	.	.	0.13	.	.	.	.	.	17
18	0.07	0.02	0.11	0.02	.	.	.	0.05½	.	.	.	.	18
19	.	.	.	.	0.02½	.	.	.	.	.	0.08	.	19
20	.	.	0.15½	.	.	.	.	.	.	0.57	.	.	20
21	.	.	.	.	.	.	.	.	.	0.07	0.03	.	21
22	.	.	.	.	.	.	.	.	.	0.17	.	0.26½	22
23	.	.	.	0.23	.	0.07	0.09	.	0.01	.	.	0.10½	23
24	.	.	.	0.02	.	.	.	.	.	.	.	0.07	24
25	.	.	.	.	.	.	.	.	.	.	0.10½	.	25
26	0.01	0.69	.	.	0.13	.	.	.	.	.	0.13	.	26
27	0.02	.	0.03	.	.	.	.	.	.	.	0.06	.	27
28	.	.	.	.	0.04½	.	0.19½	0.04	.	initial	0.07	0.05	28
29	.	.	0.23	.	0.14	.	.	.	.	.	0.06	.	29
30	0.14	~~X~~	0.19	.	0.05½	.	.	.	.	0.16	0.18	.	30
31	0.05	~~X~~	.	~~X~~	0.01½	~~X~~	.	~~X~~	.	~~X~~	.	.	31
TOTAL	2.26½	0.91	1.24½	1.53	1.08½	Nil	0.33	1.19	0.68½	0.81½	1.97½	1.81½	YEAR'S TOTAL
Days with 0.1 in. or more	19	7	11	7	13		3	10	5	6	10	19	18-84½
Days with 0.4 in. or more	13	2	8	5	8		3	7	4	3	8	13	110

REGISTER OF RAINFALL IN 1921

Kept at Augustus Villa Biddenden
 in the County of Kent
 by Ernest Donne

Lat. 51° 12' 20" Long. 0° 39' 0"
 Time of Observation Jan. Winter 10am Summer
 Nearest Railway Station Biddenden K.E.S. Ry
 Diameter of Funnel of Rain Gauge 5 in.
 Height of top of Gauge above Ground 8 ft. in.
 " " " " Sea Level 175 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
 If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.18	.	.	.	.	.	.	.	.	.	0.02	0.16½	1
2	0.03	0.01	.	.	0.16½	.	.	.	.	.	0.40	0.07½	2
3	0.07½	.	.	.	.	.	.	0.21	.	.	0.39½	.	3
4	0.12	.	0.07	.	0.15	.	.	0.03	.	.	0.39	.	4
5	0.02	.	.	.	.	.	.	0.17	.	.	0.43	0.01	5
6	0.14½	.	0.02	.	0.12½	.	0.06½	.	.	.	.	0.01	6
7	0.10	0.02½	0.21	.	0.17	.	.	.	.	.	.	.	7
8	0.07½	.	.	0.14½	0.07½	.	.	.	.	.	.	.	8
9	.	.	.	.	.	.	.	.	.	.	.	.	9
10	0.27	0.13½	.	.	.	.	.	.	0.04	0.04	.	.	10
11	0.16½	0.02	0.01	.	0.02	.	.	.	0.49	.	.	.	11
12	0.42	0.01	.	.	.	.	.	0.39	0.07½	.	.	0.11½	12
13	0.39	.	0.15	.	.	.	.	0.08	0.02½	0.07½	0.04	0.01	13
14	.	.	0.07	.	.	.	.	0.03	.	.	.	0.32	14
15	.	.	.	0.49	0.03	.	.	.	.	0.01	.	0.07½	15
16	0.04	.	.	0.18½	.	.	.	0.02	.	.	0.06	.	16
17	0.06½	.	.	0.44	.	.	.	0.13	.	.	.	.	17
18	0.07	0.02	0.11	0.02	.	.	.	.	0.05½	.	.	.	18
19	.	.	.	.	0.02½	.	.	.	.	.	.	0.08	19
20	.	.	0.15½	.	.	.	.	.	.	0.57	.	.	20
21	.	.	.	.	.	.	.	.	.	.	0.07	0.03	21
22	.	.	.	.	.	.	.	.	.	0.17	.	0.26½	22
23	.	.	.	0.23	.	.	0.07	0.09	.	0.01	.	0.10½	23
24	.	.	.	0.02	.	.	.	.	.	.	.	0.07	24
25	.	.	.	.	.	.	.	.	.	.	.	0.10½	25
26	0.01	0.69	.	.	0.13	.	.	.	.	.	.	0.15	26
27	0.02	.	0.03	.	.	.	.	.	.	.	.	0.06	27
28	.	.	.	.	0.04½	.	0.19½	0.04	.	.	0.01	0.05	28
29	.	.	0.23	.	0.14	.	.	.	.	.	.	0.06	29
30	0.14	~~X~~	0.19	.	0.05½	.	.	.	.	.	0.16	0.18	30
31	0.05	~~X~~	.	~~X~~	0.01½	~~X~~	.	.	~~X~~	.	~~X~~	.	31
TOTAL	2.26½	0.91	1.24½	1.53	1.08½	Nil	0.33	1.19	0.68½	0.81½	1.97½	1.81½	18.84½
Days with "01 in. or more	19	7	11	7	13		3	10	5	6	10	19	110
Days with "04 in. or more	13	2	8	5	8		3	7	4	3	8	13	74
													YEAR'S TOTAL

AIR MINISTRY.

338

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1923.

Kept at Augustus Villa Biddenden
in the County of Kent
by Ernest Donne

Lat 51° 12' 20" Long 0° 39' 0"
Time of Observation Jan. Winter 10am Summer
Nearest Railway Station Biddenden Kyles Rly
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 8 ft. in.
" " " " Sea Level 175 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		0.04	0.02		0.14		0.03	0.04	0.02	0.06	0.54	0.05	1
2	0.103	0.14	0.12				0.03			0.07			2
3		0.04	0.02	0.72	0.13		0.08	0.18			0.10		3
4		0.05	0.11	0.04	0.06		0.12		0.07	0.37			4
5		0.07	0.15	0.02			0.87			0.17	0.44		5
6	0.10		0.13					0.12		0.07	0.09		6
7	0.18		0.67	0.23				0.03					7
8	0.02		0.16	0.13		0.09	0.42	0.15			0.06		8
9	0.04						0.03	0.19	0.02	0.14			9
10									0.05	0.02	0.11		10
11	0.05				0.05								11
12				0.40				0.08	0.07				12
13				0.30		0.08	0.11		0.28				13
14				0.03		0.14	0.47	0.05	0.47				14
15	0.29	0.17				0.07							15
16		0.07		0.06			0.04		0.04			0.30	16
17		0.16		0.07	0.02		0.04					0.18	17
18	0.44			0.07								0.27	18
19	0.64	0.09	0.02		0.07	0.01			0.26	0.11		0.59	19
20	0.07		0.04										20
21	0.32	0.25	0.17	0.03					0.02			0.77	21
22	0.07	0.18	0.05	0.03		0.08	0.02	0.10		0.05		0.11	22
23		0.04		0.03		0.02	0.04		0.75				23
24	0.03		0.04	0.14		0.12				0.02		0.07	24
25	0.24		0.04	0.34	0.02	0.02						0.09	25
26	0.14	0.25	0.04	0.27		0.15	0.19		0.14		0.02		26
27	0.52	0.27	0.07	0.14					0.35	0.10	0.07	0.16	27
28	0.07	0.19	0.04			0.19			0.04	0.16	0.07	0.16	28
29	0.11					0.12				0.49		0.14	29
30	0.07	X	0.17	0.05		0.07	0.05		0.15	0.06	0.05	0.13	30
31	0.04	X		X		X		0.87	X	0.03	X	0.23	31
TOTAL				3.005									YEAR'S TOTAL
Days with 0.1 in. or more	3.28	1.93	2.11	3.01	0.14	1.14	2.54	1.82	3.13	1.82	1.41	3.16	25.82
Days with 0.4 in. or more	20	15	18	19	7	13	15		15	15	10	14	117.6
	13	13	15	13	4	9	11	(15) (13)	10	10	7	13	118.2

REGISTER OF RAINFALL IN 1923.

Kept at Augustus Villa Biddenden
in the County of Kent
by Ernest Donne

Lat. 51° 12' 20 Long. 0° 39' 0
Time of Observation Gan Winter 10am Summer
Nearest Railway Station Biddenden Kent East Sussex
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 12 ft.
" " " " Sea Level 175 ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day.
An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.410		0.24			0.02½				0.03	0.26	0.33	1
2	0.25		0.07		0.02½					0.14½	0.82½	0.25	2
3						0.05			0.02	0.70	0.13	0.07	3
4									0.03½			0.22	4
5	0.32	0.07		0.02						0.04	0.03	0.34½	5
6	0.22	0.02½	0.06	0.02		0.10				0.02			6
7	0.11	0.85½	0.39		0.09½		0.06½			0.42		0.34½	7
8	0.04	0.26	0.03½		0.26					0.25	0.70		8
9	0.03½	0.03	0.07	0.02	0.07½	0.09				0.02½	0.07½		9
10		0.21		0.18½	0.15½	0.	0.07			0.20		0.02	10
11	0.02	0.07		0.08	0.03					0.55	0.62½		11
12		0.40	0.27	0.06	0.21					0.20½		0.07	12
13	0.07½	0.09½	0.24	0.02	0.06½		0.03			0.07½			13
14		0.04	0.03		0.13½				0.31		0.62½	0.05	14
15	0.07	0.07½		0.02	0.30½	0.17½					0.27½		15
16		0.04			0.04			0.02		0.07	0.15	0.02	16
17								0.05	0.16				17
18	0.11	0.45		0.04		0.06		0.05	0.02½	0.03			18
19	0.06	0.03				0.02½			0.02	0.39			19
20	0.07½	0.04	0.08	0.01	0.05½	0.02			0.28	0.10½			20
21		0.29	0.02	0.09½					0.02½	0.31	0.03½	0.11	21
22		0.48	0.18½	0.07				0.09½	0.37	0.27	0.03	0.13	22
23		0.04½	0.17		0.20½		0.04½	0.35	0.18	0.76		0.03	23
24		0.02½		0.02				0.07½	0.19	0.16			24
25		0.18	0.10	1.20	0.06½	0.04	0.04	0.07½		0.22		0.54	25
26		0.48		0.03½				0.21		0.06		0.27	26
27		0.06½	0.04					0.26		0.07		0.20½	27
28		0.12		0.03	1.19½		0.21	0.02			0.29½	0.07½	28
29	0.05		0.03	0.06½	0.54½		0.03½	0.28				0.22	29
30		X					0.02	0.07		0.21		0.08	30
31		X		X		X	0.22		X	0.17	X	0.22	31
TOTAL	1.41½	4.25	1.94	1.93	3.49	6.1½	6.7½	2.37½	1.61½	5.33½	2.56½	3.07½	29.28
Days with 0.1 in. or more	14	23	16	17	16	9	9	12	11	25	12	19	183
Days with 0.4 in. or more	11	10	10	10	14	6	5	8	7	18	7	13	118
													1183

REGISTER OF RAINFALL IN 1924.

Kept at Augustus Villa Biddenden
in the County of Kent
by Ernest Donne

Lat. 51.12.20 Long 0.39.0
Time of Observation 9.10am Winter Summer
Nearest Railway Station Biddenden K.V.B.S. Rly
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 12 ft.
" " " " Sea Level 175 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.02½	.	0.11	.	0.07	0.20	0.06	.	.	.	0.51	0.06	WRB
2	0.10	.	0.26½	.	0.06½	0.24	0.07	.	.	.	.	0.35	SS2
3	.	.	0.08	0.03	Abundant	0.04½	0.35½	0.20	0.04½	.	.	.	3
4	.	.	.	0.02½		0.41½	0.22	.	.	0.15	.	0.26	4
5	.	0.02	0.28	.	0.54	.	0.08½	.	.	0.19	.	.	5
6	.	0.06½	.	.	.	.	.	0.17	0.03	0.87	.	.	6
7	.	.	.	.	.	0.04	.	.	0.04	0.36	.	.	7
8	Snowing	.	.	0.07	0.15½	0.03	0.16	.	.	0.07	.	.	8
9	Show	0.26	0.30	.	0.05	0.05	.	.	0.19	.	.	.	9
10	0.16	0.03	.	0.31	0.25	0.02	.	.	0.12	.	0.01	.	10
11	0.01½	.	.	0.39	0.22	0.37	.	.	0.04	.	0.21	.	11
12	.	.	.	0.11	0.04	0.72	.	.	.	.	0.45½	0.07½	12
13	0.05	.	.	0.27	.	.	.	0.07½	0.20	.	0.36	0.14½	13
14	0.01	.	.	0.23	.	.	.	0.04	0.06½	.	.	.	14
15	.	8.01 Snow	.	0.01	.	.	.	.	.	.	.	0.63	15
16	.	.	.	0.02	.	.	.	0.10½	0.07	.	.	0.03	16
17	0.25	.	.	.	.	.	0.77½	0.25	.	.	.	.	17
18	0.37	Rain & Snow	.	.	0.62½	0.07½	.	0.38½	.	0.06	0.04	.	18
19	0.19	Snow	.	.	.	.	0.03½	0.23	.	0.10	0.03	.	19
20	.	.	.	.	0.09	0.05	0.05½	0.15	0.12	0.03	.	.	20
21	0.35½	.	.	.	0.04	.	0.02½	0.13	0.09½	0.49	.	.	21
22	0.32½	.	0.27	.	.	.	.	0.02½	0.20½	.	.	.	22
23	0.07	.	0.42	0.03	0.37½	.	.	0.12	0.26	.	.	0.54	23
24	0.35½	Sleet	0.23½	0.04	0.22½	.	.	.	.	.	0.04	0.41	24
25	0.07	Snow	0.49	0.03	.	.	0.56	.	0.27½	.	0.32	0.22½	25
26	.	Snow	0.04	0.45	.	.	.	.	0.06	0.19½	0.40	1.13	26
27	.	Snow	.	0.64	.	.	.	.	.	0.11	0.70	.	27
28	.	0.08	.	0.01½	.	.	0.71	.	.	0.02½	0.52	0.25	28
29	0.06	.	.	0.16	0.48	.	.	.	0.02	0.76	0.26	0.43	29
30	.	X	.	0.20	0.10½	.	.	0.51	0.12	0.44	0.02½	0.43	30
31	.	X	.	X	0.85½	X	.	0.02	X	0.20	X	0.44	89631
TOTAL	2.54½	0.76	2.22	3.08	4.15½	2.19½	3.19	2.41	1.92½	4.05	3.84	4.915	35.228
Days with .01 in. or more	16	11	9	19	16	12	13	14	17	15	14	14	170 175
Days with .04 in. or more	11	6	9	12	15	9	10	12	14	13	11	12	134 137

AIR MINISTRY.

FORM 1090

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1925.

Kept at Augustus Villa
in the County of Kent
by Ernest Donne

Lat. 51.12.20 Long. 0.39.0
Time of Observation 9am Winter 10am Summer
Nearest Railway Station Biddenden K.E.S. Ry
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 12 in.
" " " " Sea Level 175 ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.80½	.	0.40	0.05	0.01	.	.	0.17	0.05	.	0	.	1
2	0.59½	.	.	0.17	.	.	0.02	.	.	.	0	.	2
3	0.47	.	.	.	0.22	.	0.21	.	0.03	.	0	.	3
4	0.06½	.	.	.	0.11	.	0.03	.	.	.	0	.	4
5	.	0.07½	.	0.23	0.04	.	0.01½	0.30½	0.12	.	2.20	.	5
6	.	0.10½	.	0.09	0.07	.	0.24	0.03	0.03	.	0	.	6
7	.	0.12½	.	.	0.01½	.	.	.	.	0.02½	2.20	.	7
8	0.05	.	.	.	0.24	.	.	.	0.06	.	.	.	8
9	.	.	.	0.02	.	.	.	0.03	0.03	.	0.03½	.	9
10	.	.	0.04	.	0.98	.	.	0.25	0.04	.	0.46	.	10
11	.	0.22	0.02	.	.	.	.	0.07	.	.	0.	.	11
12	.	0	.	0.02	.	.	.	0.02	.	0.09½	0.46	.	12
13	.	absent	0.14	0.08	.	.	.	.	.	0.02	.	.	13
14	0.25	absent	0.02	0.20	.	.	.	.	.	.	.	.	14
15	0.15	x	.	0.22	.	.	.	.	.	0.20	.	.	15
16	0.07½	1.09	.	.	0.04	.	.	.	0.03½	0.10½	.	.	16
17	.	0.05	.	.	0.02	.	.	.	.	.	.	.	17
18	0.07½	0.04	.	.	.	.	.	.	0.03½	.	.	.	18
19	.	0.01½	.	0.10	0.25½	0.03	.	.	0.42½	0.64	.	.	19
20	.	.	0.04½	.	.	.	0	.	0.67½	0.35	.	.	20
21	.	.	.	.	.	.	0	0.08½	0.07	0.32½	.	.	21
22	.	.	.	0.12	.	.	1.11	0.03	0.67	0.94	.	.	22
23	.	0.23	0.05	0.14	0.35½	.	0.40	0.21	.	0.55	.	.	23
24	.	0.59	0.21	0.19	0.17	0.14	0.15	0.14	.	0.04	0.10	.	24
25	0.07½	1.50	.	.	.	.	0.17½	.	0.21	.	.	.	25
26	.	0.22½	.	0.08	0.04½	.	0.30½	.	0.01½	0.30	.	.	26
27	0.16	0.03	.	0.21	0.72	.	.	0.09½	.	.	0.09	.	27
28	0.14	.	0.04	0.06	.	.	0.03½	.	.	.	.	.	28
29	0.10	.	.	0.20½	0.13½	.	.	.	.	.	0.07½	.	29
30	.	X	.	0.21	.	.	.	.	.	.	.	.	30
31	0.10	X	.	X	.	X	0.34	.	X	.	X	.	31
TOTAL	2.93	4.29	1.995 99½	2.395 2.39½	3.425 3.42½	0.17	3.03	1.435 1.44½	2.19	3.59	2.96	X	YEAR'S TOTAL
Days with "01 in. or more	14	16	9	18	16	2	12	12	15	12	12	X	
Days with "04 in. or more	11	13	7	16	13	1	9	8	9	10	11	X	

Kept at *Gate House*
Stade Court
in the County of

Diameter of Funnel of Gauge
Height of top of Gauge above Grc
,, Ground ,, Sea

THE MORNING MEA

An observer who does not conform
year in the space on the right of
Please read

BIDDENDEN
KENT

1928-1930

11/Kent/4

IOUS DAY.

1st of the following

Jan. 1, following.

14

Date	Jan.	Feb.	March											
	in.	in.	in.											
I	-	.09	.09										I	
2	.03	-	.14										2	
3	.59	.20	.03	-	.03	-	-	.02	-	-	.34	-	3	
4	.03	-	-	.16	.27	-	.17	.78	-	-	.09	.03	4	
5	.04	.08	-	.17	.12	-	-	.30	-	.02	.03	-	5	
6	.10	.13	.08	.04	-	-	-	.03	-	.01	-	.02	6	
7	-	-	.02	-	-	.37	-	-	-	.02	.02	.08	7	
8	-	-	-	.11	-	.18	-	.09	-	.02	-	-	8	
9	-	.02		-	-	.53	.04	-	-	.11	.07	-	9	
10	-	-	.09	-	-	.27	-	-	-	.29	-	-	10	
II	.08	.18	.03	.29	.06	.09	~	.04	-	.28	.09	-	II	
12	.03	.03	.04	.13	-	.16	-	-	-	.37	.20	.12	12	
13	.15	.23	.01	.03	.04	-	~	.03	-	.03	.02	.10	13	
14	-	.05	-	-	.11	.96	-	-	-	-	.21	.02	14	
15	.07	.09	-	.11	.10	.17	-	-	-	.45	.47	-	15	
16	.04	-	-	.39	.29	.03	-	-	-	.04	.26	.03	16	
17	.02	.03	-	.28	.13	-	-	-	-	.03	.33	.17	17	
18	-	-	-	.05	.23	-	-	-	-	.11	-	.02	18	
19	.39	-	.02	.03	.02	.07	-	-	-	.33	.02	.02	19	
20	-	-	-	.02	.23	.07	~	.11	-	.45	.14	.06	20	
21	.13	-	-	-	.43	-	-	.03	-	.39	.07	.17	21	
22	.10	-	.09	.07	.44	-	-	-	-	.89	.16	-	22	
23	-	-	.13	-	.06	-	-	.04	.03	.30	.22	.09	23	
24	.26	-	.05	-	.10	-	-	.02	.10	.08	.19	.02	24	
25	.04	-	.04	-	.04	-	-	.04	.04	.06	.14	.13	25	
26	.07	-	.03	-	-	-	-	.02	.02	.07	.02	.09	26	
27	.14	-	-	-	-	-	.03	.14	-	1.14	-	.06	27	
28	.02	-	.08	.02	-	-	.55	.04	.02	.12	-	.47	28	
29	.31	-	.03	.03	-	-	-	.02	.50	.02	-	.13	29	
30	.10	X	.44	.17	-	-	.04	.01	.05	.08	.05	.57	30	
31	.02	X	.10	X	-	X	.09	-	X	.09	X	.08	31	
TOTAL	2.76	1.43	1.54	2.48	2.98	2.90	1.12	1.94	.76	5.99	3.26	2.50	29.36	YEAR'S TOTAL
Days with or in. or more.	236	83	127	5	2	1	1	8	3	7	5	8	56	
Days with .04 in. or more.	23	8	12	14	16	10	6	11	4	19	17	14	154	

FORM 1090.

REGISTER OF RAINFALL IN 1928 .

Kept at *Gate House Biddenden*
in the County of *Kent*
Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground ft. in.
,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.
14

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	-	.09	.09	.29	.05	-	.20	.14	-	-	-	-	I
2	.03	-	.14	.09	-	-	-	.04	-	-	.12	.02	2
3	.59	.20	.03	-	.03	-	-	.02	-	-	.34	-	3
4	.03	-	-	.16	.27	-	.17	.78	-	-	.09	.03	4
5	.04	.08	-	.17	.12	-	-	.30	-	.02	.03	-	5
6	.10	.13	.08	.04	-	-	-	.03	-	.01	-	.02	6
7	-	-	.02	-	-	.37	-	-	-	.02	.02	.08	7
8	-	-	-	.11	-	.18	-	.09	-	.02	-	-	8
9	-	.02	-	-	-	.53	.04	-	-	.11	.07	-	9
10	-	-	.09	-	-	.27	-	-	-	.29	-	-	10
11	.08	.18	.03	.29	.06	.09	-	.04	-	.28	.09	-	11
12	.03	.03	.04	.13	-	.16	-	-	-	.37	.20	.12	12
13	.15	.23	.01	.03	.04	-	-	.03	-	.03	.02	.10	13
14	-	.05	-	-	.11	.96	-	-	-	-	.21	.02	14
15	.07	.09	-	.11	.13	.17	-	-	-	.45	.47	-	15
16	.04	-	-	.39	.29	.03	-	-	-	.04	.06	.03	16
17	.02	.03	-	.18	.13	-	-	-	-	.03	.33	.17	17
18	-	-	-	.05	.23	-	-	-	-	.11	-	.02	18
19	.39	-	.02	.03	.02	.07	-	-	-	.83	.02	.02	19
20	-	-	-	.02	.23	.07	-	.11	-	.45	.14	.06	20
21	.13	-	-	-	.43	-	-	.03	-	.39	.07	.17	21
22	.10	-	.09	.07	.44	-	-	-	-	.89	.16	-	22
23	-	-	.13	-	.06	-	-	.04	.03	.50	.22	.09	23
24	.26	-	.05	-	.10	-	-	.02	.10	.08	.19	.02	24
25	.04	-	.04	-	.04	-	-	.04	.04	.06	.14	.13	25
26	.07	-	.03	-	-	-	-	.02	.02	.07	.02	.09	26
27	.14	-	-	-	-	-	.03	.14	-	1.14	-	.06	27
28	.02	-	.08	.02	-	-	.55	.04	.02	.12	-	.47	28
29	.31	-	.03	.03	-	-	-	.02	.50	.02	-	.13	29
30	.10	X	.44	.17	-	-	.04	.01	.05	.08	.05	.57	30
31	.02	X	.10	X	-	X	.09	-	X	.09	X	.08	31
TOTAL	2.40	1.43	1.54	2.48	2.98	2.90	1.12	1.94	.76	5.99	3.26	2.50	29.36
Days with or in. or more.	236	83	127	5	2	1	1	8	3	7	5	8	56
Days with .04 in. or more.	23	8	12	14	16	10	6	11	4	19	17	14	154

Section

A

for the entry of Daily Observations.

BIDDENDEN (STEDE COURT)

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1929.

325 A

Kept at Stede Court, Biddenden
in the County of Kent

Diameter of Funnel of Gauge.....5 in.
Height of top of Gauge above Ground.....ft. 9 1/2 in.
,, Ground ,, Sea Level 130 ft.

1928 late 1/4 2/4
corr for W.D.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

.12

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	—	.43	.03	—	.03	—	.09	.05	—	.29	.06	.03	1
2	.18	—	—	.03	—	—	—	.30	—	.15	—	.02	2
3	.04	.30	—	—	—	.04	.22	.02	—	.30	.09	.34	3
4	—	—	.03	—	—	—	.21	.07	—	.06	—	.44	4
5	.03	—	—	.24	.12	.09	.14	—	—	.04	—	.25	5
6	—	—	.03	.05	.53	.18	.17	.36	—	.13	—	.27	6
7	—	—	—	—	.19	.02	.13	.27	—	.07	.07	.33	7
8	—	—	—	—	.05	.10	.02	.04	—	.29	.34	.33	8
9	—	.29	—	—	—	.15	—	—	—	.19	.01	.18	9
10	.03	—	—	.06	.02	—	—	—	—	.01	—	.33	10
11	.05	.05	—	.11	—	.03	—	—	—	.19	.04	.58	11
12	—	—	—	.21	—	—	—	—	—	—	.64	.08	12
13	—	—	—	.07	.12	.09	—	—	—	—	—	—	13
14	.04	—	—	—	.05	.05	—	—	—	—	.04	.02	14
15	—	—	—	—	.04	.05	—	—	—	—	—	.10	15
16	.04	—	—	—	.17	.09	—	—	—	—	1.39	.14	16
17	—	.05	—	—	—	.02	—	.81	—	—	.11	—	17
18	—	—	—	—	—	—	—	.02	—	.02	.63	—	18
19	—	—	—	—	—	—	—	.02	.75	—	.21	—	19
20	—	—	—	—	—	—	—	—	—	—	.06	—	20
21	—	—	—	—	—	—	.06	—	—	.43	—	.06	21
22	—	—	.01	—	—	.01	—	—	—	—	.02	1.08	22
23	.24	—	.02	—	—	—	—	—	—	.02	.06	.11	23
24	.02	.05	—	—	—	—	—	—	—	.02	.27	.27	24
25	—	—	—	—	.04	—	—	—	—	.59	.50	.28	25
26	.03	.03	.03	—	—	—	—	.03	—	.30	.13	.08	26
27	.02	.04	.02	.02	.04	—	—	—	—	—	.02	.05	27
28	.01	—	—	—	—	—	—	.01	—	.03	.65	.07	28
29	.17	—	—	.08	—	—	.10	—	.02	.16	.56	.30	29
30	.18	—	—	.10	—	.01	.02	.02	.18	.04	.41	.16	30
31	.06	—	—	—	—	—	.02	—	—	.03	—	.14	31
TOTAL	4.3	.03	—	.03	—	.09	.05	—	.29	.06	.03	.12	YEAR'S TOTAL 25.85
Days with .01 in. or more.	1.48	.84	.14	1.00	1.12	1.52	1.14	1.97	1.24	3.13	5.70	6.62	164
Days with .04 in. or more.	6.16	4.9	6.7	11.2	11.2	15.0	11.3	26.6	4.1	21.6	22.4	26.8	46
	10.9	7.	—	8.	10.	10.9	8.	6.7	2.	15.	17.18	23.24	156

REGISTER OF RAINFALL IN 1930 .

Kept at Stide Court, Biddenden
in the County of Kent
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 9 1/2 ft.
Ground Sea Level 130 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.
Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I		<u>.37</u>	—										I
2	.10	<u>.36</u>	—										2
3	.02	.11	—										3
4	.03	.09	—										4
5	.17	.05	—										5
6	.03	—	—										6
7	.02	^{50R} .34	.02										7
8	.05	^{s.} .32	—										8
9	.14	—	—										9
10	.19	—	.03										10
11	.26	—	.23										11
12	.09	.08	.03										12
13	.15	—	—										13
14	.04	—	.05										14
15	.02	.10	.01										15
16	—	.06	.28										16
17	—	—	.07										17
18	.02	.02	.19										18
19	—	—	^{SL18} .44										19
20	—	—	<u>3</u> .03										20
21	—	.02	.03										21
22	.03	—	—										22
23	.02	—	—										23
24	—	.02	.14										24
25	<u>.37</u>	.03	.02										25
26	.13	.02	—										26
27	.05	.02	—										27
28	.02	.02	—										28
29	.03	X	—										29
30	.26	X	—										30
31	.13	X	—	X		X			X		X		31
TOTAL	2.37	2.02	1.57										YEAR'S TOTAL
Days with .01 in. or more.	10	7	8										
Days with .04 in. or more.	14	10	6										

FALL IN 1921.

Lat. $51^{\circ} 19' N$ Long. $00^{\circ} 02' E$

Time of Observation. 0700 & 1800 hrs.

Nearest Railway Station. WesterhamDiameter of Funnel of Rain Gauge. 8 insHeight of top of Gauge above Ground. 1 ft. — in." " " " Sea Level. 601 ft.

9 a.m. and the result entered to the previous day.

If the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of

this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following

0.0 mm

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	4.7	Trace	1.2	Trace	—	—	—	Trace	Trace	Trace	1.1	4.0	1
2	0.6	0.2	0.8	Trace	4.7	—	—	0.3	Trace	—	7.6	0.9	2
3	0.3	0.2	2.0	—	1.0	1.4	—	4.2	—	—	8.6	—	3
4	4.2	Trace	Trace	—	6.4	Trace	—	0.9	—	—	11.4	—	4
5	1.5	—	0.2	—	0.1	—	—	3.0	—	—	6.1	Trace	5
6	1.5	0.7	7.4	—	2.0	—	—	—	—	—	0.1	Trace	6
7	13.8	0.5	—	Trace	2.3	—	—	—	—	—	Trace	Trace	7
8	0.5	—	0.1	—	2.4	Trace	—	—	—	—	Trace	Trace	8
9	Trace	—	0.2	2.2	0.1	—	—	—	0.1	Trace	0.1	Trace	9
10	4.8	0.1	0.1	Trace	—	—	—	Trace	1.8	16.1	Trace	Trace	10
11	5.5	0.7	0.1	—	0.3	—	—	—	23.2	Trace	Trace	0.3	11
12	8.2	0.1	1.3	—	0.5	Trace	—	10.3	5.2	Trace	Trace	1.9	12
13	7.1	Trace	2.3	9.1	Trace	—	—	4.4	1.9	0.6	0.3	1.2	13
14	Trace	—	0.4	0.1	0.7	Trace	0.5	0.4	—	0.8	Trace	8.2	14
15	0.1	—	—	1.5	0.3	—	—	0.4	—	0.1	Trace	0.6	15
16	0.7	—	0.9	1.8	—	—	—	1.1	—	Trace	7.3	0.2	16
17	3.1	—	7.3	12.6	—	—	0.3	9.7	0.1	Trace	Trace	Trace	17
18	1.8	0.7	2.0	Trace	—	—	—	—	0.2	Trace	—	0.2	18
19	—	0.1	4.8	0.7	Trace	1.0	—	—	Trace	0.5	—	4.9	19
20	—	—	1.2	Trace	—	Trace	—	0.1	—	12.2	Trace	Trace	20
21	0.1	—	Trace	—	—	—	—	0.1	Trace	—	2.1	—	21
22	Trace	—	Trace	0.6	—	—	—	—	0.1	3.0	Trace	5.9	22
23	—	—	—	10.9	—	—	Trace	15.9	Trace	1.4	—	2.3	23
24	—	—	—	0.5	—	—	—	—	Trace	—	Trace	2.4	24
25	0.4	5.0	—	0.4	0.3	3.4	—	—	Trace	Trace	Trace	2.0	25
26	0.9	—	Trace	Trace	5.6	2.6	0.2	—	—	Trace	0.3	8.6	26
27	0.5	0.1	—	Trace	1.1	—	—	Trace	Trace	Trace	0.3	1.0	27
28	0.1	—	11.5	—	4.0	—	5.6	—	Trace	Trace	0.1	1.3	28
29	0.7	~~X~~	3.9	—	5.1	—	0.5	0.2	0.1	—	Trace	0.9	29
30	6.9	~~X~~	Trace	1.3	3.8	—	—	—	0.1	0.1	2.9	4.1	30
31	1.8	~~X~~	Trace	~~X~~	0.5	~~X~~	—	—	~~X~~	Trace	~~X~~	Trace	31
TOTAL	69.8	8.4	47.7	41.7	41.2	8.4	7.1	51.0	32.8	34.8	48.3	50.9	YEAR'S TOTAL 442.1
Days with 0.2 mm. or more	21	7	16	11	17	4	5	12	5	7	11	19	135
Days with 1.0 mm. or more	13	1	11	7	11	4	1	7	4	4	8	13	84

RAINFALL IN 1921.

Kept at Biggin Hillin the County of Hertby J. H. Applegate & W. H. BiggLat. 51° 19' N Long. 00° 02' ETime of Observation 0700 & 1800 hrs.Nearest Railway Station WesterhamDiameter of Funnel of Rain Gauge 8 insHeight of top of Gauge above Ground 1 ft. — in." " " " Sea Level 601 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

0.0 mm

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	4.7	Trace	1.2	Trace	—	—	—	Trace	Trace	Trace	1.1	4.0	1
2	0.6	0.2	0.8	Trace	4.7	—	—	0.3	Trace	—	7.6	0.9	2
3	0.3	0.2	2.0	—	1.0	1.4	—	4.2	—	—	8.6	—	3
4	4.2	Trace	Trace	—	6.4	Trace	—	0.9	—	—	11.4	—	4
5	1.5	—	0.2	—	0.1	—	—	3.0	—	—	6.1	Trace	5
6	1.5	0.7	7.4	—	2.0	—	—	—	—	—	0.1	Trace	6
7	13.8	0.5	—	Trace	2.3	—	—	—	—	—	Trace	Trace	7
8	0.5	—	0.1	—	2.4	Trace	—	—	—	—	Trace	Trace	8
9	Trace	—	0.2	2.2	0.1	—	—	—	0.1	Trace	0.1	Trace	9
10	4.8	0.1	0.1	Trace	—	—	—	Trace	1.8	16.1	Trace	Trace	10
11	5.5	0.7	0.1	—	0.3	—	—	—	23.2	Trace	Trace	0.3	11
12	8.2	0.1	1.3	—	0.5	Trace	—	10.3	5.2	Trace	Trace	1.9	12
13	7.1	Trace	2.3	9.1	Trace	—	—	4.4	1.9	0.6	0.3	1.2	13
14	Trace	—	0.4	0.1	0.7	Trace	0.5	0.4	—	0.8	Trace	8.2	14
15	0.1	—	—	1.5	0.3	—	—	0.4	—	0.1	Trace	0.6	15
16	0.7	—	0.9	1.8	—	—	—	1.1	—	Trace	7.3	0.2	16
17	3.1	—	7.3	12.6	—	—	0.3	9.7	0.1	Trace	Trace	Trace	17
18	1.8	0.7	2.0	Trace	—	—	—	—	0.2	Trace	—	0.2	18
19	—	0.1	4.8	0.7	Trace	1.0	—	—	Trace	0.5	—	4.9	19
20	—	—	1.2	Trace	—	Trace	—	0.1	—	12.2	Trace	Trace	20
21	0.1	—	Trace	—	—	—	—	0.1	Trace	—	2.1	—	21
22	Trace	—	Trace	0.6	—	—	—	—	0.1	3.0	Trace	5.9	22
23	—	—	—	10.9	—	—	Trace	15.9	Trace	1.4	—	2.3	23
24	—	—	—	0.5	—	—	—	—	Trace	—	Trace	2.4	24
25	0.4	5.0	—	0.4	0.3	3.4	—	—	Trace	Trace	Trace	2.0	25
26	0.9	—	Trace	Trace	5.6	2.6	0.2	—	—	Trace	0.3	8.6	26
27	0.5	0.1	—	Trace	1.1	—	—	Trace	Trace	Trace	0.3	1.0	27
28	0.1	—	11.5	—	4.0	—	5.6	—	Trace	Trace	0.1	1.3	28
29	0.7	~~X~~	3.9	—	5.1	—	0.5	0.2	0.1	—	Trace	0.9	29
30	6.9	~~X~~	Trace	7.3	3.8	—	—	—	0.1	0.1	2.9	4.1	30
31	1.8	~~X~~	Trace	~~X~~	0.5	~~X~~	—	—	~~X~~	Trace	~~X~~	Trace	31
TOTAL	69.8	8.4	47.7	41.7	41.2	8.4	7.1	51.0	32.8	34.8	48.3	50.9	YEAR'S TOTAL 442.1
Days with 0.2 mm. or more	21	7	16	11	17	4	5	12	5	7	11	19	135
Days with 1.0 mm. or more	13	1	11	7	11	4	1	7	4	4	8	13	84

REGISTER OF RAINFALL IN 1922.

Kept at BIGGIN HILL.
in the County of KENT.
by STAFF

Lat. 51°19'N Long. 00°02'E.
Time of Observation 6.00 a.m.
Nearest Railway Station Westerham.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. - in.
Sea Level 201 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
0.1

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	-	2.0	6.5	-	6.3	-	2.0	0.9	1.0	0.2	22.3	6.0	1
2	0.9	10.3	3.6	2.2	-	-	1.9	0.1	3.1	0.2	0.1	Trace.	2
3	Trace	2.3	3.6	13.4	5.0	-	5.2	3.6	Trace	0.1	2.4	Trace.	3
4	Trace	3.8	5.1	Trace	2.6	-	4.2	2.6	0.1	8.4	0.2	-	4
5	-	0.1	6.4	1.9	1.6	-	34.8	0.1	Trace	1.1	16.9	-	5
6	2.1	0.1	1.4	-	-	-	6.0	16.4	0.1	2.0	8.5	-	6
7	3.6	0.1	11.5	5.5	-	-	2.2	4.4	Trace	0.1	0.1	0.2	7
8	1.8	Trace	6.6	2.5	-	1.1	6.9	1.0	Trace	Trace	0.4	0.9	8
9	2.5	Trace	Trace	3.2	-	-	2.4	2.2	-	0.1	Trace	0.6	9
10	0.1	-	Trace	Trace	-	-	-	0.3	2.4	0.6	7.4	0.1	10
11	1.3	Trace	Trace	Trace	2.2	-	0.2	2.3	Trace	0.1	-	Trace	11
12	Trace	Trace	Trace	22.0	Trace	-	-	4.5	8.4	0.2	-	0.2	12
13	0.4	Trace	-	11.2	-	3.4	1.4	0.2	1.9	0.2	0.3	Trace	13
14	Trace	0.1	Trace	0.4	-	16.3	20.3	0.4	15.1	0.1	0.1	Trace	14
15	3.5	5.5	Trace	2.0	-	0.6	0.6	0.2	0.1	0.2	0.4	0.2	15
16	0.2	1.1	Trace	5.8	1.4	-	1.8	0.1	1.4	Trace	Trace	6.2	16
17	Trace	12.3	Trace	0.2	0.6	-	0.4	0.4	2.1	0.1	Trace	3.0	17
18	20.9	Trace	-	Trace	0.3	0.2	0.5	Trace	Trace	0.4	Trace	5.8	18
19	18.2	2.9	0.6	Trace	0.1	-	0.1	Trace	12.9	15.1	Trace	15.3	19
20	0.2	0.9	0.4	Trace	Trace	-	0.1	Trace	Trace	2.6	Trace	0.5	20
21	8.3	6.2	0.5	1.3	Trace	-	0.2	Trace	0.1	1.9	Trace	26.4	21
22	0.1	2.1	-	6.9	2.5	0.4	1.2	4.4	Trace	1.2	Trace	1.8	22
23	0.1	0.4	-	1.5	-	3.1	0.4	-	0.4	Trace	Trace	Trace	23
24	1.5	Trace	2.8	2.6	2.4	4.5	1.5	4.4	0.6	0.1	Trace	0.1	24
25	10.9	Trace	0.2	12.9	18.6	0.5	0.2	0.6	Trace	Trace	0.2	5.1	25
26	4.1	8.4	1.4	6.8	0.1	6.6	3.9	Trace	0.4	0.3	0.6	0.2	26
27	4.4	6.5	2.5	3.3	-	Trace	0.1	3.6	1.9	0.4	0.2	11.9	27
28	5.2	10.0	3.4	0.4	-	8.4	0.2	1.9	Trace	0.4	0.8	3.8	28
29	1.1	X	Trace	Trace	-	3.1	0.2	5.6	0.2	3.4	Trace	5.5	29
30	0.1	X	3.4	0.1	-	Trace	1.0	9.5	5.5	0.1	2.4	22.3	30
31	2.2	X	0.1	X	-	X	1.2	2.2	X	0.2	X	12.0	31
TOTAL	94.0	45.4	61.2	104.4	44.0	48.8	104.4	43.1	57.8	40.4	63.9	128.1	YEAR'S TOTAL ✓ 903.4
Days with 0.2 mm. or more	20	15	14	20	11	12	26	22	15	19	14	20	211 ✓
Days with 1.0 mm. or more	16	13	13	14	9	8	14	15	11	8	6	13	146

AIR MINISTRY.

FORM 1091 METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

(formerly B.R.O. Form A.2).

REGISTER OF RAINFALL IN 1923.

Kept at BIGGIN HILL

in the County of KENT

by Staff

Lat. 51° 19' N Long. 00° 02' E

Time of Observation 7 a.m. and 6 p.m. GMT.

Nearest Railway Station Westerham (S.R.)

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 605 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1. following.

3.7 mm.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	3.7	0.3	6.0	0.1	Trace	0.2	Trace	Trace	0.5	0.9	5.1	3.5	1
2	6.6	0.4	0.3	0.3	2.3	0.0	0.1	Trace	0.1	2.4	0.5	7.1	2
3	0.6	Trace	Trace	0.1	Trace	1.6	0.1	Trace	0.1	29.8	0.3	0.2	3
4	0.3	0.1	Trace	Trace	0.0	0.1	0.1	0.2	2.8	Trace	Trace	4.6	4
5	9.7	0.2	0.2	2.6	Trace	0.6	Trace	0.2	0.1	1.6	1.0	0.1	5
6	3.0	2.2	2.3	2.3	Trace	1.2	Trace	0.1	0.2	Trace	0.2	0.1	6
7	3.9	27.2	10.7	0.2	1.6	Trace	0.0	0.1	0.2	10.5	Trace	9.7	7
8	2.0	8.7	0.3	Trace	2.0	0.0	0.1	0.1	0.1	8.0	17.3	Trace	8
9	4.1	Trace	1.9	0.1	1.0	Trace	52.8	Trace	0.2	Trace	0.5	0.1	9
10	Trace	7.3	0.2	13.0	4.2	Trace	0.6	0.1	0.1	6.7	0.5	0.4	10
11	0.9	0.5	Trace	9.7	3.2	Trace	0.1	0.1	Trace	5.6	Trace	2.4	11
12	Trace	10.6	12.2	2.9	2.9	2.2	0.1	Trace	0.2	20.6	0.3	1.3	12
13	0.6	2.1	7.3	3.1	0.1	0.0	1.2	0.0	0.1	0.3	15.6	0.1	13
14	Trace	1.8	0.4	0.4	0.3	Trace	0.5	0.3	7.0	0.1	Trace	0.3	14
15	0.1	0.1	0.9	0.2	4.1	3.7	0.4	1.0	4.1	0.2	8.3	0.1	15
16	0.5	2.9	Trace	Trace	1.3	0.4	0.2	0.0	Trace	0.7	3.8	Trace	16
17	0.2	0.5	Trace	Trace	0.1	0.1	0.1	3.8	1.8	Trace	Trace	Trace	17
18	2.7	5.4	0.1	Trace	Trace	0.3	0.2	6.0	2.1	1.1	0.4	0.0	18
19	5.6	1.6	Trace	0.1	0.1	0.6	0.8	Trace	1.9	27.5	Trace	1.5	19
20	0.5	0.2	4.2	0.0	0.6	0.3	0.1	0.2	8.5	0.5	0.1	Trace	20
21	Trace	7.8	0.1	1.7	Trace	Trace	0.1	Trace	1.3	6.6	0.5	3.1	21
22	Trace	16.2	0.2	0.2	0.4	0.0	0.2	0.1	4.7	3.3	1.2	4.3	22
23	Trace	2.2	2.8	0.2	12.4	0.1	1.3	10.5	6.5	16.8	0.1	Trace	23
24	Trace	0.7	1.1	0.1	0.3	Trace	0.1	13.2	5.4	0.3	0.1	3.2	24
25	Trace	0.7	3.6	19.0	0.7	3.6	4.2	0.7	0.6	5.3	Trace	18.4	25
26	Trace	9.3	6.5	4.4	0.1	0.1	0.1	1.2	Trace	11.8	0.3	6.7	26
27	Trace	3.2	1.7	0.1	1.3	0.1	0.2	3.3	0.2	4.3	0.2	4.2	27
28	0.2	1.3	0.4	1.8	13.8	0.1	9.8	0.1	Trace	Trace	3.7	0.6	28
29	3.2	~~1.3~~	0.4	3.2	33.0	Trace	2.2	12.4	Trace	0.1	Trace	5.1	29
30	0.2	~~1.3~~	Trace	Trace	Trace	0.1	2.0	0.1	0.2	4.8	0.0	4.1	30
31	0.1	~~1.3~~	Trace	~~Trace~~	Trace	~~Trace~~	10.8	0.1	~~Trace~~	0.1	~~Trace~~	3.8	31
TOTAL	48.7	113.5	~~62.8~~	65.8	85.8	15.4	88.5	53.9	49.0	169.9	60.0	85.0	899.3
Days with 0.2 mm. or more	19	24	21	17	18	11	16	13	19	28	18	20	219
Days with 1.0 mm. or more	10	16	12	11	13	5	8	8	17	17	8	16	135

REGISTER OF RAINFALL IN 1924.

Kept at

Biggin Hill

in the County of

Kent

by

Official Observers

Lat. 51° 19' N Long. 00° 02' E

Time of Observation 0700-1800

Nearest Railway Station Westerham

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 605 ft.

Jan. 1, following.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. An Observer who prefers not to conform to this almost universal rule should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Inches should be entered on Form 1090.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	2.4	trace	0.2	0.4	1.0	6.3	2.1	0.5	trace(w)	trace(w)	11.4	0.5	RRR 1
2	1.5	trace	5.8	trace	0.2	4.8	1.6	3.2	trace(w)	trace	-	4.6	RRR 2
3	-	-	1.2	0.2	2.2	0.8	5.1	5.7	1.5	trace(w)	-	trace	3
4	0.3	trace	0.6	trace	0.9	14.2	0.1	trace	1.7	5.1	trace(w)	6.6	4
5	trace	0.4	4.3	trace	trace	trace	0.7	0.2	trace(w)	4.4	trace(w)	1.6	5
6	0.1	4.3	trace	-	trace	0.3	0.1	3.7	trace	7.7	0.1	trace	6
7	0.2	-	trace	trace	3.5	15.3	trace	0.1	3.2	8.7	trace	trace(w)	7
8	4.8	0.1	-	1.4	1.7	0.1	trace	trace	1.0	2.0	trace	trace(w)	8
9	1.2	7.2	-	1.2	1.6	1.6	trace(w)	trace(w)	11.1	0.3	trace(w)	trace(w)	9
10	7.5	trace	-	7.7	12.1	0.1	trace	trace	0.2	trace	trace	-	10
11	0.5	trace	-	10.9	7.2	5.3	trace	trace	1.3	1.7	7.0	trace(w)	11
12	0.2	0.2	-	8.8	1.6	4.2	trace	1.9	3.5	trace(w)	22.4	-	12
13	2.0	-	-	12.9	2.1	0.5	trace(w)	1.2	21.2	trace(w)	2.5	9.7	13
14	1.4	trace	-	7.2	0.2	trace	trace(w)	0.6	0.1	0.1	1.3	0.3	14
15	0.1	0.3	-	0.5	trace	0.1(w)	trace(w)	0.1	2.1	trace	-	17.3	15
16	trace	trace	-	0.2	trace	0.1(w)	trace	10.6	1.4	trace	trace	5.7	16
17	4.6	0.1	-	trace	0.4	0.1(w)	22.1	5.1	1.4	0.1	trace(w)	trace	17
18	9.4	1.5	-	trace	3.7	2.6	0.2	13.4	0.1	0.9	1.8	trace	18
19	9.0	trace	trace	-	0.1	0.4	0.3	1.4	0.2	1.7	0.9	0.4	19
20	trace	-	-	-	1.4	0.8	1.0	0.4	5.2	0.3	trace	trace	20
21	9.0	trace	0.2	-	2.4	0.2	4.3	0.3	5.0	19.8	-	trace(w)	21
22	11.0	-	3.8	trace	0.2	0.1	38.5	11.6	5.8	trace(w)	-	trace(w)	22
23	0.1	trace	11.8	trace	4.8	0.1(w)	trace(w)	5.6	7.8	trace	-	16.9	23
24	10.8	2.5	2.0	1.6	8.8	trace	trace(w)	9.7	trace	-	1.9	7.8	24
25	0.2	0.4	8.1	1.4	8.9	0.1(w)	11.3	trace	17.6	trace	4.8	2.7	25
26	trace	0.3	0.2	13.5	trace	trace	9.8	trace	9.4	3.5	9.5	4.4	26
27	trace	0.5	0.3	16.0	0.1	0.7	7.0	0.1(w)	0.2	5.4	13.2	24.6	27
28	trace	trace	-	4.5	0.1	trace	24.2	5.2	trace	0.2	12.2	0.3	28
29	trace	2.7	-	3.2	8.7	trace(w)	13.8	8.8	3.2	21.8	4.2	1.0	29
30	0.1	X	trace	18.5	1.3	0.1	11.9	2.5	21.2	14.6	3.2	15.6	30
31	0.3	X	0.1	X	15.6	X	trace	1.4	X	3.6	X	5.8	31
TOTAL	76.7	20.5	38.6	110.1	90.8	58.9	154.1	93.3	125.4	101.9	96.4	127.8	YEAR'S TOTAL
Days with 0.2 mm. or more.	19	11	12	18	23	15	16	21	22	17	14	18	1094.5
Days with 1.0 mm. or more.	13	5	7	14	18	8	13	16	19	13	13	14	206
													153

Section



for the entry of Daily Observations.

AIR MINISTRY.

FORM 1091.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FOR OFFICIAL USE.

Register of Rainfall in 1925.

Kept at Beggin Hill Aerodrome
in the County of Kent

Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. - in.
" Ground " Sea Level 597 ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Inches should be entered on Form 1090.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	17.1	-	8.1	1.4	1.4	-	-	3.2	3.0	0.4	13.0	Tr	1
2	24.0	0.1	Tr	4.8	Tr	-	-	-	-	Tr(w)	13.2	Tr	2
3	4.2	0.1	0.5	0.4	3.8	-	1.9	Tr	0.2	Tr(w)	4.2	Tr(w)	3
4	1.8	Tr(w)	Tr	Tr	3.8	-	Tr	4.5	0.3	0.3	4.0	Tr(w)	4
5	Tr	2.3	-	10.0	0.1	-	-	0.5	4.0	Tr	1.9	Tr	5
6	Tr(w)	5.5	0.1	7.8	4.3	-	4.6	2.6	Tr	Tr(w)	7.9	Tr	6
7	-	7.4	1.4	2.6	1.3	-	6.0	Tr	0.2	0.8	1.8	3.4	7
8	1.7	0.6	Tr	-	4.6	-	-	Tr	1.4	Tr(w)	0.9	5.4	8
9	-	0.7	Tr	1.8	1.5	-	Tr	2.5	8.3	Tr	3.6	-	9
10	Tr	1.0	0.8	0.2	Tr	-	Tr	4.7	8.1	Tr(w)	3.6	0.1	10
11	0.1	3.4	0.4	0.1	0.1	-	-	3.7	0.7	0.1	11.9	Tr(w)	11
12	0.2	20.8	-	0.1	-	-	-	0.4	0.4	1.4	-	0.3	12
13	Tr	17.9	3.4	0.8	-	-	-	0.9	Tr	2.3	0.1	0.1	13
14	8.6	3.9	0.8	4.8	-	-	-	Tr	-	-	Tr(w)	Tr	14
15	5.1	-	0.1	1.3	0.5	-	-	Tr(w)	-	3.5	-	0.1	15
16	0.7	1.5	Tr	0.1	-	-	-	-	2.4	3.7	0.1	0.1	16
17	0.2	Tr	Tr	-	0.1	Tr	-	-	0.4	-	Tr(w)	-	17
18	Tr	0.8	Tr	0.2	0.2	-	1.1	0.2	-	0.4	-	0.1	18
19	Tr	1.3	Tr	0.4	Tr	0.2	2.8	Tr	6.3	17.0	Tr(w)	4.9	19
20	Tr	Tr	2.7	-	Tr	-	2.1	2.3	14.0	12.7	Tr(w)	5.5	20
21	-	-	0.5	Tr(w)	-	-	9.4	3.2	2.5	14.2	Tr(w)	10.8	21
22	-	0.4	1.0	1.4	0.2	-	39.6	4.9	19.8	24.9	Tr(w)	15.0	22
23	1.0	4.2	1.1	4.1	6.8	Tr	1.1	14.9	0.2	7.2	Tr(w)	1.7	23
24	Tr(w)	9.3	2.1	1.6	6.5	6.0	Tr	6.0	0.4	3.4	1.6	5.4	24
25	1.2	29.5	0.1	0.3	0.1	-	0.6	0.1	7.4	0.9	0.8	1.2	25
26	0.1	6.5	Tr	1.1	0.4	0.5	14.4	0.1	1.0	7.6	-	3.6	26
27	5.3	0.4	-	4.2	11.9	Tr	5.3	4.6	-	0.1	2.2	0.2	27
28	3.3	0.1	0.1	6.0	-	Tr(w)	-	Tr(w)	0.9	Tr	-	4.0	28
29	5.8	-	Tr	0.1	3.2	-	0.6	Tr(w)	0.1	Tr	1.7	7.9	29
30	0.3	X	-	10.3	-	-	8.0	-	0.1	0.1	0.7	14.9	30
31	3.8	X	Tr	X	-	X	2.4	-	X	0.1	X	0.6	31
TOTAL	84.5	117.7	23.2	65.9	50.8	6.7	99.9	59.3	82.1	107.1	73.2	85.3	YEAR'S TOTAL
Days with 0.2 mm. or more.	17	19	12	21	15	3	15	16	21	16	16	16	187
Days with 1.0 mm. or more.	13	14	7	15	4	1	13	12	12	11	13	13	135
	3.33	4.63	0.92	2.59	2.00	0.26	3.93	2.34	3.23	3.98	2.89	3.35	

(Signed)..... P.T.O.

REGISTER OF RAINFALL IN 1926.

361

Kept at Meteorological Office, Bignor Hill
in the County of Kent
Diameter of Funnel of Gauge..... 8 in.
Height of top of Gauge above Ground..... 1 ft. — in.
" Ground " Sea Level 59.7 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in inches should be entered on Form 1090.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	12.0	7.4	-	tr	0.1	4.8	0.3	tr(w)	12.4	0.1(w)	0.2	-	1
2	2.0	0.6	-	-	-	27.8	0.6	0.2(w)	6.7	0.1(w)	0.6	tr	2
3	8.5	17.2	2.4	-	-	1.5	tr(w)	0.5	0.8	0.1(w)	0.1	-	3
4	tr	1.4	1.0	26.3	-	tr(w)	1.3	0.2(w)	0.1(w)	0.1	0.2	-	4
5	1.6	5.3	1.2	tr(w)	3.8	0.1(w)	1.3	tr(w)	0.1	0.1(w)	10.9	5.1	5
6	0.3	8.0	1.5	6.0	0.1	0.1(w)	1.6	2.7	5.9	0.1(w)	4.4	0.4	6
7	5.0	1.6	0.1	7.3	1.8	2.8	0.9	1.6	1.0	tr(w)	7.9	0.8	7
8	0.1	0.5	0.1	4.6	0.1	0.1	0.5	0.2	tr(w)	1.4	28.0	0.1	8
9	tr(w)	1.0	0.6	0.1	0.1	11.2	0.6	0.5	-	5.5	12.3	0.1	9
10	tr(w)	0.1	-	0.1	0.6	6.2	0.1	24.2	tr(w)	0.4	2.2	tr	10
11	tr(w)	3.4	tr	0.1	1.0	6.2	tr	2.2	-	1.2	4.9	tr	11
12	tr(w)	2.1	-	tr(w)	4.2	2.7	0.1	0.4	0.4	7.1	0.1	0.3	12
13	1.4	tr(w)	tr	tr(w)	0.3	0.4	tr(w)	0.3	0.2(w)	1.4	27.7	0.1	13
14	4.6	0.5	-	4.3	6.0	5.1	0.1(w)	-	0.1	16.8	-	2.9	14
15	2.8	1.6	tr(w)	9.0	0.1	0.2	tr	0.1	0.2	9.4	3.6	-	15
16	tr	3.2	tr	7.8	0.3	0.1	0.4	4.2	0.1	tr(w)	0.9	0.2	16
17	tr	11.3	tr(w)	1.1	1.4	15.6	0.2(w)	0.5	0.1	0.2(w)	2.9	0.6	17
18	6.4	1.7	tr	0.8	0.4	4.3	4.4	6.7	0.1(w)	0.2(w)	17.6	tr	18
19	1.1	0.1	0.4	0.8	2.1	tr	6.9	tr	0.1(w)	0.1(w)	0.3	tr	19
20	tr	tr	0.2	15.7	2.9	tr(w)	1.5	4.6	0.1	1.0	17.6	-	20
21	0.3	-	0.1	4.9	0.8	0.1	1.8	0.7	0.2(w)	0.6	11.2	0.1	21
22	10.0	0.8	tr	3.0	0.1	0.2	tr	tr(w)	0.3(w)	1.1	2.9	0.2	22
23	1.7	1.0	-	0.1	0.5	6.8	tr(w)	0.1	0.1(w)	0.3	0.2(w)	-	23
24	0.1	0.1	tr(w)	tr(w)	1.5	4.1	0.8	tr	11.4	17.8	0.2	-	24
25	2.1	tr	tr(w)	18.9	0.1	0.2(w)	2.3	1.0	0.5	4.6	1.4	2.7	25
26	0.2	tr	tr	0.3	0.1	0.3(w)	7.5	tr(w)	1.7	0.1(w)	7.2	0.4	26
27	1.1	0.1	0.2	4.4	0.9	6.7	5.4	0.1(w)	5.7	-	0.2	0.1	27
28	15.2	0.1	-	9.1	0.7	0.2	10.4	0.1(w)	0.5	7.0	1.8	0.5	28
29	0.2	X	tr	4.8	4.4	0.1(w)	1.0	0.1(w)	0.1(w)	2.6	7.0	0.1	29
30	1.3	X	-	2.2	5.8	tr(w)	2.1	0.6	0.1(w)	0.3	3.3	-	30
31	8.1	X	-	X	0.3	X	0.3(w)	33.1	X	tr(w)	X	tr(w)	31
TOTAL	86.1	69.1	7.8	131.7	40.5	107.9	52.4	84.9	49.0	79.7	177.8	14.7	YEARS TOTAL
Days with 0.2 mm. or more.	21	18	8	19	20	20	22	19	15	19	27	11	219
Days with 1.0 mm. or more.	17	14	4	16	11	14	13	9	7	13	19	3	140

Please read the Notes and Instructions Overleaf.

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.

Form 1091.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

350

Register of Rainfall in 1927.

Kept at Biggin Hill
in the County of Kent

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft. in.
" Ground " Sea Level.....ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf. (56.0 suggested for 25th-26th Dec, Cante. 14/6/28. Observer agrees)

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Inches should be entered on Form 1090.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1		25.2					16.1						1
2													2
3													3
4													4
5													5
6													6
7				12.8									7
8													8
9													9
10													10
11													11
12													12
13													13
14									42.3				14
15								20.1					15
16													16
17													17
18	8.2												18
19													19
20													20
21													21
22										13.8			22
23													23
24						17.6							24
25			17.3									39.1	25
26												57.4 (56.0)	26
27					9.4								27
28													28
29											26.8		29
30		X											30
31		X		X		X			X		X	135.4	31
TOTAL	62.1	118.7	95.5	51.5	37.6	94.2	92.8	137.9	143.7	54.1	79.0	116.5	1083.6
Days with 0.2 mm. or more.	20	14	20	13	10	19	22	21	24	20	21	17	221
Days with 1.0 mm. or more.	16	13	15	12	8	17	19	19	17	8	15	8	167
	2.44	4.67	3.76	2.03	1.48	3.71	3.65	5.43	5.66	2.13	3.11	4.59	42.66

(Signed)

Checked by - AM.

523 48.40

RAINFALL IN 192...

Every observer is requested to fill in this section (especially if change has been made in the position of the gauge or in its exposure) also the space for notes as far as possible:—

Name and Address to which any correspondence relating to this register should be sent:—

Kept at Biggin Hill Aerodrome
 in the County of KENT
 Diameter of Funnel of Gauge 12 in.
 Height of top of Gauge above Ground 1 ft. 0 in.
 " Ground " Sea Level 597 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Records taken in inches should be entered on Form 1090.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	2.	25.2	0.4	1.6	2.	1.1	17.1	6.1	0.2	4.6	11.2	2.	1
2	0.2	-	1.6	4.2	-	2.4	2.	2.	2.2	0.9	0.5	0.2	2
3	4.3	2.	0.4	-	-	2.	1.0	2.	0.4	0.1	-	1.4	3
4	2.	-	1.4	1.0	1.0	0.1	1.6	2.	0.8	2.	0.1	0.2	4
5	2.9	2.4	9.7	9.7	2.1	0.9	1.1	6.0	2.	2.	2.0	0.1	5
6	0.1	-	7.0	3.8	6.7	1.3	15.3	0.3	3.5	0.4	0.2	2.	6
7	1.1	8.1	4.2	12.8	-	6.7	1.4	2.5	2.	0.2	1.0	-	7
8	0.6	-	1.2	5.5	2.	2.	1.4	9.7	0.8	2.	2.1	2.	8
9	2.	-	0.7	6.5	-	2.	7.4	1.4	3.1	0.2	0.1	0.2	9
10	2.	-	2.	0.1	-	-	2.	0.1	20.5	0.3	0.1	2.	10
11	2.	2.	2.	1.3	-	2.	6.1	0.5	0.5	0.2	-	-	11
12	2.9	2.	0.5	-	-	2.	1.2	16.8	0.1	1.2	0.3	-	12
13	3.2	2.	2.	1.0	-	-	0.3	5.8	3.8	0.7	1.4	1.1	13
14	2.4	2.	-	1.9	0.4	-	12.4	4.2	42.3	2.	0.7	8.8	14
15	2.	2.	-	2.	1.5	-	2.8	20.1	2.1	2.	0.1	0.5	15
16	2.	0.2	-	2.	5.8	-	0.4	2.3	3.9	2.	0.1	0.3	16
17	3.9	2.	0.1	2.	-	6.9	0.8	13.3	6.2	0.2	-	0.4	17
18	8.2	-	2.	2.	-	16.1	-	8.8	1.5	2.	2.0	2.	18
19	0.1	3.0	-	2.	-	1.4	2.	1.6	2.	0.1	4.7	2.	19
20	1.2	5.6	-	0.1	-	1.0	2.6	14.2	2.	-	10.3	0.9	20
21	6.1	6.2	2.	-	6.8	0.8	1.4	11.3	6.0	7.0	3.2	25.9	21
22	3.8	1.2	7.0	2.	0.9	3.0	0.1	1.7	5.1	13.8	0.2	21.3	22
23	2.	13.3	6.9	-	-	2.0	5.2	2.	18.1	0.6	3.0	8.3	23
24	0.1	7.1	11.0	0.3	-	17.6	0.1	3.8	1.1	0.4	1.2	7.5	24
25	0.2	9.7	17.3	2.	-	3.5	0.1	5.2	2.5	0.6	-	34.1	25
26	3.4	9.1	3.9	2.	3.0	3.2	1.8	2.	1.6	2.1	1.4	0.3	26
27	4.2	16.7	2.3	-	9.4	5.7	8.8	-	0.6	13.8	1.2	-	27
28	5.2	10.9	0.2	1.6	-	3.0	0.1	0.1	0.3	2.6	4.8	-	28
29	1.3	X	3.7	0.1	-	10.2	2.	1.1	16.5	0.1	26.8	-	29
30	6.4	X	2.9	-	-	7.3	1.4	2.	2.	3.5	0.3	-	30
31	0.3	X	13.1	X	2.	X	1.9	2.	X	0.5	X	(2.3)	31
TOTAL	62.1	118.7	95.5	51.5	37.6	94.2	93.8	136.9	143.7	54.1	79.0	118.8	1085.9
Days with 0.2 mm. or more.	20	14	20	13	10	19	22	21	24	20	21	17	221
Days with 1.0 mm. or more.	16	13	15	12	8	17	19	19	17	8	15	9	168

Please read the Notes and Instructions Overleaf.

Tabulated by - wa.
 checked by - keh.

(Signed).....

W. Andrews

Use MNR
 W. Andrews

REGISTER OF RAINFALL IN 1928.

Kept at Biggin Hill
in the County of Kent
Diameter of Funnel of Gauge..... 8 in.
Height of top of Gauge above Ground..... 1 ft. 0 in.
" Ground " Sea Level..... 59.7 ft.

cfmwr

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Records taken in Inches should be entered on Form 1090.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	3.7	0.3	4.6	11.3	-	-	0.3	5.2	4r	-	3.5	1.3	1
2	24.5	11.6	1.4	4r	0.3	-	-	0.3	-	-	0.7	0.6	2
3	0.1	4r	-	3.3	24.3	-	17.5	19.3	-	-	1.5	0.5	3
4	0.1	4.1	-	4.4	0.1	0.2	-	18.0	-	-	0.2	4r	4
5	5.1	6.3	1.4	0.1	4r	4r	1.3	-	-	4r	0.3	0.1	5
6	4r	-	0.2	4r	-	7.0	-	-	4r	4r	0.5	1.6	6
7	0.3	4r	0.7	2.0	-	7.6	-	3.2	-	4r	4r	-	7
8	4r	1.1	0.3	-	4r	12.7	0.9	-	0.3	4r	0.8	-	8
9	0.3	0.2	1.5	0.7	-	3.7	0.1	-	7.0	10.4	-	-	9
10	4.7	5.3	0.4	4.0	1.1	2.8	-	0.9	4r	0.9	4.4	4r	10
11	2.6	1.2	0.3	1.3	-	0.5	-	2.4	4r	5.4	5.3	3.0	11
12	8.7	1.9	0.1	0.3	0.2	-	-	3.0	-	1.6	0.1	5.1	12
13	-	5.5	4r	0.3	4r	21.3	-	0.8	4r	-	2.6	0.1	13
14	2.7	3.4	-	1.2	1.5	14.7	-	4.1	-	19.6	6.2	4r	14
15	1.2	4r	4r	4.5	3.5	0.7	-	0.1	4r	4r	4.6	0.3	15
16	3.6	2.0	-	8.7	8.3	-	4r	-	-	2.3	12.4	7.1	16
17	0.1	-	0.1	1.4	4.4	0.2	-	-	4r	4.1	0.2	4r	17
18	10.3	-	1.8	4r	17.3	3.0	-	-	4r	8.2	0.4	4r	18
19	0.1	-	-	-	7.5	1.2	-	3.4	4r	8.4	2.6	1.4	19
20	2.6	-	-	-	0.4	4r	-	8.6	4r	17.5	3.7	5.9	20
21	4.5	-	1.7	4.9	2.3	0.4	-	4r	-	5.8	12.8	-	21
22	2.3	0.2	4.4	4r	0.3	-	-	3.2	4r	27.6	3.0	5.2	22
23	11.0	4r	1.5	-	6.6	-	-	4r	-	5.1	8.5	-	23
24	1.2	4r	7.2	-	0.2	-	4r	1.1	3.2	1.8	4.0	9.3	24
25	0.9	-	0.1	-	-	1.5	-	-	4r	0.9	0.3	2.0	25
26	5.2	-	-	-	-	2.5	3.4	12.0	4r	18.1	-	4.3	26
27	0.5	-	1.5	4r	-	3.3	24.2	1.2	0.3	7.6	4r	16.3	27
28	13.1	-	3.0	4r	-	0.1	-	4r	8.2	0.2	-	3.5	28
29	4.2	1.4	12.5	2.6	4r	1.4	4r	4r	-	2.0	0.4	16.2	29
30	-	X	13.7	3.1	4r	5.4	10.6	0.7	-	0.1	0.2	3.1	30
31	5.9	X	13.1	X	4r	X	3.0	6.1	X	0.4	X	5.5	31
TOTAL	47.0 119.5	1.75 44.5	2.81 71.5	2.13 54.1	3.08 78.3	3.55 90.2	2.41 61.3	3.68 93.6	0.75 19.0	5.33 148.0	3.12 79.2	3.64 92.4	YEARS TOTAL 951.6
Days with 0.2 mm. or more.	23	14	19	16	15	19	8	18	5	20	24	19	200
Days with 1.0 mm. or more.	19	11	14	13	10	14	6	14	3	16	14	16	150

Please read the Notes and Instructions Overleaf.

FOR OFFICIAL USE.

Section **A**

for the entry of Daily Observations.
AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1929.

Kept at Biggin Hill
in the County of Kent
Diameter of Funnel of Gauge 12 in.
Height of top of Gauge above Ground 597 ft. 0 in.
,, Ground ,, Sea Level 596 ft.

*cf. minute
convert*

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
I	0.2	11.3	-	0.5	-	Yr.	-	15.2	Yr(w)	6.6	-	0.3	I
2	Yr	9.2	-	0.3	-	0.6	0.7	-	-	5.6	0.7	12.6	2
3	0.1	-	0.2	0.1	-	-	37.4	0.1	Yr(w)	1.4	-	8.1	3
4	-	-	Yr.	7.8	5.4	2.6	10.7	1.6	-	-	-	6.0	4
5	Yr	-	0.1	0.2	26.8	2.9	1.3	7.6	-	2.1	-	14.7	5
6	0.1	-	-	-	8.9	0.3	2.1	7.9	Yr(w)	8.5	1.4	15.7	6
7	-	-	-	-	0.4	Yr	-	5.9	-	10.1	10.4	9.0	7
8	Yr	-	-	Yr.	-	1.9	-	-	-	10.7	2.3	16.0	8
9	0.6	2.8	-	Yr	0.5	-	-	Yr.	-	0.2	-	11.6	9
10	10.3	4.1	-	1.6	-	-	-	Yr	-	1.8	3.1	6.5	10
11	Yr.	-	-	3.2	0.1	0.2	-	Yr	-	Yr	26.6	4.3	11
12	-	Yr.	0.1	2.7	8.1	7.7	-	-	-	Yr(w)	-	1.7	12
13	2.3	Yr	Yr.	0.2	3.7	0.2	-	-	-	Yr(w)	-	2.3	13
14	Yr	0.4	Yr.	0.1	0.2	3.8	-	-	-	-	-	3.0	14
15	1.1	0.2	Yr	-	1.2	1.9	-	-	-	-	11.1	5.5	15
16	0.3	0.1	-	-	Yr.	-	-	21.4	Yr(w)	-	21.3	-	16
17	Yr	-	-	-	-	-	-	-	-	-	-	-	17
18	0.3	-	Yr	-	-	Yr	-	Yr	-	-	7.7	-	18
19	-	-	-	-	Yr	-	-	-	Yr	-	5.4	-	19
20	-	-	Yr	-	-	-	1.3	Yr	Yr	15.4	Yr	1.4	20
21	4.3	-	0.4	-	-	-	-	1.1	-	Yr(w)	0.1	13.1	21
22	0.4	-	Yr.	-	-	0.3	Yr	0.6	Yr(w)	-	7.6	1.8	22
23	0.1	0.1	-	Yr.	-	0.2	-	Yr.	-	4.3	8.1	7.8	23
24	-	0.1	-	Yr	Yr	-	-	1.0	Yr(w)	37.7	12.8	12.6	24
25	0.3	0.1	0.8	Yr	-	-	-	Yr.	-	1.3	5.7	1.7	25
26	-	0.5	-	1.2	Yr.	-	-	-	-	-	5.2	4.8	26
27	Yr.	-	-	0.4	Yr.	-	-	0.1	-	-	18.1	0.9	27
28	3.5	Yr	-	0.6	-	-	3.7	-	-	5.4	18.6	9.6	28
29	2.4	X	-	8.8	-	-	0.3	-	Yr	Yr.	9.4	0.8	29
30	0.2	X	-	-	-	2.3	Yr.	-	1.4	Yr	14.8	9.3	30
31	1.9	X	-	X	-	X	6.8	-	X	Yr(fe)	X	Yr.	31
TOTAL	1.13	1.14	0.6	1.09	2.18	0.98	2.53	2.46	0.05	4.40	7.50	7.13	YEAR'S TOTAL
Days with 0.2 mm. or more.	28.7	28.9	1.6	27.7	55.3	24.9	64.3	62.5	1.4	111.7	190.4	181.1	778.5
Days with 1.0 mm. or more.	14	7	2	12	9	13	9	9	1	14	19	26	135
	7	4	0	6	6	4	4	8	1	13	18	23	100

(144W)

40-9999

Tabulated by: J.L.M.
Checked by: R.C.B.

(Signed)

W. Andrews

P.T.O.

FORM 1090.

REGISTER OF RAINFALL IN 1930 .

Kept at *Biggin Hill*
in the County of *Kent*

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
,, Ground ,, Sea Level *597* ft. *567*

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I		.42											I
2											.69		2
3				.43									3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11												.50	11
12													12
13													13
14													14
15			.55										15
16													16
17										.33			17
18													18
19									1.11				19
20							.66						20
21								.65					21
22													22
23						.39							23
24	.44												24
25													25
26													26
27													27
28													28
29													29
30		X											30
31		X		X	.78	X			X		X		31
TOTAL	3.43	1.11	1.59	1.81	4.05	0.63	2.65	3.46	4.34	1.83	4.91	2.09	YEAR'S TOTAL 31.90
Days with .01 in. or more.	21	13	13	18	19	5	19	19	17	18	17	17	196
Days with .04 in. or more.	15	5	8	11	16	3	12	16	11	11	16	12	136

2.....

g. 2 AM

n. *Birmingham*

Rain Gauge.....in.

above Ground.....ft.....in.

„ Sea Level.....ft.

It entered to the previous day.

Requested to add
it at the end of
of rain gauges,
"fall Observers,"
on, 62, Camden

Jan. 1, following.

orm.

Oct.	Nov.	Dec.	Date
in.	in.	in.	
			1
	70	12	2
	37		3
	25		4
	15		5
			6
	20		7
			8
			9
8	3		10
2	23	5	11
	12		12
10	11	14	13
	3		14
			15
			16
			17
11			18
		2	19
			20
	76		21
10	9		22
		13	23
2		2	24
		2	25
		10	26
		10	27
			28
			29
		15	30
			31
YEAR'S TOTAL			
1.73	1.00	1.03	1.11
16	6	9	7
13	4	8	7

ROSE BANK
BIRCHINGTON

KENT

1921-1924

Kept at *Rose 1.*

in the County of.....

by *George*

IMPORTANT N

If an Observer prefer
the reading at 9 a.m.
this paragraph. Full i
and particulars as to
sent post-free on app
Square, London, N.W.

Date	Jan.	Feb.											
	in.	in.											
1	6												
2	1	12											
3			6		13	13		7					
4	4				6								
5	2				7			12					
6	12		30										
7	4	20			29								
8				8									
9				5									
10	10	17						8	3	4			
11	4	3						2	23		5		
12	24								12				
13	40		5	41				10	11				
14	10									3			
15				16									
16													
17	4		3	16				11					
18	17	3											
19			22		2						2		
20			4			3							
21								10					
22										7		13	
23				21				2				2	
24												2	
25		45										10	
26	3		4		13							10	
27				4									
28			11		4		9	57					
29			18		26	2							
30	21											15	
31	11												
TOTAL	1.73	1.00	1.03	1.11	.97	.18	.09	1.19	.59	.90	1.76	.85	10.40
Days with '01 in. or more	16	6	9	7	9	3	1	9	4	4	6	10	84
Days with '04 in. or more	13	4	8	7	8	1	1	7	3	3	6	7	68

REGISTER OF RAINFALL IN 192.....

Kept at Rose Bank, Buxington.

in the County of Kent.

by George Home.

Lat. Long.
Time of Observation 9 AM
Nearest Railway Station Buxington
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	6												1
2	1	12			7						70	12	2
3			6		13	13		7			37		3
4	4				6						25		4
5	2				7			12			15		5
6	12		30										6
7	4	20			29								7
8				8							20		8
9				5									9
10	10	17						8	3	4			10
11	4	3						2	23			5	11
12	24								12				12
13	40		5	41				10	11			14	13
14	10									3			14
15				16									15
16													16
17	4		3	16				11					17
18	17	3											18
19			22		2							2	19
20			4			3				76			20
21								10			9		21
22										7		13	22
23				21				2				2	23
24												2	24
25		45										10	25
26	3		4		13							10	26
27				4									27
28			11		4		9	57					28
29			18		26	2							29
30	21											15	30
31	11												31
TOTAL	1.73	1.00	1.03	1.11	.97	.18	.09	1.19	.59	.90	1.76	.85	YEAR'S TOTAL
Days with "01 in. or more	16	6	9	7	9	3	1	9	4	4	6	10	11.40
Days with "04 in. or more	13	4	8	7	8	1	1	7	3	3	6	7	84
													68

Kept at Base Bank.
in the County of Kent.
by E. Hoare.

Lat. _____ Long _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		5	2		14				5	20	18	8	1
2	2	30	11										2
3		10		43	19						12		3
4		3	12	3	8			25	6	47			4
5		4	20	10	3		50			5	25		5
6			5					24		18			6
7	41		35	28									7
8	3		13	9			9	10			3		8
9	15			6			14	12	3		2		9
10								8	26	3			10
11					8			5					11
12				16				4	17				12
13	13			15		27			45				13
14						27	25	2	34				14
15	43	12				3							15
16				4			23		5			30	16
17		7		10	6		4					13	17
18				5		9						20	18
19	78	7								14		40	19
20			9							40			20
21	23	16	30									46	21
22		7		3				13				6	22
23						12	8			17			23
24			6	15		6	2	15	8				24
25	30			27						40		6	25
26		8		10		5	20		60		8		26
27	45	17		2					18	20	8	11	27
28	2	8	8	11		20		30	14	18		5	28
29						9						8	29
30	5		22				3	55	53	70	9	10	30
31	3							4		2		9	31
TOTAL	303	134	1.73	2.47	1.58	1.18	1.58	2.15	3.14	3.14	1.85	2.12	23.01
Days with 01 in. or more	13	13	12	17	6	9	10	13	13	13	8	13	140
Days with 04 in. or more	9	12	11	14	5	8	8	12	12	11	6	13	121

AIR MINISTRY.

FORM 1090. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1923.

Kept at Rose Bank, Birmingham
in the County of Kent
by George Home

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	2		9						8	4	35		1
2	15									8		10	2
3					4	11				7.5			3
4									6			10	4
5	10			4.0		2				5	5		5
6	22		15			4				8			6
7	10	44	23		3				7	25		10	7
8	9	14	13		22					37.5			8
9	4				8								9
10		9		8	9					33			10
11			4							42		5	11
12		24	13		12	8				16			12
13	5	6	6	2							25		13
14		5	4						9	10		12	14
15		3			10	12		14			16		15
16		5			6	3					15	2	16
17								3					17
18	13	17						21	3	5			18
19	29					15				31			19
20	5.5	4	5			6			56				20
21		17		4						11	3	14	21
22	2	30		6					36	20	15	25	22
23		3	30		26			37	14	75	20		23
24								112	13	5			24
25		12	2	75	11	7	20			25		40	25
26		20		20				10		4		15	26
27		14	3		5		2					15	27
28		11		8	110		9				28		28
29	19			10	5		3	20				25	29
30		X								33			30
31		X		X		X	10		X	13	X	15	31
TOTAL		2.38									2.03	1.98	22.79
Days with 0.1 in. or more	1,45	1.27	1.73	2.33	.68	.44	2.17	1.50	4.83	2.3	1.38	13.9	139
Days with 1 in. or more	13	17	12	9	13	9	5	7	9	21	11	13	123
	11	15	10	8	13	7	3	6	8	20	10	12	123

Confidential

AIR MINISTRY.

Form 1090

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1924.

Kept at Burchington House, Burchington
in the County of Kent
by W. George Howe

Lat. 51° 1' Long. 1° 10' E
Time of Observation 11.0
Nearest Railway Station Wingham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 4 ft. 0 in.
" " " " Sea Level 0 ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day.
An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	14		2	2		15					43	5	WV 1
2	5		24			100		8				8	W 2
3			13	5	62		12					9	C 3
4					10	30				8		10	W 4
5										10			5
6								11		45			6
7									10	50			7
8				8	20	40	15			25			8
9	33					3			7				9
10		15		13	20								10
11	10			25	5	100					12		11
12		5		28	4	8					50		12
13				11				3	8		4	28	13
14				22				5	4			4	14
15				5								18	15
16						3			4				16
17	7						86	22					17
18	25				19	8		7			4		18
19	23	12					5	32		6	3		19
20					22			3					20
21	37				17		7	3	25	80			21
22	25		12		2				8	9			22
23		5	12		18			25	12			40	23
24	23	25	15								7	14	24
25			11	3			31		25		10		25
26		5	3	27					100	12	15	4	26
27		6	2	10		5	10	4		8	33	48	27
28							50	15			38		28
29	8	14		28	30	4		23		33	13		29
30		X		4	10		4	15	30	80		25	636
31		X		X	20	X		5	X	18	X	35	31
TOTAL	2.10	.87	1.2	2.33	2.62	1.39	2.27	2.21	2.33	3.34	2.34	2.42	24.77
Days with '01 in. or more	11	8	9	14	14	12	10	15	11	13	12	13	112
Days with '04 in or more	11	8	8	12	13	9	10	12	11	13	11	12	130

25.04
YEARS TOTAL

** The following register is required if data cannot be given on

RAINFALL

At... *Birchington*
In the County of... *K*

Rain Gauge. { Diameter of Funnel
Height of Top above Ground
Height of Ground above Sea

BIRCHINGTON, HOLYDENE

KENT

1927

MONTHLY

Month.	Total Depth.	Great in 24
	Inches.	Inches
JAN.	1.41	.27 22 15 11
FEB.	8.33	1.03 1 14 12
MAR.	1.68	.46 31 16 14
APR.	1.58	.40 5 13 9
MAY	.45	.11 15 6 6
JUNE	4.33	.82 2 18 16
JULY	5.49	2.25 6 15 12
AUG.	3.01	.93 1 20 16
SEPT.	2.69	.66 14 12 11
OCT.	1.17	.56 22 9 8
NOV.	2.92	.60 8 19 14
DEC.	3.55	.94 26 10 9
Total	31.61	167 138

Directions from gauge

E

If gauge has been moved during the year state—

Date of move..... Distance..... Direction.....
Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)
If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in *British Rainfall*, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

Signature.....

D

INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

- The rain gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash—(not .00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

- The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as .01 and those which are mere "traces." An entry .005 is not to be made in the register.

- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 } .14 would show that the reading on 18 }

the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.

- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

- The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02, or .03.

- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

- The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. 1927. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by WATERLOW & SONS LIMITED, Birch Lane, London, E.C.3.

(140w) (268366) Wt. 9951/599/660 Gp. 127 13000 9-27 W & S Ltd.

40-9999.

280

B

Monthly
Summary.

C

Particulars of Station.

** The following register of monthly totals, &c., is required if daily or weekly values cannot be given on the other side.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

RAINFALL IN 1927

At Birchington

In the County of Kent

Diameter of Funnel 6 in.

Height of Top above Ground 6 ft.

Height of Ground above Sea Level 75 ft.

Hour of observation by the clock—in Winter 9 in Summer 9

Nearest Railway Station Distance 6 M Direction from gauge W

Nearest Parish Church at Distance 6 M Direction from gauge S

Nature of objects nearest to gauge Shed

Heights of objects 16 ft.

Distances 50


Directions from gauge E

If gauge has been moved during the year state—

Date of move Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- (a) Is it known that the gauge was empty at the beginning of the measured rainfall?
- (b) What note was made of the times of beginning and end of this fall?
- (c) When was the measurement made?

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with 0.1 in. or more	
	Inches.	Inches.	Date.		
JAN.	1.41	.27	22	15	11
FEB.	3.33	1.03	1	14	12
MAR.	1.68	.46	31	16	14
APR.	1.58	.40	5	13	9
MAY	.45	.11	15	6	6
JUNE	4.33	.82	2	18	16
JULY	5.49	2.25	6	15	12
AUG.	3.01	.93	1	20	16
SEPT.	2.69	.66	14	12	11
OCT.	1.17	.56	22	9	8
NOV.	2.92	.60	8	19	14
DEC.	3.55	.94	26	10	9
Total	31.61			167	138

Signature

D

INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in italic type:—

- (a) Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

- (b) The rain gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash — (not .00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

- (A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

- (B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- (c) On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as .01 and those which are mere "traces." An entry .005 is not to be made in the register.

- (d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 } .14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.

- (e) The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

- (f) The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02, or .03.

- (g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

- (h) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. 1927. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by WATERLOW & SONS LIMITED, Birch Lane, London, E.C.3.

(140w) (268366) Wt. 9951/599/660 Gp. 127 13000 9-27 W & S Ltd.

R

BIRCHINGTON, HOLYDENE

KENT

1921-26, 28-30

ORGANIZATION.

21. 11 JAN

9 A.M. Birchington

Rain Gauge 6 in.

Above Ground 6 ft. in.

Sea Level 75 ft.

entered to the previous day.

requested to add
t at the end of
of rain gauges,
fall Observers,
n, 62, Camden

Jan. 1, following.

IMPORTANT NOT
If an Observer prefers not
the reading at 9 a.m. on
this paragraph. Full instr
and particulars as to the
sent post-free on applica
Square, London, N.W. 1.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	05											11	1
2		11			07						40		2
3	02		05		11	16		07			35		3
4	03				05			01			23		4
5	02							10			15		5
6	11		32		02		01						6
7	04	15			28								7
8				08							18		8
9				06									9
10	10	18						08	03	03			10
11	05	03							32				11
12	21							02	12				12
13	39		02	41				09	09			15	13
14	06									03		23	14
15												02	15
16				15				03				01	16
17	02			06									17
18	12	03		10				09	04				18
19			22		01								19
20			04			02			~~40~~	40			20
21								10			07		21
22										05		12	22
23				24				02					23
24				02								04	24
25		48										10	25
26	02		04		11							09	26
27							07						27
28			10		03			62					28
29			16		16							08	29
30	19	~~XX~~										06	30
31	10	~~XX~~		~~XX~~		~~XX~~			~~XX~~		~~XX~~		31
TOTAL	1.53	.98	.95	1.12	.84	.18	.08	1.23	.60	.81	1.68	1.01	YEAR'S TOTAL 11.01
Days with 01 in. or more	16	6	8	8	9	2	2	11	5	4	6	11	88
Days with 04 in. or more	11	4	7	7	6	1	1	7	4	2	6	9	65

REGISTER OF RAINFALL IN 1921. 11 Jan 1922

Kept at Birchington
in the County of Kent
by W. Toulson

Lat. _____ Long. _____
Time of Observation 9 A.M.
Nearest Railway Station Birchington
Diameter of Funnel of Rain Gauge 6 in.
Height of top of Gauge above Ground 6 ft. _____ in.
" " " " Sea Level 75 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	05											11	1
2		11			07						40		2
3	02		05		11	16		07			35		3
4	03				05			01			23		4
5	02							10			15		5
6	11		32		02		01						6
7	04	15			28								7
8				08							18		8
9				06									9
10	10	18						08	03	03			10
11	05	03							32				11
12	21							02	12				12
13	39		02	41				09	09			15	13
14	06									03		23	14
15												02	15
16				15				03				01	16
17	02			06									17
18	12	03		10				09	04				18
19			22		01								19
20			04			02			~~10~~	<u>40</u>			20
21								10			07		21
22										05		12	22
23				24				02					23
24				02								04	24
25		48										10	25
26	02		04		11							09	26
27							07						27
28			10		03			62					28
29			16		16							08	29
30	19	~~X~~										06	30
31	10	~~X~~		~~X~~		~~X~~			~~X~~		~~X~~		31
TOTAL	1.53	.98	.95	1.12	.84	.18	.08	1.23	.60	.81	1.38	1.01	YEAR'S TOTAL
Days with 01 in. or more	16	6	8	8	9	2	2	11	5	4	6	11	88
Days with 04 in. or more	11	4	7	7	6	1	1	7	4	2	6	9	65

FORM 1090 METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
(formerly B.R.O. Form A.1).

AIR MINISTRY.
REGISTER OF RAINFALL IN 1922.

Kept at Birchington
in the County of Kent
by W. Toulmin

Lat. _____ Long _____
Time of Observation 9. A.M.
Nearest Railway Station Birchington
Diameter of Funnel of Rain Gauge 1/4 in.
Height of top of Gauge above Ground 6 ft. _____ in.
" " " " Sea Level 75 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		05			16				08	20	18	09	1
2		30	10										2
3		10	03	{ 42	15		.02	.12	01	5	12		3
4	10	04	10	03	10		.03	.11		47			4
5			23	08	03		.43				20		5
6	09		03					.14		22	12		6
7	25		33	26			.03				06		7
8	02		11	10			.11	.10		01			8
9	15						.11	.13					9
10								.07	23		06		10
11	02				08			.08					11
12				20				.06					12
13	10					39			40				13
14	13					26			55				14
15	14	10					.24						15
16		03					.27		.02			26	16
17		36		{ 28	05			.01	.05			11	17
18	13					08	.05					22	18
19	66	06	10						45	13		41	19
20		04	{ 39							27			20
21	20	07	02									42	21
22		08				02		.14		05		06	22
23						09	.08		04	12			23
24	04		05	18		07	.02	.43	04	37			24
25	27			25		.02				02		06	25
26	02	08		09		.03	.20		55		07		26
27	49	15						.29		20	04	11	27
28		06	08	10		.20			30	12	03	04	28
29	04					.08		{ 40		35		08	29
30	03	~~XX~~	20				.04	10	53		09	30	30
31	03	~~XX~~		~~XX~~		~~XX~~		03	~~XX~~		~~XX~~	20	31
TOTAL	2.96	1.33	1.75	2.01	.57	1.24	1.63	1.94	3.25	2.53	.96	2.16	YEAR'S TOTAL 22.33 ✓
Days with .01 in. or more	19	14	13	14	6	10	13	16	14	14	10	13	156 ✓
Days with .04 in. or more	14	13	11	12	5	7	9	14	12	12	9	13	131 ✓

REGISTER OF RAINFALL IN 1923.

Kept at Brighton
 in the County of Kent
 by W. Towns J.P.

Lat. _____ Long. _____
 Time of Observation 9 A.M.
 Nearest Railway Station Brighton
 Diameter of Funnel of Rain Gauge 6 in.
 Height of top of Gauge above Ground 6 ft. in.
 " " " " Sea Level 75 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	02		12		03				02	04	35	04	1
2	13									09		07	2
3						10				82			3
4									05			09	4
5	13			25						05			5
6	{30		14			06				09			6
7	08	46	26	12	05		01			23		09	7
8	04	16	17		23					37	35		8
9				04							05		9
10		08		04	15					30		03	10
11			04		17					44			11
12		23	12		17	06				15			12
13	05	06	07	04	03		01				20	02	13
14		06	05					03	14	09		10	14
15		06			10	14		12			12		15
16		04			06						13	03	16
17								03	02				17
18	15	17						15		03			18
19	30	02				16				33			19
20	04	02	03			04			59	02			20
21		17								09	02	+	21
22	02	27		09					35	18	12	+	22
23		04	30		28			35	13	68	16		23
24								90	12	04		1.10	24
25		12	03	76	10	09	20			24		+	25
26		22		20				08				+	26
27					06			14				+	27
28		12	05	08	1.23		09				22	02	28
29	20		02		03			18				28	29
30		X	07				04			31			30
31		X		X		X	10		X	11	X	12	31
TOTAL	1.43	2.30	1.47	1.62	2.52	.65	.45	1.98	1.42	4.70	1.72	1.99	YEAR'S TOTAL
Days with 0.1 in. or more	13	17	18	9	14	7	6	9	8	21	10	16	22.25
Days with 0.1 in. or more	11	15	17	9	11	7	4	8	6	19	9	12	144
													144
													121

REGISTER OF RAINFALL IN 1924.

Kept at Bucklington
 in the County of Kent
 by W. Toulmin

Lat. _____ Long. _____
 Time of Observation 9 A.M.
 Nearest Railway Station Bucklington
 Diameter of Funnel of Rain Gauge 6 in.
 Height of top of Gauge above Ground 6 ft. in.
 " " " " Sea Level 51 ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.14			04		15	04				43	02	2501
2	0.04		(35)	02		10		09				08	85 2
3			08	07	(60)		12					05	3
4					09	31	08			09		10	4
5										10	03		5
6								14		45			6
7					18	03			17	24			7
8						(40)	11			26			8
9		07		17		03			07				9
35 10	(55)	06		06	18								10
11		04		5	05	10					09	04	11
12				50		08							12
13				24				03	08		(54)	25	13
14				23				04			04	03	14
15				05					05			17	15
16						03							16
17	06						(85)	20					17
18	24	10			18	08		07		05			18
19	14	02			17	03	05	(57)					19
20							10	03			07		20
21	34				15			03	27	50			21
22					03				13				22
23	25	10	24		17			23	08			40	23
24	24	(20)	20		02						07	14	24
25		05	05				34		32		09		25
26				22					(1.04)	10	14	04	26
27			09	14		05	05	07	01	07	34	(54)	27
28							10	15		02	4.0		28
29	09	13		23	25		45	22	28	34	13		29
30		X		(38)	10			13	28	(80)		20	30
31		X		X	30	X	05	08	X	18	X	39	6281
TOTAL	1.89	.77	1.01	2.20	2.57	1.39	2.34	2.08	2.50	3.23	2.37	2.45	YEAR'S TOTAL
Days with .01 in. or more	10	9	6	14	14	12	12	15	11	13	12	14	24.70
Days with .04 in. or more	10	8	6	13	13	8	12	12	10	12	11	12	142

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1925.

FOR OFFICIAL USE.

County No.

River Dist.

Station No.

Kept at Bitchington
in the County of Kent
by W. Toulon

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Bitchington
Diameter of Funnel of Rain Gauge 6 in.
Height of top of Gauge above Ground 6 ft. in.
" " " " Sea Level 75 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	20		11		02			20	07		16		1
2	09			17			02		04		28		2
3	24			03	27		04				03		3
4					05		02			03			4
5								02	18		27		5
6		17					10	07			35		6
7					10		40				11		7
8	02	03			18					14	14	05	8
9				25	04			03	15				9
10					02			24	12		60		10
11			29					10	06		10		11
12		0							25	16			12
13		50	20	04						02	09		13
14	03	02	05	19							04		14
15	15	10								30			15
16	03									03			16
17										02			17
18		10					05						18
19					20	02		02	0.6	62		31	19
20		05	23		05		04		1.10	07		32	20
21		02				04	11	11	02	20		73	21
22			15		10		21	20	18	50	05	21	22
23		18		17	10	24	11	12		16	07	03	23
24		26		20	05	14	28	11		02	07	02	24
25		71		14				02	33		05	03	25
26		11				15	05			13		05	26
27	09	02		07	17		18	04			13	01	27
28	08			10								18	28
29	06			25	02						08	26	29
30		X		30			30				16	23	30
31	12	X		X		X	10	1.28	X		X		31
TOTAL	1.12	2.27	1.03	1.91	1.90	.59	2.01	1.34	2.56	2.40	2.78	2.43	22.28
Days with "01 in. or more.	11	13	6	12	14	5	15	13	13	14	18	13	147
Days with "04 in. or more.	8	10	6	11	11	4	13	9	11	9	17	9	109

566

YEAR'S TOTAL

Section



for the entry of Daily Observations.

AIR MINISTRY.

FOR OFFICIAL USE.

Form 1091

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

290

Register of Rainfall in 1926.

Kept at *Hollydene Barchington*

in the County of *Kent*

Diameter of Funnel of Gauge *6* in.

Height of top of Gauge above Ground *6* ft. in.

„ Ground „ Sea Level *75* ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		17				09			02				1
2	03					56			09		03		2
3	10	88	10						04				3
4		10	03										4
5	11		02		10						27	20	5
6		14		09		41		04	14		07	04	6
7	12			14	12	10			06		02		7
8		02		14	01	02					38		8
9			10			29				24	35		9
10					02	09		04			04		10
11		18			05	07		53		14			11
12					09	06				22			12
13										06	78		13
14		05			08	16				60	05	07	14
15		03		25						60	10		15
16		05		18				62			04		16
17		50			02	60					03		17
18	30	13		52	20		18	10			38		18
19				20	03		09				05	03	19
20				43	02		07	12		104	48		20
21				34			05	02		01	38	14	21
22	13	06		11							15	24	22
23													23
24					03								24
25	03			75			03	42		06	45		25
26													26
27				02			02			07			27
28	35						15			14			28
29			07	20	11					15			29
30		X		02	04					16	28		30
31	08	X		X		X				23	01		31
										72	X		
TOTAL	125	231	32	339	92	245	103	189	65	462	464	72	YEAR'S TOTAL
Days with 01 in. or more.	9	12	5	14	14	11	9	8	8	13	21	6	2419
Days with 04 in. or more.	7	10	3	12	8	10	7	7	7	12	17	5	130

(Signed)

W. G. G. G.

P.T.O.

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1928.

Kept at Hollydare Birchenhead
 in the County of Cheshire

Diameter of Funnel of Gauge..... 6 in.
 Height of top of Gauge above Ground..... 6 ft..... in.
 „ Ground „ Sea Level..... 75 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			04		08			67			73	01	1
2	55	20	06		27						94		2
3	03			05			22	20			03		3
4				20				62					4
5	27	05									05	05	5
6		10	17										6
7				05				11					7
8			07		01		02			14	12		8
9										26	06		9
10	05			31	10					30	04		10
11	10			13							24	28	11
12	09		95									21	12
13							05				20	08	13
14				14						41	22		14
15	06			20	28						10		15
16	04			63	08					04	20	15	16
17			07		24	180				22			17
18	55				14	05				22	05		18
19		40		08	26		09	09		23	02		19
20	10						03			18		35	20
21	04		03	04	43					70	15		21
22	03		06		30			23	02	75	08	15	22
23	12				30				04	04	12	12	23
24	14							10		04	19	10	24
25	02					03			02	03	03		25
26	27					10		05		20	05	18	26
27				07								67	27
28	12						53		42		02	09	28
29	04		11				04			07	10	54	29
30	03	X	08	25	X	16	14		02			44	30
31	07	X	35	X		X	05		X		X	09	31
TOTAL	2.72	.75	1.94	2.12	2.49	2.14	1.05	2.10	.52	3.83	3.69	3.54	YEARS TOTAL
Days with "01 in. or more.													26.89
Days with "04 in. or more.													

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1929.

Kept at *"Hollydene" Birchington*
in the County of *Kent*.

Diameter of Funnel of Gauge *6* in.
Height of top of Gauge above Ground *6* ft. in.
" Ground " Sea Level *75* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		02						22		19			1
2							15			25	11	14	2
3			02				31			09		30	3
4				14		25		06				20	4
5					34	10	08	19		06		52	5
6					17			40		05	03	45	6
7						20		75		18	43		7
8						25				13		30	8
9		19		17							02	31	9
10		04		15							03	27	10
11				25						20		27	11
12				15	14	06					45		12
13						06						05	13
14	03					05						15	14
15		10				18					37	10	15
16	15							86			37		16
17									03	02			17
18								05			10		18
19													19
20							01		~~1~~	17			20
21												56	21
22	05		16					02			07	05	22
23		09									34		23
24				02		04			~~7~~	78	10		24
25										08	07		25
26											12	40	26
27				02							43		27
28	11			08			15		10	27	35	17	28
29	12			21						03	10		29
30	20	X				08			20	12		22	30
31	14	X		X		X			X	05	X		31
TOTAL	80	44	18	1.19	65	1.27	70	2.55	33	2.67	3.49	4.46	18.73
Days with 01 in. or more.	7	5	2	9	3	10	5	8	3	16	17	18	103
Days with 04 in. or more.	6	4	1	7	3	10	4	7	2	14	14	18	90

REGISTER OF RAINFALL IN 1930.

Kept at *Hollydene* *Birchington*
in the County of *Kent*

Diameter of Funnel of Gauge. *6* in.
Height of top of Gauge above Ground. *6* ft. in.
,, Ground ,, Sea Level *75* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	08	03		03			40	05			51	22	I
2		53			05			24			62	22	2
3	02	04		58				210	02	02			3
4	08						04		10	10			4
5	02	15		03	38			31					5
6			10	02	17		01	39	53	02			6
7		80			05			04		13	45	05	7
8	13											12	8
9	08				28			05					9
10	20		29		18		02						10
11	10		02					02		04		35	11
12	12	09	12	06	02			05	16			20	12
13	02				08		14	25	26				13
14		10	06	06			17				14		14
15			17	02			30	19					15
16			03	05		03	06		16				16
17			10						15	14			17
18					04						12	04	18
19			52	15				05	73	17	23	02	19
20					02		33	07			35	02	20
21					02		10	09	21	23	42		21
22	02				08		04	08		04	12		22
23			05	02		12	25	01		21			23
24	33			05	12	09	55		03	08	15		24
25	12			09	44				07				25
26	03				02	33	03		65		18	69	26
27	06								95		40		27
28									46		18		28
29	25		02			05	10				07		29
30	17	x			52		24					24	30
31	36	x	02	x	22	x			x	17	x	01	31
TOTAL	2.19	1.74	1.80	1.16	2.72	.62	2.78	3.75	4.36	1.35	3.94	1.67	YEAR'S TOTAL 28.08
Days with or in. or more.	18	7	12	12	17	5	16	15	12	12	14	7	155
Days with or in. or more.	12	6	8	7	14	4	13	13	11	10	14	29	121

BIRCHINGTON - ACOL FARM

KENT

1929-30

Kept at Ucol Farm
in the County of Ken

Diameter of Funnel of Gauge.....
Height of top of Gauge above Ground.....
" Ground " Sea Level.....

THE MORNING MEAS

An observer who does not conform following year in the space on the r

AY.
t of the

Jan. 1, following.

Date	Jan.	Feb.	March								Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.04	.02	-	.01	-	-	-	.11	-	.14	.01	-	1
2	.02	-	-	-	-	.04	.14	.02	-	.29	.12	.14	2
3	-	-	-	.01	-	-	.28	-	-	.11	-	.3	3
4	.01	-	-	.14	.02	.29	.04	.06	-	-	-	.07	4
5	.01	-	.01	-	.39	.1	.09	.16	-	-	-	.6	5
6	-	-	-	-	.19	-	.07	.41	-	.11	.06	.32	6
7	-	-	-	-	-	.05	-	.47	-	.14	.43	.04	7
8	-	-	-	-	-	.23	-	-	-	.27	.08	.25	8
9	-	.21	-	.15	-	-	-	-	-	.01	-	.33	9
10	.01	.04	-	.17	-	-	-	-	-	.21	.03	.17	10
11	-	-	-	.14	.02	-	-	-	-	-	.46	.08	11
12	-	-	.01	.13	.13	.07	-	-	.02	-	-	.04	12
13	.04	.08	.01	-	-	.08	-	-	-	-	.05	-	13
14	-	.05	-	-	-	.07	-	-	-	-	-	.06	14
15	.07	.05	-	-	.06	.15	-	-	-	-	.23	.17	15
16	-	-	-	-	-	-	-	.81	-	-	.22	-	16
17	-	-	-	-	-	-	-	-	.1	-	-	-	17
18	.05	.01	-	-	-	-	-	.06	.01	-	.08	-	18
19	-	-	-	-	-	-	-	-	-	-	.01	-	19
20	-	-	-	-	-	-	.03	-	.04	.19	-	-	20
21	.07	-	.01	-	-	-	-	-	-	-	-	.58	21
22	.02	-	.14	-	-	-	-	.03	-	-	.07	.06	22
23	.01	.12	-	-	-	-	-	-	-	-	.33	.14	23
24	.01	.01	-	.02	-	.06	-	-	-	.8	.12	.15	24
25	.04	-	-	-	-	-	-	-	-	.1	.08	.07	25
26	.01	-	-	.03	.01	-	-	-	-	-	.12	.02	26
27	.03	-	-	-	-	-	-	-	-	-	.37	.04	27
28	.04	.01	-	.08	-	-	.18	-	-	.25	.33	.13	28
29	.1	X	-	.18	-	-	.02	-	.14	.04	.15	.02	29
30	.09	X	-	-	-	.09	-	-	.22	.1	.02	.24	30
31	.22	X	-	X	-	X	.02	-	X	.08	X	-	31
TOTAL	.89	.6	.18	1.06	.82	1.23	.87	2.13	.53	2.84	3.37	4.02	YEAR'S TOTAL
Days with 01 in. or more.	19	10	5	11	7	11	9	9	6	15	21	23	146
Days with 04 in. or more.	10	6	1	7	4	11	6	7	4	14	17	21	118

FOR OFFICIAL USE.

AL US
Cin A

REGISTER OF RAINFALL IN 1929.

11/Kent/2

See letter
11/K
with ^{to} Coburn
re height but see letter ^{his}

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

YEAR'S TOTAL

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1930 .

Kept at *Accl Farm. Birchington*
in the County of *Kent*

Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *2* ft. in.
,, Ground ,, Sea Level *30* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.08	.02	-	-	-	.01	.47	.08	-	-	.57	-	1
2	-	.17	-	.04	.05	-	-	.03	-	-	.6	-	2
3	.01	.15	-	.49	-	-	-	2.03	-	.01	-	-	3
4	.08	.01	-	-	-	-	.05	.03	-	.11	-	-	4
5	.02	.05	-	-	.34	-	-	.29	-	.03	-	-	5
6	-	.79	.05	.02	.32	-	.03	.26	.56	.03	-	-	6
7	-	.18	.07	-	.07	-	-	.05	.02	.12	.46	.05	7
8	.16	-	-	-	.01	-	-	-	-	.01	.01	.2	8
9	.09	-	-	-	.26	-	-	-	.07	-	-	.01	9
10	.24	-	.22	-	.16	-	.08	.01	-	-	-	-	10
11	.08	.09	.01	-	.02	-	-	.01	-	.05	-	.37	11
12	.16	-	.01	.09	.01	-	-	.07	.12	-	-	.15	12
13	.05	-	.1	.1	.09	.03	.13	.22	.16	-	-	.01	13
14	.02	-	.07	-	-	-	.28	-	.01	-	-	-	14
15	.01	.1	.21	.02	-	-	.32	.19	-	.02	.09	-	15
16	-	.01	.09	.01	-	.07	.07	-	.14	-	-	-	16
17	-	-	.11	.04	.01	.01	.03	-	.15	.08	-	-	17
18	-	-	.04	.01	.11	-	-	-	.58	-	.11	.04	18
19	-	-	.56	.04	-	-	-	-	.21	.16	.05	.01	19
20	-	-	-	.2	.03	-	.27	.1	-	.24	.46	.02	20
21	-	-	-	.02	.04	-	.18	.11	-	.04	.4	-	21
22	-	-	-	-	.13	-	.03	.11	.01	.22	.09	.01	22
23	-	.01	.07	.02	.01	.1	.22	-	-	.01	-	.02	23
24	.28	.02	-	.03	.13	.11	.53	-	.04	.08	.12	.03	24
25	.16	.01	-	.09	.47	.08	-	-	-	-	.21	.05	25
26	.06	-	-	-	.05	.32	-	-	.69	-	.21	.29	26
27	-	-	.01	-	-	.05	.04	-	.77	-	.32	.03	27
28	-	-	-	-	-	-	.01	-	.48	-	.17	.01	28
29	.27	-	.07	-	-	-	.03	-	.01	-	.07	.2	29
30	.17	X	-	-	.42	-	.3	-	-	-	.02	.2	30
31	.24	X	.03	X	.23	X	-	-	X	.11	X	.04	31
TOTAL	2.18	1.61	1.72	1.22	2.96	.78	3.07	3.59	4.02	1.32	3.96	1.74	28.17
*Days with or in. or more.	18	13	16	21	21	9	18	15	16	16	17	19	193
*Days with .04 in. or more.	14	7	12	15	15	6	13	11	12	10	15	10	133

40-9999

*See Instruction 2 (f) on other side.

(Signed) *B. S. Willett*

[P.T.O.]

FORM

286

Key

in

by

prev

to ad

this

parti

on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

FAIRLAWN

BOUGHTON

ALUPH.

1922 - 30.

064401003

MINISTRY.

BRITISH RAINFALL ORGANIZATION.

RAINFALL IN 1922.

Lat. 57° 11' N Long. 0° 55' 1/2 W

Time of Observation 9 am

Nearest Railway Station Wye

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 220 ft.

daily at 9 a.m. (Greenwich Time) and the result entered to the

as almost universal rule, he is earnestly requested

year in the space provided for it at the end of

rain, the selection and placing of rain gauges, and

in "Rules for Rainfall Observers," sent post-free

on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.08	.02		.08				.11	.04	.33	.10	1
2	.11	.18	.20	.17									2
3		.06		.48	.14		.11	.25			.11		3
4		.04	.18	.03			.11	.06	.03	.42			4
5			.14				.65			.14	.32		5
6			.05					.10		.30	.07		6
7	.40		.62	.19								.07	7
8	.02		.11	.02		.05	.28	.11			.09		8
9	.08						.04	.15		.18			9
10									.30		.18		10
11					.07								11
12				.41				.09	.53	.09			12
13				.25		.41	.13		.72				13
14						.70	.29	.03	.71				14
15	.24	.26											15
16		.02		.25			.10		.04			.39	16
17		.08			.08							.12	17
18				.04		.04	.06					.20	18
19	1.09	.11	.09						.48	.18		.48	19
20										.12			20
21	.64	.25	.40							.02		.66	21
22		.16		.07		.05		.15				.06	22
23		.02					.07		.64	.08			23
24			.06	.21		.10	.05	.22	.03	.16			24
25	.30		.21	.32		.07				.04		.05	25
26		.18	.16	.14		.28	.20		.24		.11		26
27	.48	.34	.11	.21				.33	.50	.06		.08	27
28		.13	.10	.12		.21			.24	.18		.15	28
29	.15					.38		.16		.28	.11	.10	29
30		X	.12				.04	.18	.46	.16		.06	30
31		X		X		X		.04	X		X	.40	31
TOTAL	3.51	1.91	2.57	2.91	.37	2.29	2.13	1.87	5.03	2.45	1.32	2.92	YEAR'S TOTAL
Days with 0.1 in. or more	11	5	15	15	4	10	13	13	14	16	8	14	29.28
Days with 0.4 in. or more	5	5	7	7	7	5	7	5	7	7	7	7	147

FORM

MINISTRY.

BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 192

Kept at Fairlaw, Bourne-on-Aluph, Ashfordin the County of Kentby Ernest SimmonsLat. 51° 11' N Long. 0 55 1/2 ETime of Observation 9 amNearest Railway Station WyeDiameter of Funnel of Rain Gauge 5 in.Height of top of Gauge above Ground 3 ft." " " " Sea Level 220 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.08	.02		.08				.11	.04	.33	.10	1
2	.11	.18	.20	.17									2
3		.06		.48	.14		.11	.25			.11		3
4		.04	.18	.03			.11	.06	.03	.42			4
5			.14				.65			.14	.32		5
6			.05					.10		.30	.07		6
7	.40		.62	.19								.07	7
8	.02		.11	.02		.05	.28	.11			.09		8
9	.08						.04	.15		.18			9
10									.30		.18		10
11					.07								11
12				.41				.09	.53	.09			12
13				.25		.41	.13		.72				13
14						.70	.29	.03	.71				14
15	.24	.26											15
16		.02		.25			.10		.04			.39	16
17		.08			.08							.12	17
18	1.09			.04		.04	.06					.20	18
19		.11	.09						.48	.18		.48	19
20										.12			20
21	.64	.25	.40							.02		.66	21
22		.16		.07		.05		.15				.06	22
23		.02					.07		.64	.08			23
24			.06	.21		.10	.05	.22	.03	.16			24
25	.30		.21	.32		.07				.04		.05	25
26		.18	.16	.14		.28	.20		.24		.11		26
27	.48	.34	.11	.21				.33	.50	.06		.08	27
28		.13	.10	.12		.21			.24	.18		.15	28
29	.15					.38		.16		.28	.11	.10	29
30		X	.12				.04	.18	.46	.16		.06	30
31		X		X		X		.04	X		X	.40	31
TOTAL	3.51	1.91	2.57	2.91	.37	2.29	2.13	1.87	5.03	2.45	1.32	2.92	YEAR'S TOTAL
Days with .01 in. or more	one 11	five 14	one 15	two 15	4	10	13	one 13	two 14	one 16	8	14	29-28
Days with .04 in. or more	ten 10	seven 12	fourteen 14	thirteen 13	four 4	ten 10	thirteen 13	seven 12	eleven 12	fifteen 15	eight 8	fourteen 14	147
													137

REGISTER OF RAINFALL IN 1923.

Kept at Fairlaw - Boughton Clapham
in the County of Hert
by Ernest Simmons

Lat. 51°11'N Long. 0-55E
Time of Observation 9 am
Nearest Railway Station Wye
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 220 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.07		.20						.02	.02	.33	.21	1
2	.17				.04					.21	.02	.23	2
3						.11				1.07	.02		3
4	.27								.15			.22	4
5	.20			.07						.12			5
6		.03	.08	.03		.06				.08			6
7	.23	.77	.54		.10		.17			.61		.24	7
8	.05	.25	.28		.30					.27	.64		8
9	.09			.06	.06		.03						9
10		.26		.14	.18					.25			10
11					.09					.54		.05	11
12		.29	.23		.17	.17				.48	.03		12
13	.05	.02	.15		.10		.16				.38		13
14		.05	.09		.04			.02	.07			.09	14
15	.04	.03			.19	.18		.05			.24		15
16		.09			.10						.10	.07	16
17								.10	.04				17
18	.11	.29		.05				.05	.13	.05			18
19	.08	.12		.02		.07			.05	.30			19
20		.03	.08		.02	.06		.02	.39	.03			20
21		.22	.02	.24					.04	.22	.07	.10	21
22		.30		.10					.41	.16	.07	.20	22
23			.38		.34		.04	.38	.23	.67			23
24		.04						.53	.22	.14		.11	24
25		.13	.10	.95	.10	.05			.03	.20		.51	25
26		.39		.10			.13	.16		.05		.20	26
27		.10	.04		.08		.02	.28		.03		.17	27
28		.12		.10	1.27		.11				.24	.04	28
29	.11		.11	.32	.18		.05	.38				.23	29
30		X								.31		.09	30
31		X		X	.02	X	.28		X	.13	X	.24	31
TOTAL	1.47	3.53	2.30	2.18	3.33	.70	.99	1.97	1.78	5.64	2.14	3.00	YEAR'S TOTAL
Days with 01 in. or more	12	19	12	12	18	7	9	10	12	22	11	17	29.03
Days with 04 in. or more	12	15	12	10	15	7	7	8	10	19	8	17	162
													140

AIR MINISTRY.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1924

County No.

River Dist.

Station No.

Kept at Fairbairn, Bonpland Aluph
Ashford
 in the County of Kent
 by B. Simmons

Lat. 51°11'N Long. 0°55'E
 Time of Observation 9 am
 Nearest Railway Station Wye
 Diameter of Funnel of Rain Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. 3 3/4
 " " " " Sea Level 220 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.18		.10	.04	.02	.15	.06				.59	.10	1 RUV
2	.07		.29	.01	.06	.10		.04				.21	2 JSS
3			.08		.53	.02	.20	.21	.03				3 C
4					.02	.45	.12			.08		.28	4 RUC
5		.02	.21		.06					.11	.02	.07	5
6		.04		.01				.10	.01	1.02			6
7								.03	.18	.40			7
8	.23	.03		.02	.15	.02	.15			.18			8
9	.19	.22		.05	.03		.12		.35	.02			9
10	.14	.01		.35	.22	.04			.02				10
11				.39	.14	.28			.05		.18		11
12	.02			.33	.04	.02			.01		.57		12
13	.05			.22	.01	.06		.13	.13			.27	13
14	.01			.20				.05					14
15		.02		.02					.06			.56	15
16								.06	.02			.07	16
17	.10						.86	.16					17
18	.46	.07			.59	.04	.07	.35		.05	.06		18
19	.36	.08						.05		.10	.05	.02	19
20	.01				.11			.02	.04	.04			20
21	.34				.06		.06	.27	.28	.61			21
22	.29	.09	.24				.01	.05	.11	.01			22
23		.04	.25	.02	.27			.03	.16			.60	23
24	.33	.20	.18	.03	.10						.09	.33	24
25		.08	.06	.04	.08		.50		.27		.19		25
26		.02	.06	.40			.25		.31	.09	.36	.04	26
27		.10	.02	.42		.04	.07		.01	.09	.66	.70	27
28				.02			.67	.14			.47		28
29	.10	.09		.15	.33			.24		.84	.22	.14	29
30	.01	X		.41	.27			.14	.05	.53	.05	.35	30
31	.02	X		X	.38	X		.10	X	.21	X	.19	31 833
TOTAL	2.91	1.11	1.49	3.13	3.49	1.22	3.14	2.17	2.09	4.38	3.51	4.15	YEAR'S TOTAL
Days with ".01 in. or more.	18	15	10	19	20	11	13	18	18	16	13	15	82.79
Days with ".04 in. or more	13	10	9	12	16	8	12	15	12	14	12	14	186 14 1/2



Register of Rainfall in 1925.

Kept at Fairlawn, Broughton Aluph, Athyrd. Kent
in the County of Kent

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 3 ft. 3 in.
Ground Sea Level 220 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.37		.43	.10	.02			.28	.12		.29		1
2	.20			.24			.12				.61		2
3	.41	.02			.27		.73		.03		.05		3
4	.02				.22		.09	.01		.02	.22		4
5		.03		.12				.10	.15		.27		5
6		.16	.02	.04	.05		.23	.03	.03		.65		6
7		.11	.11	.03	.01		.22			.03	.06	.07	7
8	.05	.02	.01		.24			.05		.10	.02	.03	8
9				.15				.04	.05		.11		9
10			.09				.01	.21	.06		.61		10
11		.09						.20	.13		.12		11
12		.28	.06					.02	.05	.11			12
13		.41	.27	.09						.05	.01		13
14	.14	.02		.30									14
15	.21	.20		.14						.20			15
16	.01	.04		.02	.03				.03	.17		.03	16
17	.01	.01							.03	.02			17
18	.02	.12		.01			.03					.07	18
19				.05	.20	.04	.02	.04	.08	.85		.23	19
20			.16		.05		.07		.86	.29		.31	20
21							.13	.20	.08	.20		.78	21
22			.04	.07		.01	1.06	.16	.22	.40	.02	.36	22
23		.21		.24	.41	.15	.03	.26		.33	.03	.15	23
24		.49	.37	.20	.16	.26	.84	.24	.04	.03	.08	.11	24
25	.05	.99		.02			.01	.01	.38		.05	.05	25
26		.17	.02	.03	.04	.14	.20		.04	.30		.13	26
27	.13	.02		.10	.52		.52	.12		.01	.15	.07	27
28	.06			.31								.27	28
29	.17			.14	.07		.05		.02		.12	.52	29
30		X		.51			.35				.05	.27	30
31	.11	X		X		X	.16		X	.01	X	.02	31
TOTAL	1.96	3.39	1.58	2.91	2.29	.60	4.89	1.97	2.40	3.12	3.52	3.35	YEARS TOTAL 812
Days with .01 in. or more.	15	18	11	21	14	5	19	16	18	17	19	17	31.98
Days with .04 in. or more.	11	12	8	16	12	4	15	13	13	11	15	12	190.142

(Signed)

James Simmons

(P.T.O.)

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1926.

Kept at Saulsaw, Boulton Alaph, Ashford
in the County of Kent

Diameter of Funnel of Gauge.....5 in.
Height of top of Gauge above Ground.....1 ft. 3 in.
" Ground " Sea Level.....220 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.26	.27	—	—	—	.15	—	—	.03	—	.01	—	1
2	.02	.01	—	—	—	.48	.04	—	.03	—	.01	—	2
3	.23	.81	.06	.02	—	—	—	.03	.01	—	—	—	3
4	—	.07	.06	—	—	—	.37	—	—	—	—	—	4
5	.18	.10	.07	—	.17	—	.02	—	—	—	.41	.30	5
6	.02	.30	.01	.32	.03	.15	.02	.08	.21	—	.06	.03	6
7	.11	.10	—	.27	.47	.12	—	.19	.03	—	.02	.02	7
8	.01	.05	—	.28	.03	.03	—	—	—	—	.39	—	8
9	—	.03	.06	—	—	.17	—	—	—	.18	.85	—	9
10	—	.02	—	—	.01	.13	—	.15	—	—	.14	—	10
11	—	.06	—	—	.13	.13	—	.10	—	—	.05	—	11
12	—	.12	—	—	.09	—	—	.01	.15	.28	.01	—	12
13	.04	.01	—	—	.07	.08	—	.01	—	—	.70	—	13
14	.12	.01	—	.05	.29	.03	—	—	—	.40	.05	.11	14
15	.32	.02	—	.37	.02	—	—	—	—	.44	.06	—	15
16	—	.06	—	.24	.01	—	—	.82	—	.01	.04	—	16
17	—	.50	—	.20	.14	.42	—	—	—	—	.15	.32	17
18	.13	.11	—	.50	.08	.06	.30	.07	—	—	.58	—	18
19	—	—	.11	.35	.08	—	.35	—	—	—	.03	.02	19
20	—	—	—	.71	.01	—	.02	.12	—	.17	.52	—	20
21	—	—	—	.08	.04	—	.19	.03	—	.02	.46	.03	21
22	.31	.08	—	.21	—	—	—	—	—	.02	.41	.42	22
23	.03	.01	—	.01	—	.24	—	—	—	—	.01	—	23
24	—	—	—	—	—	.14	.04	—	.13	.61	—	—	24
25	.05	.01	—	.62	—	—	.09	.23	—	.06	.13	.07	25
26	—	—	—	.01	—	—	.09	—	.07	—	.32	—	26
27	.02	.02	.01	.26	.04	.01	.08	—	.14	.01	.01	—	27
28	.46	—	—	.10	—	.03	.34	—	—	.42	.03	.02	28
29	.02	—	.07	.09	.23	—	—	—	—	.32	.12	.01	29
30	.12	X	—	.03	.15	—	—	—	—	.02	.01	—	30
31	.20	X	—	X	.03	X	—	—	X	.40	X	—	31
TOTAL	2.95	2.77	.45	4.72	1.92	2.37	1.95	1.84	.80	3.16	5.38	1.15	YEARS TOTAL
Days with ".01 in. or more.	19	22	8	20	20	16	13	12	9	15	27	11	192
Days with ".04 in. or more.	13	13	6	16	13	12	10	8	5	10	18	5	129

Please read the Notes and Instructions Overleaf.

Wm. Simmons

Section

A

for the entry of Daily Observations.

261
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1927.

Kept at Fairlawn, Boughton Aluph, Ashford
in the County of Kent

Diameter of Funnel of Gauge.....5 in.
Height of top of Gauge above Ground.....3 ft.....3 in.
,, Ground ,, Sea Level 220 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	<u>1.31</u>	—	<u>.12</u>	—	<u>.60</u>	<u>.26</u>	<u>.45</u>	—	<u>.13</u>	<u>.25</u>	—	1
2	<u>.01</u>	<u>.02</u>	<u>.07</u>	<u>.15</u>	—	—	<u>.01</u>	—	—	<u>.01</u>	<u>.01</u>	<u>.02</u>	2
3	<u>.11</u>	—	<u>.01</u>	—	—	<u>.01</u>	—	—	—	—	—	—	3
4	—	—	—	<u>.04</u>	—	<u>.02</u>	<u>.45</u>	—	—	—	—	<u>.03</u>	4
5	<u>.14</u>	<u>.20</u>	<u>.10</u>	<u>.53</u>	—	<u>.10</u>	—	<u>.07</u>	—	—	<u>.21</u>	—	5
6	<u>.02</u>	<u>.01</u>	<u>.25</u>	<u>.20</u>	—	<u>.02</u>	<u>1.70</u>	<u>.02</u>	<u>.08</u>	—	<u>.05</u>	—	6
7	<u>.01</u>	<u>.16</u>	<u>.02</u>	<u>.22</u>	—	<u>.14</u>	—	<u>.29</u>	—	—	—	—	7
8	<u>.16</u>	—	<u>.15</u>	<u>.17</u>	—	—	<u>.16</u>	<u>.21</u>	<u>.02</u>	—	<u>.21</u>	—	8
9	—	—	<u>.01</u>	<u>.03</u>	—	—	<u>.26</u>	<u>.10</u>	<u>.19</u>	—	<u>.02</u>	—	9
10	—	—	<u>.08</u>	—	—	—	—	<u>.10</u>	<u>.22</u>	—	—	—	10
11	—	<u>.01</u>	<u>.03</u>	<u>.02</u>	—	<u>.08</u>	<u>.25</u>	<u>.17</u>	—	—	<u>.51</u>	—	11
12	<u>.07</u>	—	<u>.03</u>	—	<u>.02</u>	—	<u>.36</u>	<u>.73</u>	—	<u>.05</u>	—	—	12
13	<u>.05</u>	—	—	<u>.02</u>	—	—	<u>.26</u>	<u>.33</u>	<u>.13</u>	—	<u>.01</u>	—	13
14	<u>.01</u>	<u>.01</u>	—	<u>.06</u>	<u>.01</u>	—	<u>.80</u>	<u>.01</u>	<u>1.11</u>	<u>.16</u>	<u>.02</u>	<u>.15</u>	14
15	<u>.03</u>	<u>.01</u>	—	—	<u>.02</u>	—	<u>.10</u>	<u>.31</u>	<u>.01</u>	<u>.01</u>	<u>.04</u>	<u>.03</u>	15
16	<u>.05</u>	—	—	—	<u>.19</u>	—	<u>.02</u>	<u>.02</u>	<u>.19</u>	—	<u>.01</u>	<u>.06</u>	16
17	<u>.16</u>	<u>.01</u>	<u>.02</u>	—	—	<u>.30</u>	—	<u>.07</u>	<u>.23</u>	—	—	—	17
18	<u>.05</u>	<u>.03</u>	—	—	—	<u>.28</u>	—	<u>.12</u>	<u>.05</u>	—	<u>.03</u>	—	18
19	<u>.01</u>	<u>.13</u>	—	—	—	—	—	<u>.08</u>	—	—	<u>.04</u>	—	19
20	<u>.09</u>	<u>.16</u>	—	—	—	—	<u>.06</u>	<u>.78</u>	—	—	<u>.55</u>	<u>.06</u>	20
21	<u>.20</u>	<u>.15</u>	—	—	<u>.04</u>	—	<u>.02</u>	<u>.05</u>	<u>.02</u>	<u>.37</u>	<u>.21</u>	<u>.78</u>	21
22	<u>.13</u>	<u>.02</u>	<u>.31</u>	—	<u>.14</u>	<u>.21</u>	<u>.07</u>	<u>.11</u>	<u>.03</u>	<u>.73</u>	—	<u>.47</u>	22
23	<u>.01</u>	<u>.26</u>	<u>.34</u>	—	—	—	—	—	<u>.57</u>	<u>.03</u>	<u>.16</u>	<u>.18</u>	23
24	—	<u>.11</u>	<u>.27</u>	<u>.03</u>	—	<u>.37</u>	<u>.01</u>	<u>.01</u>	—	—	<u>.03</u>	<u>.75</u>	24
25	—	<u>.27</u>	<u>.43</u>	—	—	<u>.20</u>	<u>.03</u>	<u>.09</u>	<u>.01</u>	—	<u>.01</u>	<u>1.22</u>	25
26	<u>.12</u>	<u>.50</u>	<u>.03</u>	—	<u>.15</u>	—	—	—	—	<u>.02</u>	<u>.01</u>	<u>1.01</u>	26
27	<u>.04</u>	<u>.30</u>	<u>.04</u>	—	<u>.25</u>	<u>.16</u>	<u>.28</u>	—	<u>.01</u>	<u>.21</u>	<u>.02</u>	<u>.10</u>	27
28	<u>.07</u>	<u>.08</u>	—	<u>.07</u>	—	<u>.28</u>	<u>.03</u>	—	—	<u>.01</u>	<u>.13</u>	—	28
29	<u>.02</u>	—	<u>.14</u>	—	—	<u>.26</u>	—	<u>.02</u>	<u>.37</u>	—	<u>.67</u>	—	29
30	<u>.19</u>	X	<u>.25</u>	—	—	<u>.21</u>	<u>.01</u>	—	—	<u>.03</u>	—	—	30
31	<u>.01</u>	X	<u>.68</u>	X	<u>.03</u>	X	<u>.01</u>	—	X	<u>.03</u>	X	<u>.04</u>	31
TOTAL	<u>1.76</u>	<u>3.75</u>	<u>3.26</u>	<u>1.66</u>	<u>.85</u>	<u>3.24</u>	<u>5.15</u>	<u>3.54</u>	<u>3.24</u>	<u>1.79</u>	<u>3.20</u>	<u>4.90</u>	YEAR'S TOTAL
Days with ".01 in. or more.	<u>24</u>	<u>20</u>	<u>20</u>	<u>13</u>	<u>9</u>	<u>16</u>	<u>21</u>	<u>22</u>	<u>16</u>	<u>13</u>	<u>22</u>	<u>14</u>	<u>210</u>
Days with ".04 in. or more.	<u>15</u>	<u>12</u>	<u>13</u>	<u>9</u>	<u>5</u>	<u>13</u>	<u>13</u>	<u>17</u>	<u>6</u>	<u>12</u>	<u>11</u>	<u>136</u>	

(Signed) James Simmons [P.T.]



for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1928.

Kept at Fairlaw, Brompton Elph. Ashford
in the County of Kent

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 3 ft. 3 in.
„ Ground „ Sea Level 220 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.02	.13	.05	—	—	—	.24	—	—	.65	.01	1
2	.76	.17	.03	—	.19	—	—	—	—	—	.35	—	2
3	—	—	—	.12	.21	—	.15	.17	—	—	.17	.03	3
4	.13	.05	—	.16	—	—	—	.45	—	—	—	—	4
5	.23	.24	.09	.06	—	—	—	—	—	—	—	.01	5
6	.01	—	.01	—	—	.26	—	—	—	—	—	.10	6
7	.01	.01	—	.08	—	.21	—	.10	—	.01	—	—	7
8	—	.01	.08	—	.02	.27	.02	—	—	.19	.26	—	8
9	—	—	.03	—	—	.21	—	—	—	.15	.03	.08	9
10	.06	.16	.80	.19	.22	—	—	.02	—	.27	.08	—	10
11	—	.07	.15	.18	—	.04	—	—	—	.19	.30	.17	11
12	.17	—	.02	.01	—	—	—	—	—	.07	.01	.12	12
13	—	.18	—	—	.02	.72	—	.02	—	—	.26	.04	13
14	.03	.13	—	.25	.15	.31	—	—	—	.52	.25	—	14
15	—	—	—	.53	.28	—	—	—	—	.04	.26	.02	15
16	.02	.01	—	.67	.12	—	—	—	—	.04	.34	.26	16
17	—	—	.02	.03	.21	—	—	—	—	.10	.02	—	17
18	.72	—	.01	.04	.07	.17	—	—	—	.39	.02	—	18
19	.01	—	—	.06	.14	.02	—	.17	—	.30	.05	.16	19
20	.11	—	—	—	.24	—	—	.03	—	.31	.02	.32	20
21	.10	—	.08	.12	.62	—	—	.30	—	.85	.23	.01	21
22	.01	—	.11	.01	.16	—	—	.03	—	.66	.12	.16	22
23	.31	—	.09	—	.20	—	—	—	.04	.07	.16	—	23
24	.09	—	.03	—	.01	—	—	.05	.04	.05	.25	.18	24
25	.04	—	.06	—	—	.05	—	—	—	.13	.01	.04	25
26	.29	—	—	—	—	.04	.02	.10	—	1.10	—	.15	26
27	—	—	.03	.03	—	.01	.55	—	—	.06	—	.47	27
28	.38	—	.02	—	—	—	—	.08	.58	—	—	.06	28
29	.05	.06	.33	.10	—	—	—	—	.09	.09	.06	.51	29
30	.09	X	.14	.01	—	.12	.14	—	—	.02	—	.27	30
31	.09	X	.33	X	—	X	.06	—	X	.01	X	.11	31
TOTAL	3.71	1.11	2.59	2.70	2.86	2.43	.94	1.76	.75	5.62	3.90	3.28	31-65
Days with ".01 in. or more.	22	12	21	19	16	13	6	13	4	23	22	22	193
Days with ".04 in. or more.	16	8	12	14	13	11	4	9	4	20	16	17	144

REGISTER OF RAINFALL IN 1929.

Kept at Tailawn, Boughton Claph, Ashford
in the County of Kent

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
Ground Sea Level 220 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.10	.10	—	.06	.01	—	—	.48	—	.14	—	.01	1
2	.08	.02	—	—	—	.08	.20	—	—	.31	.11	.30	2
3	—	—	.04	—	—	.03	.09	—	—	.07	—	.39	3
4	—	—	—	.17	.06	.74	.09	.01	—	—	—	.20	4
5	.01	—	.02	.04	.62	.13	.11	.20	—	.17	—	.46	5
6	—	—	—	—	.29	—	.13	.46	—	.05	.08	.37	6
7	—	—	—	—	.03	—	—	.01	—	.35	.46	.16	7
8	—	—	—	—	—	.23	—	—	—	.29	.02	.45	8
9	.01	.30	—	.08	—	—	—	—	—	—	—	.34	9
10	.04	.10	—	.39	—	—	—	—	—	.20	.02	.43	10
11	—	—	—	.27	—	—	—	—	—	—	.37	.08	11
12	—	—	—	.15	.15	.10	—	—	—	—	—	.02	12
13	.07	.10	—	.01	.04	.03	—	—	—	—	.02	.01	13
14	.01	.02	—	—	.01	.04	—	—	—	—	—	.10	14
15	.06	.01	—	—	.02	.21	—	—	—	—	.88	.16	15
16	—	—	—	—	—	—	—	.86	—	—	.33	—	16
17	.01	—	—	—	—	—	—	—	.34	—	—	—	17
18	.01	—	—	—	—	—	—	—	—	—	.14	—	18
19	.01	—	—	—	—	—	—	—	.02	—	.07	—	19
20	—	—	—	—	—	—	.02	—	—	.43	.01	—	20
21	.13	—	—	—	—	—	—	.16	—	—	.01	1.09	21
22	.01	—	.09	—	—	.03	—	.02	—	—	.03	.11	22
23	—	.08	—	—	—	—	—	—	—	.01	.30	.29	23
24	.01	—	—	.01	.04	—	—	.02	—	.56	.40	.25	24
25	.05	—	—	—	—	—	—	—	—	.25	.08	.07	25
26	.05	.08	—	—	.02	—	—	—	—	—	.14	.05	26
27	.01	—	—	.05	—	—	—	—	—	.02	.60	.08	27
28	.20	.01	—	.04	—	—	.17	—	—	.20	.67	.25	28
29	.15	—	—	.19	—	—	—	—	.18	.02	.23	.03	29
30	.03	X	—	—	—	.12	—	—	.36	.07	.14	.21	30
31	.36	X	—	X	—	X	.12	—	X	.07	X	—	31
TOTAL	1.41	.82	.15	1.46	1.29	1.74	.93	2.16	.90	3.21	5.11	5.71	24.89
Days with or more.	21	10	3	12	11	11	8	9	4	17	22	25	153
Days with or more.	11	6	2	10	6	8	7	5	3	14	16	21	109

Section

A

for the entry of Daily Observations.

296
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at Fairlawn, Bonhill Alps, Ashford.
in the County of Hert

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
,, Ground ,, Sea Level 220 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	.11	.01	—	.17	—	—	.51	.03	—	—	.37	—	I
2	.01	.05	—	.01	.01	—	—	.03	—	—	.91	—	2
3	.02	.07	—	.49	—	—	—	1.64	—	.01	.07	—	3
4	.13	.03	—	.04	—	—	.02	.04	.02	.12	—	—	4
5	.02	.01	—	—	.49	—	—	.30	—	.03	—	—	5
6	—	.41	.02	—	.54	—	.03	.08	.41	—	—	—	6
7	.01	.39	.02	—	.11	—	—	.09	—	.25	.27	.10	7
8	.16	—	—	—	—	—	—	—	—	—	—	.19	8
9	.11	—	—	—	.38	—	—	.01	—	—	.01	.01	9
10	.25	.01	.37	—	.28	—	—	—	—	—	—	.03	10
11	.08	.11	.04	—	.03	—	—	—	.14	.06	—	.49	11
12	.21	—	—	.14	.15	—	—	.10	.03	—	—	.27	12
13	.02	—	.05	.17	.10	—	.13	.32	.26	—	—	.01	13
14	.01	.06	—	—	—	—	.39	—	—	—	—	—	14
15	—	.10	.19	.05	—	—	.50	—	—	.04	.15	—	15
16	—	.03	.05	—	—	.02	.06	—	.10	—	—	—	16
17	—	.02	.26	.12	.01	—	.01	—	.18	.17	—	—	17
18	—	—	.24	.07	.04	—	—	—	—	—	.14	.06	18
19	—	—	.13	.03	—	—	—	.08	.65	.09	.28	.02	19
20	—	—	—	.12	—	—	.73	.07	.35	.43	.35	.02	20
21	—	—	—	—	—	—	.05	.24	.11	.03	.39	—	21
22	—	—	—	.01	.28	—	.10	.08	.01	.29	.15	—	22
23	—	—	.08	.11	—	.19	.15	.10	—	—	—	.03	23
24	.30	.04	—	—	.12	.12	.18	—	.02	.04	.36	.08	24
25	.09	—	—	—	.34	.02	—	—	.01	—	.30	.01	25
26	.05	—	—	—	—	.39	.01	—	.62	—	.14	.32	26
27	—	—	—	—	—	.03	.04	—	.18	—	.31	.05	27
28	—	—	—	—	—	—	—	—	1.16	—	.20	.04	28
29	.20	—	—	—	—	—	.01	.07	.05	—	.17	.21	29
30	.07	X	—	—	.90	.01	.20	—	—	—	.03	.32	30
31	.35	X	.09	X	.26	X	—	.02	X	1.22	X	.06	31
TOTAL	2.20	1.34	1.54	1.53	4.04	.78	3.12	3.30	4.30	2.48	4.60	2.32	31.85
*Days with or more.	19	14	12	13	16	7	17	17	17	13	18	19	182
*Days with or more.	13	8	10	10	13	3	12	13	12	10	16	12	132

40-9999

*See Instruction 2 (f) on other side.

(Signed) James Simmons

P.T.O.

Section **A** for the
AIR
Form 1090. **R**

Kept at The Warren
in the County of

Diameter of Funnel of Ga
Height of top of Gauge abo
,, Ground ,,

THE MORNING

An observer who does not con
year in the space on the rig

BRENCHLEY - (THE WARREN)
KENT

1930

343A
FOR OFFICIAL USE.
RAINFALL ORGANIZATION.
1930. *Handwritten*

DAY.
of the following

Jan. 1, following

Date	Jan.	Feb.	M.						Oct.	Nov.	Dec.	Date
	in.	in.		in.	in.	in.	in.	in.	in.	in.	in.	
I				-	-	-	-	-	-	0.56	-	I
2				-	-	0.40	-	-	-	0.58	-	2
3				-	-	2.37	-	0.13	0.03	-	-	3
4				-	-	0.26	-	0.17	-	-	-	4
5				-	-	0.29	-	0.12	-	-	-	5
6				0.16	-	-	0.14	0.27	-	-	-	6
7				0.03	-	-	0.16	0.26	0.34	0.39	0.10	7
8				0.01	-	-	-	0.03	-	-	0.26	8
9				0.41	-	-	-	0.02	-	0.02	-	9
10				0.20	-	-	0.40	-	-	-	0.80	10
11				0.03	-	-	-	-	0.14	-	0.59	11
12				0.09	-	-	0.50	-	-	-	0.24	12
13				0.005	-	0.12	0.18	0.42	-	-	-	13
14				-	-	0.27	-	-	-	-	-	14
15				-	0.04	-	-	-	0.80	0.18	-	15
16				-	0.11	-	-	0.02	-	-	-	16
17				0.10	-	-	-	0.26	0.90	-	-	17
18				0.03	-	-	-	-	0.12	0.17	0.70	18
19				0.10	-	-	0.14	1.14	0.11	0.38	0.02	19
20				0.03	-	1.12	0.16	0.33	0.17	0.34	0.01	20
21				0.28	-	-	0.39	0.01	0.14	0.54	-	21
22				0.26	0.34	0.80	0.17	0.02	0.20	0.18	-	22
23				0.005	0.04	0.70	0.50	0.01	0.13	0.50	0.03	23
24				0.27	-	0.90	-	0.90	0.01	0.46	0.11	24
25				-	0.20	0.14	-	-	~~0.02~~	0.28	-	25
26				-	-	-	-	0.24	~~0.01~~	0.27	0.29	26
27				0.04	-	-	-	0.32	0.42	0.44	0.14	27
28				-	-	-	-	0.74	0.01	0.22	0.22	28
29				-	-	0.13	0.40	0.12	~~0.01~~	0.48	0.09	29
30		X		0.41	0.11	-	-	-	-	0.20	0.50	30
31		X	X	0.16	X	-	-	X	0.12	X	0.15	31
TOTAL				2.62	0.84	4.18	6.46	5.11	3.73	6.22	4.25	YEAR'S TOTAL
*Days with or in. or more.				17	6	8	15	17	17	19	16	
*Days with 0.4 in. or more.				12	6	8	15	11	15	17	13	

40-9999

*See Instruction 2 (f) on other side.

N (Signed) DR. CARL LANGER [P.T.O.]

Section

A

for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FOR OFFICIAL USE.

Form 1090.

REGISTER OF RAINFALL IN 1930.

Kept at The Warren, Brenchley
in the County of Kent — 4

Diameter of Funnel of Gauge.....5 in.
Height of top of Gauge above Ground.....ft.....6 in.
,, Ground ,, Sea Level 270 ft.

Find name of observer

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I						—	—	—	—	—	0.56	—	I
2						—	—	0.40	—	—	0.58	—	2
3						—	—	2.37	—	0.13	0.03	—	3
4						—	—	0.26	—	0.17	—	—	4
5						—	—	0.29	—	0.12	—	—	5
6					0.16	—	—	0.14	0.27	—	—	—	6
7					0.03	—	—	0.16	0.26	0.34	0.39	0.10	7
8					0.01	—	—	—	0.03	—	—	0.26	8
9					0.41	—	—	—	0.02	—	0.02	—	9
10					0.20	—	—	0.40	—	—	—	0.80	10
11					0.03	—	—	—	—	0.14	—	0.59	11
12					0.09	—	—	0.50	—	—	—	0.24	12
13					0.005	—	0.12	0.18	0.42	—	—	—	13
14					—	—	0.27	—	—	—	—	—	14
15					—	0.04	—	—	—	0.80	0.18	—	15
16					—	0.11	—	—	0.02	—	—	—	16
17					0.10	—	—	—	0.26	0.90	—	—	17
18					0.03	—	—	—	—	0.12	0.17	0.70	18
19					0.10	—	—	0.14	1.14	0.11	0.38	0.02	19
20					0.03	—	1.12	0.16	0.33	0.17	0.34	0.01	20
21					0.28	—	—	0.39	0.01	0.14	0.54	—	21
22					0.26	0.34	0.80	0.17	0.02	0.20	0.18	—	22
23					0.005	0.04	0.70	0.50	0.01	0.13	0.50	0.03	23
24					0.27	—	0.90	—	0.90	0.01	0.46	0.11	24
25					—	0.20	0.14	—	—	—	0.28	—	25
26					—	—	—	—	0.24	—	0.27	0.29	26
27					0.04	—	—	—	0.32	0.42	0.44	0.14	27
28					—	—	—	—	0.74	0.01	0.22	0.22	28
29					—	—	0.13	0.40	0.12	—	0.48	0.09	29
30		X			0.41	0.11	—	—	—	—	0.20	0.50	30
31		X		X	0.16	X	—	—	X	0.12	X	0.15	31
TOTAL					2.62	0.84	4.18	6.46	5.11	3.73	6.22	4.25	YEAR'S TOTAL
*Days with "or in. or more.					17	6	8	15	17	17	19	16	
*Days with "0.4 in. or more.					12	6	8	15	11	15	17	13	

40-9999

*See Instruction 2 (f) on other side.

(Signed) DR. CARL LANGER [P.T.O.]

F

BROADSTAIRS

Domus

KENT

ORGANIZATION.

301

21

1.26'E

9 AM

Broadstair

Rain Gauge 8 in.

above Ground one ft. in.

Sea Level 60 ft.

t entered to the previous day.

requested to add
it at the end of
of rain gauges,
fall Observers,"
n, 62, Camden

Jan. 1, following.

rm.

IMPORTANT NOTE

If an Observer prefers n
the reading at 9 a.m. on
this paragraph. Full inst
and particulars as to the
sent post-free on applica
Square, London, N.W. 1.

1921-30

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.06	0.01									0.02	0.08	1
2	0.01	0.10	0.02		0.03						0.76		2
3			0.06		0.03	0.15		0.14			0.29		3
4					0.07						0.24		4
5	0.06			0.01				0.12			0.15	0.01	5
6	0.14		0.27		0.03		0.02						6
7	0.04				0.20						0.26		7
8		0.07	0.01	0.04									8
9	0.13	0.08									0.06		9
10	0.17	0.04		0.03				0.04		0.04			10
11	0.07	0.03							0.33			0.03	11
12	0.19	0.02						0.02	0.16				12
13	0.52		0.07	0.43				0.26	0.10	0.05		0.21	13
14	0.08											0.25	14
15				0.15								0.02	15
16	0.05							0.05				0.02	16
17	0.04		0.02	0.20				0.05		0.02			17
18	0.15								0.05				18
19	0.01		0.23	0.07								0.03	19
20			0.07			0.07				0.71			20
21								0.10			0.08		21
22										0.09		0.10	22
23				0.22								0.01	23
24				0.02				0.03		0.03		0.04	24
25	0.01	0.45										0.14	25
26	0.07	0.01	0.05		0.27							0.11	26
27			0.01	0.08							0.02	0.02	27
28			0.07		0.09		0.09	0.20					28
29			0.13		0.16							0.10	29
30	0.07	X			0.02							0.06	30
31	0.19	X		X		X			X		X		31
TOTAL	1.93	0.81	1.01	1.25	0.90	0.22	0.11	1.06	0.64	0.94	1.88	1.23	YEAR'S TOTAL 11.98
Days with "01 in. or more	18	9	12	10	9	2	2	10	4	6	9	16	107
Days with "04 in. or more	15	5	8	7	5	2	1	8	4	4	7	9	75

REGISTER OF RAINFALL IN 1921.

Kept at Tomus Broadstair
in the County of Kent
by Capt W. B. Marling

Lat. 51.22' N Long. 1.26' E
Time of Observation 9 AM
Nearest Railway Station Broadstair
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground one ft. — in.
" " " " Sea Level 60 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.06	0.01									0.02	0.08	1
2	0.01	0.10	0.02		0.03						0.76		2
3			0.06		0.03	0.15		0.14			0.24		3
4					0.07						0.24		4
5	0.06			0.01				0.12			0.15	0.01	5
6	0.14		0.27		0.03		0.02						6
7	0.04				0.20						0.26		7
8		0.07	0.01	0.04									8
9	0.13	0.08									0.06		9
10	0.17	0.04		0.03				0.04		0.04			10
11	0.07	0.03							0.33			0.03	11
12	0.19	0.02						0.02	0.16				12
13	0.52		0.07	0.43				0.26	0.10	0.05		0.21	13
14	0.08											0.25	14
15				0.15								0.02	15
16	0.05							0.05				0.02	16
17	0.04		0.02	0.20				0.05		0.02			17
18	0.15								0.05				18
19	0.01		0.23	0.07								0.03	19
20			0.07			0.07				0.71			20
21								0.10			0.08		21
22										0.09		0.10	22
23				0.22								0.01	23
24				0.02				0.03		0.03		0.04	24
25	0.01	0.45										0.14	25
26	0.07	0.01	0.05		0.27							0.11	26
27			0.01	0.08							0.02	0.02	27
28			0.07		0.09		0.04	0.20					28
29			0.13		0.16							0.10	29
30	0.07	~~X~~			0.02							0.06	30
31	0.19	~~X~~		~~X~~		~~X~~			~~X~~		~~X~~		31
TOTAL	1.93	0.81	1.01	1.25	0.90	0.22	0.11	1.06	0.64	0.94	1.88	1.23	YEAR'S TOTAL 11.98
Days with '01 in. or more	18	9	12	10	9	2	2	10	4	6	9	16	107
Days with '04 in. or more	15	5	8	7	5	2	1	8	4	4	7	9	75

Kept at Dorchester, Broadstare
in the County of Dorset
by Capt. Walter B. Melling.

Lat. 51.22 N Long 1.26 E
Time of Observation 9 AM
Nearest Railway Station Broadstare
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 60 in.
" " " " Sea Level 60 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		0.04	0.02		0.16				0.02	0.32	0.14	0.02	1
2		0.31	0.13	0.15						0.01			2
3	0.03	0.09	0.02	0.24	0.22		0.02	0.17			0.12		3
4	0.07	0.02	0.10	0.03	0.02		0.02	0.09		0.37			4
5			0.12	0.09	0.02		0.40			0.13	0.21		5
6	0.03		0.03				0.01	0.20		0.23	0.13		6
7	0.24		0.47	0.24			0.11	0.01			0.01		7
8	0.07		0.10	0.05		0.01	0.07	0.10					8
9	0.17			0.10			0.10			0.03			9
10			0.03					0.12	0.22		0.04		10
11	0.02				0.06			0.03					11
12				0.14				0.04	0.19			0.04	12
13	0.02			0.13		0.65	0.05		0.65				13
14	0.02					0.33	0.23	0.16	0.51				14
15	0.22	0.19							0.03				15
16							0.25					0.14	16
17		0.07		0.04	0.05				0.06			0.27	17
18	0.09				0.01	0.06	0.17					0.11	18
19	0.54	0.07	0.07						0.49	0.10		0.47	19
20			0.01							0.22			20
21	0.32	0.10	0.24					0.03	0.02	0.02		0.53	21
22		0.15		0.04		0.01		0.16		0.03		0.03	22
23	0.03					0.22	0.14		0.06	0.06			23
24			0.10	0.14			0.03	0.13	0.01	0.27		0.01	24
25	0.31			0.25		0.03					0.06	0.01	25
26	0.02	0.07	0.04	0.10		0.04	0.19		0.61		0.05		26
27	0.33	0.15		0.02		0.04		0.27	0.17	0.19	0.06	0.10	27
28	0.02	0.10	0.08	0.10		0.23		0.02	0.26	0.19			28
29	0.07					0.05		0.64		0.36		0.12	29
30	0.04	~~X~~	0.22				0.02	0.14	0.59	0.32	0.09	0.05	30
31	0.03	~~X~~		~~X~~		~~X~~		0.02	~~X~~	0.02	~~X~~	(0.14)	31
TOTAL	2.78	1.36	1.78	1.40	0.54	1.67	1.81	2.33	3.89	2.87	0.91	2.04	YEAR'S TOTAL 23.88
Days with "01 in. or more	21	12	16	16	7	11	13	17	15	17	10	14	171
Days with "04 in. or more	13	11	11	15	4	8	10	12	11	12	9	10	126

REGISTER OF RAINFALL IN 1923.

Kept at Domus, Broadstairsin the County of Kentby Capt Wallis Bentley MarlingLat. 51.22 N Long. 1.26 ETime of Observation 9 AMNearest Railway Station BroadstairsDiameter of Funnel of Rain Gauge 8 in.Height of top of Gauge above Ground 1 ft. - in." " " " Sea Level 60 ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day.
An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.02		0.08						0.15	0.03	0.32	0.08	1
2	0.13									0.08		0.04	2
3					0.02	0.13				0.66	0.01		3
4		0.01							0.05			0.12	4
5	0.12			0.11		0.04				0.01	0.02	0.15	5
6	0.10		0.13										6
7	0.21	0.50	0.18	0.09	0.07				0.03	0.24		0.08	7
8	0.09	0.12	0.03	0.04	0.22					0.50	0.18	0.06	8
9	0.04	0.01	0.01	0.03						0.01			9
10		0.12		0.03	0.16					0.34			10
11		0.02		0.02	0.02	0.04				0.35			11
12		0.21	0.12	0.16						0.25			12
13	0.07		0.03		0.04						(0.24)	0.10	13
14		0.09	0.04			0.13		0.07	0.03	0.09		0.09	14
15	0.01				0.17			0.09			0.07		15
16		0.13			0.07						0.09		16
17		0.04						0.05	0.01				17
18	0.12	0.21						0.08	0.03	0.02			18
19	0.29					0.13				0.15			19
20		0.03	0.08						0.54			0.09	20
21	0.06	0.11	0.02	0.10		0.09				0.05	0.19	0.11	21
22		0.32	0.04	0.05				0.01	0.23	0.15	0.49	0.12	22
23		0.02	0.25		0.34		0.02	0.32	0.13	0.51	0.31		23
24								0.79	0.08	0.09		0.02	24
25		0.15	0.04	0.43	0.15	0.06	0.21		0.01	0.27		0.32	25
26		0.18		0.09				0.11		0.02		0.16	26
27		0.05	0.03		0.08		0.01	0.12				0.14	27
28	0.02	0.10		0.12	1.21		0.09				0.26		28
29	(0.18)	X		0.12	0.07		0.02	0.19				0.36	29
30		X								0.36		0.03	30
31	0.02	X		X		X	0.07		X	0.12	X	05	31
TOTAL	1.48	2.42	1.08	1.39	2.62	0.62	0.42	1.83	1.31	4.30	2.25	2.12	YEAR'S TOTAL 21.84
Days with 0.1 in. or more	15	19	14	13	13	7	6	10	11	21	11	18	157 458
Days with 0.4 in. or more	11	14	9	10	11	7	3	9	7	16	9	16	121 122

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1924.

County No.

River Dist.

Station No.

Kept at Thomas Broadstairs
in the County of Kent
by Capt W B Marling

Lat. _____ Long. _____
Time of Observation 9 AM
Nearest Railway Station Broadstairs
Diameter of Funnel of Rain Gauge 9 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 80 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.26		0.10		0.01	0.15	0.06				0.40		11 R H
2			0.26	0.06	0.02	0.06		0.02			0.01	0.03	2
3			0.08		0.61		0.19	0.10	0.01				3
4					0.13	0.24	0.06			0.10		0.13	4
5		0.08			0.02	0.01				0.16			5
6								0.10	0.02	0.92			6
7				0.01		0.42			0.11	0.38			7
8	0.15				0.14	0.49	0.14		0.07	0.20	0.03		8
9	0.16	0.08		0.10	0.02	0.03			0.08	0.01		0.03	9
10	0.12	0.09		0.05	0.24				0.02			0.03	10
11		0.03		0.33	0.03	0.06				0.01	0.09		11
12		0.01		0.25	0.02						0.46		12
13				0.10		0.06			0.05			0.27	13
14				0.23				0.07	0.02			0.02	14
15				0.04								0.17	15
16							0.74		0.02				16
17	0.08							0.15					17
18	0.25	0.13			0.30	0.25	0.04	0.13			0.05		18
19	0.14					0.14		0.67			0.07		19
20					0.15		0.09	0.03	0.01		0.02		20
21	0.30				0.14				0.31	0.63			21
22	0.19		0.06	0.01	0.02			0.04		0.08			22
23	0.02	0.09	0.15		0.19			0.03	0.16			0.37	23
24	0.21	0.25	0.13		0.01		0.52				0.05	0.09	24
25			0.11	0.04	0.07				0.31		0.15		25
26		0.06		0.25			0.12		1.19	0.07		0.07	26
27		0.06	0.08	0.14		0.20	0.57		0.04	0.06	0.41	0.26	27
28		0.05					0.03	0.15		0.03	0.48	0.02	28
29	0.07			0.20	0.50		0.02	0.19		0.31	0.11		29
30		X		0.31	0.03			0.14	0.58	0.92		0.18	30
31		X	0.02	X	0.48	X		0.06	X	0.22	X	0.29	31 687
TOTAL	1.94	0.95	1.01	2.12	3.15	2.11	2.58	1.88	3.00	4.01	2.33	1.96	YEAR'S TOTAL 27.04
Days with "01 in. or more.	12	11	9	15	20	12	12	14	16	15	13	14	163
Days with "04 in. or more	11	9	18	13	12	10	10	11	10	12	10	9	125

FORM 1090. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Register of Rainfall in 1926

Kept at *Domney, Broadstairs*
in the County of *Kent*

Observers are requested to read the instructions printed overleaf before filling in this form.

Diameter of Funnel of Gauge *8* in.
Height of top of Gauge above Ground *1* ft. *—* in.
Ground „ Sea Level *60 ft.* ft.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.19			0.03	0.02			0.63	0.12		0.17		1
2	0.06	0.02		0.17			0.07	0.02			0.29		2
3	0.29						0.23		0.04		0.05	0.08	3
4					0.24		0.01	0.02			0.05		4
5					0.02		0.03	0.03	0.23		0.25		5
6		0.14			0.07		0.20	0.03	0.65		0.41		6
7	0.02	0.03					0.27				0.11		7
8			0.08		0.14					0.18	0.29	0.07	8
9				0.31					0.09		0.02		9
10			0.23					0.24	0.13		0.77		10
11		0.06						0.03	0.23		0.68		11
12		0.31						0.03	0.22	0.18			12
13		0.13	0.25	0.08				0.03		0.02	0.11		13
14	0.02	0.04	0.06	0.22									14
15	0.12	0.20		0.03						0.26	0.12		15
16	0.03								0.04	0.03	0.18		16
17					0.10							0.04	17
18		0.02			0.02		0.03			0.04			18
19		0.07			0.34	0.02	0.04		0.02	0.72		0.27	19
20		0.26	0.19		0.05				1.03	0.18		0.27	20
21			0.02			0.06	0.01	0.10	0.06	0.04		0.73	21
22			0.08		0.55	0.02	0.16	0.22	0.23	0.30	0.03	0.28	22
23			0.01	0.27	0.06	0.25	0.10	0.12		0.25	0.38	0.02	23
24		0.46	0.19	0.10		0.24	0.21	0.09			0.10	0.01	24
25		0.72		0.08		0.02		0.63	0.35	0.12		0.03	25
26		0.09				0.05	0.13					0.06	26
27	0.09	0.03			0.20		0.22			0.01		0.02	27
28	0.07	0.15	0.03	0.22								0.11	28
29	0.06			0.15	0.02		0.02				0.23	0.38	29
30		X		0.29			0.22			0.02	0.12	0.21	30
31	0.09	X		X		X	0.26		X	0.01	X	0.01	31
TOTAL	1.04	2.73	1.14	1.95	1.83	0.66	2.21	1.62	2.84	2.36	3.76	2.59	24.83
Days with "01 in. or more.	16	16	10	12	13	7	17	14	14	15	19	16	164
Days with "04 in. or more.	8	12	7	10	9	4	12	6	13	10	17	11	119

(Signed) *Walter B. Harding* [P.T.O.]

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1926

Kept at Domus Broustaas
in the County of Kent

Diameter of Funnel of Gauge.....9 in.
Height of top of Gauge above Ground.....1 ft. = ... in.
" Ground " Sea Level about 60 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.09	0.17							0.03				1
2						0.82							2
3	0.14	0.70					0.02						3
4	0.16		0.06				0.70					0.03	4
5		0.10			0.09		0.09				0.23	0.10	5
6	0.02	0.11		0.07	0.07	0.16	0.01	0.03	0.10		0.09		6
7		0.04		0.14	0.20	0.12			0.04				7
8					0.02						0.95		8
9						0.40				0.03	0.45		9
10						0.28		0.09		0.03	0.03		10
11		0.16			0.23	0.06		0.42		0.05			11
12		0.11			0.05	0.13			0.06	0.28	0.02		12
13					0.01	0.19					0.73	0.03	13
14		0.08								0.64	0.15		14
15				0.24		0.03				0.60	0.07		15
16	0.21	0.08		0.09		0.84		1.04					16
17		0.51									0.09	0.07	17
18	0.12	0.15		0.53	0.19		0.14	0.14			0.42		18
19			0.10	0.18	0.03		0.04				0.06	0.02	19
20				0.37			0.17	0.12		0.58	0.41		20
21				0.27	0.02		0.07	0.02		0.01	0.46	0.12	21
22	0.05	0.07		0.16							0.13	0.19	22
23	0.12					0.12							23
24							0.03			0.56	0.03		24
25	0.03			0.57			0.08				0.14	0.25	25
26							0.08	0.14	0.10		0.56		26
27	0.01	0.03		0.02					0.11				27
28	0.42						0.14			0.12	0.14		28
29				0.07	0.12					0.29			29
30	0.03	X			0.03					0.25			30
31	0.07	X		X		X		0.01	X	0.53	X		31
TOTAL	1.47	2.31	.16	2.71	1.06	3.15	1.66	2.01	.44	3.99	5.26	.81	YEARS TOTAL
Days with 01 in. or more.	13	13	2	12	12	11	12	9	6	13	19	8	130
Days with 04 in. or more.	9	12	2	11	7	10	9	6	5	10	16	5	102

Please read the Notes and Instructions Overleaf.

REGISTER OF RAINFALL IN 1927.

Kept at DOMUS, BROADSTAIRS.

in the County of KENT.

Diameter of Funnel of Gauge.....8 in.

Height of top of Gauge above Ground.....1 ft.....in.

„ Ground „ Sea Level 60 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		0.91		0.07		0.37	0.10	0.79		0.05	0.19		1
2		0.01	0.06	0.12		0.03							2
3	0.15												3
4						0.02							4
5		0.12	0.03	0.50		0.07	0.05				0.18	0.02	5
6			0.12	0.14			2.06		0.06		0.13		6
7		0.17		0.37		0.07		0.56					7
8	0.30			0.09			0.09	0.27	0.02		0.25		8
9			0.10	0.14			0.03	0.14	0.10				9
10			0.10						0.61		0.04		10
11			0.03			0.29		0.02			0.08		11
12	0.03							0.11		0.06	0.09		12
13	0.04			0.02			0.71	0.25	0.12			0.02	13
14	0.06			0.08	0.05		1.78	0.08	0.54	0.02		0.04	14
15				0.01			0.13	0.31	0.02				15
16		0.04			0.14			0.04	0.07				16
17			0.08			0.10		0.05	0.26				17
18	0.08	0.02				0.17		0.11	0.09		0.04		18
19		0.19				0.02					0.03		19
20		0.25					0.06	0.48			0.32	0.24	20
21	0.27	0.08			0.15			0.27		0.09	0.32	0.58	21
22	0.04	0.05	0.12		0.02	0.18	0.15	0.03		0.49		0.24	22
23		0.40	0.11			0.02		0.01	0.58	0.03	0.18	0.12	23
24		0.09	0.08	0.02		0.52		0.10		0.01	0.05	0.76	24
25		0.38	0.30	0.06		0.29	0.10	0.05				0.65	25
26	0.04	0.39	0.02		0.07	0.06						1.13	26
27	0.02	0.29			0.02	0.27	0.10			0.07	0.02		27
28		0.06		0.05		0.55					0.10		28
29	0.09					0.18			0.23		0.55		29
30	0.21	X				0.34				0.04	0.02		30
31	0.02	X	0.61	X	0.03	X			X	0.11	X		31
TOTAL	1.35	3.45	1.76	1.67	0.48	3.55	5.36	3.67	2.70	0.97	2.59	3.80	YEAR'S TOTAL
Days with "01 in. or more.	13	16	13	13	7	18	12	18	12	10	17	10	31.35
Days with "04 in. or more.	10	14	10	10	4	14	11	15	10	7	14	8	127



FORM 1090.

REGISTER OF RAINFALL IN 1928.

Kept at DOMUS, BROADSTAIRS.
in the County of KENT.
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
Ground Sea Level about 60 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			0.09	0.01				0.23			1.07		1
2	0.52	0.20			0.42						1.53		2
3				0.07			0.22	0.18					3
4	0.04	0.07		0.29		0.02		0.59				0.04	4
5	0.27	0.10		0.02						0.02		0.06	5
6			0.09			0.23							6
7				0.06		0.36		0.14			0.06		7
8			0.05			0.12				0.21			8
9	0.03					0.09				0.16			9
10	0.03	0.20	0.23	0.36	0.13					0.18	0.07	0.29	10
11		0.04	0.03	0.19		0.14					0.24	0.10	11
12	0.12	0.04	0.55	0.01							0.01	0.03	12
13		0.13				0.65					0.23	0.13	13
14	0.02	0.17		0.18		0.12				0.43	0.30		14
15	0.09	0.01		0.35	0.33	0.04					0.08		15
16	0.05			0.34	0.18					0.06	0.21		16
17				0.04	0.44					0.14			17
18	0.56		0.02		0.08	0.10		0.17		0.20	0.05		18
19					0.13	0.03		0.02		0.25		0.13	19
20	0.08									0.12	0.03	0.37	20
21	0.04		0.05	0.14	1.37			0.18	0.04	0.65	0.14		21
22			0.22		0.37				0.83	0.80	0.10	0.12	22
23	0.25		0.02		0.38			0.11	0.02	0.04	0.14		23
24										0.17	0.20		24
25	0.02							0.02	0.33	0.17	0.04	0.08	25
26	0.15					0.11						0.20	26
27			0.03	0.02			0.46	0.06				0.76	27
28	0.11		0.02	0.03				0.26	0.42			0.03	28
29	0.06	0.04	0.13	0.25					0.03	0.09	0.12	0.61	29
30		X	0.26	0.05		0.10	0.14			0.03		0.52	30
31	0.09	X	0.33	X		X	0.04		X		X	0.07	31
TOTAL	2.53	1.00	2.12	2.41	3.83	2.11	0.86	1.96	1.67	3.72	4.62	3.54	YEAR'S TOTAL
GRAND TOTAL	2.53	3.53	5.65	8.06	11.89	14.00	14.86	16.82	18.49	22.21	26.83	30.37	30.37
Days with 0.1 in. or more.	18	10	15	17	10	13	4	11	6	17	18	16	155
Days with 0.4 in. or more.	14	9	10	12	10	11	4	9	4	15	16	14	128

REGISTER OF RAINFALL IN 1929.

Kept at DOMUS, BROADSTAIRS.
in the County of KENT.

Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
Ground Sea Level about 60 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.07							0.20		0.17			1
2	0.03						0.13			0.33		0.16	2
3							0.28			0.08		0.30	3
4				0.17	0.04	0.12		0.05				0.09	4
5				0.02	0.39	0.10		0.20				0.63	5
6					0.19		0.07	0.51		0.09	0.20	0.45	6
7						0.02		0.15		0.12	0.45	0.08	7
8						0.29					0.10	0.36	8
9		0.25		0.14								0.25	9
10										0.24	0.01	0.20	10
11				0.20							0.44	0.09	11
12				0.13	0.17	0.03					0.15	0.03	12
13	0.06					0.05					0.14		13
14						0.04						0.10	14
15					0.08	0.20					0.30	0.14	15
16								0.71			0.25		16
17									0.03		0.08		17
18	0.15	0.21						0.06					18
19													19
20									0.02	0.31			20
21	0.07							0.03				0.52	21
22	0.10		0.32					0.02			0.04	0.10	22
23		0.12									0.43	0.24	23
24				0.03						0.89	0.13	0.19	24
25	0.14									0.30	0.08	0.05	25
26				0.04						0.26	0.12	0.02	26
27											0.40	0.04	27
28	0.09			0.06			0.20				0.27	0.15	28
29	0.09			0.15					0.20		0.20		29
30	0.10	X				0.06			0.18	0.37	0.02	0.24	30
31	0.30	X		X		X	0.04		X	0.09	X		31
Total	1.20	0.58	0.32	0.94	0.87	0.91	0.72	1.93	0.43	3.25	3.81	4.43	YEAR'S TOTAL
Days with .01 in. or more.	11	3	1	9	5	9	5	9	4	12	19	32	109
Days with .04 in. or more.	10	3	1	7	5	7	5	7	2	12	17	20	96

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1930 .

Kept at DOMUS, BROADSTAIRS.

in the County of KENT.

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. in.

Ground Sea Level about 60 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.09	0.04				0.07	0.40	0.05		0.03	0.47		1
2		0.12			0.05			0.03			0.58		2
3		0.14		0.63				1.62					3
4	0.03						0.05	0.05	0.06	0.15			4
5		0.11			0.31			0.09					5
6		0.54	0.24		0.35		0.05		0.39		0.39		6
7		0.17	0.03	0.03	0.05			0.03		0.06		0.04	7
8	0.15									0.03		0.16	8
9	0.12				0.27			0.02	0.07				9
10	0.24		0.25		0.18								10
11	0.08	0.05			0.02							0.44	11
12	0.17			0.10	0.12			0.02	0.03			0.18	12
13	0.02		0.13	0.21		0.05	0.13	0.23	0.20				13
14			0.03	0.04			0.28					0.08	14
15		0.11	0.10				0.40	0.04		0.04	0.15		15
16		0.07	0.11	0.09		0.12			0.18				16
17	0.03		0.18				0.13		0.13			0.12	17
18			0.04		0.04	0.04					0.10		18
19			0.80	0.10					0.40	0.14	0.25		19
20				0.11			0.28		0.23	0.16	0.28	0.02	20
21					0.06		0.16	0.03		0.10	0.42		21
22					0.13		0.05	0.16	0.02	0.29	0.07		22
23			0.04			0.13	0.34				0.21		23
24	0.32			0.15	0.34		0.58		0.04	0.04	0.19	0.10	24
25	0.15			0.14	0.47				0.15		0.33		25
26					0.03	0.54			0.80		0.34	0.36	26
27						0.03	0.01		0.92		0.16	0.02	27
28									0.60		0.04	0.22	28
29	0.25		0.09								0.06	0.16	29
30	0.15	X			0.59		0.04					0.04	30
31	0.28	X	0.02	X	0.29	X			X	0.13	X	0.05	31
TOTAL	2.08	1.35	2.06	1.60	3.30	0.98	2.90	2.37	4.22	1.17	4.04	1.99	YEAR'S TOTAL
GRAND TOTAL	2.08	3.43	5.49	7.09	10.39	11.37	14.27	16.64	20.86	22.03	26.07	28.06	28.06
*Days with or in. or more.	14	9	13	10	16	7	14	12	15	11	16	14	151
*Days with or in. or more.	11	9	10	9	14	6	13	7	13	9	16	12	129

40-9999

*See Instruction 2 (f) on other side.

(Signed)

W. B. Harding

F.T.O.

Kept at Villa
in the County of Q.7
by A.7

BROADSTAIRS
VILLA CAP MARTIN
KENT

1921-30

LOCAL ORGANIZATION. 8 MAR 1922
1921.....
Long.....
on 8 o'clock a.m.
Station Broadstairs
Level of Rain Gauge 3 in.
Gauge above Ground 1 ft. in.
Sea Level - ft.
result entered to the previous day.
If requested to add for it at the end of placing of rain gauges, "Rainfall Observers," organization, 62, Camden Square, Edinburgh.
this form.

Jan. 1, following.

Date	Jan.	Feb.								Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2	.06												2
3	.02	.18	.03		.06	.13		.28			.73		3
4			.05		.02						.36		4
5					.10						.20		5
6	.06							.11			.08	.02	6
7	.14		.24		.02		.02						7
8	.05	.08			.23						.26	.01	8
9				.06							.02		9
10		.07							.03				10
11	.11	.03						.04		.05		.03	11
12	.07	.02						.29					12
13	.18	.01	.01					.03	.05			.21	13
14	.45		.05	.43				.28	.17	.07			14
15	.07		.01									.25	15
16				.18 snow								.03	16
17				.06				.03					17
18	.05		.02	.15				.04					18
19	.14								.06				19
20			.22							.52		.03	20
21			.12			.08				.10			21
22					.02			.08		.12	.07		22
23				.21				.03				.10	23
24				.02									24
25										.02		.04	25
26	.02	.45			.21							.11	26
27	.04		.04	.04					.02			.07	27
28			.01		.14							.12	28
29			.08		.24		.08	.25					29
30		~~X~~	.13		.02						.06	.11	30
31	.28	~~X~~		~~X~~		~~X~~		~~X~~			~~X~~	.09	31
TOTAL	1.74	.84	1.01	1.15	1.04	.23	.10	1.17	.62	.88	1.78	1.22	YEAR'S TOTAL 11.78
Days with .01 in. or more	15	7	13	8	9	3	2	10	6	6	8	14	101
Days with .04 in. or more	13	4	8	7	6	2	1	7	4	5	7	9	73

REGISTER OF RAINFALL IN 1921

301A
8 MAR 1922

Kept at Villa Cap Martin Broadstairs
in the County of Kent
by A. Warren

Lat. _____ Long. _____
Time of Observation 8 o'clock a.m.
Nearest Railway Station Broadstairs
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2	.06												2
3	.02	.18	.03		.06	.13		.28			.73		3
4			.05		.02						.36		4
5					.10						.20		5
6	.06							.11			.08	.02	6
7	.14		.24		.02		.02						7
8	.05	.08			.23						.26	.01	8
9				.06							.02		9
10		.07							.03				10
11	.11	.03						.04		.05		.03	11
12	.07	.02							.29				12
13	.18	.01	.01					.03	.05			.21	13
14	.45		.05	.43				.28	.17	.07			14
15	.07		.01									.25	15
16				.18 snow								.03	16
17				.06				.03					17
18	.05		.02	.15				.04					18
19	.14								.06				19
20			.22							.52		.03	20
21			.12			.08				.10			21
22						.02		.08		.12	.07		22
23				.21				.03				.10	23
24				.02									24
25										.02		.04	25
26	.02	.45			.21							.11	26
27	.04		.04	.04					.02			.07	27
28			.01		.14							.12	28
29			.08		.24		.08	.25					29
30		X	.13		.02						.06	.11	30
31	.28	X		X		X			X		X	.09	31
TOTAL	1.74	.84	1.01	1.15	1.04	.23	.10	1.17	.62	.88	1.78	1.22	YEAR'S TOTAL 11.78
Days with "01 in. or more	15	7	13	8	9	3	2	10	6	6	8	14	101
Days with "04 in. or more	13	4	8	7	6	2	1	7	4	5	7	9	73

Kept at Villa Cap Martin
Broadstairs
in the County of Kent
by A. Watkins

Lat. _____ Long. _____
Time of Observation 8.30 a.m.
Nearest Railway Station Broadstairs
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1 in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W.1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.
.02

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.02	.07							.56	.02	.11	1
2		.03	.04		.17				.01	.26	.18	.03	2
3		.38	.12									.02	3
4		.06	.04	.26	.19		.04	.11			.13		4
5	.06 snow	.02 snow	.10	.02	.03		.06	.17		.38			5
6		.02 snow	.16	.09	.02		.37			.06	.23		6
7	.07 snow		.03				.02	.31		.19	.14		7
8	.28		.48	.19			.02				.02		8
9	.03		.14			.01	.11	.11		.03	.03		9
10	.12		.01	.09			.15	.09	.03				10
11	.02		.02					.11	.15		.04		11
12	.03				.06			.05					12
13				.13				.04	.20				13
14	.11			.15		.61			.58				14
15						.36	.26	.11	.48				15
16	.17 snow	.10				.01	.01		.02				16
17	.01 snow	.04					.29					.32	17
18				.03	.06		.08	.01	.06			.12	18
19	.06					.07			.56			.16	19
20	.66	.09	.05							.08		.48	20
21										.17			21
22	.33	.09	.15							.02		.35	22
23	.02	.11		.04		.38		.16		.04		.06	23
24							.16		.04				24
25	.02		.06	.09		.04	.02	.14		.28			25
26	.37			.24		.04		.01		.08		.02	26
27	.04	.08	.02	.13		.10	.17		.60		.06		27
28	.42	.17	.01	.01				.28		.27		.09	28
29	.02		.08	.07		.26	.02	.29	.13	.12	.06		29
30	.06	X				.05		.55		.32		.05	30
31	.02	X	.21	X		X	.03	.17	X	.21	X	.06	31
TOTAL	2.92 2.94	1.21 1.26	1.79 1.72	1.54	.53	1.93	1.79	2.44	3.02 3.58	3.08 2.54	.94 1.00	1.93 1.84	23.15 23.17
Days with "01 in. or more	21	13	18	14	6	11	15	17	12	16	10	14	167
Days with "04 in. or more	12	10	13	11	4	9	10	14	9	14	7	11	168
									13	10	8	10	124

PHONE,
BROADSTAIRS 34.

4 Kent
Villa Cap Martin,
Callis Court Road,
Broadstairs.

March 11th 1922

S. 189 122

Dear Sir

I duly rec^d yours
with forms 1090. but I
do not understand the
3rd paragraph of your
letter "The practice of
entering the record to the
day previous to the day
of observation" I do do
this & always have done
in fact I can hardly
understand how it could

be done otherwise taking
the record at 8 o'clock in
the morning — If it be
usual to take it at 9 o'clock
instead. I can do so in the
future — if preferred

You don't say when
you require my reports
sent in — but unless I
hear from you to contrary
I shall send them 2 early
abt 8 am, etc

Yours faithfully
A. T. Washburn

Cap. Martin, Broadstairs.

The Rainfall at *Cap Martin*
Broadstairs
 measured on the morning of
 January 1st, 19 23.
 was .02

Signed A. Watkins

This form should be enclosed in
 the envelope herewith and
 returned to the Superintendent,

British Rainfall Organization,
 Meteorological Office,
 Air Ministry,
 Kingsway,
 London, W.C.2.

A. Watkins, Esq.,
 Villa Cap Martin,
 Callis Court Road,
BROADSTAIRS. Kent.

*This year I am registering
 as suggested viz Rain
 measured on a Monday morning
 is put to credit of Sunday*

REGISTER OF RAINFALL IN 1923

Kept at Villa Cap Martin Broadstairs
 in the County of Kent
 by A. W. Warren

Lat. _____ Long. _____
 Time of Observation 9 o'clock a.m.
 Nearest Railway Station Broadstairs
 Diameter of Funnel of Rain Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. _____ in.
 " " " " Sea Level 120 ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day.
 An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02		.08						.30	.04	.32	.06	1
2	.16	.01			.05					.09		.09	2
3						.11				.65		.01	3
4												.10	4
5	.10			.13		.03				.06	.05	.08	5
6	.29	.01	.13			.03				.09			6
7	.12	.49	.16	.09	.06				.09	.29		.11	7
8	.09	.13	.04	.02 ^s	.19					.42	.17	.07	8
9	.04			.03	.03								9
10		.13		.03	.13					.37		.09	10
11			.05		.06					.38			11
12		.20	.11		.14	.08				.20			12
13	.05	.08	.05	.01	.04						.29	.03	13
14		.05	.05					.08	.02	.06		.12	14
15	.01				.23	.10		.15			.24		15
16		.09			.06	.03				.01	.11	.02	16
17								.04					17
18	.13	.26						.18	.04	.03			18
19	.30	.01				.16			.01	.17		.02 ^s	19
20	.04	.02	.13			.10		.01	.54	.03		.04 ^s	20
21		.12	.02	.10					.02	.06	.06	.09 ^s	21
22		.35	.02	.05					.31	.10	.48	.22	22
23		.03	.27	.02	.28			.34	.13	.76	.18		23
24								.77	.12	.07		.05	24
25		.14		.66	.08	.07	.19			.34		.40	25
26		.23	.02	.11				.16		.03		.15 ^s	26
27		.12	.02		.09		.02	.14				.16	27
28	.01	.06		.08	1.12		.11				.23		28
29	.20	X	.01	.09	.03		.04	.22				.26	29
30	.01	X					.02			.39		.05	30
31	.02	X		X		X	.07		X	.10	X	.11	31
TOTAL	1.59	2.53	1.16	1.42	2.59	.71	.45	2.09	1.58	4.74	2.13	2.33	YEAR'S TOTAL
Days with 01 in. or more	16	19	15	13	15	9	6	10	10	23	10	22	23.32
Days with 04 in. or more	11	14	10	8	13	6	4	9	7	19	10	18	168
													129

FORM 1090.

AIR MINISTRY.
METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

County No. _____
River Dist. _____
Station No. _____

REGISTER OF RAINFALL IN 1924

Kept at Villa Cap Martin, Boulogne
in the County of Kent
by A. W. R. R. R.

Lat. _____ Long. _____
Time of Observation 9 o'clock AM JAN 1925
Nearest Railway Station Broadstairs
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level about 120 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.13		.09	.01	.01	.14	.06				.42		1 RVV
2	.04		.35		.01	.05		.06				.03	2 85
3			.11	.01	.65	.01	.17	.02	.02	.01		.03	3 0
4					.14	.21	.04			.10		.11	4 543
5		.08				.01				.17			5
6								.12	.01	.80			6
7				.01		.21		.02	.11	.30		.01	7
8	.21			.02	.14	.55	.18		.04	.19			8
9	.16	.10		.09	.02	.03				.02			9
10	.15	.09		.05	.26	.01			.01		.01		10
11		.04		.27	.09	.04					.11		11
12				.21	.03					.01	.50		12
13				.11		.02			.04			.34	13
14				.22			.05	.05				.02	14
15				.06					.01			.15	15
16									.04			.03	16
17	.08						.84	.16				.01	17
18	.29	.09			.08	.17		.07		.04	.05		18
19	.14	.06				.12	.01	.57		.01	.06		19
20					.12			.02					20
21	.32				.17		.06	.02	.25	.55			21
22	.22		.11		.02		.03	.02	.02	.07			22
23	.01	.06	.14		.20			.03	.10			.31	23
24	.19	.24	.11		.09			.02			.05	.08	24
25		.01	.07	.08	.01		.47		.28		.15		25
26	.02	.05	.04	.33			.06		1.10	.07	.06		26
27		.06	.01	.17		.10	.10		.01	.08	.47		27
28	.01			.01			.60	.15		.02	.37	.29	28
29	.06	.10		.20	.59		.03	.23		.32	.10	.01	29
30		X		.38	.05			.14	.52	.84	.02	.17	30
31		X	.01	X	.50	X		.06	X	.19	X	.11	31 659
TOTAL	2.03	.98	1.04	2.23	3.18	1.67	2.65	1.76	2.56	3.79	2.37	1.70	YEAR'S TOTAL
Days with 01 in. or more.	15	12	10	14	19	14	13	14	15	18	13	15	25.96
Days with 04 in. or more.	12	11	8	12	13	9	10	10	9	13	11	8	148 126

March 27

PHONE,
BROADSTAIRS 34

M07

322

Villa Cap Martin,
Callis Court Road,
Broadstairs.

Jan 2nd 1924

JAN 1924

Gentlemen

Herewith I am
sending copy of my
records of Rainfall 1923
please note that S
means Snow on that
date - another fact you
may think noteworthy
is that the 4th of every
month except December
is Rainless also the 17th
of each except August
It seems to me a little
unusual - In reply to

Your request I will
endeavour to take due
note of the Thunderstorms
between now and March
I enclose Cheque 8/6
for 1922 Rainfall
with order form filled
in

Yours faithfully
A. T. Askin

Order form detached
list



Register of Rainfall in 1925.

Kept at Villa Cap Martin
in the County of Kent

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" Ground " Sea Level 120 ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1. following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.20		.05	.01	.01			.34	.07		.17	.05	1
2	.10	.01		.16			.06	.01	.03		.30		2
3	.27				.24		.32				.04		3
4					.03		.03	.03	.01	.01	.03		4
5		.01		.02	.02		.02		.22		.30		5
6		.14	.02	.04	.13		.12		.04		.32		6
7		.04			.02		.42			.04	.15		7
8	.02	.01	.02		.15					.14	.30	.02	8
9				.24	.02			.03	.10		.02	.04	9
10			.23	.01	.09			.20	.10		.59	.01	10
11		.06	.03					.03	.27		.08		11
12		.28	.01					.03	.12				12
13		.18	.20	.05						.17	.15		13
14	.02	.04	.05	.25						.04		.03	14
15	.13	.15		.02						.27			15
16	.03	.01							.02	.03	.05		16
17		.01			.08								17
18	.02	.06			.01		.04			.05			18
19		.02			.33	.02			.02	.70		.29	19
20		.33	.18		.02		.04		.94	.22		.33	20
21		.02	.03			.07		.06	.03	.02		.71	21
22			.08			.01	.15	.22	.27	.22	.03	.31	22
23		.12	.02	.27	.54	.22	.12	.13		.30	.34	.02	23
24	.03	.29	.16	.20	.07	.22	.15	.10			.08		24
25		.79		.10		.02		.03			.21	.04	25
26		.06	.01			.12	.10		.39	.11		.07	26
27	.06	.05			.25		.23				.13	.02	27
28	.09	.03	.01	.14								.28	28
29	.05			.14	.08		.02				.10	.44	29
30		X		.28			.21				.12	.23	30
31	.06	X		X		X	.26		X		X	.01	31
TOTAL	1.08	2.71	1.10	1.93	2.09	.68	2.29	1.21	2.63	2.32	3.51	2.90	YEARS TOTAL
Days with .01 in. or more.	13	22	15	15	17	7	16	12	15	14	20	17	24.45
Days with .04 in. or more.	8	14	7	11	10	4	13	6	10	11	17	11	183
													122

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1926

Kept at Villa Cap Martin Broadstairs (Collier Court Road)
in the County of Kent

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
Ground Sea Level 120 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.11	.17				.21			.04				1
2	.03	.01				.62					.03		2
3	.12	.68	.06				.03	.02	.04				3
4		.04	.01				.70						4
5	.15	.06	.02		.07		.05				.25		5
6		.11	.01	.06	.08	.37	.02	.02	.09		.10	.11	6
7	.09	.04		.14	.13	.08			.06		.01	.03	7
8		.02		.03	.05	.03					.70		8
9			.02			.43				.09	.45		9
10					.02	.23		.08		.02	.04		10
11		.14			.14	.08		.45		.03			11
12		.10			.05	.17				.35	.01		12
13					.06						.90		13
14	.14	.06			.12	.16				.68	.12	.07	14
15	.01	.02		.40	.02	.04				.62	.08		15
16		.07		.10		.03		1.09			.04	.01	16
17	.01	.53			.02	.86					.09	.01	17
18	.11	.14		.54	.15		.29	.14			.40		18
19			.05	.16	.06		.09				.07	.02	19
20	.02			.53			.16	.13		.52	.45		20
21				.18	.02	.03	.10	.02		.01	.49	.09	21
22	.13	.07		.10							.17	.25	22
23	.03					.03							23
24	.01						.02		.11	.60			24
25	.03			.66			.11	.23	.01		.21	.16	25
26							.02		.04	.02	.84		26
27	.01	.02	.02	.02	.02		.09		.11				27
28	.40		.05		.15		.15			.12			28
29				.04	.05					.27	.20		29
30	.02	X		.03						.23	.01		30
31	.08	X		X		X	.02		X	.52	X		31
TOTAL	1.50	2.28	.24	2.99	1.21	3.37	1.85	2.18	.50	4.08	5.66	.75	YEAR'S TOTAL 26.61
Days with 01 in. or more.	18	17	8	14	17	15	14	9	8	14	22	9	165
Days with 04 in. or more.	9	13	3	11	12	11	9	6	7	10	18	5	114

Please read the Notes and Instructions Overleaf.

Kept at *Villa Cap Martin Broadstairs*
in the County of *Kent*

Diameter of Funnel of Gauge.....*5* in.
Height of top of Gauge above Ground.....*1* ft..... in.
„ Ground „ Sea Level*120* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.
An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.
Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.90	.01	.12		.40	.10	.91		.09	.21		1
2		.02	.06	.14			.03				.03		2
3	.12		.01			.06							3
4			.04	.04		.08						.01	4
5	.08	.11	.06	.43		.09	.03				.14		5
6		.01	.04	.16			2.33		.06		.16	.01	6
7		.19	.03	.41		.08		.64					7
8	.26		.01	.10			.09	.27	.02		.43		8
9	.01		.05	.10			.05	.16	.08		.01		9
10			.07						.59		.02		10
11			.01	.02		.25		.04			.06		11
12	.02		.05		.01			.14		.05	.09		12
13	.04		.07	.07			.66	.25	.11	.01	.01		13
14	.06		.01	.05	.06		2.29	.01	.54	.13	.01	.06	14
15				.01			.21	.27	.02			.068	15
16	.02				.12			.05	.11			.228	16
17	.06	.03	.02			.11	.01	.03	.28			.068	17
18	.02	.01				.23		.13	.07		.03	.058	18
19	.03	.20				.03		.04			.03		19
20		.32						.60			.34	.01	20
21	.22	.09			.16		.06	.09	.01	.12	.32	.50	21
22	.10	.05	.12		.02	.20		.04	.56	.51		.27	22
23		.37	.16			.04	.25	.02		.04	.19	.12	23
24		.07	.08	.08		.59		.06		.01	.05	.60	24
25		.33	.35	.02		.37	.12	.06				.85	25
26	.05	.35	.01		.06	.10						.75	26
27	.02	.24	.20		.07	.55	.13			.08			27
28	.04	.06		.05		.60					.12		28
29	.08		.09			.16			.26		.55		29
30	.25	X	.02			.32				.03			30
31	.02	X	.53	X	.05	X			X	.10	X		31
TOTAL	1.50	3.35	2.10	1.74	.55	4.20	6.36	3.81	2.71	1.17	2.80	3.57	YEAR'S TOTAL 33.86
Days with "01 in. or more.	19	17	24	15	8	18	14	19	13	11	19	14	191
Days with "04 in. or more.	12	13	15	11	6	17	11	16	10	8	12	11	142



Section **A** for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1928.

Kept at Villa Cap Martin Bou d'Arche
in the County of Kent

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
„ Ground „ Sea Level 120 ft.

See over

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.02	.09					.38			.81	.02	1
2	.61				.80						1.48	.01	2
3	.01	.17		.05			.23	.20			.03		3
4	.06	.08		.38		.01	.01	.60					4
5	.27	.09		.01						.02		.02	5
6			.07			.19						.08	6
7				.06		.40		.11					7
8			.08							.18	.03		8
9			.02			.10	.01			.12	.01		9
10	.02	.15	.24 ^s	.35	.11	.13				.19	.06		10
11	.05	.05	.43 ^s	.16						.05	.26	.26	11
12	.10	.04								.02	.01	.16	12
13	.08	.13									.25	.08 ^s	13
14		.15		.14		.66				.45	.28	.08 ^s	14
15		.01		.30	.27					.02	.08	.01	15
16	.05			.34	.15					.04	.27	.09	16
17			.02	.04	.32	.07				.17	.01	.01	17
18	.57				.13	.02				.25			18
19				.07	.15			.19		.25	.03		19
20	.09				.02			.02		.14		.33	20
21	.05		.05	.09	.90				.04	.83	.18		21
22	.03		.08		.30			.19	.52	.85	.14	.15	22
23	.25		.01		.44				.01	.05	.14		23
24	.02							.08	.02	.16	.24	.10	24
25								.02	.40	.10	.02	.01	25
26	.16					.11	.01	.07			.02	.20	26
27			.02	.02			.45	.03				.73	27
28	.16		.02					.06	.40			.04	28
29	.08	.05	.12	.25				.02	.05	.11	.10	.64	29
30	.02	×	.15	.07		.15	.14			.02		.36	30
31	.07	×	.51	×		×	.05	.08	×		×	.06	31
TOTAL	2.27	.94	1.91	2.33	3.59	1.84	.90	2.05	1.44	4.02	4.45	3.44	YEAR'S TOTAL 29.66
Days with .01 in. or more.	20	11	15	15	11	10	7	14	7	20	21	21	172
Days with .04 in. or more.	15	9	10	13	10	8	4	10	5	16	13	15	128

REGISTER OF RAINFALL IN 1929.

Kept at *Villa Cap Martin Broadstairs*
in the County of *Kent*

Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *1* ft. *—* in.
Ground Sea Level *120* ft.

B/A

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	.05	.05						.07		.23		.01	I
2	.02					.02		.03		.32	.13	.15	2
3			.02				.03			.08		.30	3
4				.14	.05	.17	.27	.09				.05	4
5	.01s		.01	.02	.45	.11		.17		.04		.58	5
6					.23		.03	.57		.07	.08	.38	6
7						.15	.05	.21		.14	.55	.07	7
8						.28				.24	.07	.29	8
9		.21		.12								.27	9
10	.01	.03		.04						.23	.02	.30	10
II				.12	.02						.50	.02	II
12			.01	.09	.18	.07						.03	12
13	.03	.10s			.02	.05					.22		13
14		.05s				.06						.08	14
15	.04s	.05s			.01	.25					.37	.16	15
16								.68			.32		16
17									.01				17
18	.07	.02s									.10		18
19								.07			.01		19
20									.01	.32			20
21	.06		.04					.01				.50	21
22	.06		.21			.01		.02				.07	22
23		.12		.02							.37	.27	23
24	.05s							.01		.83	.10	.18	24
25	.06s									.32	.08	.09	25
26	.07s	.01s		.04							.10	.02	26
27	.04s	.01s									.44	.03	27
28	.05s			.07			.20			.29	.31	.16	28
29	.10			.12			.01		.21	.02	.20	.02	29
30	.09	×		.01		.07			.19	.34	.01	.21	30
31	.30	×		×		×	.03		×	.08	×		31
TOTAL	1.11	.65	.29	.79	.96	1.24	.62	1.93	.42	3.55	3.98	4.24	19.78
Days with or in. or more.	17	10	5	11	7	11	7	11	4	15	19	24	141
Days with or in. or more.	13	6	2	8	4	9	3	7	2	14	16	18	102

Section

A

for the entry of Daily Observations.

315
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at *Villa Cap Martin, Broadstairs*
in the County of *Kent*Diameter of Funnel of Gauge *5* in.Height of top of Gauge above Ground *1* ft. in.,, Ground ,, Sea Level *120* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.10	.05		.04		.01	.35	.10			.11		1
2		.16			.05		.01	.04			.54		2
3	.01	.18		.52				1.61			.68		3
4	.04	.01					.11	.05		.18			4
5	.01	.04			.28			.06	.07	.03			5
6		.53	.09	.02	.08		.06	.09					6
7					.04			.05	.45	.14	.54	.07	7
8	.17								.03		.01	.18	8
9	.11				.28				.09			.02	9
10	.24		.19		.23		.01						10
11	.10	.09	.02		.03				.01	.06		.40	11
12	.17		.01	.11				.03				.20	12
13	.02		.13	.11	.10	.06	.11	.24	.17			.01	13
14	.01		.03				.23		.03			.16	14
15		.11	.11	.03			.52	.02			.16	.04	15
16		.09	.17	.01		.16	.07		.12	.01			16
17			.13	.07			.07		.15	.06			17
18			.23	.08	.06	.03	.02				.12	.11	18
19									.57	.10	.16	.02	19
20				.12			.34	.02	.24	.16	.40	.02	20
21	.03				.08		.19	.09		.14	.45		21
22					.11		.04	.10	.02	.24	.08		22
23		.01	.03	.05		.11	.31	.05		.02	.01	.03	23
24	.30			.09	.18	.16	.45		.03	.06	.19	.09	24
25	.14	.02			.57	.01			.09		.17	.02	25
26	.05			.01	.09	.37			.93		.28	.42	26
27			.01				.03		1.03		.15	.04	27
28									.43		.06		28
29	.27		.01				.02					.20	29
30	.17	×			.56	.10	.06				.03		30
31	.26	×	.02	×	.23	×			×	.11	×		31
TOTAL	2.20	1.29	1.18	1.26	2.97	1.01	3.00	2.53	4.46	1.21	4.14	2.39	YEAR'S TOTAL 27.66
*Days with or in. or more.	18	11	14	13	16	9	19	14	17	13	18	19	181
*Days with or more.	13	8	7	9	15	6	14	11	12	10	15	13	133

40-9999

*See Instruction 2 (f) on other side

(Signed)

[P.T.O.]

Kept at *St Peter*
in the County of *Ken*
by *J. C. V. P. No*

BROADSTAIRS, ST, PETERS
KENT

NOTE.—Rain should be n
of rain and particulars as to t
to Dr. H. R. MILL, 62, Camden

1921-22, 1924-30

303
FORM A.
BRITISH RAINFALL.
ng. *1° 27' E*
on *Broadstairs*
a.m. Greenwich mean time
e *five* in.
above Ground *-* ft. *9* in.
Sea Level *140* ft.
Full instructions for the measurement
Observers," sent post-free on application

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	<i>.08</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.02</i>	<i>.04</i>	1
2	<i>.01</i>	<i>.19</i>	<i>.03</i>	<i>-</i>	<i>.06</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.73</i>	<i>.06</i>	2
3	<i>-</i>	<i>-</i>	<i>.06</i>	<i>-</i>	<i>.02</i>	<i>.14</i>	<i>-</i>	<i>.28</i>	<i>-</i>	<i>-</i>	<i>.35</i>	<i>-</i>	3
4	<i>.04</i>	<i>-</i>	<i>.01</i>	<i>-</i>	<i>.10</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.20</i>	<i>-</i>	4
5	<i>.03</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.14</i>	<i>-</i>	<i>-</i>	<i>.11</i>	<i>.02</i>	5
6	<i>.15</i>	<i>-</i>	<i>.27</i>	<i>-</i>	<i>.05</i>	<i>-</i>	<i>.04</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.01</i>	6
7	<i>.02</i>	<i>.10</i>	<i>-</i>	<i>-</i>	<i>.19</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	7
8	<i>-</i>	<i>-</i>	<i>.02</i>	<i>.09</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.13</i>	<i>.01</i>	8
9	<i>-</i>	<i>.09</i>	<i>-</i>	<i>.03</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.02</i>	<i>.01</i>	9
10	<i>.12</i>	<i>.05</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.06</i>	<i>.05</i>	<i>.05</i>	<i>-</i>	<i>-</i>	10
11	<i>.08</i>	<i>.02</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.32</i>	<i>-</i>	<i>-</i>	<i>.02</i>	11
12	<i>.17</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.06</i>	<i>.11</i>	<i>-</i>	<i>-</i>	<i>.06</i>	12
13	<i>.40</i>	<i>.02</i>	<i>.08</i>	<i>.38</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.27</i>	<i>.10</i>	<i>.05</i>	<i>-</i>	<i>.16</i>	13
14	<i>.07</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.02</i>	<i>-</i>	<i>.19</i>	14
15	<i>-</i>	<i>-</i>	<i>-</i>	<i>now</i> <i>.17</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	15
16	<i>-</i>	<i>-</i>	<i>-</i>	<i>.05</i>	<i>-</i>	<i>-</i>	<i>.02</i>	<i>.02</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.03</i>	16
17	<i>.03</i>	<i>-</i>	<i>.03</i>	<i>.08</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.07</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	17
18	<i>.12</i>	<i>.03</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.06</i>	<i>-</i>	<i>-</i>	<i>-</i>	18
19	<i>-</i>	<i>-</i>	<i>.23</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.04</i>	19
20	<i>-</i>	<i>-</i>	<i>.07</i>	<i>-</i>	<i>-</i>	<i>.08</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>thun</i> <i>.62</i>	<i>-</i>	<i>-</i>	20
21	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.08</i>	<i>-</i>	<i>-</i>	<i>.07</i>	<i>-</i>	21
22	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.10</i>	<i>-</i>	<i>.10</i>	22
23	<i>-</i>	<i>-</i>	<i>-</i>	<i>dist. th.</i> <i>.21</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.05</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.01</i>	23
24	<i>-</i>	<i>-</i>	<i>-</i>	<i>.02</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.01</i>	<i>-</i>	<i>.04</i>	24
25	<i>.02</i>	<i>.40</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.13</i>	25
26	<i>.06</i>	<i>-</i>	<i>.06</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.03</i>	<i>-</i>	<i>-</i>	<i>.06</i>	26
27	<i>-</i>	<i>-</i>	<i>-</i>	<i>.06</i>	<i>.21</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.02</i>	27
28	<i>-</i>	<i>-</i>	<i>.09</i>	<i>-</i>	<i>.10</i>	<i>-</i>	<i>.09</i>	<i>.24</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.01</i>	28
29	<i>-</i>	<i>-</i>	<i>.13</i>	<i>-</i>	<i>.19</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.09</i>	29
30	<i>.13</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.02</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.04</i>	<i>.06</i>	30
31	<i>.15</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	31
Total	<i>1.68</i>	<i>.90</i>	<i>1.08</i>	<i>1.09</i>	<i>.94</i>	<i>.22</i>	<i>.15</i>	<i>.03</i>	<i>.67</i>	<i>.55</i>	<i>1.69</i>	<i>1.17</i>	<i>11.47</i>
No. of Rain Days	<i>17</i>	<i>8</i>	<i>12</i>	<i>9</i>	<i>9</i>	<i>2</i>	<i>3</i>	<i>9</i>	<i>6</i>	<i>6</i>	<i>9</i>	<i>21</i>	<i>112</i>

REGISTER OF RAINFALL IN 1921

303
FORM A.
BRITISH RAINFALL
ORGANIZATION

Kept at *St Peter's*

in the County of *Kent*

by *J. C. V. Snowden*

Lat. *51° 22'* Long. *1° 27' E*

Nearest Railway Station *Broadstairs*

Time of Observation *9 a.m. Greenwich mean time*

Diameter of Rain Gauge *five* in.

Height of top of Gauge above Ground *-* ft. *9* in.

" " " Sea Level *140* ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	<i>.08</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.02</i>	<i>.04</i>	1
2	<i>.01</i>	<i>.19</i>	<i>.03</i>	<i>-</i>	<i>.06</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.73</i>	<i>.06</i>	2
3	<i>-</i>	<i>-</i>	<i>.06</i>	<i>-</i>	<i>.02</i>	<i>.14</i>	<i>-</i>	<i>.28</i>	<i>-</i>	<i>-</i>	<i>.35</i>	<i>-</i>	3
4	<i>.04</i>	<i>-</i>	<i>.01</i>	<i>-</i>	<i>.10</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.20</i>	<i>-</i>	4
5	<i>.03</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.14</i>	<i>-</i>	<i>-</i>	<i>.11</i>	<i>.02</i>	5
6	<i>.15</i>	<i>-</i>	<i>.27</i>	<i>-</i>	<i>.05</i>	<i>-</i>	<i>.04</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.01</i>	6
7	<i>.02</i>	<i>.10</i>	<i>-</i>	<i>-</i>	<i>.19</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	7
8	<i>-</i>	<i>-</i>	<i>.02</i>	<i>.09</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.13</i>	<i>.01</i>	8
9	<i>-</i>	<i>.09</i>	<i>-</i>	<i>.03</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.02</i>	<i>.01</i>	9
10	<i>.12</i>	<i>.05</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.06</i>	<i>.05</i>	<i>.05</i>	<i>-</i>	<i>-</i>	10
11	<i>.08</i>	<i>.02</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.32</i>	<i>-</i>	<i>-</i>	<i>.02</i>	11
12	<i>.17</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.06</i>	<i>.11</i>	<i>-</i>	<i>-</i>	<i>.06</i>	12
13	<i>.40</i>	<i>.02</i>	<i>.08</i>	<i>.38</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.27</i>	<i>.10</i>	<i>.05</i>	<i>-</i>	<i>.16</i>	13
14	<i>.07</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.02</i>	<i>-</i>	<i>.19</i>	14
15	<i>-</i>	<i>-</i>	<i>-</i>	<i>snow</i> <i>.17</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	15
16	<i>-</i>	<i>-</i>	<i>-</i>	<i>.05</i>	<i>-</i>	<i>-</i>	<i>.02</i>	<i>.02</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.03</i>	16
17	<i>.03</i>	<i>-</i>	<i>.03</i>	<i>.08</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.07</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	17
18	<i>.12</i>	<i>.03</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.06</i>	<i>-</i>	<i>-</i>	<i>-</i>	18
19	<i>-</i>	<i>-</i>	<i>.23</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.04</i>	19
20	<i>-</i>	<i>-</i>	<i>.07</i>	<i>-</i>	<i>-</i>	<i>.08</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>thun</i> <i>.62</i>	<i>-</i>	<i>-</i>	20
21	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.08</i>	<i>-</i>	<i>-</i>	<i>.07</i>	<i>-</i>	21
22	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.10</i>	<i>-</i>	<i>.10</i>	22
23	<i>-</i>	<i>-</i>	<i>-</i>	<i>dist. th.</i> <i>.21</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.05</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.01</i>	23
24	<i>-</i>	<i>-</i>	<i>-</i>	<i>.02</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.01</i>	<i>-</i>	<i>.04</i>	24
25	<i>.02</i>	<i>.40</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.13</i>	25
26	<i>.06</i>	<i>-</i>	<i>.06</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.03</i>	<i>-</i>	<i>-</i>	<i>.06</i>	26
27	<i>-</i>	<i>-</i>	<i>-</i>	<i>.06</i>	<i>.21</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.02</i>	27
28	<i>-</i>	<i>-</i>	<i>.09</i>	<i>-</i>	<i>.10</i>	<i>-</i>	<i>.09</i>	<i>.24</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.01</i>	28
29	<i>-</i>	<i>-</i>	<i>.13</i>	<i>-</i>	<i>.19</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.09</i>	29
30	<i>.13</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.02</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.04</i>	<i>.06</i>	30
31	<i>.15</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	31
Total	<i>1.68</i>	<i>.90</i>	<i>1.08</i>	<i>1.09</i>	<i>.94</i>	<i>.22</i>	<i>.15</i>	<i>.03</i>	<i>.67</i>	<i>.55</i>	<i>1.69</i>	<i>1.17</i>	<i>11.47</i>
No. of Rain Days	<i>17</i>	<i>8</i>	<i>12</i>	<i>9</i>	<i>9</i>	<i>2</i>	<i>3</i>	<i>9</i>	<i>6</i>	<i>6</i>	<i>9</i>	<i>21</i>	<i>111</i>

REGISTER OF RAINFALL IN 1921.

Kept at Broadstairs M.O.
in the County of Kent
by The Surveyor, for District Council

Lat. 51° 21' Long. 1° 26' E
Time of Observation 9h
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level 140 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.08	-	-	-	0.06	-	-	-	-	-	0.02	0.04	1
2	0.01	0.19	0.03	-	0.02	-	-	-	-	-	0.43	0.06	2
3	-	-	0.06	-	0.10	0.14	-	0.28	-	-	0.35	-	3
4	0.04	-	0.01	-	-	-	-	-	-	-	0.20	-	4
5	0.03	-	-	-	0.05	-	-	0.14	-	-	0.11	0.02	5
6	0.15	-	0.27	-	0.19	-	-	-	-	-	-	0.01	6
7	0.02	0.10	-	-	-	-	-	-	-	-	-	-	7
8	-	-	0.02	0.09	-	-	-	-	-	-	0.15	0.01	8
9	-	0.09	-	0.03	-	-	-	-	-	-	0.02	0.01	9
10	0.12	0.05	-	-	-	-	-	0.06	0.05	0.05	-	-	10
11	0.08	0.02	-	-	-	-	-	-	0.32	-	-	0.02	11
12	0.17	-	-	-	-	-	-	0.06	0.11	-	-	0.06	12
13	0.40	0.02	0.08	0.38	-	-	-	0.27	0.10	0.05	-	0.16	13
14	0.07	-	-	-	-	-	-	-	-	0.02	-	0.19	14
15	-	-	-	0.17	-	-	-	-	-	-	-	-	15
16	-	-	-	0.05	-	-	-	0.02	-	-	-	0.03	16
17	0.03	-	0.03	0.08	-	-	-	0.07	-	-	-	-	17
18	0.12	0.03	-	-	-	-	-	-	0.06	-	-	-	18
19	-	-	0.23	-	-	-	-	-	-	-	-	0.04	19
20	-	-	0.07	-	-	0.08	-	-	-	0.62	-	-	20
21	-	-	-	-	-	-	-	0.08	-	-	0.04	-	21
22	-	-	-	-	-	-	-	-	-	0.10	-	0.10	22
23	-	-	-	0.21	-	-	-	0.05	-	-	-	0.01	23
24	-	-	-	0.02	-	-	-	-	-	0.01	-	0.04	24
25	0.02	0.40	-	-	-	-	-	-	-	-	-	0.13	25
26	0.06	-	0.06	-	-	-	-	-	0.03	-	-	0.06	26
27	-	-	-	0.06	0.21	-	-	-	-	-	-	0.02	27
28	-	-	0.09	-	0.10	-	-	0.24	-	-	-	0.01	28
29	-	-	0.13	-	0.19	-	-	-	-	-	-	0.09	29
30	0.13	~~X~~	-	-	0.02	-	-	-	-	-	0.04	0.06	30
31	0.15	~~X~~	-	~~X~~	-	~~X~~	-	-	~~X~~	-	~~X~~	-	31
TOTAL	1.68	0.90	1.08	1.09	0.94	0.22		1.27	0.64	0.85	1.69	1.14	YEAR'S TOTAL
Days with "01 in. or more	17	8	12	9	9	2		10	6	6	9	21	
Days with "04 in. or more	12	5	8	7	7	2		9	5	4	4	12	

Lat. 51° 21' Long. 1° 26' E

Time of Observation 9h

Nearest Railway Station _____

Diameter of Funnel of Rain Gauge _____ in.

Height of top of Gauge above Ground _____ ft. _____ in.

Sea Level 140 ft.

Kept at Broadstairs

in the County of Kent

by H. Hurd, C.E., & Rev. H. G. V. Snodden
for District Council

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	0.03	0.04	-	0.16	-	-	-	.01	.28	.12	-	1
2	0.04	0.27	0.12	0.13	-	-	-	-	-	-	.01	-	2
3	-	0.07	0.02	0.16	0.14	-	0.04	.21	-	.04	.11	-	3
4	0.08	0.04	0.07	0.02	0.04	-	0.05	.08	-	.35	-	-	4
5	-	0.03	0.14	0.09	0.01	-	0.37	-	-	.21	.19	-	5
6	0.06	-	0.02	-	-	-	0.01	.27	-	.03	.12	-	6
7	0.28	-	0.37	0.20	-	-	0.02	-	-	-	-	-	7
8	0.03	-	0.11	0.06	-	-	0.10	.12	-	-	.02	.01	8
9	0.15	-	-	0.06	-	-	0.12	.04	.02	.02	-	.02	9
10	-	-	0.02	-	-	-	-	.04	.15	-	.03	-	10
11	0.04	-	-	-	0.07	-	-	.05	-	-	-	-	11
12	0.01	-	-	0.16	0.01	-	-	.04	.20	-	-	-	12
13	0.10	-	-	0.14	-	0.73	0.08	-	.54	-	-	-	13
14	-	-	-	-	-	0.20	0.22	.15	.51	-	-	-	14
15	0.40	0.12	-	-	-	-	-	-	.01	-	-	-	15
16	-	0.03	-	0.02	-	-	0.28	-	-	-	-	.30	16
17	-	0.06	-	0.02	0.07	-	0.05	.01	.07	-	-	.12	17
18	0.07	-	-	-	0.01	0.07	0.12	-	.01	-	-	.16	18
19	0.68	0.09	0.07	-	-	-	-	-	.42	.11	-	.42	19
20	-	-	0.02	-	-	-	-	-	-	.18	-	-	20
21	0.22	0.09	0.25	0.02	-	-	-	-	-	.01	-	.28	21
22	-	0.08	-	0.04	-	0.02	0.02	.17	-	.04	-	.04	22
23	-	-	-	-	-	0.25	0.19	-	.04	.05	-	-	23
24	0.02	-	0.06	0.10	-	0.04	0.03	.14	.02	.36	-	.01	24
25	0.31	-	-	0.27	-	0.06	-	-	-	-	-	.01	25
26	0.02	0.08	0.01	0.16	-	0.09	0.16	-	.62	-	-	-	26
27	0.32	0.17	0.08	-	-	-	-	.27	.17	.32	.07	.06	27
28	0.03	0.10	0.01	0.08	-	0.27	-	.06	.18	.11	.04	.05	28
29	0.05	-	-	-	-	0.05	-	.53	-	.41	-	.04	29
30	0.02	~~X~~	0.20	-	-	-	0.03	.07	.57	.11	.10	.05	30
31	0.04	~~X~~	-	~~X~~	-	~~X~~	-	.02	~~X~~	.02	~~X~~	.13	31
TOTAL	2.97	1.26	1.61	1.73	0.51	1.78	1.89	2.27	3.54	2.65	0.81	1.70	YEAR'S TOTAL
Days with ".01 in. or more	21	14	17	17	8	10	17	17	16	17	10	15	
Days with ".04 in. or more	15	11	11	13	5	9	12	15	11	13	7	11	

AIR MINISTRY.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1924.

County No.

River Des.

Station No.

Kept at Mildenhall House - St. Peter.

in the County of KENT

by per. Surveyor.
Broadstairs St. Peter U.S.C.

Lat. Long.
Time of Observation 9 A.M. G.M.T.
Nearest Railway Station BROADSTAIRS
Diameter of Funnel of Rain Gauge 5" in.
Height of top of Gauge above Ground - ft. 9" in.
" " " " Sea Level 140 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.14	-	.09	-	-	.15	.06	-	-	-	.41	.02	1 RRP
2	.05	-	.31	-	.08	.05	-	.06	-	-	-	-	2 ISS
3	-	-	.11	-	.56	-	.20	-	.03	-	-	.04	3
4	-	-	-	-	.13	.22	.05	-	-	.12	-	.08	4
5	-	.11	-	-	-	-	.01	-	-	.18	-	.02	5
6	-	-	-	-	-	-	-	.13	.01	.75	-	-	6
7	-	-	-	.04	-	.20	-	-	.11	.27	-	-	7
8	.15	-	-	.03	.14	.48	.17	-	.05	.19	-	-	8
9	.19	.10	-	.07	.02	.03	-	-	.09	.02	-	-	9
10	.17	.09	-	.06	.25	.01	-	-	.02	-	-	-	10
11	-	.04	-	.25	.07	.04	-	-	-	-	.11	-	11
12	-	.01	-	.20	.03	.03	-	-	-	-	.38	-	12
13	-	-	-	.11	-	-	-	-	-	-	.01	.24	13
14	-	-	-	.23	-	-	-	.07	-	-	-	.02	14
15	-	-	-	.04	-	-	-	-	.03	-	-	.09	15
16	-	-	-	-	-	-	-	-	.04	-	-	-	16
17	.10	-	-	-	-	-	.70	.16	-	-	-	.03	17
18	.22	.09	-	-	.10	.13	-	.07	-	.05	.06	-	18
19	.10	.07	-	-	-	.14	.02	.62	-	.01	.05	-	19
20	-	-	-	-	.12	-	-	-	.01	-	.01	-	20
21	.25	-	.01	-	.22	-	.10	-	.26	.44	-	-	21
22	.21	-	.10	-	-	-	-	.02	.05	.05	-	-	22
23	.02	.07	.08	-	.21	-	-	.04	.09	-	-	.22	23
24	.19	.23	.11	-	.05	-	.03	.03	-	-	.06	.05	24
25	-	.06	.12	.12	-	-	.47	-	.32	-	.15	-	25
26	-	.04	.04	.29	-	-	.02	-	1.13	.09	.12	.04	26
27	-	.08	.03	.17	-	.10	.15	-	.01	.08	.30	.19	27
28	-	-	-	.01	-	-	.45	.15	-	.02	.35	-	28
29	.08	.11	-	.19	.58	-	-	.14	-	.31	.09	-	29
30	-	X	-	.28	.07	-	.04	.15	.60	.76	.03	.18	30
31	-	X	.01	X	.47	X	-	.06	X	.18	X	.31	31 634
TOTAL	1.87	1.10	1.01	2.09	3.10	1.58	2.47	1.70	2.85	3.52	2.13	1.53	YEAR'S TOTAL 24.95
Days with ".1 in. or more.	13	13	11	15	16	12	14	13	16	16	14	14	167
Days with ".04 in. or more	12	12	8	13	14	9	10	11	10	13	11	10	133

Kept at Broadstairs, St. Peters
in the County of Kent
by H. Hurd

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.
Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	15		06	02				36	08		14	05	1
2	10	01		19			10	02	03		27		2
3	23				25		38				04		3
4		02			05		03	03		02	03		4
5				02			01		27		29		5
6		13	03	06	15		24	01	07		30		6
7		05					23			04	12		7
8	03		04		16				03	15	21	04	8
9				25	02			05	11		02		9
10			26		11			19	12		51		10
11		07	05					05	30		07		11
12		21	03					04	12	17			12
13		16	21	06				02		05	17		13
14	01	05	06	25									14
15	15	13		03						28	07	03	15
16	03								02	04			16
17					06							02	17
18		06		02	01		05			06			18
19		02			38	03			03	72		25	19
20		23	20				06		95	19		34	20
21		07	04			08	03	05	04	04		65	21
22			09	12		03	18	23	34	23	03	22	22
23		13	02	19	55	25	13	13		21	35	02	23
24		27	13	15	06	17	13	10			06	02	24
25	07	46		12		02			39		16	04	25
26		05				14	12	03		11		05	26
27	08	04			18		21	03			19	02	27
28	10	05		17								10	28
29	07	X		15	10		02				11	23	29
30		X		23			31				12	15	30
31	06	X		X		X	18		X		X	01	31
TOTAL	1.08	2.21	1.22	2.03	2.08	.72	2.41	1.34	2.90	2.31	3.26	2.24	23.80
Days with 01 in. or more	12	19	13	16	13	7	17	15	15	14	20	17	178
Days with 04 in. or more	9	16	10	12	11	4	13	9	11	13	17	11	136
													23.79

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1926.

Kept at BROADSTAIRS
in the County of KENT.

Diameter of Funnel of Gauge Six in.
Height of top of Gauge above Ground ft. Nine in.
Ground Sea Level 145 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.10.	.17.	0.00.	0.00.	0.00	.28	0.00	0.00	.05	0.00	0.00	0.00	1
2	.03.	0.00.	0.00.	0.00.	0.00	.54	0.00	0.00	0.00	0.00	.04	0.00	2
3	.09.	.63.	.06.	0.00.	0.00	0.00	.04	.03	.03	0.00	0.00	0.00	3
4	nil.	.04.	.01.	0.00.	0.00	0.00	.74	0.00	0.00	0.00	0.00	0.00	4
5	.16.	.06.	.04.	0.00.	.09	0.00	.02	0.00	0.00	0.00	.15	.11	5
6	nil.	.12.	.02.	.07.	.08	.45	.01	0.00	.11	0.00	.10	.05	6
7	.15.	.05.	0.00.	.13.	.16	.08	0.00	0.00	.07	0.00	0.00	0.00	7
8	.01.	.02.	0.00.	.03.	.03	.02	0.00	0.00	0.00	0.00	.45	0.00	8
9	nil.	0.00.	.03.	0.00.	0.00	.40	0.00	0.00	0.00	.05	.34	0.00	9
10	nil.	0.00.	0.00.	0.00.	.02	.15	.01	.11	0.00	.03	.04	0.00	10
11	nil.	.13.	0.00.	0.00.	.13	.10	0.00	.42	0.00	.06	0.00	0.00	11
12	nil.	.10.	0.00.	0.00.	.04	.14	0.00	0.00	.09	.26	0.00	0.00	12
13	nil.	0.00.	0.00.	0.00.	.04	0.00	0.00	0.00	0.00	0.00	.42	.01	13
14	.14.	.06.	.03.	0.00.	.15	.17	0.00	0.00	0.00	.69	.12	.05	14
15	.04.	.03.	0.00.	.32.	.01	.04	0.00	0.00	0.00	.56	.09	0.00	15
16	.01.	.07.	0.00.	.08.	0.00	.05	0.00	1.16	0.00	0.00	.04	.01	16
17	.01.	.42.	0.00.	0.00.	.10	.85	0.00	0.00	0.00	0.00	.10	0.00	17
18	.14.	.12.	0.00.	.56.	.11	0.00	.28	.13	0.00	0.00	.31	0.00	18
19	.03.	0.00.	.05.	.16.	.07	0.00	.09	0.00	0.00	0.00	.06	.01	19
20	nil.	0.00.	0.00.	.45.	0.00	0.00	.15	.11	0.00	.52	.35	0.00	20
21	nil.	0.00.	0.00.	.22.	.03	0.00	.08	0.00	0.00	0.00	.36	.12	21
22	.14.	.08.	0.00.	.11.	0.00	0.00	0.00	0.00	0.00	0.00	.14	.21	22
23	.01.	0.00.	0.00.	0.00.	0.00	.06	0.00	0.00	0.00	0.00	0.00	0.00	23
24	.02.	0.00.	0.00.	0.00.	0.00	0.00	.03	0.00	.07	.42	0.00	0.00	24
25	.03.	0.00.	0.00.	.57.	0.00	0.00	.08	.30	.01	0.00	.19	.16	25
26	.01.	0.00.	0.00.	0.00.	0.00	0.00	.03	0.00	.05	0.00	.69	0.00	26
27	nil.	.03.	.02.	.02.	.02	0.00	.10	0.00	.11	0.00	0.00	0.00	27
28	.30.	0.00.	0.00.	0.00.	0.00	0.00	.15	0.00	0.00	.14	0.00	0.00	28
29	nil.		.06.	.05.	.13	0.00	0.00	0.00	0.00	.25	.17	0.00	29
30	.04.	X	0.00.	.03	.04	0.00	0.00	.02	0.00	.22	0.00	0.00	30
31	.07.	X	0.00.	X	0.00	X	0.00	0.00	X	.52	X	0.00	31
TOTAL	1.53	2.13	.32.	2.80	1.25	3.33	1.81	2.28	0.59	3.72	4.16	0.73	YEARS TOTAL 24.65.
Days with 01 in. or more.	20	16	9	14	17	14	14	8	9	12	19	9	161
Days with 04 in. or more.	11	13	4	11	12	13	9	6	7	11	19	6	122.

Please read the Notes and Instructions Overleaf.

REGISTER OF RAINFALL IN 1927.

Kept at BROADSTAIRS.

in the County of KENT.

Diameter of Funnel of Gauge five in.

Height of top of Gauge above Ground 9 ft. 9 in.

Ground Sea Level 145 ft.

150 390

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.0	.69	0.0	.10	0.0	.33	.07	.94	0.0	.08	.21	0.0	1
2	0.0	0.0	.05	.12	0.0	0.0	.03	0.0	0.0	0.0	.05	0.0	2
3	.12	0.0	0.0	0.0	0.0	.06	0.0	0.0	0.0	0.0	0.0	0.0	3
4	0.0	0.0	.04	.03	0.0	.08	0.0	0.0	0.0	0.0	0.0	0.0	4
5	0.0	.11	.03	.36	0.0	.07	.04	0.0	0.0	0.0	.16	0.0	5
6	.06	0.0	.03	.17	0.0	0.0	1.86	0.0	.06	0.0	.18	0.0	6
7	0.0	.19	.03	.33	0.0	.06	0.0	.52	0.0	0.0	0.0	0.0	7
8	.18	0.0	0.0	.09	0.0	0.0	.12	.26	.03	0.0	.42	0.0	8
9	0.0	0.0	.07	.10	0.0	0.0	.03	.15	.15	0.0	0.0	0.0	9
10	0.0	0.0	.08	0.0	.01	0.0	0.0	0.0	.46	0.0	0.0	0.0	10
11	0.0	0.0	0.0	0.0	0.0	.21	0.0	.07	0.0	0.0	.10	0.0	11
12	0.0	0.0	.04	0.0	0.0	0.0	0.0	.10	0.0	.07	.12	0.0	12
13	.04	0.0	0.0	.03	0.0	0.0	.90	.26	.12	.01	0.0	.03	13
14	.06	0.0	0.0	.05	.08	0.0	2.08	.02	.60	.14	0.0	.04	14
15	0.0	0.0	0.0	0.0	0.0	0.0	.18	.27	0.0	0.0	0.0	.09	15
16	0.0	0.0	0.0	0.0	.12	0.0	0.0	.02	.15	0.0	0.0	.30	16
17	.09	0.0	.03	0.0	0.0	.10	0.0	.06	.29	0.0	0.0	.09	17
18	.03	.03	0.0	0.0	0.0	.17	0.0	.15	.08	0.0	0.0	.03	18
19	0.0	.19	0.0	0.0	0.0	0.0	0.0	.04	0.0	0.0	.07	0.0	19
20	0.0	.25	0.0	0.0	0.0	0.0	.08	.55	0.0	0.0	.30	.05	20
21	.22	.07	0.0	0.0	.13	0.0	0.0	.11	0.0	.18	.37	.56	21
22	.09	.05	.12	0.0	0.0	.20	.28	.04	0.0	.53	0.0	.36	22
23	0.0	.27	.14	0.0	0.0	.06	0.0	0.0	.61	.05	.21	.12	23
24	0.0	.07	.07	.09	0.0	.42	0.0	.08	0.0	0.0	.07	.61	24
25	0.0	.28	.26	.04	0.0	.25	.10	.06	0.0	0.0	0.0	.85	25
26	.04	.22	.01	0.0	.09	.08	0.0	0.0	0.0	0.0	0.0	.74	26
27	.02	.18	.20	0.0	.05	.45	.14	0.0	0.0	.12	0.0	0.0	27
28	.05	.05	0.0	.06	0.0	.43	0.0	0.0	0.0	0.0	.12	0.0	28
29	.04	xxxx	.12	0.0	0.0	.19	0.0	0.0	.28	0.0	.60	0.0	29
30	.20	X	.02	0.0	0.0	.23	0.0	0.0	0.0	.03	0.0	0.0	30
31	.02	X	.36	X	.07	X	0.0	0.0	X	.12	X	0.0	31
TOTAL	1.26	2.65	1.70	1.57	.55	3.39	5.91	3.70	2.83	1.33	2.98	3.87	YEAR'S TOTAL
Days with ".01 in. or more.	15	14	18	13	7	17	13	18	11	10	14	13	163
Days with ".04 in. or more.	12	13	12	11	6	17	11	16	10	8	14	11	141

Section

A

for the entry of Daily Observations.

292
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1928.

Kept at Broadstairs.
in the County of Kent.
Diameter of Funnel of Gauge.....5.....in.
Height of top of Gauge above Ground.....9.....ft.
" Ground " Sea Level.....1145.....ft.

150
400

Jan 1st high
accept of 291

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	10.	—	—	—	—	32.	—	—	88.	04.	1
2	65.	24.	—	—	74.	—	—	—	—	—	164.	01.	2
3	—	—	—	05.	—	—	25.	27.	—	—	02.	—	3
4	—	10.	—	42.	—	01.	—	46.	—	—	—	—	4
5	35.	12.	—	—	—	—	—	—	—	03.	—	—	5
6	—	—	09.	—	—	35.	—	—	—	—	—	08.	6
7	—	—	—	07.	—	26.	—	15.	—	—	—	—	7
8	—	—	08.	—	—	16.	—	—	—	20.	04.	—	8
9	04.	—	—	—	—	10.	—	—	—	12.	—	—	9
10	03.	21.	10.	36.	16.	—	—	02.	—	23.	07.	—	10
11	03.	07.	98.	25.	—	19.	—	—	—	02.	27.	26.	11
12	12.	04.	—	—	—	—	—	—	—	—	03.	18.	12
13	—	15.	—	—	—	70.	—	—	—	—	24.	08.	13
14	02.	19.	—	12.	—	11.	—	—	—	46.	28.	03.	14
15	10.	—	—	31.	34.	02.	—	—	—	—	—	—	15
16	06.	—	—	28.	14.	—	—	—	—	07.	31.	17.	16
17	—	—	—	06.	31.	—	—	—	—	18.	—	—	17
18	61.	—	—	—	14.	08.	—	—	—	26.	07.	—	18
19	—	—	—	—	15.	03.	—	—	—	24.	04.	10.	19
20	11.	—	—	—	02.	—	—	—	—	14.	—	36.	20
21	06.	—	06.	14.	101.	—	—	—	07.	80.	21.	—	21
22	04.	—	08.	—	34.	—	—	—	47.	79.	12.	14.	22
23	26.	—	—	—	42.	—	—	—	—	—	09.	—	23
24	04.	—	—	—	—	—	—	—	—	19.	21.	03.	24
25	02.	—	—	—	—	—	—	—	49.	08.	04.	08.	25
26	16.	—	—	—	—	12.	04.	—	—	17.	03.	21.	26
27	—	—	—	02.	—	—	51.	—	—	—	—	71.	27
28	17.	—	—	02.	—	—	—	—	42.	—	—	04.	28
29	09.	02.	19.	31.	—	—	—	—	05.	13.	10.	75.	29
30	03.	X	17.	03.	—	17.	15.	—	—	02.	—	48.	30
31	10.	X	33.	X	—	X	03.	—	X	—	X	05.	31
TOTAL	3.09	1.14	2.18.	2.44	3.77	2.30.	.98	1.22	1.50	4.13	4.69.	3.80	YEARS TOTAL
Days with "01 in. or more.	21.	9	10.	14.	11.	13.	5	5	5	18	19.	19.	149.
Days with "04 in. or more.	16.	8.	10.	11.	10.	10.	4	4	5	15.	16.	16.	125.

Please read the Notes and Instructions Overleaf.

FORM 1090.

REGISTER OF RAINFALL IN 1929.

Kept at Broadstairs
in the County of Kent

Diameter of Funnel of Gauge 5 inS.
Height of top of Gauge above Ground — ft. 9 in.
,, Ground ,, Sea Level 14.5 ft.

150
400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.
Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	.08.	—	—	.01.	—	.02.	—	.15.	—	.20.	—	—	I
2	—	—	—	—	—	—	.14.	—	—	.36.	.12.	.19.	2
3	—	—	.01.	—	—	—	.25.	—	—	.04.	—	.35.	3
4	—	—	—	.17.	.05.	.16.	.03.	.11.	—	—	—	.12.	4
5	—	—	.02.	—	.45.	.10.	.07.	.18.	—	.09.	—	.55.	5
6	—	—	—	—	.22.	—	.03.	.51.	—	.04.	.09.	.52.	6
7	.02.	—	—	—	—	.18.	—	.20.	—	.15.	.36.	.11.	7
8	—	—	—	—	—	.26.	—	—	—	.24.	.06.	.31.	8
9	—	.24.	—	.13.	—	—	—	—	—	—	—	.35.	9
10	—	.06.	—	.04.	—	—	—	—	—	.23.	.03.	.29.	10
11	—	—	—	.14.	.03.	—	—	—	—	—	.51.	.03.	11
12	—	—	.05.	.12.	.21.	.07.	—	—	—	—	—	.03.	12
13	.04.	.16.	—	—	.02.	.08.	—	—	—	—	.26.	—	13
14	—	.02.	—	—	—	.06.	—	—	—	—	—	.08.	14
15	.08.	.10.	—	—	—	.24.	—	—	—	—	.36.	.20.	15
16	—	.03.	—	—	—	—	—	.70.	—	—	.25.	—	16
17	.11.	—	—	—	—	—	—	—	—	—	—	—	17
18	—	—	—	—	—	—	—	.06.	—	—	.09.	—	18
19	—	—	—	—	—	—	—	—	—	—	—	—	19
20	—	—	—	—	—	—	—	—	—	.31.	—	—	20
21	—	—	.04.	—	—	.01.	—	.02.	—	—	—	.35.	21
22	.12.	—	.20.	—	—	—	—	.01.	—	—	.04.	.12.	22
23	—	.26.	—	—	—	—	—	—	—	—	.36.	.24.	23
24	.07.	—	—	.02.	—	—	—	.04.	—	.93.	.12.	.21.	24
25	.09.	—	—	—	—	—	—	—	—	.32.	.09.	.07.	25
26	.06.	.02.	—	.03.	.05.	—	—	—	—	—	.11.	.03.	26
27	.12.	—	—	—	—	—	—	—	—	—	.45.	—	27
28	.05.	—	—	.08.	—	—	.21.	—	—	.31.	.36.	.22.	28
29	.12.	X	—	.16.	—	—	—	—	.22.	.02.	.24.	.04.	29
30	.10.	X	—	—	—	.07.	—	—	.18.	.35.	—	.27.	30
31	.31.	X	—	X	—	X	—	—	X	.11.	X	—	31
TOTAL	1.37	.89	.32	.92	1.03	1.25	.73	1.98	.40	3.70	4.10	4.90	21.59
Days with or more.	14	8	5	10	7	11	6	10	2	15	18	22	128
Days with or more.	13	5	3	7	5	9	4	8	2	14	17	20	107

Section

A

for the entry of Daily Observations.

316
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at Broadstairs
in the County of Kent

Diameter of Funnel of Gauge 5 in.s.
Height of top of Gauge above Ground - ft 9 in.
,, Ground ,, Sea Level 145 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.10	.04	-	.04	-	-	.05	.18	-	.03	.50	-	1
2	-	.15	-	-	.04	-	-	.15	-	-	.71	.01	2
3	-	.17	-	.61	-	-	-	.49	-	.05	-	-	3
4	.05	-	-	.04	-	-	.05	.04	.08	.20	-	-	4
5	.02	.07	-	-	.31	-	-	.05	-	.03	-	-	5
6	-	.70	.11	.03	.09	-	.07	.08	.45	.01	-	-	6
7	-	.19	.05	-	.04	-	-	.06	-	.14	.47	.07	7
8	.17	-	-	-	-	-	-	.01	.04	.03	-	.19	8
9	.11	-	-	-	.28	-	-	-	.06	-	-	-	9
10	.27	-	.26	-	.21	-	.02	-	-	-	-	-	10
11	.09	.12	.02	-	.03	-	-	-	-	.07	-	.41	11
12	.20	-	-	.11	-	-	-	.06	.04	-	-	.22	12
13	.02	-	.14	.13	.12	.05	.11	.26	.16	-	-	-	13
14	-	-	.03	-	-	-	.26	-	-	-	-	.17	14
15	-	.11	.11	.02	-	-	.55	.04	-	.02	.17	.04	15
16	-	.10	.17	.01	-	.16	.03	-	.15	-	-	-	16
17	-	-	.15	.08	-	.03	.06	-	.14	.05	-	-	17
18	-	-	.10	.02	.05	-	.03	-	-	-	.12	.12	18
19	-	-	.80	.01	-	-	-	.01	.55	.11	.21	-	19
20	-	-	-	.14	.01	-	.42	.05	.21	.16	.39	-	20
21	.05	-	-	-	.08	-	.08	.07	-	.19	.45	-	21
22	-	-	-	-	.12	-	.05	.10	.02	.26	.09	-	22
23	-	.03	.04	.06	-	.13	.36	.03	-	-	.02	.06	23
24	.35	.01	-	.10	.25	.16	.60	-	-	.06	.19	-	24
25	.15	.02	-	.15	.55	-	-	-	.10	-	.16	.45	25
26	.04	-	-	-	.08	.40	-	-	.96	-	.28	-	26
27	-	-	-	-	-	.04	.02	-	1.16	-	.30	.05	27
28	-	-	-	-	-	-	-	-	.50	-	.21	-	28
29	.28	×	.04	-	-	-	-	-	-	-	.06	.21	29
30	.18	×	-	-	.58	.35	.08	-	-	-	.01	.24	30
31	.26	×	.02	×	.27	×	-	-	×	.20	×	.08	31
TOTAL	2.34	1.71	2.04	1.55	3.11	1.32	2.84	2.68	4.62	1.61	4.34	2.32.	30.48
*Days with or in. or more.	16	12	14	15	17	8	17	16	15	16	17	14	177
*Days with .04 in. or more.	14	9	11	10	15	7	13	13	14	11	15	13	145

40-9999

*See Instruction 2 (f) on other side.

(Signed)

Handwritten signature

[P.T.O.]

Section

FORM 1

Kept a
in the
Diameter
Height c
"

TH

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	1.16	—	.02	—	—	.14	.23	—	.04	.35	—	1
2	—	—	.07	.07	—	—	—	—	—	.08	.04	TRACE	2
3	.04	—	—	TRACE	—	—	TRACE	—	—	—	—	.01	3
4	.01	—	.01	TRACE	.07	—	.06	—	—	—	—	.01	4
5	.04	.13	.18	.43	.41	TRACE	TRACE	.15	—	—	.09	TRACE	5
6	—	—	.15	.16	—	.18	.44	.01	.06	TRACE	—	—	6
7	.03	.32	.03	.45	—	.10	.13	.33	—	TRACE	.01	—	7
8	.02	—	—	.23	—	—	.05	.14	—	—	.02	—	8
9	—	—	TRACE	.11	—	—	TRACE	.08	.26	TRACE	—	TRACE	9
10	—	—	TRACE	—	—	—	—	—	.50	TRACE	—	—	10
11	—	TRACE	—	TRACE	—	—	.14	—	—	—	—	—	11
12	.04	—	.01	—	—	—	TRACE	.06	—	.02	TRACE	—	12
13	.08	TRACE	—	.01	—	—	.07	.13	.09	TRACE	.02	TRACE	13
14	.25	TRACE	—	.06	.02	—	.41	.23	1.39	TRACE	.02	.39	14
15	—	.01	—	—	—	—	.01	.40	.02	—	.01	—	15
16	—	—	—	—	.24	—	TRACE	.05	.44	—	TRACE	—	16
17	.52	—	—	—	—	.19	—	.50	.05	—	—	—	17
18	.01	—	—	—	—	.39	—	.13	.02	TRACE	.04	—	18
19	—	.15	—	—	—	.01	—	.08	—	.01	.12	—	19
20	.10	.14	—	—	—	—	.06	.32	—	—	.52	.10	20
21	.05	.09	—	—	.08	.01	TRACE	.16	.07	.14	.06	.49	21
22	.10	.06	.13	—	.05	.18	.01	—	.16	.32	—	.49	22
23	—	.45	.25	—	—	.18	.02	—	.69	TRACE	.08	.23	23
24	—	.10	.13	.03	—	.13	—	.13	TRACE	TRACE	—	.24	24
25	—	.33	.53	—	—	.20	—	.14	.12	TRACE	—	1.31	25
26	.16	.46	.05	—	.25	.08	.28	—	.10	TRACE	TRACE	.42	26
27	.15	.42	—	—	.19	.39	.36	—	TRACE	.32	TRACE	—	27
28	.22	.19	.01	.03	—	.44	—	—	—	.01	.26	—	28
29	—	—	.10	—	—	.30	—	.01	.45	—	.93	—	29
30	.13	×	.02	—	—	.84	—	—	.01	.11	TRACE	—	30
31	.03	×	.22	×	.01	×	.03	—	×	.08	×	.26	31
TOTAL	1.98	4.01	1.89	1.60	1.32	3.65	2.60	3.58	4.43	1.13	2.54	3.95	YEARS TOTAL
Days with ".01 in. or more.	18	14	15	11	9	15	15	19	16	10	15	11	32.71
Days with ".04 in. or more.	13	13	10	7	7	13	11	14	13	7	10	9	130

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1927.

362A

Kent 5

Kept at BROMLEY
in the County of KENT
Diameter of Funnel of Gauge.....5.....in.
Height of top of Gauge above Ground.....12.....ft.
Ground „ Sea Level 212.84.....ft.

of JWR

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	1.16	—	.02	—	—	.14	.23	—	.04	.35	—	1
2	—	—	.07	.07	—	—	—	—	—	.08	.04	TRACE	2
3	.04	—	—	TRACE	—	—	TRACE	—	—	—	—	.01	3
4	.01	—	.01	TRACE	.07	—	.06	—	—	—	—	.01	4
5	.04	.13	.18	.43	.41	TRACE	TRACE	.15	—	—	.09	TRACE	5
6	—	—	.15	.16	—	.18	.44	.01	.06	TRACE	—	—	6
7	.03	.32	.03	.45	—	.10	.13	.33	—	TRACE	.01	—	7
8	.02	—	—	.23	—	—	.05	.14	—	—	.02	—	8
9	—	—	TRACE	.11	—	—	TRACE	.08	.26	TRACE	—	TRACE	9
10	—	—	TRACE	—	—	—	—	—	.50	TRACE	—	—	10
11	—	TRACE	—	TRACE	—	—	.14	—	—	—	—	—	11
12	.04	—	.01	—	—	—	TRACE	.06	—	.02	TRACE	—	12
13	.08	TRACE	—	.01	—	—	.07	.13	.09	TRACE	.02	TRACE	13
14	.25	TRACE	—	.06	.02	—	.41	.23	1.39	TRACE	.02	.39	14
15	—	.01	—	—	—	—	.01	.70	.02	—	.01	—	15
16	—	—	—	—	.24	—	TRACE	.05	.44	—	TRACE	—	16
17	.52	—	—	—	—	.19	—	.50	.05	—	—	—	17
18	.01	—	—	—	—	.39	—	.13	.02	TRACE	.04	—	18
19	—	.15	—	—	—	.01	—	.08	—	.01	.12	—	19
20	.10	.14	—	—	—	—	.06	.32	—	—	.52	.10	20
21	.05	.09	—	—	.08	.01	TRACE	.16	.07	.14	.06	.49	21
22	.10	.06	.13	—	.05	.18	.01	—	.16	.32	—	.49	22
23	—	.45	.25	—	—	.18	.02	—	.69	TRACE	.08	.23	23
24	—	.10	.13	.03	—	.13	—	.13	TRACE	TRACE	—	.24	24
25	—	.33	.53	—	—	.20	—	.14	.12	TRACE	—	1.31	25
26	.16	.46	.05	—	.25	.08	.28	—	.10	TRACE	TRACE	.42	26
27	.15	.42	—	—	.19	.39	.36	—	TRACE	.32	TRACE	—	27
28	.22	.19	.01	.03	—	.44	—	—	—	.01	.26	—	28
29	—	—	.10	—	—	.30	—	.01	.45	—	.93	—	29
30	.13	×	.02	—	—	.84	—	—	.01	.11	TRACE	—	30
31	.03	×	.22	×	.01	×	.03	—	×	.08	×	.26	31
TOTAL	1.98	4.01	1.89	1.60	1.32	3.65	2.60	3.58	4.43	1.13	2.54	3.95	YEARS TOTAL
Days with ".01 in. or more.	18	14	15	11	9	15	15	19	16	10	15	11	168
Days with ".04 in. or more.	13	13	10	4	4	13	11	14	13	4	10	9	130

Haverley

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1928.

Kept at BROMLEY.

in the County of KENT.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1/2 ft. 1/2 in.

„ Ground „ Sea Level 212.84 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.03	—	.11	.24	—	—	—	.08	—	—	.05	.01	1
2	.48	.44	.01	TRACE	TRACE	—	—	—	—	—	.01	.03	2
3	—	—	—	.11	.44	—	.41	1.03	—	—	.06	.04	3
4	.12	.05	—	.01	—	.02	—	.11	—	—	TRACE	—	4
5	.15	.18	.12	.06	—	TRACE	.04	—	—	TRACE	TRACE	—	5
6	—	TRACE	TRACE	—	—	.24	—	—	—	—	TRACE	.05	6
7	—	—	.02	.02	—	.37	—	.09	—	TRACE	—	—	7
8	—	.02	.07	—	—	.17	.01	—	.02	.10	—	—	8
9	.09	—	.07	.01	—	.03	—	—	.35	.11	—	—	9
10	.14	.10	.02	.08	.01	.03	—	—	—	.05	.15	—	10
11	.06	.16	TRACE	.03	—	.02	—	.06	TRACE	.19	.24	.20	11
12	.18	.16	TRACE	.04	—	—	—	—	—	.03	—	.15	12
13	—	.07	—	—	.02	.63	—	.02	—	—	.05	—	13
14	.02	.10	—	.01	.01	.40	—	TRACE	—	.49	.22	—	14
15	.01	—	—	.52	.24	—	—	—	—	—	.17	—	15
16	.04	.02	—	.18	.08	—	—	—	—	.04	.20	.21	16
17	—	—	TRACE	.01	.32	—	—	—	—	.15	—	—	17
18	.43	—	.02	.06	.35	.09	—	—	—	.20	.01	TRACE	18
19	—	—	—	—	.30	.01	—	.13	—	.40	.02	.03	19
20	.08	—	—	—	—	—	—	.08	—	.20	.05	.17	20
21	.08	—	.04	.13	.30	—	—	—	—	.26	.26	TRACE	21
22	.01	TRACE	.09	—	.09	—	—	.08	TRACE	.97	.19	.09	22
23	.18	—	.01	—	.20	—	—	—	—	.08	.06	—	23
24	.03	TRACE	.37	—	TRACE	—	—	.08	.12	.01	.16	.23	24
25	.04	—	—	—	—	.01	—	—	TRACE	.02	.02	.02	25
26	.28	—	—	—	—	.03	.16	.74	TRACE	.54	—	.19	26
27	TRACE	TRACE	.02	—	—	.11	.81	.01	.01	.05	—	.65	27
28	.20	—	—	—	—	—	—	—	.18	—	—	.18	28
29	.08	.03	.32	.03	—	—	—	—	.02	.05	.02	.27	29
30	.01	×	.24	.09	—	.04	.36	.01	—	.02	—	.18	30
31	.12	×	.33	×	—	×	.32	.06	×	TRACE	×	.05	31
TOTAL	2.86	1.33	1.86	1.63	2.36	2.20	2.11	2.58	.70	3.96	1.94	2.85	YEAR'S TOTAL
Days with .01 in. or more.	23	11	16	14	12	15	7	14	6	20	18	18	177
Days with .04 in. or more.	17	8	10	10	9	8	6	11	3	16	13	14	125

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1929..

Kept at Bromley
in the County of Kent
Diameter of Funnel of Gauge 12 in.
Height of top of Gauge above Ground — ft. in.
,, Ground ,, Sea Level 2/3 ft.

ymysr

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	—	.01	—	—	—	.03	—	.36	—	.40	—	Trace	I
2	—	.17	Trace	Trace	—	—	.03	Trace	—	.04	.02	.23	2
3	—	—	—	—	—	Trace	1.22	—	Trace	.02	—	.19	3
4	—	—	—	.27	.14	.13	.32	—	—	—	—	.70	4
5	Trace	—	—	—	.65	.10	.03	.17	—	.23	—	.34	5
6	—	—	—	—	.21	—	—	.11	—	.06	.06	.59	6
7	—	—	—	—	.01	.01	—	.25	—	.42	.45	.40	7
8	—	—	—	.03	.02	.06	—	—	—	.23	—	.33	8
9	.03	.11	—	—	—	—	—	—	—	—	Trace	.38	9
10	.17	.07	—	.07	—	—	—	—	—	.05	.07	.20	10
11	—	—	—	.14	.03	.02	—	Trace	—	—	.69	.09	11
12	—	—	—	.16	.13	.19	—	—	—	—	—	.06	12
13	.04	—	—	.02	.04	.04	—	Trace	—	—	—	Trace	13
14	—	—	—	—	.05	.11	—	—	—	—	—	.18	14
15	.04	.01	—	—	—	.04	—	—	—	—	.43	.11	15
16	.03	—	Trace	—	—	—	—	.73	—	—	.93	—	16
17	.01	—	—	—	—	—	—	.10	—	Trace	—	—	17
18	—	—	—	—	—	—	—	.05	—	—	.19	—	18
19	—	—	—	—	—	—	—	—	Trace	—	.02	—	19
20	—	—	—	—	—	—	.04	.03	—	.36	—	.02	20
21	.10	—	.01	—	—	—	—	—	—	—	—	.40	21
22	.01	—	—	—	—	—	—	.01	—	—	.16	Trace	22
23	—	.03	—	—	—	—	—	—	—	.10	.28	.23	23
24	Trace	—	Trace	Trace	Trace	—	—	.01	—	1.15	.44	.48	24
25	—	.06	.01	—	—	—	—	—	—	.04	.16	—	25
26	—	.01	Trace	.03	—	—	—	—	—	—	.11	.08	26
27	—	—	—	Trace	—	—	—	—	—	.01	.50	.03	27
28	.08	—	—	.02	—	—	.15	—	—	.03	.30	.27	28
29	.07	—	—	.49	—	—	Trace	—	.04	.01	.32	.09	29
30	.01	X	—	—	—	.04	Trace	—	.06	—	.38	.02	30
31	.81	X	—	X	—	X	.18	—	X	—	X	—	31
TOTAL	.90	.47	.02	1.23	1.28	.77	1.97	1.82	.10	3.15	5.51	5.44	YEAR'S TOTAL 22.66
Days with ".01 in. or more.	12	8	2	9	9	11	4	10	2	15	18	22	125
Days with ".04 in. or more.	7	4	0	5	6	8	5	7	2	11	16	20	91

FORM 1090.

Kept at Bromley
in the County of Kent

Diameter of Funnel of Gauge.....in.
 Height of top of Gauge above Ground.....ft. in.
 „ Ground „ Sea Level 213 ft.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I		.44											I
2											.62		2
3				.39									3
4	.38												4
5													5
6									.53				6
7													7
8													8
9													9
10													10
II												.46	II
12													12
13													13
14													14
15			.59										15
16													16
17										.24			17
18						.66							18
19													19
20													20
2I													2I
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29							.45	1.03					29
30		X											30
3I		X		X	.59	X			X		X		3I
L	2.43	0.85	1.35	1.45	3.88	1.20	2.16	3.40	3.34	1.20	4.28	1.59	YEAR'S TOTAL 27.13
with n. re.	17	9	11	16	19	6	13	15	19	17	19	17	178
with m. e.	13	4	7	9	17	4	11	13	15	11	17	11	132
9999	61.7	21.6	34.3	36.8	98.6	30.5	54.9	86.4	84.8	30.5	108.7	40.4	689.2 (Signed) P.T.O.

by A. J. Nic

IMPORTANT NOTE.

If an Observer prefers not to read the book, he may have the reading at 9 a.m. on 1st June, 1906, at the Royal Society, 21, Bedford Square, London, N.W. 1. Full instructions and particulars as to the Book may be sent post-free on application to the Secretary, Royal Society, 21, Bedford Square, London, N.W. 1.

R

INIZATION.

26" E

am
roadstair

Gauge 5 in.

Ground 1 ft — in.

Sea Level 135 ft.

ered to the previous day.

ed to add
the end of
ain gauges,
Observers,"
2, Camden

Jan. 1, following

ST. PETERS COURT.

BROAD STAIRS.

KENT.

1921-1925

Date	Jan.	Feb.	March								Nov.	Dec.	Date
	in.	in.	in.								in.	in.	
1	.04		.01								.01	.04	1
2	.01	.19	.02		.05						.71		2
3			.06		.02	.13		.28			.35		3
4	.02		.01		.09			.01			.20		4
5	.02							.11			.12		5
6	.14		.25		.05		.03						6
7	.03	.07	.01		.21								7
8			.01	.07							.15		8
9		.07		.02					.04		.02		9
10	.10	.07						.04		.05		.03	10
11	.06	.02							.31			.04	11
12	.20	.02	.01					.03	.12			.18	12
13	.42	.01	.06	.41				.26	.08	.05			13
14	.07									.01		.24	14
15				.15								.01	15
16				.05				.01				.02	16
17	.03		.02	.11				.05					17
18	.11	.03							.05				18
19			.22	.01						.60		.03	19
20			.08			.06							20
21					.01			.07			.06		21
22										.10		.09	22
23		.43		.20				.24					23
24				.01						.02		.04	24
25									.01			.13	25
26	.04		.05		.25							.06	26
27				.05								.01	27
28			.07		.10		.10	.25					28
29			.13		.21							.09	29
30	.11	~~X~~			.01						.63	.06	30
31	.17	~~X~~		~~X~~		~~X~~			~~X~~		~~X~~		31
TOTAL	1.57	.91	1.01	1.08	.99	.20	.13	1.15	.61	.83	1.65	1.07	YEAR'S TOTAL
Days with ".01 in. or more	16	9	15	10	9	3	2	11	6	6	9	15	11.20
	11	5	8	7	7	2	1	8	5	4	6	10	74

REGISTER OF RAINFALL IN 1921.

Kept at St. Peters Court
in the County of Kent
by A. J. Richardson

Lat. 50° 21' 35" N Long. 1° 26' E
Time of Observation 9. am
Nearest Railway Station Broadstairs
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 135 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.04		.01								.01	.04	1
2	.01	.19	.02		.05						.71		2
3			.06		.02	.13		.28			.35		3
4	.02		.01		.09			.01			.20		4
5	.02							.11			.12		5
6	.14		.25		.05		.03						6
7	.03	.07	.01		.21								7
8			.01	.07							.15		8
9		.07		.02					.04		.02		9
10	.10	.07						.04		.05		.03	10
11	.06	.02							.31			.04	11
12	.20	.02	.01					.03	.12			.18	12
13	.42	.01	.06	.41				.26	.08	.05			13
14	.07									.01		.24	14
15				.15								.01	15
16				.05				.01				.02	16
17	.03		.02	.11				.05					17
18	.11	.03							.05				18
19			.22	.01						.60		.03	19
20			.08			.06							20
21						.01		.07			.06		21
22										.10		.09	22
23		.43		.20				.24					23
24				.01						.02		.04	24
25									.01			.13	25
26	.04		.05		.25							.06	26
27				.05								.01	27
28			.07		.10		.10	.25					28
29			.13		.21							.09	29
30	.11	~~X~~			.01						.03	.06	30
31	.17	~~X~~		~~X~~		~~X~~			~~X~~		~~X~~		31
TOTAL	1.57	.91	1.01	1.08	.99	.20	.13	1.15	.61	.83	1.65	1.07	YEAR'S TOTAL
Days with .01 in. or more	16	9	15	10	9	3	2	11	6	6	9	15	11.20
	11	5	8	7	7	2	1	8	5	4	6	10	74

REGISTER OF RAINFALL IN 1922.

Kept at St. Peter's Court
in the County of Kent
by A. J. Richardson

Lat. 50° 21' 35" N Long. 1° 26' E
Time of Observation 9 am 9 m T
Nearest Railway Station Broadstairs
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 135 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.03	.05		.16				.01	.31	.17	.01	1
2	.02	.39	.41	.11									2
3		.06	.03	.23	.19		.03	.24		.03	.12		3
4	.02	.02	.09	.02	.03		.05	.03		.35			4
5		.02	.15	.10	.01		.38			.21	.22		5
6	.05		.03					.28		.02	.14		6
7	.28		.53	.20			.04				.01	.01	7
8	.02		.11	.07			.11	.10		.01	.02	.01	8
9	.15			.06		.01	.11	.05					9
10			.02					.05	.19		.03		10
11	.03				.08			.05					11
12	.01			.15	.01			.04	.20				12
13	.10			.16		.68	.06		.57				13
14	.03					.28	.21	.12	.55				14
15	.30	.12							.01				15
16	.01	.03		.01			.27					.29	16
17		.05		.02	.06		.06		.06			.12	17
18	.08					.07	.16					.15	18
19	.69	.08	.06						.55	.09		.45	19
20	.01		.02							.16			20
21	.33	.09	.28				.01			.01		.28	21
22	.01	.10		.05		.01	.01	.15		.03		.04	22
23						.28	.48		.04	.04			23
24	.01		.06	.10		.03	.02	.14	.03	.28		.01	24
25	.31		.01	.25		.05				.06		.01	25
26	.01	.08	.02	.14		.08	.16		.61		.05		26
27	.35	.17						.28	.17	.25	.03	.06	27
28	.02	.08	.10	.07		.27		.05	.15	.15	.06	.06	28
29	.06	X	.01			.05		.55		.37		.06	29
30	.02	X	.20				.02	.07	.58	.27	.10	.06	30
31	.03	X		X		X		.01	X	.01	X	.13	31
TOTAL	2.95	1.32	1.88	1.74	.54	1.81	1.88	2.21	3.72	2.65	.95	1.75	YEAR'S TOTAL
Days with 01 in. or more	25	14	18	16	7	11	17	16	14	18	11	16	23.40
Days with 04 in. or more	10	10	11	13	4	8	12	14	11	12	7	11	128

REGISTER OF RAINFALL IN 1923.

Kept at St. Peter's Court Broadstairsin the County of Kentby A. J. RichardsonLat. 50° 21' 35" N Long. 1° 26' ETime of Observation 9 a.m.Nearest Railway Station BroadstairsDiameter of Funnel of Rain Gauge 5 in.Height of top of Gauge above Ground 1 ft. — in." " " " Sea Level 135 ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day.

An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02								.29	.04	.31	.06	1
2	.19	.01	.08		.04	.12				.09		.07	2
3	.01					.03				.68			3
4						.03			.05			.10	4
5	.10			.14		.03				.05	.05	.08	5
6	.25		.11							.08		.07	6
7	.12	.49	.15	.11					.94	.26		.08	7
8	.08	.12	.03	.03	.07					.39	.17	.07	8
9	.04			.03	.19						.01		9
10		.13		.03	.02					.46		.08	10
11			.04	.12	.03					.37			11
12		.21	.11		.12	.08				.20			12
13	.05	.07	.05		.03				.03		.30	.02	13
14		.05	.04				.07	.07		.07		.12	14
15	.01	.04			.21	.12	.18	.13			.26		15
16		.09			.05		.02	.02			.08	.01	16
17							.21	.21	.03				17
18	.12	.20					.07	.01	.02	.02			18
19	.29	.01				.13	.07	.01	.01	.17		.02	19
20	.06	.01	.11			.05			.53	.02	.07		20
21		.11	.01	.10						.06	.50	.15	21
22		.31	.02	.04					.27	.11	.25	.20	22
23		.01	.29	.02	.27		.3	.34	.14	.67		.01	23
24								.72	.11	.06			24
25		.09	.02	.53	.08	.06	.18			.25		.40	25
26		.24		.07	.05			.12		.03		.15	26
27		.10	.02		.04		.02	.14		.01		.14	27
28	.01	.06		.07	.19		.07				.24		28
29	.17			.07	.01		.03	.17				.24	29
30	.01	X					.01			.38		.07	30
31	.01	X		X		X	.06		X	.10	X	.10	31
TOTAL	1.54	2.37	1.08	1.36	2.40	.65	.37	1.94	1.52	4.57	2.24	2.17	YEAR'S TOTAL
Days with 01 in. or more	17	19	14	13	15	8	6	11	11	23	11	20	22.21
Days with 04 in. or more	11	15	9	9	11	6	3	8	7	19	10	16	168
													124

AIR MINISTRY.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

County No. _____

River Dist. _____

Station No. _____

REGISTER OF RAINFALL IN 1924.

Kept at S. Peter's Court, Broadstairs
in the County of Kent
by A. Richardson

Lat. 50° 21' 35" N Long. 1° 26' E
Time of Observation 9 a.m. G.M.T.
Nearest Railway Station Broadstairs
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 135 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.12	—	.08	—	—	.15	.06	—	—	—	.40	.01	1 RRR
2	.04	—	.31	—	.06	.05	—	.05	.02	—	—	.01	2 OK
3	—	—	.11	.01	.57	—	.19	.02	—	—	—	.03	3
4	—	—	—	—	.12	.22	.03	—	—	.10	—	.10	4
5	—	.08	—	—	—	—	—	—	—	.19	—	.02	5
6	—	—	—	—	—	—	—	.10	—	.74	—	—	6
7	—	—	—	.01	—	.24	—	.01	.11	.28	—	—	7
8	.25	—	—	.03	.12	.53	.16	—	.04	.19	—	—	8
9	.17	.08	—	.07	.01	.02	—	—	.08	.01	—	—	9
10	.16	.08	—	.04	.25	.01	—	—	.01	—	—	—	10
11	.01	.03	—	.29	.08	.04	—	—	—	—	.10	—	11
12	.01	.01	—	.17	.03	.02	—	—	—	—	.45	—	12
13	—	—	—	.10	—	—	—	—	.04	—	.01	.32	13
14	—	—	—	.21	—	—	—	.06	—	—	—	.03	14
15	—	—	—	.05	—	—	—	—	.01	—	—	.17	15
16	.01	—	—	—	—	—	—	—	.03	—	—	.01	16
17	.08	—	—	—	—	—	.75	.15	—	—	—	—	17
18	.16	.08	—	—	.09	.16	—	.07	—	.03	.05	—	18
19	.10	.06	—	—	—	.13	.01	.71	—	.01	.05	—	19
20	—	—	—	—	.11	—	—	.02	—	—	—	—	20
21	.32	—	—	—	.18	—	.08	.01	.16	.46	—	—	21
22	.30	—	.07	—	.01	—	—	.01	.03	.05	—	—	22
23	.01	.06	.13	—	.19	—	—	.02	.09	—	—	.35	23
24	.29	.23	.12	—	.04	—	.01	.02	—	—	.05	.07	24
25	—	.04	.12	.09	.02	—	.43	—	.25	—	.14	—	25
26	—	—	.04	.32	—	—	.03	—	1.08	.06	.12	.03	26
27	—	.05	.02	.15	—	.10	.15	—	.01	.08	.33	.32	27
28	.01	—	—	.01	—	—	.64	.15	—	.02	.43	—	28
29	.05	.11	—	.20	.62	—	.02	.21	—	.34	.10	.02	29
30	—	X	—	.30	.05	—	.01	.14	.52	.84	.02	.18	30
31	—	X	.02	X	.49	X	—	.05	X	.19	X	.30	31 649
TOTAL	2.19	.91	1.92	2.05	3.04	1.67	2.57	1.80	2.48	3.59	2.25	1.97	YEAR'S TOTAL 25.54
Days with "01 in. or more.	17	12	10	16	18	12	14	17	15	16	13	16	176
Days with "04 in. or more	12	10	8	12	14	9	8	10	9	12	11	8	123

Section



for the entry of Daily Observations.

AIR MINISTRY.

FOR OFFICIAL USE.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

300

Register of Rainfall in 1925.

Kept at *S. Petrus Court, Broadstairs*

in the County of *Kent*

Diameter of Funnel of Gauge *5* in.

Height of top of Gauge above Ground *1* ft. *—* in.

„ Ground „ Sea Level *135* ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in	in.	in.	in.	in.	
1	.17	.01	.04	.01	.02	—	~~.10~~	.34	.06	—	.17	.06	1
2	.07	—	—	.15	—	—	.10	.01	.03	—	.32	—	2
3	.27	—	—	—	.22	—	.38	—	.02	—	.04	—	3
4	—	—	—	—	.03	—	.02	.02	—	—	.03	—	4
5	—	—	—	.01	—	—	.01	—	.23	—	.28	—	5
6	—	.14	.01	.05	.14	—	.22	—	.05	—	.30	—	6
7	—	.03	—	—	—	—	.22	—	—	.03	.12	—	7
8	—	.01	.14	—	.13	—	—	—	—	.12	.25	.04	8
9	—	—	—	.22	.01	—	—	.04	.02	.01	.01	—	9
10	—	—	.22	—	.11	—	—	.19	.08	—	.62	—	10
11	—	.05	.03	—	—	—	—	.03	.25	—	.08	—	11
12	—	.30	.01	—	—	—	—	.03	.13	.15	—	—	12
13	—	.20	.21	.05	—	—	—	—	—	.03	.14	—	13
14	.02	.03	.05	.24	—	—	—	—	—	—	—	.03	14
15	.11	.15	—	.01	—	—	—	—	—	.27	.05	—	15
16	.02	—	—	—	—	—	—	—	.01	.02	—	—	16
17	.01	.01	—	—	.07	—	—	—	—	—	—	.01	17
18	—	.04	—	—	.32	—	.03	—	—	.05	—	—	18
19	—	.01	—	.02	.02	.03	—	—	.01	.72	—	.22	19
20	—	.43	.16	—	—	—	.04	—	.91	.21	—	.33	20
21	—	.02	.04	—	—	.06	—	.03	.03	.02	—	.77	21
22	—	—	.07	.08	—	.02	.16	—	.30	.30	.03	.27	22
23	—	.13	.01	.20	.55	.27	.10	.20	—	.29	.34	.03	23
24	—	.34	.16	.17	.06	.20	.14	.11	—	—	.08	—	24
25	.05	.82	—	.12	—	.01	—	.02	.39	.01	.20	.03	25
26	—	.06	—	—	—	.12	.10	—	—	.13	—	.06	26
27	.06	.04	—	—	.20	—	.20	.02	—	—	.12	.02	27
28	.07	.04	.02	.18	—	—	—	—	—	—	—	.21	28
29	.04	—	—	.15	.07	—	.01	—	—	—	.09	.30	29
30	—	X	—	.25	—	—	.30	—	—	—	.11	.15	30
31	—	X	.03	X	—	X	.16	—	X	—	X	.01	31
TOTAL	.89	2.86	1.20	1.91	1.95	.71	2.19	1.04	2.52	2.36	3.38	2.54	YEARS TOTAL 23.55
Days with .01 in. or more.	11	20	15	16	14	7	16	12	15	15	20	16	177
Days with .04 in. or more.	8	13	9	12	10	4	12	5	9	9	17	10	118

(Signed) *A. J. Richardson* B.T.O.

RE

N 192/

JAN 1922

Kept at 20 Ha

in the County of

by Rev. F. N

BROMLEY

KENT

IMPORTANT NOTE

If an Observer prefers not the reading at 9 a.m. on 1s this paragraph. Full instru and particulars as to the sent post-free on applicatio Square, London, N.W. 1.

1921-1922

Long. 8.30.2 m
ay Station Bromley N. 5.5.18
unnel of Rain Gauge 5 in.
of Gauge above Ground 1 ft. in.
" " Sea Level 23/ ft.

the result entered to the previous day.

mostly requested to add
ided for it at the end of
d placing of rain gauges,
for Rainfall Observers,"
rganization, 62, Camden

Jan. 1, following.

on this form.

Date	Jan.	Feb.	Mar.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	
1	.14		.11	.02		.01	.14	1
2	.02					.43		2
3					.11	.38		3
4	.08		.05			.28		4
5		.05			.10	.26		5
6	.12		.17					6
7	.28							7
8								8
9					.01			9
10	.09		.05		.02	.30		10
11	.11				1.26			11
12	.18	.03	.03	.24	.37		.13	12
13	.11		.06	.12	.05			13
14			.14				.28	14
15			.05					15
16	.02		.05	.02		.34		16
17	.06		.09	.12	.02			17
18	.06		.31			.04		18
19			.17				.04	19
20			.03			.13		20
21						.07		21
22						.14	.20	22
23			.26	.26	.03		.09	23
24			.05				.05	24
25		.10		.26			.08	25
26				.02			.17	26
27	.08							27
28			.17	.07			.03	28
29			.08				.04	29
30	.14		.03			.21	.05	30
31	.03							31
TOTAL	1.52	.18	.96	.98	1.75	.75	1.32	11.86
Days with ".01 in. or more	15	3	10	8	7	6	8	12
Days with ".04 in. or more	12	2	8	7	6	3	7	11

No measurements taken till June 19
quantity found in gauge on June 18.

No measurements taken from
May 23rd to June 18th.

May + June

REGISTER OF RAINFALL IN 1921

JAN 1922

Kept at 20 Hammerton Road
 in the County of Bromley
 by Rev. F. N. Kent
Style

Lat. _____ Long. _____
 Time of Observation 8.30 a.m.
 Nearest Railway Station Bromley N. S&CR
 Diameter of Funnel of Rain Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. _____ in.
 " " " " Sea Level 231 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.14		.11						.02		.01	.14	1
2	.02				.06						.43		2
3					.13			.10		.11	.38		3
4	.08		.05		.26						.28		4
5		.05						.10			.26		5
6	.12		.17		.02								6
7	.28				.13								7
8													8
9									.01				9
10	.09			.05					.02	.30			10
11	.11								1.26				11
12	.18	.03	.03					.24	.37			.13	12
13	.11		.06					.12	.05				13
14				.14	.05							.28	14
15				.05	.08								15
16	.02			.09				.02			.34		16
17	.06		.09	.31				.12	.02				17
18	.06									.04			18
19			.17									.04	19
20			.03							.13			20
21											.07		21
22										.14		.20	22
23				.26				.26		.03		.09	23
24				.05								.05	24
25		.10				.26						.08	25
26						.02						.17	26
27	.08												27
28			.17				.07					.03	28
29			.08									.04	29
30	.14			.03							.21	.05	30
31	.03												31
TOTAL	1.52	.18	.96	.98	1.41		.07	.96	1.75	.75	1.98	1.32	YEAR'S TOTAL
Days with .01 in. or more	15	3	10	8	May + June		1	7	7	6	8	12	
Days with .04 in. or more	12	2	8	7			1	6	3	5	7	11	

Measurements taken by rain gauge

AIR MINISTRY.

411

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1922.

Kept at 20 Hammett Road, Bromley
in the County of Kent.
by Rw. F N. Style.

Lat. _____ Long. _____
Time of Observation 8.30 a.m.
Nearest Railway Station Bromley North
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 251 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.07	.12		.04				.03		.40	.23	1
2	.08	.24	.08	.12					.05				2
3		.12	.06	.67	.17			.10			.13		3
4		.11	.13		.05			.04		.27			4
5			.13	.12						.05	.44		5
6	.05		.06					.57			.14		6
7	.96		.31	.18				.11				.01	7
8	.04		.13	.10								.95	8
9	.06							.12		.04			9
10									.10		.11		10
11	.04				.09			.14					11
12				.38				.15	.16				12
13				.28					.02				13
14				.02					.49				14
15	.33	.16		.02									15
16		.07		.23	.09				.02			.12	16
17		.34		.03	.02				.07			.11	17
18	.51											.05	18
19	.53	.04	.07						.45	.36		.39	19
20										.06			20
21	.10	.40	.03	.06						.03		1.00	21
22	.01	.04		.26	.12			.13				.05	22
23		.01							.13				23
24	.07		.05	.11	.13			.15	.02				24
25	.16			.29	.92							.13	25
26	.17	.16	.05	.17							.03	.09	26
27	.17	.12	.11	.25				.13	.04	.07		.28	27
28		.30	.17						.10		.04	.03	28
29	.05							.17		.16		.12	29
30		X	.18					.33	.23		.04	.56	30
31	.06	X		X		X		.15	X	.02	X	.50	31
TOTAL	2.49	2.13	1.68	3.29	1.63		4.15	2.29	1.91	1.06	1.33	3.72	YEAR'S TOTAL
Days with 0.1 in. or more	17	14	15	17	9	(1.50)	(2.65)	13	14	9	8	16	25.68
Days with 0.4 in. or more	16	12	14	14	8			13	10	7	7	14	115

AIR MINISTRY.
METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
REGISTER OF RAINFALL IN 1923.

Kept at 20 Steamworks Rd Bromley
in the County of Kent
by Rev. F. N. Style.

Lat. _____ Long. _____
Time of Observation 8.30 a.m.
Nearest Railway Station Bromley N
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 251 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan. in	Feb. in	March in	April in	May in	June in	July in	August in	Sept. in	Oct. in	Nov. in	Dec. in	Date
1			13								18		1
2	12	02	08		10			01	01	19		15	2
3	02					03				1.04			3
4									09			12	4
5	18			11						04	03	02	5
6	25	03	05			10							6
7	02	89	40		02					34		10	7
8	05	18	02			From				29	57		8
9	09	02	08	02		7 th	2.00				02		9
10		09		28			05			31			10
11	04			39	17	6		21		43		01	11
12	02	43	67	09	29	25 th	04	02		39			12
13		10	22	04		including			19		31		13
14		05	05		02				07				14
15		01	04	01	15	28	03				20		15
16		05			08						22		16
17		01					02	06	04				17
18		16						21					18
19	23	05					02		13	86		07	19
20	04	04							33	09			20
21		16	11							19	06	24	21
22		48	05	05	01				14	20		08	22
23			08		55		02	43		36		09	23
24				03				1.31	12				24
25		03	05	47	01		15		04	31		36	25
26		21	18	02						21		25	26
27		03	06		11		02	15		10		09	27
28		14		26	40		08				12		28
29	15		05	04	60		02	36				20	29
30		X					06			15		15	30
31		X		X		X	30		X	08	X	13	31
TOTAL	1.21	3.16	2.32	1.81	2.51	.41	2.79	2.76	1.16	5.51	1.71	2.01	YEAR'S TOTAL
Days with 01 in. or more	12	21	17	13	13	(9)	13	9	10	18	9	15	27.36
Days with 04 in. or more	9	13	16	9	9	(4)	4	7	9	17	7	13	(15.9)

BROMLEY

ANIZATION.

3.

423
JAN

Kept at Bromley

in the County of Kent

by C. E. Satter

KENT

1923 - 30

IMPORTANT NOTE
previous day. If an Observer
to add the reading at 9 a.m.
this paragraph. Full instructions
particulars as to the British
on application to THE SUP
Kingsway, London, W.C.2,

am
Bromley North
in Gauge 5 in.
ve Ground — ft. 9 in.
Sea Level 200 ft.

e) and the result entered to the
earnestly requested
or it at the end of
f rain gauges, and
ers." sent post-free
rice, Air Ministry,
Place, Edinburgh.
91.

Jan. 1, following.

Date	Jan.	Feb.	march	April	may	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.05	.02	.17	—	—	—	—	—	.01	.07	.19	.11	1
2	.12	—	.10	—	.09	—	—	—	—	.15	—	.09	2
3	.04	—	—	—	—	.04	—	—	—	1.00	—	.01	3
4	.01	—	—	—	—	—	—	—	.11	.01	—	.10	4
5	.22	.03	—	.09	—	.05	—	—	—	.09	.05	.03	5
6	.26	.05	.08	.02	—	.10	—	—	—	—	—	—	6
7	.02	.23	.38	—	.03	—	—	—	—	.36	—	.15	7
8	.05	.03	.03	—	.01	—	—	—	—	.31	.57	—	8
9	.06	.10	.06	.02	.01	—	1.98	—	—	.01	.04	—	9
10	—	.06	—	.30	.11	—	.04	—	—	.33	.01	—	10
11	.05	.43	—	.40	.09	.01	—	—	—	.28	—	—	11
12	—	.11	.69	.10	.26	.07	—	—	—	.52	.01	.02	12
13	—	.07	.25	.05	—	—	.05	—	—	.01	.36	—	13
14	—	.02	.04	.02	.02	—	—	.09	.20	.01	—	—	14
15	.01	.05	.05	—	.19	.12	.02	—	.08	—	.21	.02	15
16	—	.03	—	—	.10	.03	.01	—	—	.01	.23	—	16
17	.01	.13	—	—	.01	—	.03	.09	.05	—	—	—	17
18	.08	.05	—	—	—	.02	—	.18	.02	.03	.01	.07	18
19	.17	.04	—	—	—	—	.03	—	.11	.77	—	.09	19
20	.04	.17	.12	—	.01	.01	—	—	.32	.09	.01	.16	20
21	—	.35	.04	.05	.04	—	—	—	.01	.08	.07	.15	21
22	—	.03	.02	—	—	—	—	—	.11	.18	.01	—	22
23	—	.01	.09	.01	.59	—	.02	.47	.01	.40	—	.01	23
24	—	.14	—	.01	.01	—	—	1.12	.16	—	—	.08	24
25	—	.12	.05	.53	.03	.11	.17	.01	.08	.34	—	.34	25
26	—	.04	.18	.04	—	—	—	.01	—	.29	—	.32	26
27	—	.11	.07	—	.13	—	.03	.11	—	.08	—	.15	27
28	.01	—	—	.31	.39	—	.10	—	—	—	.11	.01	28
29	.14	X	.04	.02	.54	—	.03	.38	—	—	—	.24	29
30	.01	X	—	—	—	—	.08	—	—	.16	—	.15	30
31	—	X	—	X	.01	X	.28	.02	X	—	X	.14	31
TOTAL	1.35	3.42	2.46	1.97	2.67	.56	2.87	2.48	1.27	5.58	1.88	2.40	YEAR'S TOTAL
Days with 01 in. or more	18	24	18	15	20	10	14	10	13	24	14	20	200
Days with 04 in. or more	12	17	16	9	11	6	7	7	9	18	9	14	135

REGISTER OF RAINFALL IN 1923.

Kept at Bromley Hill
 in the County of Kent
 by Mr E. Satterthwaite C.B. J.R.

Lat. _____ Long. _____
 Time of Observation 8 am
 Nearest Railway Station Bromley North
 Diameter of Funnel of Rain Gauge .5 in.
 Height of top of Gauge above Ground — ft. 9 in.
 " " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.05	.02	.17	—	—	—	—	—	.01	.07	.19	.11	1
2	.12	—	.10	—	.09	—	—	—	—	.15	—	.09	2
3	.04	—	—	—	—	.04	—	—	—	1.00	—	.01	3
4	.01	—	—	—	—	—	—	—	.11	.01	—	.10	4
5	.22	.03	—	.09	—	.05	—	—	—	.09	.05	.03	5
6	.26	.05	.08	.02	—	.10	—	—	—	—	—	—	6
7	.02	.23	.38	—	.03	—	—	—	—	.36	—	.15	7
8	.05	.03	.03	—	.01	—	—	—	—	.31	.57	—	8
9	.06	.10	.06	.02	.01	—	1.98	—	—	.01	.04	—	9
10	—	.06	—	.30	.11	—	.04	—	—	.33	.01	—	10
11	.05	.43	—	.40	.09	.01	—	—	—	.28	—	—	11
12	—	.11	.69	.10	.36	.07	—	—	—	.52	.01	.02	12
13	—	.07	.25	.05	—	—	.05	—	—	.01	.36	—	13
14	—	.02	.04	.02	.02	—	—	.09	.20	.01	—	—	14
15	.01	.05	.05	—	.19	.12	.02	—	.08	—	.21	.02	15
16	—	.03	—	—	.10	.03	.01	—	—	.01	.23	—	16
17	.01	.13	—	—	.01	—	.03	.09	.05	—	—	—	17
18	.08	.05	—	—	—	.02	—	.18	.02	.03	.01	.09	18
19	.17	.04	—	—	—	—	.03	—	.11	.77	—	.09	19
20	.04	.17	.12	—	.01	.01	—	—	.32	.09	.01	.16	20
21	—	.35	.04	.05	.04	—	—	—	.01	.05	.07	.15	21
22	—	.03	.02	—	—	—	—	—	.11	.18	.01	—	22
23	—	.01	.09	.01	.59	—	.02	.47	.01	.40	—	.01	23
24	—	.14	—	.01	.01	—	—	1.12	.16	—	—	.08	24
25	—	.12	.05	.53	.03	.11	.17	.01	.08	.34	—	.34	25
26	—	.04	.18	.04	—	—	—	.01	—	.29	—	.32	26
27	—	.11	.07	—	.13	—	.03	.11	—	.08	—	.15	27
28	.01	—	—	.31	.39	—	.10	—	—	—	.11	.01	28
29	.14	X	.04	.02	.54	—	.03	.38	—	—	—	.24	29
30	.01	X	—	—	—	—	.08	—	—	.16	—	.15	30
31	—	X	—	X	.01	X	.28	.02	X	—	X	.14	31
TOTAL	1.35	3.42	2.46	1.97	2.67	.56	2.87	2.48	1.27	5.58	1.88	2.40	YEAR'S TOTAL
Days with 01 in. or more	18	24	18	15	20	10	14	10	13	24	14	20	200
Days with 04 in. or more	12	17	16	9	11	6	7	7	9	18	9	14	135

+ See rule at page 100 of the Handbook for the use of the

you have from Bromley Hill (Wendover)

AIR MINISTRY.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1924.

FORM 1090.

392

Kept at T 73 Plaistow Lane, Bromley

in the County of Kent

by C. A. S. Kesteven

Lat. Long.

Time of Observation 8 am

Nearest Railway Station Sandridge Park (4 1/2 m W)

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 9 ft.

Sea Level 230 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.03	—	—	—	.05	.23	.08	.05	—	—	.43	.02	RRW 1
2	.05	—	.17	—	.01	.34	.02	.18	—	—	.01	.09	WR 2
3	—	—	.01	—	.12	.05	.08	.19	.08	—	—	—	3
4	—	—	—	.02	.01	.56	—	—	.08	.11	—	.09	4
5	—	.16	.15	—	.02	—	.01	—	—	.05	—	.16	5
6	—	.03	—	—	—	—	—	.24	—	.33	—	.01	6
7	.01	—	—	—	.01	.47	—	—	.08	.32	—	—	7
8	.18	.02	—	.24	.17	.02	—	—	—	.11	—	.01	8
9	.04	.14	—	.03	.02	.03	—	—	.23	—	—	—	9
10	.25	—	—	.18	.28	.01	—	—	—	—	—	—	10
11	.62	—	—	.44	.14	.24	—	—	—	.01	.57	.01	11
12	.01	.04	—	.25	.04	.68	—	.02	.03	—	.75	.13	12
13	.02	—	—	.19	.53	—	—	.10	.50	—	.04	.02	13
14	.02	—	—	.16	.01	—	—	.01	—	—	.01	.44	14
15	—	.03	—	.04	—	—	—	—	.04	—	—	.06	15
16	—	—	—	—	—	—	.01	.11	.07	—	—	—	16
17	.09	—	—	—	.02	—	.74	.07	.02	—	—	—	17
18	.36	.09	—	—	.45	.13	—	.49	—	.03	.06	.01	18
19	.16	—	—	—	.01	—	—	.18	—	.05	.03	—	19
20	.01	—	—	—	.02	—	.08	.05	.06	.02	—	—	20
21	.42	—	—	—	.02	—	.10	.09	.12	.68	—	—	21
22	.47	.02	.02	—	.19	—	.05	.21	.08	—	—	—	22
23	—	—	.27	—	.13	—	.01	.06	.12	—	—	.53	23
24	.40	.07	.07	.03	.13	—	—	.10	—	—	.10	.25	24
25	.01	.01	.09	.05	—	—	.53	.01	.51	.02	.14	—	25
26	—	—	—	.35	—	—	.13	—	.56	.10	.39	.25	26
27	—	.12	—	.44	—	.01	.29	—	.01	.12	.31	.73	27
28	—	—	—	.07	—	—	.32	.09	—	.01	.10	—	28
29	—	.08	—	.20	.35	—	.15	.32	.03	.55	.20	.06	29
30	.01	X	—	1.05	.01	—	.06	.17	.67	.64	.32	.30	30
31	.01	X	—	X	.64	X	—	.12	X	.09	X	.12	8 34 31
TOTAL	2.57	.81	.78	3.74	3.38	2.77	2.66	2.86	3.29	3.24	3.46	3.29	YEAR'S TOTAL (32.35)
Days with .01 in. or more	20	12	7	16	24	12	16	21	18	17	15	19	(197)
Days with .04 in. or more	10	7	5	13	13	8	12 1/2	18	14	12	12	13	(137)

+ Records for Jan-Feb & March from Windermere
Bromley Bk.
as before

New address is entered on the form & from April (inc)
new records are from 73 Plain Stow Lane which is
1 mile E of Bromley Bk.

Lease 7 ft. by 30 ft. S.
(side B)

Sundridge Park 300 yds. N.W.
St Johns, Bromley 500 > S.W

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1925.

AIR MINISTRY.

FOR OFFICIAL USE.

County No.

River Dist.

Station No. 391

Kept at

Somerset House, Strand, London

Lat.

Long.

Time of Observation

8 am

Nearest Railway Station

Sandridge Park

Diameter of Funnel of Rain Gauge

5 in.

Height of top of Gauge above Ground

9 ft.

Sea Level

234 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.


.03

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.62	—	.12	—	.30	.16	—	—	.08	—	—	.04	1
2	.19	.01	—	.09	.02	—	—	.23	.08	.02	.30	—	2
3	.09	.01	—	.22	—	—	—	—	—	—	.35	—	3
4	—	—	—	—	.00	—	.01	—	.04	—	.20	—	4
5	—	.13	.01	—	.13	—	—	.25	.01	.02	.13	—	5
6	—	.24	—	.33	—	—	—	—	.12	—	.05	—	6
7	—	.10	.03	.15	.14	—	.24	.04	—	—	.30	—	7
8	.06	.01	.02	.34	.02	—	.24	—	.01	.03	.08	.08	8
9	—	.01	—	—	.06	—	—	—	.05	—	.03	.12	9
10	—	—	.05	.04	.03	—	—	.14	.26	—	.10	—	10
11	—	.09	.01	—	—	—	—	.16	.28	—	.10	.03	11
12	—	.68	—	—	—	—	—	—	.06	—	.15	—	12
13	—	.49	.15	—	—	—	—	.03	.01	.15	—	—	13
14	.10	.23	.05	.06	—	—	—	.11	—	.01	—	—	14
15	.20	—	—	.17	—	—	—	—	—	—	—	—	15
16	—	.02	—	.12	.01	—	—	—	—	.25	—	—	16
17	—	—	—	.01	—	—	—	—	.12	.08	—	—	17
18	—	.08	—	.01	—	—	—	—	—	.03	—	—	18
19	.01	—	—	.01	.17	—	.14	.03	—	.03	—	.01	19
20	—	—	—	—	.02	—	—	—	.18	.80	—	.13	20
21	—	—	.11	—	.01	—	.15	.08	.50	.23	—	.18	21
22	—	—	.02	—	—	—	.17	.18	.04	.25	—	.30	22
23	—	.13	.05	.08	—	—	1.45	.09	.65	1.10	—	.60	23
24	—	.31	.06	.15	.45	—	.07	.30	.02	.02	—	.03	24
25	.08	.76	—	—	—	.16	—	.18	—	.03	.12	.04	25
26	.01	.32	.01	.02	.02	—	.04	—	.20	.04	—	.08	26
27	.28	.05	—	.05	—	.03	.38	.26	.05	.25	—	.10	27
28	.10	.01	—	.02	.22	—	.38	.09	—	—	.10	.04	28
29	.08	X	—	.17	—	—	—	—	.05	—	—	.16	29
30	—	X	—	—	.07	—	.02	—	.02	—	.05	.22	30
31	.12	X	—	X	—	X	.24	—	X	—	X	.78	31
TOTAL	1.94	3.68	.69	2.04	1.77	.25	3.53	2.25	2.78	3.44	2.06	2.04	27.40
Days with 0.1 in. or more.	13	19	13	18	16	8	13	15	20	17	14	17	178
Days with 0.4 in. or more.	11	13	7	14	9	8	11	13	15	9	14	13	130

AIR MINISTRY, METEOROLOGICAL OFFICE.

SOUTH KENSINGTON, LONDON, S.W. 7.



QUERY FORM.

On examination of the return of observations made at

Peaslow Lane Bromley 1925

the following queries arise by comparison of the readings with the charts, &c. The Director will be obliged if the book containing the original observations may be referred to and this paper returned, with the required information, as soon as possible.

QUERY.

An examination of your rainfall return for 1925, indicates that observations have been entered to the day of reading since March 20th, instead of being "thrown back" and therefore to arrive at the total for last year, we require the reading of January 1st of this year.

Will you please enter this amount on the opposite side of this form.

A copy of "Rules for Rainfall Observers" is enclosed, which, it is hoped will be of assistance to you.

J.S.
3.3.26.

REPLY.

The rainfall at Peaslow Lane Bromley measured on the morning of January 1st 1926 was 0.3 inch
I am sorry.

Signed

Wattuth wait

N.B.—This paper should be folded so as to bring the printed address outside, and returned immediately. Sealing is unnecessary and defaces or causes a gap in the paper, which is to be filed in the Meteorological Office.

For use in M.O. 3.

1. The amendments indicated in red ink are adopted..... *AEC*
2. Necessary corrections made in Monthly Return.....
3. " " " " Weekly (Form 3110).....

For use in M.O. 2.

4. Necessary corrections noted in Forecast Division



FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Register of Rainfall in 1926.

Kept at Somersham House, Plaistow Lane, Bromley
in the County of Kent

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 9 ft. 9 in.
" Ground " Sea Level 234 ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.29	.17	—	—	—	.17	—	—	.25	—	.01	—	1
2	.07	.55	—	—	—	<u>1.06</u>	.01	—	.31	—	—	—	2
3	.04	.06	.06	—	—	—	—	—	.01	—	—	—	3
4	—	—	.05	.73	—	—	.23	—	—	—	—	—	4
5	.04	.08	.09	—	.07	—	.07	—	—	—	.35	—	5
6	.07	.38	—	.41	—	.01	.07	.08	.31	—	.05	.21	6
7	.29	.03	—	.28.28	.08	.10	.01	.34	.05	—	.22	.02	7
8	—	—	—	.24	—	—	—	.04	.01	.11	.71	—	8
9	—	.01	.02	—	—	.30	.01	.22	—	.03	.20	—	9
10	—	—	—	—	.02	.11	—	.18	—	.01	.29	—	10
11	.01	.19	—	—	.08	.14	—	.30	—	.02	.02	.01	11
12	—	.08	—	—	.09	.04	—	—	.07	.26	.01	.01	12
13	.02	.01	—	—	—	—	—	.02	—	.17	.93	.01	13
14	.22	—	—	.06	.54	.16	—	—	—	.65	.03	.10	14
15	.11	.03	—	.29	—	—	—	—	—	.34	.06	—	15
16	—	.23	—	.27	.02	—	—	.18	—	—	.01	—	16
17	—	.63	—	.08.05	.04	.66	—	—	—	—	.08	.19	17
18	.10	.08	—	.18.18	.07	—	.33	.04	—	—	.42	—	18
19	—	—	.02	.02	.09	—	.28	—	—	.01	.01	—	19
20	.01	—	—	.34	.02	—	—	.09	—	.12	.56	—	20
21	—	—	—	.19	.04	.01	.05	—	—	.02	.30	—	21
22	.23	.08	.01	.19	—	—	—	—	—	.13	.04	.03	22
23	.09	.03	—	—	—	.06	—	—	—	.53	—	—	23
24	—	—	.01	—	.05	.09	.04	—	.13	—	—	—	24
25	.10	—	.01	<u>1.01</u>	—	—	.10	—	.01	.19	.05	.05	25
26	—	—	—	.02	—	—	.30	—	.08.08	—	.17	—	26
27	.06	—	.01	.16	.01	.15	—	—	.26	.25	.01	—	27
28	.35	—	—	.17	—	—	.39	—	.01	—	.20	—	28
29	.06	X	—	.10	.16	—	.01	—	—	.07	.51.51	—	29
30	.03	X	—	.11	.07	—	.03	—	—	.01	.23	—	30
31	.15	X	—	X	.01	X	—	.38	X	—	X	—	31
TOTAL	2.34	2.64	.28	4.82	1.46	3.06	1.93	1.87	2.00	2.92	5.47	.63	YEAR'S TOTAL
Days with .01 in. or more.	20	16	9	19	17	14	15	11	12	17	25	9	184
Days with .04 in. or more.	16	10	3	17	12	12	10	10	8	11	18	4	137

(Signed)

W. H. H. H. H. H.

(P.T.O.)



FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1927. 363

Kept at Somersham House, Plaistow Lane
 in the County of Kent

Diameter of Funnel of Gauge.....5 in.
 Height of top of Gauge above Ground.....9 in.
 „ „ Ground „ „ Sea Level 234 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	1.32	—	.03	—	—	.70	.28	—	.05	.35	—	1
2	—	—	.08	.09	—	—	.01	—	—	.08	.05	—	2
3	.05	.01	—	—	—	—	.01	—	—	—	.01	.02	3
4	.01	—	.03	.02	.10	—	.07	—	—	—	—	.01	4
5	.06	.14	.18	.45	.01	.18	.01	.15	—	—	.10	.01	5
6	—	—	.17	.14	.55	.08	.81	.01	.07	—	—	—	6
7	.04	.32	.04	.58	—	—	.07	.33	—	.01	.02	—	7
8	.02	—	—	.25	—	—	.01	.18	—	.01	.03	—	8
9	—	—	—	.12	—	—	.06	.10	.10	—	—	—	9
10	—	—	.01	—	—	—	—	—	.62	.03	—	—	10
11	—	—	—	.03	—	—	.19	—	—	—	—	.02	11
12	.05	—	.03	—	.03	—	.02	.04	—	—	—	—	12
13	.08	—	—	.01	—	—	.03	.15	.12	—	—	.02	13
14	.31	—	—	.08	.25	—	.58	.18	1.25	—	—	.44	14
15	—	—	—	—	—	—	.01	.23	.03	—	.02	.02	15
16	—	—	—	—	—	—	.01	.48	.15	—	—	—	16
17	.50	—	—	—	—	.22	—	.49	.27	—	—	.01	17
18	.05	—	—	—	—	.41	—	.14	.04	—	.05	.01	18
19	.03	.15	—	—	—	.02	—	.04	—	.02	.09	—	19
20	.08	.13	—	—	—	—	.06	.40	—	—	.50	.10	20
21	.10	.08	—	—	.08	.02	—	.11	.07	.13	.06	.51	21
22	.11	.06	.15	—	.09	.10	—	.05	.18	.34	—	.44	22
23	.01	.44	.22	—	—	.05	.02	—	.62	.02	.10	.50	23
24	—	.10	.06	.03	—	.37	—	.15	.01	—	—	—	24
25	—	.33	.66	—	—	.27	—	.15	.13	.02	.01	1.36	25
26	.17	.50	.10	—	.15	.10	.05	—	.08	.02	.01	.41	26
27	.14	.32	—	—	.33	.40	.64	—	—	.35	—	—	27
28	.24	.28	—	.04	.02	.53	—	—	—	.02	.15	—	28
29	—	X	.10	—	—	.16	—	.02	.48	—	.95	—	29
30	.13	X	.02	—	—	.44	—	—	—	.11	.01	—	30
31	.05	X	.39	X	.02	X	—	—	X	.20	X	.34	31
TOTAL	2.23	4.08	2.24	1.87	1.63	3.36	3.36	3.68	4.12	1.41	2.51	4.32	YEARS TOTAL
Days with "01 in. or more.	20	14	15	13	11	15	19	20	16	15	17	17	192
Days with "04 in. or more.	16	13	11	8	7	13	10	18	14	7	10	9	136

Please read the Notes and Instructions Overleaf.

J. J. Antikowitz

Section **A** for the entry of Daily Observations.

375
FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1928.

Kept at Sourasham House Pleistocene
Brounley Kent
in the County of
Diameter of Funnel of Gauge..... 5 in.
Height of top of Gauge above Ground..... ft. 9 in.
„ Ground „ Sea Level 234 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	04	-	10	24	01	-	-	42	-	-	06	01	1
2	51	50	01	-	02	-	-	-	-	-	01	03	2
3	-	-	-	15	63	-	44	30	-	-	06	05	3
4	14	25	-	01	-	03	-	75	-	-	-	-	4
5	18	-	15	06	-	-	06	-	-	01	-	01	5
6	-	-	01	-	-	25	-	19	-	-	-	06	6
7	-	-	01	02	-	25	-	02	-	-	-	-	7
8	-	02	09	-	-	32	01	10	-	07	-	-	8
9	08	-	06	01	-	04	-	-	35	06	-	01	9
10	19	11	06	18	-	04	-	-	-	06	15	-	10
11	11	13	-	05	-	03	-	11	-	13	25	19	11
12	20	16	01	03	-	-	-	-	-	04	-	10	12
13	-	07	-	-	-	65	-	01	-	-	06	01	13
14	04	10	27	02	04	39	-	02	-	54	20	-	14
15	-	-	-	59	21	-	-	-	-	02	25	10	15
16	06	06	-	05	09	-	-	-	-	05	24	21	16
17	-	-	01	01	28	-	-	-	-	15	10	-	17
18	47	-	02	05	36	08	-	13	-	22	10	01	18
19	-	-	-	-	31	01	-	07	-	39	20	03	19
20	08	-	-	-	01	-	-	-	-	25	05	18	20
21	11	-	05	15	27	-	-	09	-	25	27	-	21
22	-	-	09	-	07	-	-	-	-	99	15	08	22
23	21	-	05	-	23	-	-	-	11	08	15	10	23
24	04	-	33	-	01	-	-	10	01	03	18	15	24
25	06	-	01	-	-	01	-	-	-	02	05	03	25
26	28	-	-	-	-	04	19	21	-	56	-	20	26
27	04	-	04	-	-	09	83	06	01	03	-	67	27
28	24	-	-	-	-	-	01	-	19	-	-	20	28
29	08	05	32	-	-	-	-	-	02	06	03	41	29
30	01	X	26	15	-	06	39	01	-	03	-	19	30
31	12	X	32	X	-	X	9	06	X	01	X	-	31
TOTAL	3.29	1.45	2.33	1.77	2.84	2.29	2.02	3.15	7.0	4.05	2.56	3.11	YEAR'S TOTAL
Days with "01 in. or more.	22	10	21	16	14	15	8	17	6	23	19	23	194
Days with "04 in. or more.	21	9	14	10	10	11	6	13	3	16	17	15	145

Section **A**

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1929.

Kept at Somersham House Plaistow Lane
in the County of Kent Bromley

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 9 ft.
Ground Sea Level 236 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	02	—	01	—	02	—	.50	—	18	—	01	1
2	—	12	—	—	—	01	04	—	—	28	03	24	2
3	—	—	—	—	—	—	1.05	—	01	04	—	18	3
4	—	—	—	27	17	29	54	—	—	—	—	72	4
5	—	—	01	02	62	13	—	19	—	28	—	36	5
6	01	—	—	—	22	02	01	15	—	08	06	63	6
7	—	—	—	—	—	—	—	36	—	45	43	43	7
8	—	—	—	01	05	08	—	—	—	28	—	29	8
9	04	17	—	01	—	—	—	—	—	—	—	41	9
10	21	03	—	05	—	—	—	—	—	06	07	21	10
11	—	—	—	17	04	—	—	—	—	01	70	03	11
12	—	—	01	15	23	24	—	—	—	—	—	11	12
13	04	—	—	02	04	02	—	01	—	—	—	—	13
14	—	—	—	—	06	14	—	—	—	—	—	15	14
15	03	02	—	—	—	06	—	—	—	—	49	09	15
16	—	—	—	—	—	—	—	74	—	—	79	—	16
17	01	—	—	—	—	—	—	22	—	01	—	—	17
18	—	—	—	—	—	—	—	10	—	—	24	—	18
19	—	—	—	—	—	—	—	—	01	—	03	—	19
20	02	—	—	—	—	—	.05	03	—	33	—	09	20
21	05	—	01	—	—	—	—	01	—	—	—	40	21
22	01	—	—	—	—	—	—	02	—	—	14	—	22
23	—	03	—	—	—	—	—	—	—	08	31	24	23
24	—	—	01	—	—	—	—	01	—	1.12	45	53	24
25	01	04	01	—	—	—	—	—	—	05	17	—	25
26	—	—	—	05	—	—	—	—	—	—	11	08	26
27	—	01	—	01	—	—	—	—	—	—	84	03	27
28	08	—	—	03	—	—	17	—	—	05	31	—	28
29	08	X	—	52	—	—	—	—	06	01	34	07	29
30	—	X	—	—	—	03	—	—	07	—	20	09	30
31	30	X	—	X	—	X	15	—	X	—	X	—	31
TOTAL	.89	.50	.05	1.33	1.44	1.05	2.01	2.34	.15	3.28	5.41	5.39	YEAR'S TOTAL 23.84
Days with ".01 in. or more.	13	8	5	13	8	11	7	12	4	16	18	22	137
Days with ".04 in. or more.	7	3	0	6	8	6	6	7	2	13	16	19	93

(Signed) Esther Newall

Section



for the entry of Daily Observations.

413
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at Somersham House, Plaistow Lane
in the County of Kent

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 9 ft. 9 in.
" Ground " Sea Level 234 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.05	25	—	.09	—	—	—	—	—	—	27	—	1
2	—	41	—	.02	.03	.04	.03	.06	—	—	51	—	2
3	.01	21	—	.40	.13	—	—	.48	—	.02	.04	—	3
4	.43	.05	—	.06	—	—	—	.10	.09	.13	—	—	4
5	—	—	—	—	.18	—	—	.36	—	.04	—	—	5
6	—	—	10	—	.07	—	—	.09	.55	.03	—	—	6
7	.09	—	2	—	.01	—	—	.12	.01	.13	.38	.05	7
8	.02	.03	—	.02	—	—	—	—	.03	.01	—	.09	8
9	.14	—	.04	—	.41	—	—	—	.11	—	.01	.01	9
10	—	—	.23	—	.10	—	—	.09	.40	—	—	.03	10
11	.43	.01	—	.01	.10	—	—	—	—	—	—	.55	11
12	.22	—	—	.13	.17	—	—	.10	.04	—	—	.20	12
13	.20	.01	.14	.32	.08	—	.05	.25	.24	—	—	—	13
14	.02	.12	.12	.01	—	—	.38	—	—	—	—	—	14
15	.07	.01	.59	.03	—	—	.09	—	—	.03	.28	—	15
16	—	—	.15	—	—	.02	.08	—	.05	—	—	—	16
17	—	—	—	—	—	.14	—	—	.26	.24	—	—	17
18	—	—	.01	.15	.10	.61	.04	—	—	—	.10	.03	18
19	—	—	—	.28	—	—	—	.05	.55	.09	.26	—	19
20	—	—	—	.03	.13	—	.45	.20	.25	.02	.34	—	20
21	—	—	.03	—	—	—	.10	.46	.04	.02	.38	—	21
22	—	—	—	—	.26	.02	.08	.04	.01	.20	.17	—	22
23	.01	—	—	.11	—	.35	.01	.01	.02	.01	—	.03	23
24	.09	.02	—	.01	.32	.01	.07	—	—	.05	.35	.13	24
25	.33	—	—	—	.69	—	—	—	.03	.06	.12	—	25
26	—	—	—	—	1.08	—	—	—	.35	—	.08	.20	26
27	.11	—	—	—	—	—	—	—	.31	.01	.33	.08	27
28	—	—	—	—	—	—	.03	—	.17	.03	.52	.05	28
29	—	X	.08	—	—	—	.39	.70	.39	—	.16	.11	29
30	.14	X	—	—	.56	—	.30	—	—	—	.01	.11	30
31	.01	X	.02	X	.63	X	—	—	X	.05	X	.04	31
TOTAL	2.37	1.12	1.53	1.67	5.05	1.19	2.10	3.11	3.94	1.17	4.31	1.71	YEAR'S TOTAL
Days with .01 in. or more.	16	10	12	15	18	7	14	15	20	18	18	15	128
Days with .04 in. or more.	12	5	8	7	16	4	11	14	15	9	16	11	128

Kept Thornbury
in the County of
by Lt. H. Wynne Th

BROMLEY - KENT

1923 - 30

Rain should be measured
An Observer who prefers not to
January 1st of the following ye
Full instructions for the
ticulars as to the British Rainfa

ZATION.

FILE
an
only Soft
auge 5 in.
round 1 ft. 1 in.
Sea Level 200 ft.

previous day.
at 9 a.m. on

Jan. 1, following.

res, and par-
ent post-free
Air Ministry,
p, Edinburgh.

For

DURRANT'S PRESS CUTTINGS,

St. Andrew's House, 32 to 34 Holborn Viaduct,
and 3 St. Andrew Street Holborn Circus, E.C. 1.

TELEPHONE : CITY 4963.

Bromley District Times

39 East Street, Bromley.

Cutting from issue dated Jan 4 192 4

HEAVIEST RAINFALL FOR FIVE YEARS.

The following is the rainfall as recorded
at Thornbury, High Street, Bromley, during
the year 1923 :-

	Inches.
January	1.3
February	3.4
March	2.3
April	1.75
May	2.55
June	0.5
July	2.52
August	2.8
September	1.3
October	5.32
November	1.8
December	2.3

Total 27.84

MONTHLY

t. Nov. Dec. Date

in. in. in. in. in.

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

31

TOTAL

Days with
01 in.
or more
Days with
04 in.
or more

YEAR'S TOTAL

27.84

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
REGISTER OF RAINFALL IN 1923.

Kept at Thornbury 155 High St. Bromley
in the County of Kent
by Lt. H. Wynne Thomas

Lat. 51.24 N Long. 0.1 E
Time of Observation 9.0 a.m.
Nearest Railway Station Bromley South
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1 in.
" " " " Sea Level 200 ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day.
An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.
Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application, Meteorological Office, Air Ministry, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

entered on Form 1091.

For Rainfall
DURRANT'S PRESS CUTTINGS,
St. Andrew's House, 32 to 34 Holborn Viaduct,
and 3 St. Andrew Street Holborn Circus, E.C. 1.
TELEPHONE: CITY 4963.

Bromley District Times
39 East Street, Bromley.

Cutting from issue dated Jan 4 1924

HEAVIEST RAINFALL FOR FIVE YEARS.
The following is the rainfall as recorded at Thornbury, High Street, Bromley, during the year 1923:—

	Inches.
January	1.3
February	3.4
March	2.3
April	1.75
May	2.55
June	0.5
July	2.52
August	2.8
September	1.3
October	5.32
November	1.8
December	2.3
Total	27.84

August	Sept.	Oct.	Nov.	Dec.	Date
in.	in.	in.	in.	in.	
					1
					2
					3
					4
					5
					6
					7
					8
					9
					10
					11
					12
					13
					14
					15
					16
					17
					18
					19
					20
					21
					22
					23
					24
					25
					26
					27
					28
					29
					30
					31
					YEAR'S TOTAL

TOTAL	1.30	3.40	2.30	1.75	2.52	.50	2.55	2.80	1.30	5.32	1.80	2.30	27.84
Days with .01 in. or more													
Days with .04 in. or more													

County No.

River Dist......

Station No.

Lat. 51.24 N Long. 0.1 E JAN 1883
Time of Observation 9 a.m.
Nearest Railway Station Bromley
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1 in.
" " " " Sea Level 200 ft.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

[illegible]

B**C**

* * The following register of monthly totals, &c., is required if daily or weekly values cannot be given on the other side.

RAINFALL IN 1925

NOTE.—Records taken in millimetres should be entered on Form 1091.

At Thornbury Bromley

In the County of Hert

Diameter of Funnel 5 in.

Height of Top above Ground 1 ft. 1 in.

Height of Ground above Sea Level 200 ft.

Month.	Total Depth.	Greatest Fall in 24 hours.	Number of Days with
	Inches.	Inches.	01 in. or more
JAN.	1.80		
FEB.	3.72		
MAR.	6.57		
APR.	2.20		
MAY	1.56		
JUNE	0.16		
JULY	3.08		
AUG.	1.88		
SEPT.	2.65		
OCT.	3.30		
NOV.	2.10		
DEC.	2.74		
Total	25.84	6.56	

* Every observer is requested to fill in this section (especially if a change has been made in the position of the gauge or in its exposure), and also the space for notes as far as possible:—

Name and Address to which any correspondence relating to this register should be sent:—

Mr. H. Wynne Thomas
Thornbury 18.5. High St. Bromley, Kent

Latitude of Station 51.24 Longitude 0.1 E Hour of observation 9.0 a.m.

Nearest Railway Station Bromley, Kent Distance 200 yds Direction S

Nearest Parish Church Bromley Distance 1/2 mile Direction N.N.W

If gauge has been moved during the year state—

Date of move Distance Direction


Nature of objects nearest to gauge wall

Heights of objects 10 feet

Distances 25 feet

Directions South

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)



If you know of any record of rainfall not quoted in *British Rainfall*, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

M.O. 7

-4 JAN 1926

Signature Mr. H. Wynne Thomas

D

INSTRUCTIONS.

1. Advice as to the selection of the site for a raingauge, particulars of the gauge recommended for use and other information is given in "Rules for Rainfall Observers," to be obtained from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.
- The raingauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash — (not '00'). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
 - When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

- The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.
- On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as .01 and those which are mere "traces." An entry .005 is not to be made in the register.
- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 } 14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.
- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.
- The "total number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace."
- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.
- The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 28, Abingdon Street, London, S.W.1; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; or 120, George Street, Edinburgh; or through any Bookseller. 1925. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JAS. TRUSCOTT & SON, LTD., Suffolk Lane, Cannon Street, E.C.

BMonthly
Summary.**C**

Particulars of Station.

372

* * The following register of monthly totals, &c., is required if daily or weekly values cannot be given on the other side.

RAINFALL IN 1926

NOTE.—Records taken in millimetres should be entered on Form 1091.

At Thornbury 15.5 High S. Brouley
In the County of Hunt

Rain Gauge. Diameter of Funnel 5 in.
Height of Top above Ground 1 ft. 1 in.
Height of Ground above Sea Level 200 ft.

Month.	Total Depth.	Greatest Fall in 24 hours.	Number of Days with
	Inches.	Inches.	'01 in. '04 in. or more or more
JAN.	2.26		
FEB.	2.5		
MAR.	0.26		
APR.	4.6		
MAY	1.36		
JUNE	3.0		
JULY	1.9		
AUG.	1.6		
SEPT.	1.25		
OCT.	2.82		
NOV.	5.42		
DEC.	0.5		
Total	27.47		

* Every observer is requested to fill in this section (especially if a change has been made in the position of the gauge or in its exposure), and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Mr H Wynne Thomas
Thornbury 15.5 High S. Brouley
Latitude of Station 51.24 Longitude 0.1 East
Hour of observation by the clock—in Winter 9 a.m. in Summer 9 a.m.
Nearest Railway Station Brouley South Distance 1/4 mile Direction South
Nearest Parish Church Brouley Church Distance 1/3 mile Direction N. W.

If gauge has been moved during the year state—

Date of move..... Distance..... Direction.....

Nature of objects nearest to gauge wall 10 ft 25 feet S

Heights of objects

Distances

Directions

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)



If you know of any record of rainfall not quoted in *British Rainfall*, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

D

INSTRUCTIONS.

1. Advice as to the selection of the site for a rain gauge, particulars of the gauge recommended for use and other information is given in "Rules for Rainfall Observers," to be obtained from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m. Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

- The rain gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash — (not .00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

- The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as .01 those which are mere "traces." An entry .005 is not to be made in the register.

- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 } 14 would show that the reading on 18

the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.

- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

- The "total number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace."

- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

- The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; or 120, George Street, Edinburgh; or through any Bookseller. 1926. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by WATERLOW & SONS LIMITED, Birch Lane, London, E.C.3.

(140ws) (335403) Wt. 9586/14345/631 Gp. 127 13000 9-26 W & S Ltd.

BMonthly
Summary.**C**

Particulars of Station.

**** The following register of monthly totals, &c., is required if daily or weekly values cannot be given on the other side.**

RAINFALL IN 1928

At Thornbury 155-1 High StIn the County of BromleyRain Gauge (Diameter of Funnel) 5 in.Height of Top above Ground 1 ft. 1 in.Height of Ground above Sea Level 200 ft.

Month.	Total Depth.	Greatest Fall in 24 hours.	Number of Days with 0.1 in. or more
Inches.	Inches.	Date.	
JAN.	2.12		
FEB.	3.94		
MAR.	2.10		
APR.	1.27		
MAY	1.27		
JUNE	3.26		
JULY	3.26		
AUG.	2.73		
SEPT.	4.29		
OCT.	1.24		
NOV.	2.62		
DEC.	4.17		
Total	38.17		

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Mr H. Wynne Thomas
155-1 High St. Bromley Kent

Hour of observation by the clock—in Winter 9 a.m. in Summer 10 a.m.Nearest Railway Station Bromley South Distance 1/4 mile Direction from gauge SNearest Parish Church at Bromley Parish Distance 1/3 mile Direction from gauge N.WNature of objects nearest to gauge wallHeights of objects 10 feetDistances 24 feetDirections from gauge South

If gauge has been moved during the year state—

Date of move — Distance — Direction —

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in *British Rainfall*, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

Can for Air H + Observer notified 3/8/28

Signature H. Wynne Thomas

M.O. 7

1-3 JAN 1928

D

INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

- The rain gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash—(not .00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

- The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as .01 and those which are mere "traces." An entry .005 is not to be made in the register.

- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 } 14 would show that the reading on 18

the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.

- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

- The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02, or .03.

- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

- The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. 1927. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by WATERLOW & SONS LIMITED, Birchin Lane, London, E.C.3.

(140w) (268366) Wt. 9951/599/660 Gp. 127 13000 9-27 W & S Ltd.

BMonthly
Summary.**C**

Particulars of Station.

373

* * The following register of monthly totals, &c., is required if daily or weekly values cannot be given on the other side.

RAINFALL IN 1928.

At Thornbury 15-5 High St BromleyIn the County of HuntDiameter of Funnel 5 in.Height of Top above Ground 1 ft. 1 in.Height of Ground above Sea Level 200 ft.

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
	Inches.	Inches.	Date.	'01 in. or more	'04 in. or more
JAN.	3.04				
FEB.	2.98				
MAR.	2.88				
APR.	1.70				
MAY	2.44				
JUNE	2.33				
JULY	1.92				
AUG.	2.85				
SEPT.	.75				
OCT.	4.01				
NOV.	2.02				
DEC.	3.00				
Total	27.35				

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Mr. H. Wynne Thomas
15-5 High St Bromley Kent


Hour of observation by the clock—in Winter 9 a.m. in Summer 9 a.m.Nearest Railway Station Bromley Sarf Distance 1/4 mile gauge SNearest Parish Church at Bromley Parish Distance 1/3 mile gauge N.W.Nature of objects nearest to gauge wallHeights of objects 10 ftDistances 25 ftDirections from gauge S

If gauge has been moved during the year state—

Date of move Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in *British Rainfall*, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

March 31/2 downBAFeb Mar adjusted by maps.

Signature.....

D

INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.
- The measurement is 10 a.m. by the clock during Summer Time Period.

- The rain gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash — (not '00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

- When there is less than '005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

- The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked '005; this graduation is to show the limit between the amounts which count as '01 and those which are mere "traces." An entry '005 is not to be made in the register.

- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left. \begin{matrix} 17 \\ 18 \end{matrix} \right\} .14$ would show that the reading on

the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.

- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

- The "number of days with '01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with '04 in. or more" includes all the days with any rain except those for which the entries are trace, '01, '02, or '03.

- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.
- The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JAS. TRUSCOTT & SON, LTD., Suffolk Lane, E.C.

BMonthly
Summary.**C**

Particulars of Station.

389

** The following register of monthly totals &c., is required if daily or weekly values are not given on the other side.

RAINFALL IN 1929

At Bransbury
In the County of Kent

Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground 1 ft. 1 in.
Height of Ground above Sea Level 200 ft.

Month.	Total Depth.	Greatest Fall in 24 hours.	Number of Days with .01 in. or more	Number of Days with .04 in. or more
Inches.	Inches.	Date.		
JAN.	<u>.93</u>			
FEB.	<u>.46</u>			
MAR.	<u>.02</u>			
APRIL	<u>1.25</u>			
MAY	<u>1.32</u>			
* JUNE	<u>.77</u>			
JULY	<u>2.19</u>			
AUG.	<u>2.44</u>			
SEPT.	<u>.11</u>			
OCT.	<u>3.11</u>			
NOV.	<u>5.53</u>			
DEC.	<u>5.56</u>			
Total	<u>23.30</u>			

Signature H. Wynne Thomas

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

H. Wynne Thomas

Hour of observation by the clock—in Winter 9 a.m. in Summer 9 a.m.

Nearest Railway Station Bransbury Distance 1/4 mile Direction from S

Nearest Parish Church at Bransbury Distance 1/3 mile Direction from NW

Nature of objects nearest to gauge	<u>wall</u>			
Heights of objects	<u>10 ft</u>			
Distances	<u>25 ft</u>			
Directions from gauge	<u>S</u>			

If gauge has been moved during the year state—

Date of move * Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

On June 21, I moved from
Thornbury High Street Bransbury
to Copley Lane.
* Sundridge Avenue
Bransbury
distance 1/2 mile.
Kent

D

INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m. Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 4 JAN 1930

- The rain gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash— (not 00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

- When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

- The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as .01 and those which are mere "traces." An entry .005 is not to be made in the register.

- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 } 14 would show that the

reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was 14 in.

- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

- The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02, or .03.

- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

- The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

RAINFALL IN 193.....

At Copley Lane 20 Sundridge Avenue
In the County of Bromley Kent

Hour of observation by the clock—in Winter 9 a.m. in Summer 9 a.m.

Nearest Railway Station Sundridge Park Distance 1 mile gauge N

Nearest Parish Church at Bromley Distance 1 1/4 m gauge N

Diameter of Funnel 5 in.
Height of Top above Ground 1 ft 1 in.
Height of Ground above Sea Level 200 ft.

Nature of objects nearest to gauge low shrub
Heights of objects 10 ft
Distances 10 ft
Directions from gauge N


Month.	Total Depth.	Greatest Fall in 24 hours.	Number of Days with .01 in. or more or more
	Inches.	Inches.	Date.
JAN.	<u>2.58</u>		
FEB.	<u>1.00</u>		
MAR.	<u>1.58</u>		
APRIL	<u>1.50</u>		
MAY	<u>5.02</u>		
JUNE	<u>0.67</u>		
JULY	<u>2.36</u>		
AUG.	<u>3.18</u>		
SEPT.	<u>3.70</u>		
OCT.	<u>1.20</u>		
NOV.	<u>3.60</u>		
DEC.	<u>1.62</u>		
Total	<u>28.01</u>		

If gauge has been moved during the year state—

Date of move Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

*See Instruction 2 (f) below.

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.
- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash— (not '00'). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
 - When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

- The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.
- On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as .01 and those which are mere "traces." An entry .005 is not to be made in the register.
- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | } -14 | would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.
- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.
- The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02, or 0.3.
- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.
- The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

Kept at Bromley

in the County of Kent

by R. G. P. Pennington

IMPORTANT NOTE.—Rain

If an Observer prefers not to conf
the reading at 9 a.m. on 1st Janua
this paragraph. Full instructions fo
and particulars as to the British I
sent post-free on application to T
Square, London, N.W. 1, or to THE S

Records

BROMLEY CMMN.

KENT

1921-1923

ORGANIZATION.

21

ong

5 JAN 1922

ion

Rain Gauge in.

above Ground ft. in.

Sea Level ft.

alt entered to the previous day.

requested to add

it at the end of

ing of rain gauges,

infall Observers."

ion, 62, Camden

Place, Edinburgh.

form.

Jan. 1, following.

Date	Jan.	Feb.	March	Apr
	in.	in.	in.	in.
1	14	-	11	-
2	02	-	01	-
3	01	-	10	-
4	10	-	01	-
5	02	-	-	-
6	10	05	28	-
7	29	02	-	-
8	01	-	-	-
9	08	-	-	08
10	-	-	-	-
11	13	04	-	-
12	10	-	05	-
13	08	-	10	51
14	01	-	03	-
15	-	-	-	09
16	04	-	02	11
17	06	-	13	48
18	05	04	-	-
19	-	-	17	-
20	-	-	02	-
21	-	-	-	-
22	-	-	-	01
23	-	-	-	28
24	01	-	-	04
25	02	15	-	01
26	03	-	-	-
27	03	-	-	-
28	-	-	28	-
29	02	-	09	-
30	14	X	02	03
31	05	X	-	X

Oct.	Nov.	Dec.	Date
in.	in.	in.	
-	03	12	1
-	43	03	2
-	47	-	3
-	33	-	4
-	42	-	5
-	-	-	6
-	-	-	7
-	-	-	8
-	-	-	9
-	-	-	10
34	-	-	10
-	-	02	11
-	-	10	12
02	-	-	13
-	-	25	14
-	-	02	15
-	34	01	16
-	-	-	17
01	-	-	18
02	-	05	19
08	-	-	20
-	10	-	21
10	02	16	22
03	-	09	23
-	-	02	24
-	-	03	25
-	-	17	26
-	-	02	27
-	-	03	28
-	-	03	29
-	23	02	30
-	X	-	31

TOTAL	1.37	30	1.42	1.64	1.20	33	0.13	1.03	1.47	0.60	2.37	1.17	12.23
Days with "01 in. or more	23	5	15	10	18	4	3	11	7	7	9	10	10
Days with "04 in. or more	13	24	89	7	13	3	1	7	4	3	7	67	67

FORM 1090 METEOROLOGICAL OFFICE—BRITISH RAINFALL ORGANIZATION.
(formerly B.R.O. Form A.1). REGISTER OF RAINFALL IN 1921

Kept at Bromley Common
in the County of Kent
by Regd. Barthelemy

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

5 JAN 1922

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	14	—	11	—	—	—	—	—	07	—	03	12	1
2	02	—	01	—	09	—	—	—	—	—	43	03	2
3	01	—	10	—	11	07	—	14	—	—	47	—	3
4	10	—	01	—	20	—	—	02	—	—	33	—	4
5	02	—	—	—	—	—	—	07	—	—	42	—	5
6	10	05	28	—	04	—	—	—	—	—	—	—	6
7	29	02	—	—	05	—	—	—	—	—	—	—	7
8	01	—	—	—	08	—	—	—	—	—	—	—	8
9	08	—	—	08	—	—	—	—	—	—	—	—	9
10	—	—	—	—	—	—	—	—	03	34	—	—	10
11	13	04	—	—	05	—	—	—	94	—	—	02	11
12	10	—	05	—	02	—	—	19	36	—	—	10	12
13	08	—	10	51	04	—	—	08	01	02	—	—	13
14	01	—	03	—	04	—	01	02	—	—	—	25	14
15	—	—	—	09	—	—	—	—	—	—	—	02	15
16	04	—	02	11	—	—	—	15	—	—	34	01	16
17	06	—	13	48	—	—	02	08	01	—	—	—	17
18	05	04	—	—	—	—	—	—	05	01	—	—	18
19	—	—	17	—	03	03	—	—	—	02	—	05	19
20	—	—	02	—	—	—	—	01	—	08	—	—	20
21	—	—	—	—	—	—	—	—	—	—	10	—	21
22	—	—	—	01	—	—	—	—	—	10	02	16	22
23	—	—	—	28	—	—	—	26	—	03	—	09	23
24	01	—	—	04	—	—	—	01	—	—	—	02	24
25	02	15	—	01	07	14	—	—	—	—	—	03	25
26	03	—	—	—	09	(09)	—	—	—	—	—	17	26
27	03	—	—	—	02	—	—	—	—	—	—	02	27
28	—	—	28	—	08	—	10	—	—	—	—	03	28
29	02	—	09	—	14	—	—	—	—	—	—	03	29
30	14	~~X~~	02	03	03	—	—	—	—	—	23	02	30
31	05	~~X~~	—	~~X~~	02	~~X~~	—	—	~~X~~	—	~~X~~	—	31
TOTAL	1.37	30	1.42	1.64	1.20	33	0.13	1.03	1.47	0.60	2.37	1.17	12.23
Days with "01 in. or more	23	5	15	10	18	4	3	11	7	7	9	10	12.39
Days with "04 in. or more	13	24	89	7	13	3	1	7	4	3	7	67	129

AIR MINISTRY.
REGISTER OF RAINFALL IN 1922.

Kept at Brimley Comm. Kent
in the County of Kent
by Rev. J.P. Farnbrooke

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Brimley South
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	01	04	18	-	08	-	03	-	02	01	48	15	1
2	-	14	09	04	-	-	03	-	05	-	-	-	2
3	-	13	12	52	17	-	04	13	-	01	06	-	3
4	-	07	10	01	18	-	10	04	-	22	-	-	4
5	-	-	13	08	02	-	17	-	-	-	50	-	5
6	04	-	02	-	-	-	05	63	-	01	16	-	6
7	05	-	32	19	-	-	05	10	-	-	01	03	7
8	04	-	07	06	-	03	14	01	-	-	01	-	8
9	04	-	-	-	-	-	03	09	-	05	01	05	9
10	-	-	-	-	-	-	-	-	05	-	09	-	10
11	03	-	-	-	05	-	-	12	-	-	-	-	11
12	-	-	-	40	-	-	-	13	21	-	-	-	12
13	-	-	-	30	-	09	09	-	03	-	-	-	13
14	-	-	-	02	-	55	61	-	50	-	-	-	14
15	-	14	-	02	-	03	01	-	-	-	01	01	15
16	24	02	-	-	08	-	04	-	02	-	-	12	16
17	-	33	-	03	-	-	02	-	05	-	-	09	17
18	53	-	-	01	-	01	03	-	-	07	-	09	18
19	46	03	07	-	-	-	-	-	45	43	-	47	19
20	02	02	-	-	16	-	-	-	-	04	-	02	20
21	10	22	-	05	-	-	01	15	-	07	-	86	21
22	-	04	-	28	12	03	02	-	-	02	-	03	22
23	-	02	-	-	67	07	04	14	16	-	-	-	23
24	02	-	05	09	-	05	-	01	02	-	-	-	24
25	23	-	-	24	-	07	-	-	01	01	-	12	25
26	13	17	04	28	-	-	10	17	01	-	02	08	26
27	17	10	07	15	-	-	-	01	05	07	-	31	27
28	08	37	12	01	-	41	-	19	05	-	03	06	28
29	01	-	-	-	-	10	01	-	25	14	-	14	29
30	-	X	-	-	-	01	02	07	-	01	04	56	30
31	08	X	-	X	-	X	10	-	X	02	X	46	31
TOTAL	2.28	1.92	1.38	2.84	1.53	1.45	2.55	1.99	1.93	1.18	1.42	4.45	YEAR'S TOTAL
Days with "01 in. or more	18	15	13	19	9	12	22	15	15	15	12	18	184
Days with "04 in. or more	13	11	16	13	8	7	11	12	10	8	6	13	124

REGISTER OF RAINFALL IN 1923.

Kept at Elmfield Bromley Common
 in the County of Kent
 Date by Rev D. P. Lammeths, MA.

Lat. _____ Long. _____
 Time of Observation 9 AM
 Nearest Railway Station Bromley South
 Diameter of Funnel of Rain Gauge _____ in.
 Height of top of Gauge above Ground _____ ft. _____ in.
 " " " " Sea Level _____ ft. _____ in.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	04	—	(+10)	—	—	—	—	—	09	02	16	—	1
2	09	—	08	—	09	—	—	—	—	10	—	16	2
3	02	—	—	—	—	05	—	—	—	1.15	—	04	3
4	—	—	—	—	—	—	—	—	08	—	—	07	4
5	22	—	—	14	—	04	—	—	—	0.5	02	—	5
6	14	0.3	05	02	—	(10)	—	—	—	—	—	—	6
7	04	102	40	—	03	—	—	—	—	37	—	15	7
8	04	18	03	—	01	—	—	—	—	27	56	—	8
9	03	03	05	—	—	—	1.57	—	—	—	01	—	9
10	—	12	—	39	12	—	01	—	—	25	—	—	10
11	02	01	—	31	(10)	—	—	—	—	32	—	02	11
12	—	40	58	18	20	07	—	—	—	44	01	—	12
13	—	10	17	04	—	—	05	—	—	01	36	—	13
14	—	—	04	01	01	—	—	04	18	—	—	—	14
15	01	01	03	01	14	11	01	02	06	—	—	01	15
16	—	05	—	—	04	02	—	—	—	—	18	—	16
17	02	01	—	—	01	—	—	07	05	—	01	—	17
18	—	16	—	—	—	01	—	11	02	02	—	—	18
19	14	05	—	—	—	—	—	—	08	88	—	04	19
20	05	04	08	—	—	—	—	—	34	08	—	—	20
21	—	24	—	05	01	—	—	—	01	10	03	20	21
22	—	40	05	—	02	—	—	—	10	13	02	10	22
23	—	05	01	01	42	—	04	35	06	36	—	05	23
24	—	01	01	04	01	—	—	1.36	14	—	—	—	24
25	—	10	04	41	03	09	15	01	01	50	—	36	25
26	—	14	29	03	—	—	—	01	—	23	—	27	26
27	—	05	05	—	25	—	02	(20)	—	05	—	09	27
28	02	09	—	05	47	—	10	—	—	01	12	—	28
29	12	—	01	15	56	—	04	(59)	—	—	—	18	29
30	—	X	—	—	01	—	05	—	—	15	10	15	30
31	—	X	—	X	—	X	29	—	X	02	X	12	31
TOTAL	1.00	3.29	2.13	1.84	2.53	0.49	2.33	2.76	1.22	5.01	1.58	2.01	26.69
Days with 01 in. or more	15	22	17	15	19	8	11	11	13	24	12	16	182
Days with 04 in. or more	9	16	13	10	10	5	8	7	10	17	6	14	127

250

ORGANIZATION.

BROOKLAND

KENT

Kept at.....*Bar*.....

1921 - 30

in the County of.....

by *Charles*.....

066130001

Rain Gauge.....*12*.....in.

above Ground.....*3*.....ft.....in.

„ Sea Level.....*11*.....ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and entered to the previous day.

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	<i>.19</i>		<i>.03</i>										1
2	<i>.08</i>				<i>.60</i>								2
3	<i>.01</i>		<i>.02</i>		<i>.09</i>						<i>.45</i>		3
4	<i>-</i>							<i>.01</i>			<i>.35</i>		4
5	<i>-</i>						<i>.02</i>	<i>.05</i>			<i>.43</i>		5
6	<i>.22</i>		<i>.05</i>		<i>.08</i>						<i>.50</i>		6
7	<i>.17</i>	<i>.01</i>			<i>.30</i>								7
8	<i>.02</i>		<i>.02</i>										8
9	<i>.38</i>												9
10	<i>.19</i>	<i>.06</i>											10
11	<i>.21</i>		<i>.01</i>						<i>.55</i>		<i>.04</i>		11
12	<i>.55</i>		<i>.09</i>					<i>.07</i>	<i>.04</i>			<i>.03</i>	12
13			<i>.03</i>	<i>.29</i>				<i>.80</i>			<i>.08</i>	<i>.05</i>	13
14				<i>.02</i>				<i>.03</i>				<i>.35</i>	14
15	<i>.05</i>			<i>.03</i>	<i>.04</i>								15
16	<i>.10</i>			<i>.12</i>									16
17	<i>.10</i>		<i>.07</i>	<i>.55</i>				<i>.23</i>			<i>.03</i>		17
18		<i>.01</i>	<i>.17</i>										18
19												<i>.08</i>	19
20													20
21										<i>.15</i>	<i>.05</i>	<i>.02</i>	21
22												<i>.31</i>	22
23				<i>.23</i>				<i>.10</i>		<i>.17</i>		<i>.04</i>	23
24	<i>.01</i>			<i>.02</i>								<i>.05</i>	24
25		<i>.27</i>									<i>.01</i>	<i>.25</i>	25
26			<i>.05</i>		<i>.01</i>						<i>.01</i>		26
27				<i>.03</i>							<i>.02</i>	<i>.25</i>	27
28	<i>.01</i>		<i>.35</i>		<i>.07</i>		<i>.19</i>					<i>.15</i>	28
29			<i>.15</i>		<i>.16</i>							<i>.08</i>	29
30	<i>.01</i>	<i>X</i>			<i>.26</i>						<i>.25</i>	<i>.32</i>	30
31	<i>.37</i>	<i>X</i>		<i>X</i>	<i>.05</i>	<i>X</i>			<i>X</i>		<i>X</i>		31
TOTAL	<i>2.67</i>												YEAR'S TOTAL
Days with ".01 in. or more	<i>17</i>	<i>4</i>	<i>12</i>	<i>8</i>	<i>10</i>	<i>-</i>	<i>2</i>	<i>7</i>	<i>2</i>	<i>2</i>	<i>12</i>	<i>13</i>	<i>89</i>
Days with ".04 in. or more	<i>12</i>	<i>2</i>	<i>7</i>	<i>4</i>	<i>9</i>	<i>-</i>	<i>1</i>	<i>5</i>	<i>2</i>	<i>2</i>	<i>8</i>	<i>11</i>	<i>63</i>

REGISTER OF RAINFALL IN 1921.

Kept at Brockhamin the County of Hantsby Charles ClarkIn Williamstown ParkLat. 51° 0' 10" Long. 0° 51' 0"Time of Observation 9 amNearest Railway Station BrockhamDiameter of Funnel of Rain Gauge 12 in.Height of top of Gauge above Ground 3 ft. in." " " " Sea Level 11 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.19		.03										1
2	.08				.60								2
3	.01		.02		.09						.45		3
4	-							.01			.35		4
5	-						.02	.05			.43		5
6	.22		.05		.08						.50		6
7	.17	.01			.30								7
8	.02		.02										8
9	.38												9
10	.19	.06											10
11	.21		.01						.55		.04		11
12	.55		.09					.07	.04			.03	12
13			.03	.29				.80			.08	.05	13
14				.02				.03				.35	14
15	.05			.03	.04								15
16	.10			.12									16
17	.10		.07	.55				.23			.03		17
18		.01	.17										18
19												.08	19
20													20
21										.15	.05	.02	21
22												.31	22
23				.23				.10		.17		.04	23
24	.01			.02								.05	24
25		.27									.01	.25	25
26			.05		.01						.01		26
27				.03							.02	.25	27
28	.01		.35		.07		.19					.15	28
29			.15		.16							.08	29
30	.01	X			.26						.25	.32	30
31	.37	X		X	.05	X			X		X		31
TOTAL	2.67												YEAR'S TOTAL
Days with .01 in. or more	17	4	12	8	10	—	2	7	2	2	12	13	89
Days with .04 in. or more	12	2	7	4	9	—	1	5	2	2	8	11	63

REGISTER OF RAINFALL IN 1922.

Kept at Brookland
in the County of Kent

Lat. 51. 11. 10 Long. 0. 37. 0
Time of Observation 9 am
Nearest Railway Station Brookland
Diameter of Funnel of Rain Gauge 12 in.
Height of top of Gauge above Ground 3 ft. in.
" " " " Sea Level 11 ft.

by Charles Clark
1st Hallam & Marsh Lane

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.04	.06		.22					.01	.85	.15	1
2		.38	.05	.16							.02		2
3	.02		.07	.69	.15		.07	.13		.01	.15		3
4		.11	.08	.03	.07			.04	.06	.35			4
5			.08				.71		.04	.34	.41		5
6			.13					.14		.14	.44		6
7	.20		.47	.23				.01					7
8	.04		.18	.13	.05		.43	.34			.23	.02	8
9	.02						.02	.23		.11			9
10									.13		.14	.01	10
11					.03	.02							11
12	.07			.33				.01	.44				12
13				.27			.04	.09		.78			13
14						.33	.32		.28				14
15	.15	.28				.07	.03						15
16				.11			.05		.09			.30	16
17		.03			.09		.04		.11			.12	17
18	.39					.03						.22	18
19	.69		.04		.07				.31	.52		.62	19
20										.02			20
21	.57	.22	.28	.02					.02			.82	21
22		.18		.08								.15	22
23		.12				.22		.18	.43				23
24	.07	.01	.09	.33		.11		.31		.11			24
25	.19			.42		.07	.22	.02					25
26	.03	.36	.19	.03		.11			.31			.19	26
27	.52	.26						.37		.12		.22	27
28		.12	.07	.17		.15		.03		.23		.24	28
29	.27					.07		.04		.15		.14	29
30	.27	X	.17				.01	.18	.17	.22		.46	30
31	.02	X		X		X			X	.02	X	.29	31
TOTAL	3.25	2.11	1.96	3.00	.63	1.22	1.99	2.03	3.77	2.35	2.24	3.95	YEAR'S TOTAL
Days with 01 in. or more	15	12	14	14	6	11	11	14	13	14	7	15	146
Days with 04 in. or more	11	10	14	17	5	9	8	10	12	10	6	13	119

AIR MINISTRY.

FORM 1090

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1923.

Kept at Brookland
in the County of Kent
by Charles Clark

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Brookland
Diameter of Funnel of Rain Gauge 12 in.
Height of top of Gauge above Ground 2 ft. _____ in.
" " " " Sea Level 11 ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.09	.03	.33									.37	1
2	.26				.06	.02				.16	.35	.24	2
3			.01			.03						.04	3
4									.08	.24		.45	4
5	.28	.04	.06								.34	.03	5
6	.17		.03	.03	.01	.08				.12			6
7	.23	.76	.65		.09		.16			.41		.62	7
8	.05	.26	.06		.40					.33		.12	8
9	.03		.01	.04	.03						.38		9
10		.22		.04	.09					.15		.02	10
11	.01			.02	.03					.60			11
12		.29	.18		.45	.07				.25			12
13	.01	.01	.21		.12		.03						13
14		.04	.01		.06				.13	.01	.64	.08	14
15					.25	.16	.04				.34		15
16		.06			.09			.01				.03	16
17		.01						.09	.10				17
18	.06	.41						.02	.03	.08			18
19	.11	.04		.06		.06			.02	.27	.03		19
20	.01	.01	.05		.05	.05			.51	.04			20
21		.19	.03	.15				.13		.25			21
22		.66	.03	.05				.11	.49	.26		.22	22
23		.01	.32		.11			.31	.20	.44	.09		23
24		.04					.05	.06	.21	.24		.04	24
25		.19	.17		.13	.01	.06	.02		.55		.53	25
26		.30		.37				.23				.25	26
27		.38	.04	.11	.05		.03	.11				.15	27
28		.23	.01		.76		.22	.06			.17		28
29	.02			.15	.44		.02	.61			.08	.26	29
30		X					.05			.19		.09	30
31		X		X		X	.11		X	.15	X	.18	31
TOTAL	1.33	4.18	2.20	2.02	3.22	4.8	7.7	1.76	1.74	6.74	2.42	3.72	YEAR'S TOTAL 30.58
Days with .01 in. or more	13	21	17	10	18	8	10	12	9	19	9	18	164
Days with .04 in. or more	8	16	10	8	15	5	7	9	7	18	8	15	126

REGISTER OF RAINFALL IN 1924

AIR MINISTRY.

Kept at Bristol
 in the County of Gloucestershire
 by Charles Clark

Lat. _____ Long. _____
 Time of Observation 9.00
 Nearest Railway Station Bristol
 Diameter of Funnel of Rain Gauge 12 in.
 Height of top of Gauge above Ground 3 ft. in.
 " " " " Sea Level 11 ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.07		.10		.18	.23	.05				.87	.09	1
2	.04		.30		.14	.19	.05	.03				.25	2
3			.01	.03	.34	.04	.32	.36	.04			.01	3
4				.02	.04	.47	.03		.01	.04		.60	4
5		.01	.31				.09			.26		.05	5
6		.13						.02		14.5			6
7					.01			.01	.40	.42			7
8	.09				.15		.01		.10	.02			8
9	.19	.28		.03	.05	.03	.02		.06				9
10	.11			.13	.14				.04				10
11				.71	.25	.22			.10		.14		11
12				.24		.04					.56		12
13	.03			.30		.17		.07	.19		.02	.15	13
14				.25				.07					14
15				.05					.07			.50	15
16				.01				.14				.01	16
17	.27						.22	.31					17
18	.47	.04			.15	.04		.02		.05	.03		18
19	.08	.03					.07	.05		.09	.01		19
20	.01				.17		.05	.19	.09	.03			20
21	.29				.05	.04		.29	.23	.19			21
22	.30		.25					.39	.11				22
23	.01	.01	.39		.27			.04	.34			.67	23
24	.33	.08	.34		.07			.14			.06	.10	24
25		.04	.04				.74		.17		.14		25
26			.11	.40			.35		.17	.14	.26	.10	26
27				.61			.07			.14	.39	.48	27
28		.04					.58	.12		.05	.44		28
29	.03	.02		.21	.37	.01		.31		.58	.26	.24	29
30		X		.05	.19			.03	.07	.53	.01	.84	30
31		X		X	.58	X		.01	X		X	.23	31
TOTAL	2.22	1.68	1.85	3.04	3.45	1.48	3.21	2.60	2.19	3.99	3.15	5.32	YEAR'S TOTAL 32.98
Days with 0.1 in. or more	15	10	9	14	17	11	14	19	16	14	13	15	164
Days with 0.4 in. or more	11	6	8	10	16	9	12	13	15	12	9	13	134

Section



for the Entry of Daily Observations.

AIR MINISTRY.

FOR OFFICIAL USE.

Form 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Register of Rainfall in 1925.

247

 Report of Brooklands
 in the County of Kent

 Diameter of Funnel of Gauge 12 in.
 Height of top of Gauge above Ground 3 ft. in.
 Ground „ Sea Level 11 ft.

 Observers are requested to read the instructions
 printed overleaf before filling in this form.

 Every Observer should fill in section C
 overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

 An observer who does not conform to this rule should insert the reading made on January 1st of the
 following year in the space on the right of this paragraph.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.68	.10	.43	.08					.09		.38		1
2	.95			.25							1.03		2
3	.78	.01			.22		.21				.23		3
4					.17		.30			.02	.30		4
5		.04		.10	.14		.04	.09	.15		.28		5
6		.20			.12			.12	.05		.63		6
7		.20			.01		.02				.01	.02	7
8	.06	.03			.31		.19					.01	8
9				.04				.03	.05				9
10		.01	.06					.23	.06		.23		10
11		.05	.01						.01		.15		11
12		.40	.01	.04					.04	.09			12
13		.35	.10	.09						.02			13
14	.09	.01		.21									14
15	.10	.12		.06						.15			15
16		.05								.15			16
17					.02				.04				17
18		.02			.01					.02			18
19		.03		.22	.33		.03		.01	1.01		.57	19
20			.11		.02		.04		1.26	.33		.47	20
21			.02				.06	.10	.14	.33		.73	21
22				.03			.76	.14	.25	.53		.49	22
23		.10	.08	.22	.41	.04	.24			.56	.01	.05	23
24		.72	.22	.11	.10	.05	.09			.05	.05	.28	24
25	.09	1.22					.03	.08	.30	.01		.03	25
26	.02	.35			.13		.41			.51		.21	26
27	.16			.27	.75		.65	.05				.04	27
28	.03	.01		.21								.30	28
29	.12			.17	.15		.15				.11	1.02	29
30		X		.29			.30				.02	.63	30
31	.10	X		X		X	.14		X		X		31
TOTAL	3.18	3.92	✓	1.04	2.39	2.89	.09	3.42	1.08	2.45	3.78	3.43	✓
Days with 0.1 in. or more.	12	19	9	16	15	2	16	9	13	14	13	14	152
Days with 0.4 in. or more.	10	12	6	15	11	2	13	8	11	10	10	11	119

(Signed) Charles Clark [P.T.O.]



REGISTER OF RAINFALL IN 1926.

237

Kept at Burtonin the County of Leic.Diameter of Funnel of Gauge.....1.2.....in.Height of top of Gauge above Ground.....3.....ft.....in.,, Ground ,, Sea Level 11.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.52	.20				.34			.01				1
2		.01	.01			.44			.11		.01		2
3	.30	1.01	.19	.02			.01						3
4		.08	.01	.12									4
5	.06	.04	.07		.30						.38	.22	5
6		.15		.20	.02	.12	.03	.02	.02		.01		6
7		.07		.25	.04	.13		.05	.06		.02	.11	7
8	.22	.03		.06		.05					.49		8
9		.02				.35				.22	.52		9
10		.05				.35		.02		.02	.14		10
11		.04			.10	.12		.08		.07	.06		11
12		.11			.06				.09	.27		.02	12
13		~~.03~~			.06						1.85	.02	13
14		.03		.03	.53	.15				.66	.08		14
15		.03		.60						.33	.05		15
16		.51		.15				.54			.04		16
17		.67		.03	.04	.51					.02		17
18	.45	.10		.33	.14		.16	.17			.53		18
19				.08	.02		.24				.14	.02	19
20			.07	.29				.24			.74		20
21				.02			.08	.03		.03	.63	.11	21
22	.53	.03		.23	.39						.24	.29	22
23	.04												23
24						.26	.03		.03	.69			24
25	.11			.28			.15			.08	.04	.08	25
26		.01					.24		.05		.26		26
27	.01	.01	.01	.13			.14		.19	.06	.03		27
28	.63			.43	.03		.28		.02	.32	.17		28
29	.01			.09	.23					.12	.14		29
30	.08	X		.02	.17		.02			.32			30
31	.14	X		X	.14	X			X	.32	X		31
TOTAL	3.12	3.20	.36	3.36	2.27	2.82	1.36	1.15	.58	3.19	6.59	.87	YEAR'S TOTAL
Days with .01 in. or more.	13	20	6	19	15	11	11	8	9	13	23	8	156
Days with .04 in. or more.	11	12	3	14	12	11	7	5	5	11	18	5	114

Please read the Notes and Instructions Overleaf.

Section

A

for the entry of Daily Observations.

230
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1927.

Kept at Bark Lane

in the County of Berk

Diameter of Funnel of Gauge.....12 in.

Height of top of Gauge above Ground.....3 ft.

„ Ground „ Sea Level.....11 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		<u>1.00</u>		<u>.03</u>		<u>.88</u>	<u>.06</u>	<u>.47</u>		<u>.26</u>	<u>.23</u>		1
2	<u>.02</u>	<u>.01</u>		<u>.15</u>						<u>.06</u>	<u>.01</u>		2
3	<u>.19</u>		<u>.11</u>	<u>.35</u>		<u>.03</u>							3
4				<u>.15</u>			<u>.16</u>						4
5		<u>.07</u>	<u>.15</u>	<u>.36</u>		<u>.02</u>		<u>.01</u>			<u>.23</u>	<u>.03</u>	5
6	<u>.09</u>		<u>.10</u>	<u>.19</u>		<u>.01</u>	<u>1.98</u>	<u>.02</u>	<u>.09</u>		<u>.22</u>		6
7	<u>.05</u>		<u>.30</u>	<u>.33</u>		<u>.09</u>		<u>.21</u>					7
8	<u>.08</u>		<u>.06</u>	<u>.11</u>			<u>.03</u>	<u>.17</u>	<u>.05</u>		<u>.42</u>		8
9				<u>.07</u>				<u>.22</u>	<u>.09</u>				9
10								<u>.05</u>	<u>.23</u>				10
11						<u>.03</u>		<u>.08</u>	<u>.01</u>				11
12	<u>.12</u>	<u>.01</u>					<u>.96</u>	<u>.05</u>		<u>.06</u>	<u>.14</u>		12
13	<u>.11</u>	<u>.01</u>		<u>.01</u>			<u>.19</u>	<u>.61</u>	<u>.23</u>				13
14			<u>.06</u>	<u>.05</u>			<u>.65</u>		<u>.97</u>	<u>.02</u>		<u>.28</u>	14
15	<u>.06</u>			<u>.03</u>			<u>.01</u>	<u>.04</u>			<u>.03</u>		15
16	<u>.05</u>				<u>.03</u>				<u>.24</u>		<u>.09</u>		16
17	<u>.35</u>					<u>.30</u>		<u>.11</u>	<u>.70</u>				17
18	<u>.05</u>	<u>.01</u>	<u>.05</u>			<u>.45</u>		<u>.08</u>	<u>.81</u>		<u>.11</u>		18
19		<u>.11</u>						<u>.01</u>			<u>.02</u>		19
20	<u>.15</u>	<u>.22</u>					<u>.04</u>	<u>.93</u>			<u>.66</u>	<u>.11</u>	20
21	<u>.08</u>	<u>.12</u>			<u>.05</u>		<u>.08</u>	<u>.13</u>	<u>.06</u>	<u>.15</u>	<u>.11</u>	<u>.96</u>	21
22	<u>.19</u>				<u>.04</u>	<u>.18</u>		<u>.16</u>	<u>.06</u>	<u>.74</u>		<u>.61</u>	22
23		<u>.27</u>	<u>.25</u>			<u>.02</u>		<u>.07</u>	<u>.37</u>	<u>.03</u>	<u>.15</u>	<u>.15</u>	23
24		<u>.15</u>	<u>.23</u>			<u>.28</u>		<u>.03</u>		<u>.01</u>	<u>.16</u>	<u>.53</u>	24
25		<u>.32</u>	<u>.16</u>			<u>.10</u>		<u>.10</u>	<u>.13</u>	<u>.03</u>	<u>.02</u>	<u>.99</u>	25
26	<u>.15</u>	<u>.62</u>	<u>.32</u>		<u>.07</u>		<u>.02</u>		<u>.02</u>		<u>.02</u>	<u>1.23</u>	26
27	<u>.03</u>	<u>.15</u>			<u>.06</u>	<u>.26</u>	<u>.14</u>			<u>.30</u>			27
28	<u>.15</u>	<u>.22</u>	<u>.02</u>	<u>.05</u>		<u>.20</u>	<u>.04</u>				<u>.07</u>		28
29	<u>.09</u>					<u>.19</u>		<u>.01</u>	<u>.63</u>		<u>.74</u>		29
30	<u>.40</u>	X	<u>.13</u>			<u>.90</u>				<u>.03</u>			30
31	<u>.03</u>	X	<u>.48</u>	X	<u>.88</u>	X	<u>.01</u>		X	<u>.13</u>	X	<u>.10</u>	31
TOTAL	2.44	3.29	2.42	1.88	1.13	3.06	4.37	3.51	4.69	1.82	3.43	4.99	YEARS TOTAL
					.25	3.94			3.89				36.23
Days with "01 in. or more.	20	15	14	13	6.5	16	14	21	16	12	18	10	174
Days with "04 in. or more.	17	11	13	10	5.4	10	10	16	13	7	13	9	134

Kept at Brockland
in the County of Kent
Diameter of Funnel of Gauge 12 in.
Height of top of Gauge above Ground 3 ft. in.
" Ground " Sea Level 11 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.10	.09								.01	1
2	.84	.26	.02		.03						.38		2
3				.18	.33		.15	.31			.33		3
4	.06	.24		.13	.02	.12		.45			.22		4
5	.17	.16	.06										5
6			.07			.39						.12	6
7	.03		.02	.13		.19		.04					7
8		.05				.23	.03			.23	.01		8
9	.03	.02				.16				.20		.13	9
10	.14			.16				.04		.37	.15		10
11	.06	.04	.06	.12	.06					.50	.15	.07	11
12	.44	.06	.09		.03						.04	.12	12
13		.25				.76		.01			.22	.02	13
14	.10	.13		.17	.06	.09				.53	.71		14
15	.22			.51	.15					.01	.22		15
16		.13		.49	.12					.05	.32	.32	16
17			.02	.02	.33					.04	.51		17
18	.52			.03	.13	.15				.51			18
19						.01		.14		.44	.06	.17	19
20	.18							.12		.51	.04	.15	20
21	.10		.13		.64					1.02	.32		21
22			.02		.06			.03		1.00	.26	.09	22
23	.46				.07				.07	.09	.53		23
24	.17							.02		.31	.19	.31	24
25	.09					.01	.03			.15		.19	25
26							.75	.10		1.02		.09	26
27								.02		.09		.49	27
28	.37		.03	.03					.26			.05	28
29	.11	.10	.70	.23			.15	.07	.02	.23	.05	.27	29
30	.05	X	.13	.02		.01	.09			.01		.18	30
31	.16	X	.20	X		X	.09		X	.01	X	.03	31
TOTAL	4.30	1.44	1.65	2.31	2.03	2.12	1.29	1.35	.35	7.32	4.71	2.81	YEAR'S TOTAL
													31.68
Days with .01 in. or more.	20	11	14	14	13	11	7	12	3	21	19	18	163
Days with .04 in. or more.	18	10	9	10	10	8	5	8	2	18	18	15	131

Section **A**

for the entry of Daily Observations.

252
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1929.

Kept at Brooklands
in the County of Kent
Diameter of Funnel of Gauge 12 in.
Height of top of Gauge above Ground 3 ft in.
Ground Sea Level 11 ft.

days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.09	.25						.30		.21		.02	1
2	.05	.09				.04	.21	~~2~~		.43	.05	.53	2
3							.05			.10		.43	3
4				.17	.26	.28		.18		.13		.14	4
5					.79	.15	.06	.20		.10		.40	5
6					.35		.28	.70		.05	.06	.70	6
7					.04					.30	.47	.74	7
8				.09		.24				.23	.03	.88	8
9	.02	.34		.13								.69	9
10				.23						.21	.05	.53	10
11				.17							1.46		11
12	.05			.06	.17	.06					.12	.14	12
13						.04					.09	.11	13
14					.09	.07						.08	14
15					.15	.21					1.07		15
16	.02							1.01			.34		16
17	.03									.06			17
18								.03			.20		18
19											.06		19
20							.03			.50			20
21	.11											1.43	21
22	.04						.01					.20	22
23		.01								.51	.30	.24	23
24										.31	.48	.27	24
25	.03										.15	.24	25
26				.03							.54	.13	26
27					.05		.25			.03	.54		27
28	.19			.09						.30	.54	.57	28
29	.25			.15		.01			.76		.29	.06	29
30	.02	X				.13	.01		.25	.02	.02	.76	30
31	.41	X		X		X	.30		X	.03	X		31
TOTAL	1.31	.69	~~1.12~~	1.12	1.89	1.23	1.20	2.42	1.01	3.52	6.86	9.29	YEAR'S TOTAL 30.54
Days with .01 in. or more.	13	4	=	9	8	10	9	6	2	17	20	22	120
Days with .04 in. or more.	8	3	=	8	8	8	6	5	2	14	18	21	101

REGISTER OF RAINFALL IN 1930.

Kept at Broad Lence
in the County of Leam
Diameter of Funnel of Gauge 12 in.
Height of top of Gauge above Ground 3 ft. in.
,, Ground ,, Sea Level 11 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.21	.25		.11		.03	.90	.01			.82		1
2		.04						.04			.64		2
3	.12	.10		.37				.92		.01	.03		3
4	.13	.09						.03	.12	.15			4
5				.14	.35			.53					5
6	.06	.15	.09					.04	.32				6
7		.60						.09		.42	.42	.13	7
8	.15								.04			.40	8
9	.15				.42		.02					.09	9
10	.39	.02	.21		.18					.04		.05	10
11	.16					.21		.01		.10		.48	11
12				.09	.05			.01				.25	12
13	.05		.06	.23	.19		.18	.17	.37				13
14	.04	.07					.06						14
15		.12	.29				.67				.18		15
16			.03						.17				16
17				.05					.18	.15			17
18			.69		.02		.10		.16		.30	.12	18
19			.34	.07					.75	.07	.36		19
20				.03			.92	.18	.44	.48	.64		20
21					.02			.18		.21	.58		21
22					.35		.15	.20	.03	.24	.39		22
23			.37	.13		.26	.06		.01				23
24	.31				.27		.16		.01	.04	.68	.15	24
25	.14				.80				.08		.20		25
26						.67	.03		.37		.38	.52	26
27									.05		.18	.16	27
28							.06		.16		.15	.03	28
29	.23							.02	.15		.12	.07	29
30	.11	X			.84	.03	.57				.03	.50	30
31	.43	X	.11	X	.23	X			X	.20	X	.03	31
TOTAL	2.68	1.42	2.17	1.36	3.72	1.20	3.82	2.43	3.41	2.11	6.08	2.98	YEAR'S TOTAL 33.38
* Days with "or in. or more.	15	9	9	9	12	5	13	14	14	12	14	14	146
* Days with "or in. or more.	15	8	8	8	10	3	11	9	14	11	15	12	124

269

ORGANIZATION.

ng 17-30" E

8 A.M.

on 8th

Rain Gauge 8 in.

above Ground 1 ft. 6 in.

Sea Level 50 ft.

ult entered to the previous day.

requested to add

it at the end of

ing of rain gauges,

rainfall Observers,"

tion, 62, Camden

Jan. 1, following.

Kept at BUCKLAND

in the County of

by

IMPORTANT

If an Observer prefe

the reading at 9 a.m.

this paragraph. Full

and particulars as to

sent post-free on application to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.22				.12						.01	.12	1
2	.04				.03				.06		.50		2
3	.03		.15		.04	.13		.25			.14		3
4	.06				.24		.01	.04			.33		4
5	.02			.01				.09			.35		5
6	.29		.15		.16		.13						6
7	.24	.03			.40								7
8	.02		.05	.07							.49		8
9													9
10	.38	.12						.05	.12	.03		.04	10
11	.25	.04							.70				11
12	.16	.01						.78	.04				12
13			.10	.33				.27	.08			.17	13
14	.69							.04		.02		.35	14
15				.10			.01					.04	15
16	.02			.10								.01	16
17	.11		.07	.34				.50					17
18	.12	.03		.01					.02				18
19			.33									.12	19
20			.05	.09		.08				.04		.01	20
21	.01							.11			.12	.03	21
22												.18	22
23				.32				.02		.14		.07	23
24	.01			.10								.12	24
25	.01	.35										.13	25
26	.02		.05									.19	26
27	.01			.02	.01			.02				.22	27
28	.01		.22		.04		.07	.23				.05	28
29	.02		.13		.18		.04					.18	29
30	.06	X			.12						.11	.37	30
31	.14	X		X		X			X		X		31
TOTAL	2.94	.58	1.30	1.49	1.44	.21	.26	2.40	.97	.23	2.05	2.40	YEAR'S TOTAL 16.27
Days with ".01 in. or more	24	6	10	11	10	2	5	12	6	4	8	18	116
Days with ".01 in. or more	13	3	10	8	8	2	3	10	4	2	7	15	85

Kept at Buchland Down
in the County of Kent
by Guy Hammering

Lat. 51° 17' 30" N
Long. 1° 17' 30" E
Time of Observation 8 A.M.
Nearest Railway Station Dover Priory
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.22				.12						.01	.12	1
2	.04				.03				.01		.50		2
3	.03		.15		.04	.13		.25			.14		3
4	.06				.24		.01	.04			.33		4
5	.02			.01				.09			.25		5
6	.29		.15		.16		.13						6
7	.24	.03			.40								7
8	.02		.05	.07							.49		8
9													9
10	.38	.12						.08	.12	.03		.04	10
11	.25	.04							.70				11
12	.16	.01						.78	.04				12
13			.10	.33				.27	.08			.17	13
14	.69							.04		.02		.35	14
15				.10			.01					.04	15
16	.02			.10								.01	16
17	.11		.07	.34				.50					17
18	.12	.03		.01					.02				18
19			.33									.12	19
20			.05	.09		.08				.04		.01	20
21	.01							.11			.12	.03	21
22												.18	22
23				.32				.02		.14		.07	23
24	.01			.10								.12	24
25	.01	.35										.13	25
26	.02		.05									.19	26
27	.01			.02	.01			.02				.22	27
28	.01		.22		.04		.07	.23				.05	28
29	.02		.13		.18		.04					.18	29
30	.06	~~XX~~			.12						.11	.37	30
31	.14	~~XX~~		~~XX~~		~~XX~~		~~XX~~		~~XX~~	~~XX~~		31
TOTAL	2.94	.58	1.30	1.49	1.44	.21	.26	2.40	.97	.23	2.05	2.40	YEAR'S TOTAL
Days with ".01 in. or more	24	6	10	11	10	2	5	12	6	4	8	18	116
Days with ".01 in. or more	13	3	10	8	8	2	3	10	4	2	7	15	85

AIR MINISTRY.
METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
REGISTER OF RAINFALL IN 1922

Kept at Buckland Down
in the County of Kent
by George Manning

Lat 51° 8' 0" N Long 1° 17' 30" E
Time of Observation 9 A.M.
Nearest Railway Station Dover
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.04	.28		.02		.01			.05	.48	.08	1
2	.11	.30	.22	.25							.01		2
3		.04	.03	.68	.19		.08	.07			.12		3
4	.05		.09	.02	.01		.10	.17	.05	.33			4
5			.01	.04			.63		.01	.11	.40		5
6	.09		.04					.62		.13	.21		6
7	.53		.30	.29			.16	.01		.02		.03	7
8	.02		.17	.02		.12	.53	.24			.09		8
9	.08		.01	.02			.08	.47	.02			.02	9
10	.02		.05						.25		.29		10
11	.06				.10								11
12				.32	.01			.08	.29				12
13	.04			.29		.56	.27		1.09				13
14						.63		.10	.70				14
15	.32	.36							.02			.01	15
16		.04		.04			.10		.12			.45	16
17		.17		.11	.09		.06		.07			.12	17
18	.33			.04		.06					.01	.22	18
19	.78	.28	.12		.03				.46	.19		.35	19
20			.04							.14		.03	20
21	.50	.28	.53					.25	.02	.01		.60	21
22		.28	.03	.09						.03	.01	.11	22
23		.06				.06	.04		.41	.30		.04	23
24		.01	.14	.21		.14	.03	.40				.01	24
25	.28	.04	.25	.55		.10	.15	.03		.17		.12	25
26	.03	.30	.13	.27		.23	.21		.48		.14	.02	26
27	.57	.25	.06	.03				.29	.33	.46		.16	27
28	.02	.11	.09			.25		.09		.33	.09	.19	28
29	.30		.02			.06		.12		.27		.16	29
30	.04	X	.09			.01	.04	.06	.51	.18	.13	.18	30
31		X	.02	X		X		.06	X	.02	X	.27	31
TOTAL	4.15	2.56	2.65	3.27	.45	2.22	2.49	3.06	4.83	2.74	1.98	3.17	YEAR'S TOTAL 33.57✓
Days with "01 in. or more	19	15	22	17	7	11	15	16	16	16	12	20	186✓
Days with "0.1 in. or more	14	14	16	13	3	10	13	14	12	12	9	14	144✓

AIR MINISTRY.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1923.

Kept at Buckland Doverin the County of Kentby Guy ManningLat. 50° 8' 0" N Long. 1° 17' 30" ETime of Observation 9 AMNearest Railway Station DoverDiameter of Funnel of Rain Gauge 8 in.Height of top of Gauge above Ground 1 ft. 6 in." " " " Sea Level 50 ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day.

An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.08	.03	.26						.35	.02	.20	.15	1
2	.30				.02					.06	.02	.14	2
3						.11				.86	.10		3
4									.13			.22	4
5	.29				.06					.04		.06	5
6	.33	.01	.09			.09					.18		6
7	.25	.60	.26		.12		.04			.63		.29	7
8	.04	.22	.03		.33					.28	.39	.18	8
9	.11			.17	.02					.03			9
10		.15			.38					.34		.25	10
11			.01		.06					.56			11
12		.21	.16		.43	.12				.16			12
13	.05	.04	.19		.08		.18				.33		13
14		.08			.03			.04	.02	.05		.11	14
15	.02	.06			.35	.11	.02	.03			.22		15
16		.15			.10	.02					.28	.03	16
17						.01		.13	.18				17
18	.12	.41						.05	.10	.04			18
19	.17	.07		.03		.06			.03	.32		.02	19
20	.03		.10		.08	.07			.45	.06			20
21		.18	.03	.25				.04		.22	.02	.07	21
22		.86	.04	.17				.03	.51	.21	.27	.30	22
23		.02	.35	.02	.19		.04	.37	.34	1.20	.22		23
24		.02						.06	.21	.31			24
25				.69	.12	.14	.08	.02		.29		.85	25
26		.55		.17				.25		.40		.21	26
27		.16	.03		.17		.05	.17		.03			27
28	.02	.27			.16		.19	.02		.02	.31	.03	28
29	.15			.22	.06		.04	.28				.30	29
30		X	.01				.05			.16			30
31	.01	X		X		X	.22		X	.14	X	.10	31
TOTAL	1.97	4.09	1.56	1.72	3.76	.73	.91	1.49	2.32	6.15	2.54	3.31	30.83
Days with "01 in. or more	10	19	13	8	18	9	10	13	10	24	12	17	168
Days with "04 in. or more	11	15	8	6	15	7	9	9	8	20	10	14	132
													YEAR'S TOTAL

FORM 1090.

AIR MINISTRY.
METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
REGISTER OF RAINFALL IN 1924.

County No. _____
River Dist. _____
Station No. _____

Kept at Buckland Dore
in the County of Kent
by Guy Hammering

Lat. 50° 8' 0" N Long. 1° 17' 30" E
Time of Observation 9 AM
Nearest Railway Station Deal Bridge
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 50 ft.

FEB 1925

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.13		.20	.02	.01	.26	.02				.64	.08	1 RRR
2	.02		.27	.02	.14		.13	.14				.14	2 88
3			.02	.07	.69	.04	.20	.17	.06				3
4						.43	.29			.05	.11	.37	4
5		.02	.03		.33		.04			.25		.10	5
6									.01	.90			6
7								.04	.13	.34			7
8	.25			.03	.05	.25	.15		.10	.11			8
9	.11	.10		.21	.04	.02	.13		.14	.02			9
10	.18	.08		.23	.37	.02			.02				10
11				.39	.14	.19			.03		.05		11
12				.41	.05	.13			.01		.33		12
13	.05			.30		.08		.03	.09			.33	13
14				.25				.11		.01			14
15				.02				.07	.10			.30	15
16	.01						.01		.02			.07	16
17	.25						1.30	.42		.03			17
18	.48	.05				.26	.05	.51			.05	.04	18
19	.11	.09				.07	.02	.21		.16	.02		19
20					.16	.05		.16	.07				20
21	.46				.17		.03	.49	.44	1.00			21
22	.25		.16		.03		.01	.39		.12			22
23		.23	.28	.04	.24		.01	.02	.33			.73	23
24	.25	.22	.35		.04		.02	.01			.05	.34	24
25		.05	.15	.07			.56		.18	.13	.11		25
26		.08		.18		.03	.02		1.43	.10	.17	.05	26
27		.07	.08	.30			.08		.07		.38	.55	27
28			~~X~~	.17			.61	.14		.02	.86		28
29	.05	.08	~~28~~	.14	.37		.03	.38		.61	.20		29
30		~~X~~		.20	.09			.18	.42	.73		.49	30
31		~~X~~	.02	~~X~~	.38	~~X~~		.04	~~X~~	.25	~~X~~	.46	31 9/8
TOTAL	2.66	1.07	1.56	3.05	3.31	1.83	3.71	3.51	3.65	4.83	2.97	4.05	YEAR'S TOTAL 36.14
Days with .01 in. or more.	14	11	10	18	17	13	20	18	18	17	12	14	182
Days with .04 in. or more.	12	10	7	14	15	10	11	15	13	13	11	14	145



Register of Rainfall in 1925.

Kept at Buckland Dover

in the County of Kent

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 6 in.

„ Ground „ Sea Level 50 ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.45			.24	.01			.64	.07		.36	.07	1
2	.40			.27	.2		.03	.05	.01		.70		2
3	.73				.18		.44		.04		.19		3
4	.02		.01		.04		.02				.09		4
5		.04		.06				.07	.13		.34		5
6		.16	.04	.03	.07				.04		.62		6
7		.23	.07		.03		.35			.07	.11	.20	7
8	.07		.02		.13				.02	.05	.25		8
9		.02		.18				.05	.03	.02	.07		9
10			.21					.14	.07		.96		10
11		.07	.02					.20	.10		.09		11
12		.41	.04						.04	.15			12
13		.36	.31	.16						.03	.02		13
14	.26	.08	.06										14
15	.21	.32		.32						.27			15
16	.06								.05	.14			16
17									.06				17
18					.06		.04						18
19				.03	.27	.15			.11	1.04		.40	19
20		.12	.17		.10		.09		.45	.55		.42	20
21			.50				.04		.17	.09		1.05	21
22	.02		.10				.43	.30	.20	.44		.44	22
23		.22		.39	.53	.28	.06	.21		.65	.64		23
24		.57	.40	.08	.04	.25		.05	.01	.01	.12	.10	24
25	.20	1.08		.07		.06	.07	.02	.60	.01		.24	25
26	.09	.40	.01	.05	.89	.16	.50			.29			26
27	.20	.03					.42	.07			.16	.02	27
28	.12	.08	.02	.13	.04							.41	28
29	.08			.13			.13				.25	.90	29
30		X		1.10			.29				.10	.55	30
31		X		X		X	.31		X		X		31
TOTAL	2.91	4.19	1.98	3.24	2.39	.90	3.22	1.80	2.20	3.81	5.07	4.80	36.51
Days with ".01 in. or more.	14	16	15	15	13	5	15	11	18	15	17	12	166
Days with ".04 in. or more.	12	14.5	10	13	11	5	13	10	14	11	16	11	140

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1926.

Kept at Buckland Green
in the County of Kent
Diameter of Funnel of Gauge.....8.....in.
Height of top of Gauge above Ground.....1.....ft. 6.....in.
,, Ground ,, Sea Level.....50.....ft.

Corr for Anil
Obs notified

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.35	.20				.10	.04		.01				1
2	.06					.64			.03		.03		2
3	.25	1.12	.08	.01			.04	.02	.10				3
4		.12	.08				.10		.05				4
5	.13	.09	.07				.02				.47		5
6	.05	.15		.07	.09	.37	.06	.04	.05		.04		6
7	.10	.05		.14	.02	.13			.01		.01	.20	7
8	.04	.01				.03					.53		8
9		.03	.01			.54		.30		.24	.75		9
10	.23				.03	.23				.01	.03		10
11		.09			.13	.15		.44		.03			11
12		.07				.09				.52			12
13	.42	.02			.20				.04	.06	1.60	.04	13
14					.10					.60	.03	.13	14
15		.05		.61	.03	.10				.51	.15		15
16	.08	.40		.15				.78			.04		16
17		.71		.24		.74	.16			.01	.11	.26	17
18	.12	.08	.08	.50	.15			.20			.29		18
19			.01	.17			.34				.50		19
20				.40	.10		.04	.17			.87		20
21	.01			.06			.10	.04		.15	.83		21
22	.66	.09		.20							.31	.46	22
23	.03			.02		.04			.02				23
24						.16	.02		.08	.86			24
25	.09			.79			.01			.01		.03	25
26			.01				.02		.06		.10		26
27	.04	.04					.33		.07			.20	27
28				.03	.04		.10			.52	.10		28
29	.66		.03		.36					.65	.11		29
30	.01	X		.07	.18					.80			30
31	.24	X		X	.26	X			X	1.02	X		31
TOTAL	3.34	3.32	.37	3.46	1.69	3.32	1.38	1.99	.52	5.99	6.90	1.32	YEARS TOTAL
Days with '01 in. or more.	18	17	8	15	13	13	14	8	11	15	20	7	159
Days with '04 in. or more.	15	14	4	12	10	12	10	7	7	11	16	6	124

Please read the Notes and Instructions Overleaf.

Section **A**

for the entry of Daily Observations.

247
FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1927.

Kept at Buchland Down

in the County of Kent

Diameter of Funnel of Gauge.....8.....in.

Height of top of Gauge above Ground.....1 ft.....6.....in.

„ Ground „ Sea Level 50.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		1.51		.10		.54		.75		.24	.27		1
2	.06		.14	.20						.05			2
3	.15					.03			.01				3
4			.10	.10			.04					.02	4
5	.44	.21	.04	.49			.06	.25			.15		5
6	.03		.39	.20		.19	2.63		.09		.40		6
7		.16	.06	.41				.46					7
8	.29		.04	.15		.22	.10	.25	.06		.31		8
9				.07		.01		.23	.20		.03		9
10			.22					.08	.17		.61		10
11			.08	.02		.22			.01		.03		11
12	.10		.01							.12	.11		12
13	.04						.39	.68	.46	.01	.02		13
14				.04	.04		1.85		.84	.02		.07	14
15	.31						.12	.18					15
16	.04				.12			.10	.07			.04	16
17	.03					.22		.12	.30				17
18	.10		.01			.42		.21	.06		.09		18
19		.20				.03		.02			.04		19
20	.08	.12					.06	1.35			.50	.12	20
21	.23	.23					.08	.08	.02	.16	.25	.67	21
22	.16	.03	.31		.17	.09	.22	.02	.07	.78		.58	22
23		.27	.37			.88		.04	.85	.02	.29	.16	23
24		.13	.57	.05		.26				.02	.50	.60	24
25		.24				.09	.07	.03	.02	.01	.01	1.35	25
26	.13	.76			.05	.15				.02		1.72	26
27		.37			.19	.24	.35			.21			27
28	.06	.10				.19				.01			28
29	.06		.11	.04		.27	.02		.46		.57		29
30	.29	X	.22			.45				.07			30
31	.10	X	.45	X		X			X	.06	X	.04	31
TOTAL	2.70	4.33	3.12	1.87	.57	4.50	5.99	4.85	3.69	1.80	4.18	5.26	YEARS TOTAL
Days with "01 in. or more.	19	13	16	12	5	18	13	17	16	15	17	11	172
Days with "04 in. or more.	17	12	14	11	5	15	12	14	12	8	13	10	143

Section



for the entry of Daily Observations.

260
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1928.

Kept at Buckland Dover
in the County of Kent

Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" Ground " Sea Level 50 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.12								1.85	.01	1
2	.85	.26			.05						1.34		2
3				.21	.01		.21	.25			.15	.04	3
4	.03	.13		.30		.02		.41			.02		4
5	.38	.12										.01	5
6			.21			.40					.01	.18	6
7	.03			.05		.23		.07					7
8		.06	.17		.05	.25				.52	.10		8
9	.03					.29				.29	.03	.10	9
10	.10	.22		.27	.10					.53	.11		10
11		.05	.25	.10		.14				.20	.20	.23	11
12	.40	.07	.02			.34				.02	.01	.14	12
13		.19									.22	.34	13
14	.08	.14		.15	.01	.10		.05		1.31	.65	.07	14
15	.29			.98	.16			.06	.04		.38	.02	15
16	.02	.03		.76	.15					.07	.43	.32	16
17			.02	.02	.59					.23			17
18	.80		.02		.06	.18				.38			18
19				.09	.13	.01		.14		.40	.04	.54	19
20	.27							.22		.54	.02	.53	20
21	.21		.11	.09	.94				.04	.68	.38		21
22			.07		.18			.06	.65	.74	.29	.09	22
23	.47		.01		.09					.12	.55		23
24								.09		.12	.22	.50	24
25	.14					.03			.12	.32	.05	.10	25
26	.25					.13	.02	.09		.28		.31	26
27			.12	.05			.62	.02		.08		.81	27
28	.68		.46	.30				.03	.36	.16		.10	28
29	.07	.17	.42	.02						.14	.06	.68	29
30	.05	X	.05				.11			.05		.16	30
31	.19	X	.86	X		X	.04		X		X		31
TOTAL	5.34	1.44	2.91	3.39	2.52	2.11	1.00	1.49	1.21	7.18	7.07	5.28	YEAR'S TOTAL 40.94
Days with ".01 in. or more.	20	11	15	14	13	12	5	12	5	21	22	21	171
Days with ".04 in. or more.	16	10	11	12	11	9	4	10	5	20	16	18	142

REGISTER OF RAINFALL IN 1929.

Kept at Buckland Park
in the County of Kent
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 6 in.
Ground Sea Level 50 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.
Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.07				.01		.39		.34			1
2	.06					.05	.12			.48	.12	.34	2
3			.18	.08			.21			.04		.45	3
4				.11	.19	.98		.14		.04		.15	4
5			.02		.81		.35	.13		.15		.72	5
6					.19		.22	1.10		.09	.15	.61	6
7					.02	.13				.20	.69	.42	7
8						.28				.42	.12	.43	8
9	.02	.29		.12								.38	9
10	.03			.12						.18		.73	10
11				.23	.10	.11					1.09	.06	11
12				.23		.05					.18	.02	12
13	.06				.10						.03	.03	13
14					.08	.11						.10	14
15					.05	.31							15
16								.74				.12	16
17											.36		17
18	.14										.60		18
19											.18		19
20									.01	.39	.06		20
21	.12		.17									.68	21
22											.03	.22	22
23	.01										.75	.34	23
24										.40	.40	.17	24
25	.22									.31		.14	25
26											.40	.13	26
27											.67	.04	27
28	.12						.37				.67	.36	28
29	.13			.13		.02			.45	.58	.25		29
30	.05	X		.13		.03			.40	.78		.74	30
31	.30	X		X		X	.12		X	.22	X		31
TOTAL	1.26	.36	.37	1.15	1.54	2.08	1.39	2.50	.86	4.62	6.75	7.39	YEAR'S TOTAL 30.27
Days with ".01 in. or more.	12	2	3	8	8	11	6	5	3	15	18	23	114
Days with ".04 in. or more.	9	2	2	8	7	8	6	5	2	15	16	21	101

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at Buchland, Denver
in the County of Kent.

Diameter of Funnel of Gauge.....8.....in.
Height of top of Gauge above Ground.....1.....ft.....1.....in.
,, Ground ,, Sea Level 50.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.29	.04		.21			.45			.02	.97		1
2		.39		.06				.24			.48		2
3	.05	.35		.65				1.44		.02			3
4	.07	.04		.05				.18	.08	.17	.04		4
5	.06	.19			.28			.23		.03			5
6		.37	.03		.14			.02	.48				6
7		.59	.02		.09			1.13		.38	.63	.20	7
8	.21											.45	8
9	.15				.34				.05			.07	9
10	.40		.23		.35		.01						10
11	.22	.10	.02		.02					.09		.44	11
12	.21			.15	.18	.02		.01	.06			.37	12
13	.01		.16	.37	.11			.37	.37			.02	13
14	.03	.16	.03				.24					.04	14
15	.14		.30	.06			.75	.06		.02	.15		15
16				.08					.42				16
17		.07	.56		.10		.08		.36	.07			17
18			.12	.21							.19	.10	18
19			.72	.02					.45	.17	.27		19
20				.06			.76	.05	.60		.86		20
21							.24	.27	.06		.74		21
22					.32	.60	.06	.16	.08	.65	.44		22
23			.30	.04			.15	.10		.03			23
24	.30	.02					.91		.02	.12	.47	.25	24
25	.18			.20	.59	.35			.04		.17	.40	25
26	.07						.04		.50		.38	.26	26
27									.19	.03	.34		27
28							.02		.60		.17	.11	28
29	.26						.38		.10		.13	.11	29
30	.32	X			.80						.02	.90	30
31	.20	X		X	.24	X	.08		X	.05	X	.08	31
TOTAL	3.17	2.32	2.49	2.16	3.56	.97	4.17	4.26	4.46	1.84	6.45	3.80	YEAR'S TOTAL 39.65
*Days with or in. or more.	18	11	11	13	13	3	14	13	17	14	17	15	159
*Days with .04 in. or more.	16	10	7	12	12	2	12	11	16	8	16	14	126

Section



for the entry of Daily

FORM 1090.

METEOROLOGICAL

Reg

Kept at Sewage Works, Cal

in the County of Kent

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground

„ Ground „ Sea Level

THE MORNING MEASU

FOR OFFICIAL USE.

IZATION.

292 293

ed to read the instructions
ng in this form.

ould fill in section C

US DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.32	-	.07	-	-	-	-	.17	.09	-	.23	.04	1
2	.22	-	-	.15	-	-	.02	.15	.03	-	.38	-	2
3	.36	.02	-	-	.24	-	-	.01	-	-	.06	-	3
4	-	-	-	-	.15	-	.19	.01	-	.01	.05	-	4
5	-	.07	-	.15	.01	-	.11	-	.13	-	.30	-	5
6	-	.16	.07	.04	.09	-	.15	-	-	-	.57	-	6
7	-	.13	.01	-	.02	-	.30	-	.01	.03	.03	.05	7
8	-	-	-	-	.16	-	-	-	.02	.13	.04	-	8
9	-	-	.03	.26	-	-	-	.02	.10	-	.03	-	9
10	-	.02	.28	-	.02	-	-	.22	.12	-	.81	-	10
11	-	.07	.02	-	-	-	-	.16	.19	-	.08	-	11
12	-	.46	-	-	-	-	-	-	.01	.21	-	-	12
13	-	.32	.25	.05	-	-	-	-	-	.02	-	.03	13
14	-	.10	.06	.20	-	-	-	-	-	-	-	-	14
15	.14	.16	-	.08	-	-	-	-	-	.33	-	-	15
16	-	.01	-	.01	.02	-	-	-	-	.13	-	-	16
17	-	.01	-	-	-	-	-	-	-	-	-	.03	17
18	-	.04	-	-	-	-	.03	-	-	.02	-	-	18
19	-	.01	-	-	.17	.10	-	-	.04	.61	-	.18	19
20	-	.02	.18	-	-	-	.19	-	.96	.23	-	.31	20
21	-	.23	.03	-	-	-	.02	.09	.04	.16	-	.87	21
22	-	.01	.05	.05	-	.02	.48	.35	.18	.61	.05	.39	22
23	-	.15	.02	.22	.58	.15	.05	.26	-	.38	.03	.10	23
24	-	.43	.12	.05	.07	.18	.19	.13	-	.04	.12	.02	24
25	.15	1.27	-	.04	.02	-	.03	-	.20	-	-	.07	25
26	-	.18	.02	.11	-	.18	.12	-	.01	.22	-	.08	26
27	.11	.04	-	.19	.49	-	.28	.05	-	-	.15	.01	27
28	.09	.08	-	.07	-	-	.01	-	-	-	-	.26	28
29	.19	X	-	.35	.07	-	-	-	-	-	.10	.46	29
30	-	X	-	.45	-	-	.27	-	-	-	.07	.31	30
31	.07	X	-	X	-	X	.13	-	X	-	X	.01	31
TOTAL	1.65	3.99	1.21	2.47	2.11	.63	2.57	1.62	2.13	3.13	3.10	3.22	27.83
Days with 01 in. or more.	9	23	14	17	14	5	17	12	15	15	17	17	175
Days with 04 in. or more.	8	16	8	16	9	4	12	9	10	11	14	12	130

(Signed)

(P.T.O.)

Register of Rainfall in 1925.

Kept at Sewage Works, Canterbury.

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 2 ft. 6 in.

Ground „ Sea Level 15.00 ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.32	-	.07	-	-	-	-	.17	.09	-	.23	.04	1
2	.22	-	-	.15	-	-	.02	.15	.03	-	.38	-	2
3	.36	.02	-	-	.24	-	-	.01	-	-	.06	-	3
4	-	-	-	-	.15	-	.19	.01	-	.01	.05	-	4
5	-	.07	-	.15	.01	-	.11	-	.13	-	.30	-	5
6	-	.16	.07	.04	.09	-	.15	-	-	-	.57	-	6
7	-	.13	.01	-	.02	-	.30	-	.01	.03	.03	.05	7
8	-	-	-	-	.16	-	-	-	.02	.13	.04	-	8
9	-	-	.03	.26	-	-	-	.02	.10	-	.03	-	9
10	-	.02	.28	-	.02	-	-	.22	.12	-	.81	-	10
11	-	.07	.02	-	-	-	-	.16	.19	-	.08	-	11
12	-	.46	-	-	-	-	-	-	.01	.21	-	-	12
13	-	.32	.25	.05	-	-	-	-	-	.02	-	.03	13
14	-	.10	.06	.20	-	-	-	-	-	-	-	-	14
15	.14	.16	-	.08	-	-	-	-	-	.33	-	-	15
16	-	.01	-	.01	.02	-	-	-	-	.13	-	-	16
17	-	.01	-	-	-	-	-	-	-	-	-	.03	17
18	-	.04	-	-	-	-	.03	-	-	.02	-	-	18
19	-	.01	-	-	.17	.10	-	-	.04	.61	-	.18	19
20	-	.02	.18	-	-	-	.19	-	.96	.23	-	.31	20
21	-	.23	.03	-	-	-	.02	.09	.04	.16	-	.87	21
22	-	.01	.05	.05	-	.02	.48	.35	.18	.61	.05	.39	22
23	-	.15	.02	.22	.58	.15	.05	.26	-	.38	.03	.10	23
24	-	.43	.12	.05	.07	.18	.19	.13	-	.04	.12	.02	24
25	.15	1.27	-	.04	.02	-	.03	-	.20	-	-	.07	25
26	-	.18	.02	.11	-	.18	.12	-	.01	.22	-	.08	26
27	.11	.04	-	.19	.49	-	.28	.05	-	-	.15	.01	27
28	.09	.08	-	.07	-	-	.01	-	-	-	-	.26	28
29	.19	X	-	.35	.07	-	-	-	-	-	.10	.46	29
30	-	X	-	.45	-	-	.27	-	-	-	.07	.31	30
31	.07	X	-	X	-	X	.13	-	X	-	X	.01	31
TOTAL	1.65	3.99	1.21	2.47	2.11	.63	2.57	1.62	2.13	3.13	3.10	3.22	27.83
Days with .01 in. or more.	9	23	14	17	14	5	17	12	15	15	17	17	175
Days with .04 in. or more.	9	16	8	16	9	4	12	9	10	11	14	12	130

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1926.

281
298

Kept at Irrigation Works Canterbury
in the County of Kent

Diameter of Funnel of Gauge.....5.....in.
Height of top of Gauge above Ground.....2.....ft.....6.....in.
" Ground " Sea Level 15.00.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.25	.25	-	-	-	.10	-	-	.04	-	-	-	1
2	.03	-	-	-	-	.61	.11	-	.04	-	.02	-	2
3	.22	1.18	-	-	-	.01	.09	-	.04	-	-	-	3
4	.11	.05	.08	-	-	-	.24	-	-	-	-	-	4
5	.02	.06	.06	-	.14	-	.02	-	.01	-	.83	.19	5
6	-	.13	-	.14	.07	.15	-	.05	.14	-	.08	-	6
7	.13	.06	-	.11	.15	.11	.01	.03	.03	-	.04	-	7
8	-	.03	-	.12	.01	.02	-	-	-	.03	.45	-	8
9	-	.04	.03	-	.01	.24	-	-	-	.09	.66	-	9
10	-	.02	-	-	-	.12	.01	.06	.02	-	-	-	10
11	-	.07	-	-	.08	.06	-	.39	-	-	-	-	11
12	-	.05	-	-	.12	.07	-	-	-	.19	-	-	12
13	.01	-	-	-	.04	.09	-	-	-	.02	1.25	.05	13
14	.11	.06	-	-	.09	-	-	-	-	.59	.19	-	14
15	.09	.04	-	.53	-	-	-	-	-	.67	.09	-	15
16	-	.10	-	.29	-	-	-	.95	-	.01	.03	.16	16
17	-	.39	-	-	.04	.76	-	.01	-	-	.05	-	17
18	-	.10	-	.50	.26	.01	.40	.07	-	-	.53	-	18
19	-	-	.05	.11	.04	-	.18	.02	-	-	.06	.04	19
20	-	-	-	.50	.03	-	.14	.09	-	.46	.67	-	20
21	-	-	-	.21	-	-	.10	-	-	.07	.59	.06	21
22	.20	.10	-	.23	-	-	-	-	-	-	.24	.24	22
23	.03	-	-	-	-	.34	-	-	.04	-	.02	-	23
24	-	-	-	-	-	.09	.04	-	.13	.58	-	-	24
25	.05	-	-	.81	-	-	.01	-	.01	.08	.15	.06	25
26	-	-	-	-	-	-	.03	.11	.09	-	.29	-	26
27	-	-	-	.11	-	-	.04	-	.20	-	.03	-	27
28	.43	-	-	.03	-	-	.28	-	-	.28	.03	.02	28
29	-	X	.05	.16	.10	-	-	-	-	.26	.31	-	29
30	.06	X	-	.03	.13	-	-	-	-	.09	.01	-	30
31	.10	X	-	X	-	X	-	-	X	.50	X	-	31
TOTAL	1.84	2.73	.27	3.88	1.36	2.78	1.73	1.78	.79	3.92	6.12	.82	YEARS TOTAL 28.02
Days with ".01 in. or more.	15	17	5	15	15	15	15	10	12	15	28	8	165
Days with ".04 in. or more.	11	15	1	13	13	12	10	4	8	12	17	4	129

Please read the Notes and Instructions Overleaf.

Section

A

for the entry of Daily Observations.

272
FOR OFFICIAL USE.

Form 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1927.

298

Kept at Irrigation Works, Canterbury.

in the County of Kent

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....2.2 ft.....6 in.

„ Ground „ Sea Level 15.00.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	1.32	-	.14	-	.43	.40	.64	-	.08	.29	-	1
2	-	-	.06	.12	-	.02	-	-	-	.05	.03	.01	2
3	.12	-	-	-	-	.08	-	-	.02	-	-	-	3
4	-	-	.03	.03	-	.03	.22	-	-	-	-	.04	4
5	.07	.15	.16	.28	-	.05	.03	.10	-	-	.15	-	5
6	-	.01	.09	.17	-	.02	2.20	.01	.07	-	-	-	6
7	-	.20	.07	.41	-	.09	.26	.20	-	-	-	-	7
8	.21	-	.04	.23	-	-	-	.27	-	-	.35	-	8
9	-	-	.02	.05	-	-	.45	.05	.19	-	.03	-	9
10	-	-	.04	-	-	-	-	.01	.80	-	-	-	10
11	.08	-	-	.04	-	.11	-	.11	-	-	-	-	11
12	.15	-	-	-	.02	-	-	-	-	-	.29	-	12
13	.07	-	-	-	-	-	.28	.18	.12	-	.02	-	13
14	.03	-	-	.06	.04	-	1.41	.01	.81	.20	.05	.13	14
15	-	-	-	.02	-	-	.07	.40	.02	-	-	-	15
16	-	-	-	-	.11	-	-	.17	.16	-	-	.04	16
17	.17	.03	-	-	-	.22	-	.10	.18	-	-	.12	17
18	.12	-	-	-	-	.25	-	.08	.06	-	.05	-	18
19	.03	.14	-	-	-	-	-	.08	.01	-	.09	-	19
20	.03	.18	-	-	-	-	.07	.43	-	-	.68	-	20
21	.23	.16	-	-	.11	-	-	.07	.02	.12	.16	.66	21
22	.10	.05	.25	-	.03	.27	.18	.10	.06	.55	.01	.54	22
23	-	.37	.32	-	-	.03	.01	.40	.46	.02	.19	.12	23
24	-	.11	.18	.08	-	.75	-	.16	-	.02	.06	.62	24
25	.01	.27	.35	-	-	.20	.01	.04	-	.02	-	.83	25
26	.17	.63	.04	-	.09	.13	-	-	-	-	-	.81	26
27	.03	.30	.07	-	.17	.30	.32	-	-	.22	.04	.03	27
28	.19	.15	-	.11	-	.17	.01	-	-	-	.18	-	28
29	.03	X	-	-	-	.24	-	.02	.34	-	.65	-	29
30	.19	X	.06	-	-	.28	-	-	-	.04	-	-	30
31	-	X	.49	X	-	X	.03	-	X	.07	X	-	31
TOTAL	2.03	4.07	2.27	1.74	.57	3.67	5.95	3.63	3.32	1.39	3.32	3.95	YEARS TOTAL 35.91
Days with ".01 in. or more.	19	15	16	13	7	19	16	22	15	11	18	12	183
Days with ".04 in. or more.	13	13	14	11	5	15	11	18	11	8	14	10	143

REGISTER OF RAINFALL IN 1928.

Kept at Irrigation Works Canterbury.

in the County of Kent.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 2 ft. 6 in.

„ Ground „ Sea Level 15.00 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.03	.11	.03				.16			.59		1
2	.44	.26	.03		.05						.45		2
3	.01	.01		.09	.01		.16	.23			.16	.02	3
4		.08		.31		.03		.75			.02		4
5	.19	.18	.03	.05			.01					.01	5
6			.13			.45							6
7	.02	.01	.02	.06		.31		.12					7
8		.02	.09		.02	.22	.02			.17	.29		8
9			.03			.16				.19	.04		9
10	.07	.17	.19	.29	.13	.05				.17	.04		10
11	.02	.02	.11	.20		.15		.03		.07	.25	.28	11
12	.21	.07			.01			.03		.04			12
13		.09			.09	.60		.07			.24	.08	13
14	.03	.10		.21	.06	.18				.36	.38	.03	14
15	.10	.01		.49	.41	.05			.02	.03	.23		15
16	.03			.53	.31					.05	.29	.18	16
17			.04	.05	.34	.02				.18	.01		17
18	.37				.11	.09				.37	.02		18
19				.06	.17	.02		.08		.38	.07	.10	19
20	.13				.19			.06		.28	.03	.33	20
21	.11		.05	.12	.47			.01		.84	.30	.02	21
22	.03		.01		.34			.12		.80	.26	.11	22
23	.20				.23				.03	.06	.23		23
24	.14						.02	.06	.11	.04	.24	.21	24
25	.06					.04			.05	.07	.05	.07	25
26	.55					.10	.03			.59	.02	.15	26
27			.04	.07			.44	.12		.04		.58	27
28	.19		.05	.03					.55			.58	28
29	.04	.05	.38	.19				.02		.08	.09	.07	29
30	.04	×		.07	.01	.13	.16		.22			.45	30
31	.06	×	.54	×		×	.09		×	.02	×	.35	31
TOTAL	3.04	1.10	1.85	2.85	2.95	2.60	.93	1.86	.98	4.83	4.30	3.62	30.91
Days with "01 in. or more.	22	14	16	17	17	16	8	14	6	21	23	13	172
Days with "04 in. or more.	16	8	11	15	13	13	4	10	4	10	18	14	145

Kept at Irrigation Works, Canterbury.
in the County of Kent.

Diameter of Funnel of Gauge. 5 in.
Height of top of Gauge above Ground. 2 ft. 6 in.
Ground Sea Level 15.00 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.
Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I		.07		.06				.35		.16	.11	.02	I
2							.24			.32	.11	.30	2
3				.01			.14	.03		.07		.38	3
4	.01		.05	.16		.49	.06	.05				.72	4
5	.06		.02		.51	.15	.11	.12		.25			5
6	.06				.24		.25	.33		.07	.08	.64	6
7					.05			.85		.28	.55	.30	7
8						.32		.01		.22	.04	.37	8
9		.29		.03							—	.60	9
10				.07						.26	.03	.31	10
11				.49							1.04	.02	11
12				.22	.12	.07						.01	12
13	.07				.05	.11						.04	13
14	.03				.02	.05						.10	14
15	.05				.06	.13					.45	.20	15
16								.87			.22		16
17													17
18								.03			.19		18
19													19
20							.04		.30	.41			20
21	.15		.03								.06	.95	21
22	.07		.07					.02			.06	.08	22
23										.02	.46	.19	23
24	.08						.03	.03		.85	.31	.24	24
25		.09								.29	.15	.11	25
26		.01									.10	.09	26
27	.07							.01		.03	.45		27
28	.11			.10						.23	.55	.33	28
29		X		.29			.14		.15		.12	.06	29
30	.19	X				.14			.25	.04	.02	.36	30
31	.25	X		X	.03	X			X	.10	X		31
TOTAL	1.20	.46	.17	1.43	1.08	1.46	1.01	2.70	.70	3.60	5.10	6.42	25.33
Days with "or in. or more.	13	4	4	9	8	8	8	12	3	16	20	28	128
Days with "or in. or more.	11	3	2	7	6	8	7	6	3	14	18	20	105.

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1930.

298

Kept at Irrigation Works, Canterbury.

in the County of KENT.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 2 ft 6 in.

Ground Sea Level 15.00 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.10	.06		.11			.45			.02	.43		1
2		.05						.05			.76		2
3		.03		.64				1.63			.03		3
4	.13						.04	.09	.03	.11			4
5	.02				.33			.24		.05			5
6		.66			.74			.19	.58	.02			6
7	.01	.30						.09		.20	.47	.10	7
8	.09							.02	.03	.03	.02	.25	8
9	.20		.04		.30				.03				9
10	.38		.36		.15							.01	10
11	.12	.06	.05		.08			.01	.15	.07		.46	11
12	.24			.10	.04			.06	.15			.20	12
13	.05		.10	.12	.12	.02	.13	.29	.19				13
14	.03						.29	.11	.04				14
15		.12	.27		.01		.41	.16		.05	.14		15
16		.03	.01				.03		.19				16
17		.03	.19	.08		.03	.02		.14	.11			17
18			.14		.08						.12	.03	18
19			.43					.01	.81	.16	.24	.03	19
20				.21	.03		.61	.10	.30	.44	.28	.02	20
21							.06	.16	.02		.43		21
22					.27		.06	.08		.03	.26		22
23	.02		.13			.24	.36	.05		.23			23
24		.03		.04	.16	.04	.30		.02	.12	.27	.04	24
25	.37			.11	.52	.06			.09		.19		25
26	.08	.01			.05	.47	.01		.74		.21	.35	26
27						.17	.03		.63	.02	.46	.06	27
28	.01								.68	.02	.20	.08	28
29	.20	X	.03				.04		.01		.12	.14	29
30	.13	X			.90	.43	.30				.04	.29	30
31	.34	X	.06	X	.24	X		.05	X	.40	X	.04	31
TOTAL	2.52	1.38	1.81	1.41	4.02	1.46	3.14	3.39	4.83	2.08	4.67	2.10	32.81
*Days with or in. or more.	18	11	12	8	16	8	16	18	19	17	18	15	176
*Days with or in. or more.	13	6	10	8	14	6	12	15	13	11	16	11	136

299

064501002

GANIZATION.

23.71'E

9 JAN 1925

Kept at "THORNE" ROUGH COMMON
in the County of CANTERBURY
by ALEC W. W.

1924-30

TR 12805930

Rain should be recorded by an Observer who prefers January 1st of the following year.

Full instructions and particulars as to the British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Rain Gauge 5" in.
above Ground 1 ft. 0 in.
Sea Level 285 ft.

on the previous day.
reading at 9 a.m. on

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.38		.06								.36	.36	1
2	.05		.14		.03					.23	.01	.13	2
3	.21					.10				.86			3
4									.06				4
5				.09								.16	5
6	.21					.10				.50*	.01		6
7	.35	.60	.10		.11		.05		.02			.23	7
8			.30		.20					.29	.51		8
9	.08	.22	.25	.17	.06								9
10			.01	.05	.21					.35			10
11		.15	.02		.02		.01			.50			11
12			.04		.25					.35			12
13		.20	.20			.18	.10				.64		13
14		.09	.18					.05	.03	.08			14
15		.05	.08		.20			.06			.22		15
16											.12		16
17						.15			.02			.16	17
18		.10						.22	.01	.02			18
19	.23	.15							.02	.36			19
20	.15	.03				.09			.36	.05			20
21		.07	.04	.13					.02	.24			21
22		.07		.05					.33	.12	.16	.34	22
23		.32			.45			.25	.17	.67	.06		23
24		.02	.37					1.00	.18	.10			24
25		.02	.15	1.16	.16	.08	.17			.12			25
26		.01		.16				.14		.25			26
27		.32	.02		.10	.05		.26		.03		.14	27
28		.16			1.37		.18						28
29	.20	X		.21	.17			.27				.23	29
30		X					.02			.30		.04	30
31		X		X	.01	X	.33		X	.08	X	.14	31
TOTAL	1.86	2.58	1.96	2.02	3.34	0.75	0.86	2.25	1.22	5.49	2.09	2.45	27.05
Days with .01 in. or more	9	17	15	8	14	7	7	8	11	20	9	11	136
Days with .04 in. or more	9	13	12	8	11	7	5	8	5	18	7	11	114

REGISTER OF RAINFALL IN 1923.

Kept at "THORNFIELD" Rough Common CANTERBURY
in the County of KENT
by ALEC W. WOOD

Lat. 51°-16.5' N. Long. 1°-3.71' E
Time of Observation 9 A.M.
Nearest Railway Station CANTERBURY
Diameter of Funnel of Rain Gauge 5" in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 285 ft.

9 JAN 1925

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.38		.06								.36	.36	1
2	.05		.14		.03					.22	.01	.13	2
3	.21					.10				.86			3
4									.06				4
5				.09								.16	5
6	.21					.10				.50*	.01		6
7	.35	.60	.10		.11		.05		.02			.23	7
8			.30		.20					.29	.51		8
9	.08	.22	.25	.17	.06								9
10			.01	.05	.21					.35			10
11		.15	.02		.02		.01			.50			11
12			.04		.25					.35			12
13		.20	.20			.18	.10				.64		13
14		.09	.18					.05	.03	.08			14
15		.05	.08		.20			.06			.22		15
16										.12			16
17						.15			.02			.16	17
18		.10						.22	.01	.02			18
19	.23	.15							.02	.36			19
20	.15	.03				.09			.36	.05			20
21		.07	.04	.13					.02	.24			21
22		.07		.05					.33	.12	.16	.34	22
23		.32			.45			.25	.17	.67	.06		23
24		.02	.37					1.00	.18	.10			24
25		.02	.15	1.16	.16	.08	.17			.12		.70*	25
26		.01		.16				.14		.25			26
27		.32	.02		.10	.05		.26		.03		.14	27
28		.16			1.37		.18						28
29	.20	X		.21	.17			.27				.23	29
30		X					.02			.30		.04	30
31		X		X	.01	X	.33		X	.08	X	.14	31
TOTAL	1.86	2.58	1.96	2.02	3.34	0.75	0.86	2.25	1.22	5.49	2.09	2.45	27.05 YEAR'S TOTAL
Days with 0.1 in. or more	9	17	15	8	14	7	7	8	11	20	9	11	136
Days with 0.4 in. or more	9	13	12	8	11	7	5	8	5	18	7	11	114

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1924.

Kept at "Thornfield" Rough Common, Canterbury.
in the County of Kent
by R.W. Wood.

FOR OFFICIAL USE.

AIR MINISTRY.

Lat. 51°-16.5' N Long. 1°-37' E.
Time of Observation 8 a.m.
Nearest Railway Station Canterbury West
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 285 ft.

County No.

River Dist.

Station No.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.18		.09	.06	.05	.12					.35	.03	1 ROR
2	.05		.29		.03	.07	.04	.17				.10	2 755
3					.40		.19	.11	.06				3
4					.22	.33	.04					.17	4
5			.05	.09			.05			.14		.02	5
6	.60							.25		.70	.03		6
7									.25	.28			7
8					.20	.25	.07			.25			8
9		.11		.31		.04			.12				9
10				.40	.17								10
11				.17	.07	.15			.07				11
12				.11		.04					.75		12
13	.04			.21		.10	.02	.15	.15			.18	13
14				.24				.04					14
15				.03					.06			.37	15
16	.02			.02									16
17							.87	.28				.04	17
18	.09				.25	.05	.04	.24		.06			18
19	.26	.15					.07	.06		.03	.11		19
20	.16				.09			.03	.10				20
21	.41				.05		.23	.06	.21	.51			21
22	.30	.06							.12				22
23			.47		.20		.03	.38	.25			.46	23
24	.28	.14	.16		.14			.02			.10	.65	24
25		x	.05				.43		.32		.14		25
26		x	.05	.50			.12		.61	.12	.22	.06	26
27		x	.02	.35		.07	.12		.02	.03	.50	.90	27
28		x		.05			.33	.08			.49		28
29		.19		.19	.25			.20		.57	.14	.06	29
30		X		.28	.12		.02	.27	.02	.56	.02	.48	30
31	.14	X		X	.39	X		.02	X	.32	X	.36	31 734
TOTAL	2.53	.65	1.18	3.01	2.63	1.22	2.67	2.36	2.36	3.57	2.85	3.88	YEAR'S TOTAL 28.91
Days with .01 in. or more.	12	5	8	15	15	10	16	16	14	12	11	14	148
Days with .04 in. or more.	11	5	7	13	14	10	13	13	12	10	9	12	129

Section



for the entry of Daily Observations.

AIR MINISTRY.

FOR OFFICIAL USE.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

293

Register of Rainfall in 1925 .

Kept at "THORNFIELD," ROUGH COMMON, CANTERBURY
in the County of KENT

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
Ground Sea Level 28.5 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.30		.06					.18	.11		.24	.05	1
2	.20			.22	.08		.03	.10	.03		.44		2
3	.29	.04			.23		.64		.02		.08		3
4					.10		.14	.03	.2				4
5				.14			.02		.13		.35		5
6		.25	.07		.14		.16		.02		.47		6
7		.14		.10			.23		.02		.12		7
8		.03			.12					.18		.10	8
9				.26	.04			.04	.11				9
10			.28					.24	.06		.72		10
11		.05	.04						.03		.14		11
12		.44								.18			12
13		.32	.20	.05						.05			13
14			.06	.16							.08		14
15	.25	.19		.07						.32			15
16					.04					.11			16
17													17
18										.02			18
19		.05			.20	.12			.08	.58			19
20			.19		.13		.10		.85	.30			20
21		.10	.03				.02	.08	.04	.21		1.20	21
22				.07		.03	.34	.29	.18	.50		.30	22
23		.13	.06	.18	.44	.26	.05	.23		.48		.19	23
24		.42	.10		.14	.24	.38	.17		.04	.13		24
25	.15	1.46		.12			.05	.03	.26				25
26		.25		.13		.18	.08			.30		.16	26
27	.11	.02		.22	.62			.05			.30		27
28	.10	.03		.17			.28					.19	28
29	.20	X		.30	.10		.02					.58	29
30		X		.33			.23					.36	30
31	.06	X		X		X	.16		X		X	.02	31
TOTAL	1.66	3.92	1.09	2.52	2.38	0.83	2.93	1.44	1.94	3.27	3.02	3.15	YEARS TOTAL
Days with .01 in. or more.	9	16	10	15	13	5	17	11	14	15	11	10	28.15
Days with .04 in. or more.	9	4315	9	1516	13	4	1413	129	9	1213	1012	911	154

(Signed) J. P. O. W. W. W.

P.T.O.

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1926.

"THORNFIELD" ROUGH COMMON,

Kept at CANTERBURY

in the County of KENT

Diameter of Funnel of Gauge.....FIVE.....in.

Height of top of Gauge above Ground...ONE ft.....in.

„ Ground „ Sea Level 28.5 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.30	.35							.04				1
2	.18					.78	.98		.05				2
3	.21	<u>1.29</u>	.03				.05	.05	.05				3
4	.13	.02	.05				.19						4
5	.19	.10	.04		.13						.40	.18	5
6		.16		.20	.04	.19		.06	.16		.08		6
7		.03		.13	.16	.08		.03	.05			.06	7
8		.03		.20		.03					.38		8
9			.02			.21				.12	.72		9
10		.08				.12		.14			.10		10
11		.04			.05	.06		.33		.03	.03		11
12		.05			.07	.06				.22			12
13	✓				.03						<u>1.21</u>		13
14	✗	.03			.08	.08				.64	.14	.11	14
15	✗	.03		.53	.03					.73	.11		15
16	SNOW	.10		.28	.02			.95			.03		16
17	.51	.43		.02	.04	.81					.05	.15	17
18	✗	.12		.43	.20		.31	.11			.48		18
19			.03	.17	.03		.25				.72	.03	19
20							.08			.38	✗		20
21				.54	.07		.08	.11		.05	.68		21
22	.21	.08	.04	.28				.03			.28	.30	22
23	.04			.16		.30							23
24						.19	.02		.10	.55			24
25	.07			.89				.09		.11	.13	.08	25
26							.04		.10		.28		26
27	.03			.19	.03		.05		.16		.03		27
28	.41			.04		.03	.29			.30			28
29				.15	.11					.33			29
30	.09	✗		.02	.16					.06	.25		30
31		✗		✗		✗	.02		✗	.38	✗		31
TOTAL	2.37	2.94	.21	4.23	1.25	2.94	1.46	1.90	.71	3.90	6.10	.91	YEARS TOTAL 28.92
Days with "01 in. or more.	15	16	6	16	16	13	12	10	8	13	20*	7	152
Days with "04 in. or more.	13	11	3	14	11	11	10	8	8	12	15	6	122

Please read the Notes and Instructions Overleaf.

Section

A

for the entry of Daily Observations.

273
FOR OFFICIAL USE.

Form 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1927.

Kept at "THORNFIELD" ROUGH COMMON, CANTERBURY.
in the County of KENT.

Diameter of Funnel of Gauge.....FIVE.....in.
Height of top of Gauge above Ground.....ONE.....ft.....in.
" Ground " Sea Level.....28.5.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		1.28		.15		.50	.18	.55		.13	.25		1
2		.03	.10	.10		.02	.02			.06	.03		2
3						.06							3
4	.12			.03			.33						4
5	.08	.08	.16	.27		.06	.06	.04			.13	.05	5
6	.03		.10	.11			2.04		.08		.04		6
7		.20	.11	.47		.09		.23					7
8	.22			.29			.21	.23	.03		.38		8
9			.05	.04			.34	.07	.19		.06		9
10			.06						.88				10
11				.03		.04	.03	.08	.03				11
12	.08							.08			.39		12
13	.08			.04			.19	.19	.12				13
14	.07			.04			1.19		.76	.44	.04	.11	14
15					.05		.05	.38					15
16					.11			.14	.25				16
17	.08					.29		.07	.20				17
18	.10					.23		.10	.05		.09		18
19	.02	.19						.06			.09		19
20		.17					.06	.51				.22	20
21	.06	.20			.13			.07	.04	.31	.85	.74	(S) 21
22	(S) .23	.03	.22		.14	.28	.09	.04	.02	.49		.53	22
23	.02	.29	.36					.23	.54	.03	.18	.11	23
24		.13	.28	.08		.73		.15		.02	.12	.54	24
25		.24	.35			.19		.03	.01			.92	25
26	.12	.73	.03		.08	.06			.03			1.32	26
27		.22	.05		.18	.34	.29			.32			27
28	.12	.12		.08		.16				.05	.08		28
29	.03		.08			.11			.42		.73		29
30	.21	X	.08			.37							30
31		X	.32	X	.04	X			X	.06	X		31
TOTAL	1.67	3.91	2.35	1.73	0.73	3.53	5.08	3.25	3.65	1.91	3.46	4.54	YEAR'S TOTAL
Days with ".01 in. or more.	17	14	15	13	7	16	14	19	16	10	15	19	175
Days with ".04 in. or more.	13	12	14	11	7	15	12	18	11	8	14	9	156

Section



for the entry of Daily Observations.

286
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1928.

Kept at "THORNFIELD," ROUGH COMMON, CANTERBURY
in the County of KENT.

Diameter of Funnel of Gauge FIVE in.
Height of top of Gauge above Ground ONE ft. — in.
" Ground " Sea Level 285 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			0.10					0.22			0.71		1
2	0.54	0.24			0.10						0.60		2
3				0.12	0.05		0.18	0.28			0.13		3
4	0.02	0.10		0.41				0.76			0.03		4
5	0.18	0.18											5
6			0.13			0.17						0.13	6
7				0.08		0.40		0.16					7
8			0.07			0.28			0.17	0.18			8
9						0.18			0.13	0.13		0.05	9
10	0.07	0.17		0.23	0.13				0.18	0.18	0.06		10
11	0.03		*0.39	0.18		0.06			0.08	0.08	0.25	0.26	11
12	0.22	0.06							0.08	0.08		0.17	12
13		0.10				0.53		0.04			0.24		13
14	0.04	0.10		0.25	0.17	0.22			0.32	0.32			14
15	0.08			0.44	0.35				0.05	0.05	0.63	0.06	15
16				0.51	0.21			0.03	0.05	0.05	0.27		16
17				0.05	0.26				0.19				17
18	0.37				0.08	0.13			0.41	0.16			18
19				0.04	0.17	0.04		0.13	0.36		0.11		19
20	0.15				0.31			0.03	0.44		0.28		20
21	0.14		0.06	0.15	0.51					0.30	0.32		21
22			0.09		0.31			0.12		0.91	0.26	0.12	22
23	0.29				0.29				0.05	0.08	0.23		23
24	0.14							0.04	0.09	0.05	0.20	0.23	24
25									0.03	0.12			25
26	0.36					0.08		0.06		0.69		0.22	26
27			0.05	0.04			0.44	0.09		0.05		0.68	27
28	0.25								0.45			0.08	28
29	0.03	0.04	0.34	0.13					0.19	0.12		0.46	29
30	0.04	X	0.10	0.04		0.14	0.21				0.12	0.47	30
31	0.06	X	0.49	X		X	0.08		X		X		31
TOTAL	3.01	0.99	1.82	2.67	2.94	2.23	0.91	1.96	0.81	4.78	4.44	3.59	30.15
Days with "01 in. or more.	18	8	10	14	13	11	4	12	5	20	16	15	146
Days with "04 in. or more.	15	8	10	14	13	11	4	10	4	20	16	15	140

FORM 1090.

REGISTER OF RAINFALL IN 1929 .

Kept at "THORNFIELD," ROUGH COMMON, CANTERBURY,
in the County of KENT

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft - in.
,, Ground ,, Sea Level 285 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.13	0.05		0.07				0.35		0.20			1
2	0.06					0.04	0.20			0.20	0.12	0.30	2
3			0.10			~~0.04~~	0.28			0.16		0.35	3
4				0.17	0.13	0.73	0.07					0.33	4
5				0.04	0.65	0.14	0.11	0.13		0.23		0.66	5
6					0.24		0.21	0.48		0.05	0.08	0.65	6
7								1.07		0.28	0.57	0.50	7
8						0.21				0.20	0.05	0.50	8
9		0.25		0.05								0.29	9
10				0.26						0.20	0.03	0.32	10
11				0.23		} 0.12					1.06		11
12			0.03	0.19	0.10								12
13	0.10				0.06								13
14						0.04						0.29	14
15					0.07	0.13					0.45	0.08	15
16	} 0.10*							0.87			0.23		16
17													17
18								0.03			0.16		18
19											0.05		19
20							0.03			0.34			20
21	0.14	} 0.21*	0.05									0.78	21
22			~~0.05~~			0.07		0.02			0.04	0.05	22
23										0.03	0.42	0.18	23
24										0.83	0.29	0.22	24
25										0.30	0.12	0.07	25
26				0.07							0.10	0.10	26
27								0.03			0.40		27
28	0.28			0.14			0.15			0.23	0.67	0.43	28
29	0.08			0.38			0.03		0.24	0.02	0.12		29
30	0.07	×				0.11			0.22	0.03	0.03	0.37	30
31	0.29	×		×		×	0.12		×	0.12	×		31
TOTAL	1.27	0.51	0.18	1.60	1.25	1.53	1.20	2.48	0.46	3.42	4.99	6.47	25.81
Days with "or in." or more.	9	3	3	10	6	9	9	8	2	16	19	19	113
Days with "or in." or more.	9	3	2	10	6	8	7	5	2	14	17	19	102

Section



for the entry of Daily Observations.

308
FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1930.

Kept at THORNFIELD, Rough Common, Canterbury
in the County of Kent

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
,, Ground ,, Sea Level 285 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	.08	.04		.17			.65				.70		I
2		.08			.03						.62		2
3	.03			.60				1.31					3
4	.12			.03				.07		.12			4
5					.39			.36		.04			5
6		.55			1.15			.08	.61	.02			6
7		.28			.11			.05		.31	.49	.06	7
8	.12		.13							.02		.27	8
9	.20				.25				.05				9
10	.36		.36		.18								10
11	.12		.05		.05				.05	.17		.43	11
12	.23		.08	.08	.04			.11	.14			.23	12
13	.04			.08	.11		.17	.28	.15				13
14							.30		.03				14
15		.17	.23	.04			.23	.11		.07	.19		15
16							.18		.16				16
17			.19				.02		.16	.16			17
18				.12	.09						.12		18
19			.57	.05					.63	.17	.20	.06	19
20				.17			.71	.09	.30	.47	.33		20
21							.08	.23	.07	.07	.43		21
22					.28		.06	.07		.23	.22		22
23			.12	.03		.20	.34	.05		.02			23
24	.32			.03	.15	.04	.08		.04	.07	.30		24
25	.07			.09	.37	.11					.25		25
26	.08					.43			.75		.11	.43	26
27						.13	.05		.80		.43	.06	27
28									.83		.21		28
29	.15		.05				.04				.14	.22	29
30	.06	x			.69		.09	.02			.04	.38	30
31	.34	x		x	.25	x		.03	x	.58	x		31
TOTAL	2.32	1.12	1.72	1.49	4.14	.91	3.00	2.86	4.71	2.42	4.78	2.14	YEAR'S TOTAL
* Days with or in. or more.	15	5	9	12	15	5	14	14	15	15	16	9	144
* Days with or in. or more.	14	5	9	10	14	5	13	12	13	13	16	9	133

40-9999

*See Instruction 2 (f) on other side

(Signed)

M. J. W. W.

[P.T.O.]

1921

Long 1° 15' E

Station Canterbury East

of Rain Gauge 5 in.

Gauge above Ground 1 ft. 3 in.

Sea Level 50 ft.

result entered to the previous day.

ly requested to add
for it at the end of
acing of rain gauges,
Rainfall Observers,"
ization, 62, Camden

Jan. 1, following.

this form.

OATEN HILL HOUSE

CANTERBURY

KENT.

1921-1923.

Kept at Oaten Hill House

in the County of Kent

by

IMPORTANT

If an Observer prefers the reading at 9 a.m. this paragraph. Full and particulars as sent post-free on a Square, London, N.

Date	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.								in.	in.	in.	
1	06										04		1
2	02										65		2
3	05					02			03		14		3
4	01							01					4
5	04										45		5
6			30		07			11					6
7	12	23	06		19								7
8	02												8
9	20												9
10	05	20						22	03				10
11	01		09						34			05	11
12	25		10					35	15			14	12
13	39			39				03		10	24	03	13
14	06							09				05	14
15												04	15
16				20				05			07		16
17	05		10	29				30					17
18													18
19			12		03								19
20			06							95		13	20
21								10			05		21
22										15		18	22
23				13									23
24			04	03									24
25		39							03			18	25
26			05		07							08	26
27												15	27
28	01		25		16			39					28
29	03		05		18		22					17	29
30	15				10						15		30
31												09	31
TOTAL	152	82	129	104	95	08	34	156	55	120	179	129	YEAR'S TOTAL
Days with 01 in. or more	17	3	12	5	9	1	3	9	4	3	8	12	12 43
Days with 04 in. or more	11	3	12	4	7	1	2	7	2	3	8	11	86
													71

REGISTER OF RAINFALL IN 1921....

Kept at Oaten Hill House, Canterbury
in the County of Kent
by Mr H. M. Carr

Lat. 51° 17' N Long. 1° 15' E
Time of Observation 9 a.m.
Nearest Railway Station Canterbury East
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	06										04		1
2	02		07		13	08					65		2
3	05				02			03			14		3
4	01						01						4
5	04						01				45		5
6			30		07		11						6
7	12	23	06		19								7
8	02												8
9	20												9
10	05	20						22	03				10
11	01		09						34			05	11
12	25		10					35	15			14	12
13	39			39				03		10	24	03	13
14	06							09				05	14
15												04	15
16				20				05			07		16
17	05		10	29				30					17
18													18
19			12		03								19
20			06							95		13	20
21								10			05		21
22										15		18	22
23				13									23
24			04	03									24
25		39							03			18	25
26			05		07							08	26
27												15	27
28	01		25		16			39					28
29	03		05		18		22					17	29
30	15				10						15		30
31												09	31
TOTAL	152	82	129	104	95	08	34	56	55	120	179	129	YEAR'S TOTAL
Days with "01 in. or more	17	3	12	5	9	1	3	9	4	3	8	12	12 43
Days with "04 in. or more	17	3	12	4	7	1	2	7	2	3	8	11	86
													71

AIR MINISTRY.

FORM 1090 METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION
formerly B.R.O. Form A.1). REGISTER OF RAINFALL IN 192.....

Lat. 51°17' N Long. 1°16' E
Time of Observation 9.9.22
Nearest Railway Station Canterbury East
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 50 ft.

at Oaten Hill House, Canterbury.
in the County of Kent.
by H.M. Carr.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		10			02				08		21		1
2		24	12	35	04				04	04	03		2
3		14	03	23	16		06	23		03	08		3
4			16		05		08		03	29			4
5		02	18	(05)			60			16	26		5
6	02		12					30		44	09		6
7	28		68	26				01		02			7
8			02	07		07	30	06		08	05	12	8
9	13						01	09	02				9
10								03	12		06		10
11					10			06					11
12				33	03			07	34				12
13				21		41	12						13
14	07					32	19	10					14
15	40	11		02			12		50			02	15
16		09							10			36	16
17				05	05							13	17
18	37			04		07	03					19	18
19	69	18	12						38	23		17	19
20	04	09								24		03	20
21	21	35	04						01	04		61	21
22	02	07	03	07		07				05		10	22
23				04		15	18	08	21	02			23
24			37	24		10		17	02	28			24
25	21		05	23			06					08	25
26	03	25	13			26	24		33		02	02	26
27	33	35	11	85				41	34	14	12	03	27
28	05		08			21			51	42		24	28
29	13					16		08		30		08	29
30	03	X	19	09			06	10	46	08	10	13	30
31	05	X		X		X			X	23	X	36	31
AL	3.06	1.99	2.43	3.14	4.5	1.82	2.05	1.79	3.49	3.09	1.02	2.67	YEAR'S TOTAL
	17	12	16	16	7	10	13	14	16	18	10	16	27.00
	13	11	13	15	5	10	11	12	12	15	8	12	16.5
													1.37

REGISTER OF RAINFALL IN 1923.

Kept at Oaten Hill House, Canterbury
 in the County of Kent
 by Mr H. M. Carr

Lat. 51° 17' N Long. 1° 15' E
 Time of Observation 9 a.m.
 Nearest Railway Station Canterbury East
 Diameter of Funnel of Rain Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. 3 in.
 " " " " Sea Level 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	'05	.	'15	.	.	.	.	.	.	'03	'29	+	1
2	'18	.	.	.	'03	.	.	.	.	'21	.	33	2
3	.	.	'10	.	.	'12	.	.	.	'12	.	05	3
4	.	.	.	.	.	.	.	'07	.	.	.	+	4
5	'21	.	.	.	.	.	.	.	.	'15	.	✓	5
6	'36	.	'12	'06	.	'07	.	.	.	.	.	.	6
7	'04	'66	'35	.	'12	.	.	.	'01	'42	.	33	7
8	'08	'20	'21	.	'25	.	.	.	.	'31	'65	.	8
9	'08	'02	.	'10	'08	.	.	.	.	'32	.	.	9
10	.	'17	.	'06	'18	.	'10	.	.	.	.	.	10
11	.	.	'07	.	'08	.	.	.	.	'67	.	.	11
12	.	'27	'31	.	'20	'16	.	.	.	'26	.	.	12
13	'07	'15	'10	.	.	.	'13	.	.	.	'38	.	13
14	.	'04	'11	.	.	.	.	.	'03	'25	.	+	14
15	'03	'05	.	.	'20	'13	.	'13	.	.	'17	.	15
16	.	'07	.	.	'10	.	.	.	.	.	'14	.	16
17	'05	.	.	.	.	.	.	.	'05	.	'04	.	17
18	'10	'19	.	.	.	.	.	'17	'08	.	.	.	18
19	.	.	.	.	.	'09	.	.	.	'34	.	.	19
20	'18	'07	'07	.	'03	.	.	.	'39	'10	.	✓	20
21	.	'12	.	'14	.	.	.	.	'02	'28	.	+	21
22	.	'34	'13	'08	.	.	.	.	'47	'21	.	+	22
23	.	'05	'27	.	'40	.	'04	'25	'10	'67	.	55	23
24	.	'04	.	.	.	'08	'15	'81	'27	.	.	+	24
25	.	'24	'18	'15	'07	.	.	.	'02	'21	.	+	25
26	.	'34	.	'42	.	.	.	'15	.	'12	.	+	26
27	.	'10	'03	.	'11	.	'02	'15	.	'11	.	+	27
28	'03	'07	'07	'12	1'45	.	'17	.	.	.	'35	✓	28
29	'19	.	'04	.	'05	.	'02	'29	.	.	.	+	29
30	.	X	.	.	.	.	'03	.	.	'35	.	+	30
31	.	X	.	X	'01	X	'12	.	X	'23	X	1'45	31
TOTAL	1'65	3'19	2'31	2'13	3'36	'65	'78	1'95	1'51	6'36	2'02	2'71	YEAR'S TOTAL
Days with 01 in. or more	14	19	16	8	16	6	9	7	11	20	7	(21)	28'62
Days with 04 in. or more	12	18	15	8	13	6	6	7	7	19	7	(14)	(154)
													(132)

Section **A** for the e
AIR M
FORM 1090.

Kept at Wing
in the County of

Diameter of Funnel of Ga
Height of top of Gauge abq
Ground

THE MORNING

An observer who does not c
year in the space on the r

WINGHAM BOYS SCHOOL

CANTERBURY

KENT

1930

3044
FOR OFFICIAL USE.

WINDFALL ORGANIZATION.

930.

Kent 12.

low values see Enc 5A

9/6/31.

7/6/31. It was decided
low.

5 DAY.

of the following

Jan. 1, following

Date	Jan.	Feb.								Oct.	Nov.	Dec.	Date
	in.	in.								in.	in.	in.	
I	.07	.08								.01	.71	-	I
2	-	.10								-	.86	-	2
3	.03	.03								-	-	-	3
4	.08	-	-	.04	-	-	.02	.07	-	.15	-	-	4
5	.03	.05	-	-	.26	-	-	.14	.07	.04	-	-	5
6	-	.42	.05	.01	.18	-	-	.02	.32	.01	-	-	6
7	-	.57	.05	.02	.08	-	-	.08	-	.21	.43	.06	7
8	.09	-	-	-	-	-	-	-	-	.02	-	.25	8
9	.14	-	-	-	.22	-	-	-	.05	-	-	.01	9
10	.23	-	.28	-	.13	-	-	-	-	-	-	-	10
11	.09	.09	.03	-	.08	-	-	-	-	-	-	.57	11
12	.16	-	.02	.05	.04	-	-	-	.15	-	-	.21	12
13	.02	-	.09	.15	.11	.05	.08	.25	.16	-	-	.02	13
14	.02	-	.02	.02	-	-	.25	-	.02	-	-	-	14
15	.03	.10	.24	.01	.01	-	.40	.12	-	.13	.11	-	15
16	-	.03	.10	-	-	.01	.06	-	.14	-	-	-	16
17	-	.02	.21	.04	.01	.16	.04	-	.11	.12	-	-	17
18	-	-	.08	.01	.09	-	-	-	-	-	.10	.03	18
19	-	-	.40	-	-	-	-	-	.90	.14	.09	-	19
20	-	-	-	.14	.03	-	.50	-	.32	.25	.40	.01	20
21	-	-	.02	-	.05	-	.14	.29	.04	.05	.40	-	21
22	-	-	-	-	.22	.01	-	-	.02	.10	.11	-	22
23	-	-	.11	.01	-	.10	.31	.12	-	-	-	-	23
24	.33	.01	-	.06	.18	.10	.24	-	.01	.08	.35	-	24
25	.10	-	-	.15	.42	-	-	-	.01	-	.27	.12	25
26	.08	-	-	-	-	.35	.01	-	.58	-	.28	.25	26
27	-	-	.01	-	-	.14	.01	-	.16	.01	.38	.07	27
28	-	-	-	-	-	-	-	-	.93	-	.20	-	28
29	.12	-	.01	-	-	-	-	-	.01	-	.06	.33	29
30	.19	X	-	-	1.04	-	.14	-	-	-	.04	.29	30
31	.29	X	.03	X	.22	X	-	-	X	-	X	.08	31
TOTAL	2.10	1.44	1.75	1.42	3.36	.92	2.63	2.79	4.00	1.32	4.79	2.30	YEAR'S TOTAL
*Days with or in. or more.	18	11	17	15	19	8	14	11	18	14	16	14	175
*Days with .04 in. or more.	13	7	10	9	15	6	11	9	13	10	16	10	129

40-9999

*See Instruction 2 (f) on other side.

(Signed)

THE HEADMASTER

[P.T.O.]

Section

A

for the early morning observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at Wingham SCHOOL

in the County of Kent

Diameter of Funnel of Gauge 5.4 in.

Height of top of Gauge above Ground 1 ft. in.

Ground Sea Level 66 ft.

Letter written re low values see Enc 5A
f 9265/30. of 9/6/31.

No reply by 25/6/31. It was decided
not to print as low.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.04	.08	-	-	-	-	.43	.05	-	.01	.71	-	1
2	-	.10	-	.09	-	-	-	.01	-	-	.86	-	2
3	.03	.03	-	.62	.01	-	-	1.64	-	-	-	-	3
4	.08	-	-	.04	-	-	.02	.04	-	.15	-	-	4
5	.03	.05	-	-	.26	-	-	.14	.04	.04	-	-	5
6	-	.42	.05	.01	.18	-	-	.02	.32	.01	-	-	6
7	-	.01	.05	.02	.08	-	-	.08	-	.21	.43	.06	7
8	.09	-	-	-	-	-	-	-	-	.02	-	.25	8
9	.14	-	-	-	.22	-	-	-	.05	-	-	.01	9
10	.23	-	.28	-	.13	-	-	-	-	-	-	-	10
11	.09	.09	.03	-	.08	-	-	-	-	-	-	.57	11
12	.16	-	.02	.05	.04	-	-	-	.15	-	-	.21	12
13	.02	-	.04	.15	.11	.05	.08	.25	.16	-	-	.02	13
14	.02	-	.02	.02	-	-	.25	-	.02	-	-	-	14
15	.03	.10	.24	.01	.01	-	.40	.12	-	.13	.11	-	15
16	-	.03	.10	-	-	.01	.06	-	.14	-	-	-	16
17	-	.02	.21	.04	.01	.16	.04	-	.11	.12	-	-	17
18	-	-	.08	.01	.09	-	-	-	-	-	.10	.03	18
19	-	-	.40	-	-	-	-	-	.90	.14	.09	-	19
20	-	-	-	.14	.03	-	.50	-	.32	.25	.40	.01	20
21	-	-	.02	-	.05	-	.14	.29	.04	.05	.40	-	21
22	-	-	-	-	.22	.01	-	-	.02	.10	.11	-	22
23	-	-	.11	.01	-	.10	.31	.12	-	-	-	-	23
24	.33	.01	-	.06	.18	.10	.24	-	.01	.08	.35	-	24
25	.10	-	-	.15	.42	-	-	-	.01	-	.24	.12	25
26	.08	-	-	-	-	.35	.01	-	.58	-	.28	.25	26
27	-	-	.01	-	-	.14	.01	-	.16	.01	.38	.04	27
28	-	-	-	-	-	-	-	-	.93	-	.20	-	28
29	.12	-	.01	-	-	-	-	-	.01	-	.06	.33	29
30	.19	X	-	-	1.04	-	.14	-	-	-	.04	.29	30
31	.29	X	.03	X	.22	X	-	-	X	-	X	.08	31
TOTAL	2.10	1.44	1.75	1.42	3.36	.92	2.63	2.79	4.00	1.32	4.79	2.30	YEAR'S TOTAL 28.82
*Days with or in. or more.	18	11	17	15	19	8	14	11	18	14	16	14	175
*Days with .04 in. or more.	13	7	10	9	15	6	11	9	13	10	16	10	129

40-9999

*See Instruction 2 (f) on other side.

(Signed)

[P.T.O.]

REGISTRATION

CANTERBURY

M.O.

KENT

1921-22 26-30

ORGANIZATION.

1921/.....

Long. 1° 5' E

on 92. G. 17. T.

Station.....

el of Rain Gauge..... in.

auge above Ground..... ft..... in.

,, Sea Level 39 ft.

result entered to the previous day.

IMPORTANT NOTE.

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.10	-	-	-	-	-	-	-	-	-	0.04	0.05	1
2	0.02	0.05	0.01	-	0.10	-	-	-	-	-	0.54	-	2
3	-	-	0.03	-	-	0.15	-	0.10	-	-	0.18	-	3
4	0.05	-	-	-	0.04	-	-	-	-	-	0.30	-	4
5	0.02	-	-	-	-	-	-	0.16	-	-	0.14	-	5
6	0.10	-	0.36	-	0.03	-	0.08	-	-	-	-	-	6
7	0.13	0.05	-	-	0.23	-	-	-	-	-	-	-	7
8	-	-	-	0.05	-	-	-	-	-	-	0.13	-	8
9	-	-	-	-	-	-	-	-	-	-	-	-	9
10	0.14	0.17	-	-	-	-	-	0.04	0.02	-	-	-	10
11	0.11	0.05	-	-	-	-	-	-	0.34	-	-	0.03	11
12	0.25	0.01	0.06	-	-	-	-	0.28	0.14	-	-	0.04	12
13	0.40	-	0.06	0.39	-	-	-	0.06	0.02	0.02	0.11	0.06	13
14	0.01	-	-	-	-	-	-	0.03	-	0.04	-	0.24	14
15	-	-	-	0.10	-	-	-	-	-	-	0.04	0.03	15
16	-	-	-	0.14	-	-	-	0.08	-	-	-	-	16
17	0.04	-	0.03	0.26	-	-	-	0.30	-	-	-	-	17
18	0.10	0.02	-	-	0.03	-	-	-	0.03	-	-	-	18
19	-	-	0.20	-	-	0.02	-	-	-	0.86	-	0.14	19
20	-	-	0.04	-	-	0.01	-	-	-	-	-	-	20
21	-	-	-	-	-	-	-	0.06	-	-	0.04	-	21
22	-	-	-	-	-	-	-	-	-	0.10	-	0.11	22
23	-	-	-	0.11	-	-	-	-	-	-	-	0.03	23
24	0.01	-	-	0.02	-	-	-	-	-	-	-	0.05	24
25	0.01	0.33	-	-	-	-	-	-	-	-	-	0.11	25
26	0.01	-	0.04	-	0.03	-	-	-	-	-	-	0.14	26
27	-	-	-	-	-	-	-	-	-	-	-	0.04	27
28	-	-	0.02	-	0.13	-	0.19	0.40	-	-	-	0.03	28
29	-	-	0.18	-	0.15	0.01	-	-	-	-	-	0.06	29
30	0.04	~~X~~	0.09	-	0.06	-	-	-	-	-	0.06	0.09	30
31	0.11	~~X~~	-	~~X~~	0.01	~~X~~	-	-	~~X~~	-	~~X~~	-	31
TOTAL	1.65	0.68	1.12	1.07	0.81	0.19	0.27	1.51	0.58	1.02	1.64	1.28	YEAR'S TOTAL
Days with 0.1 in. or more	18	7	12	7	10	4	2	10	5	4	10	16	11.88
Days with 0.04 in. or more	12	5	8	6	6	1	2	9	2	3	10	12	105
													76

REGISTER OF RAINFALL IN 1921.

Kept at Canterbury M.O.
in the County of Kent
by A. Lander

Lat. 51° 17' Long. 1° 5' E
Time of Observation 9h. 17m.
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level 39 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.10	-	-	-	-	-	-	-	-	-	0.04	0.05	1
2	0.02	0.05	0.01	-	0.10	-	-	-	-	-	0.54	-	2
3	-	-	0.03	-	-	0.15	-	0.10	-	-	0.18	-	3
4	0.05	-	-	-	0.04	-	-	-	-	-	0.30	-	4
5	0.02	-	-	-	-	-	-	0.16	-	-	0.14	-	5
6	0.10	-	0.36	-	0.03	-	0.08	-	-	-	-	-	6
7	0.13	0.05	-	-	0.23	-	-	-	-	-	-	-	7
8	-	-	-	0.05	-	-	-	-	-	-	0.13	-	8
9	-	-	-	-	-	-	-	-	-	-	-	-	9
10	0.14	0.17	-	-	-	-	-	0.04	0.02	-	-	-	10
11	0.11	0.05	-	-	-	-	-	-	0.34	-	-	0.03	11
12	0.25	0.01	0.06	-	-	-	-	0.28	0.14	-	-	0.04	12
13	0.40	-	0.06	0.39	-	-	-	0.06	0.02	0.02	0.11	0.06	13
14	0.01	-	-	-	-	-	-	0.03	-	0.04	-	0.24	14
15	-	-	-	0.10	-	-	-	-	-	-	0.04	0.03	15
16	-	-	-	0.14	-	-	-	0.08	-	-	-	-	16
17	0.04	-	0.03	0.26	-	-	-	0.30	-	-	-	-	17
18	0.10	0.02	-	-	0.03	-	-	-	0.03	-	-	-	18
19	-	-	0.20	-	-	0.02	-	-	-	0.86	-	0.14	19
20	-	-	0.04	-	-	0.01	-	-	-	-	-	-	20
21	-	-	-	-	-	-	-	0.06	-	-	0.04	-	21
22	-	-	-	-	-	-	-	-	-	0.10	-	0.11	22
23	-	-	-	0.11	-	-	-	-	-	-	-	0.03	23
24	0.01	-	-	0.02	-	-	-	-	-	-	-	0.05	24
25	0.01	0.33	-	-	-	-	-	-	-	-	-	0.11	25
26	0.01	-	0.04	-	0.03	-	-	-	-	-	-	0.14	26
27	-	-	-	-	-	-	-	-	-	-	-	0.04	27
28	-	-	0.02	-	0.13	-	0.19	0.40	-	-	-	0.03	28
29	-	-	0.18	-	0.15	0.01	-	-	-	-	-	0.06	29
30	0.04	~~X~~	0.09	-	0.06	-	-	-	-	-	0.06	0.09	30
31	0.11	~~X~~	-	~~X~~	0.01	~~X~~	-	-	~~X~~	-	~~X~~	-	31
TOTAL	1.65	0.68	1.12	1.07	0.81	0.19	0.27	1.51	0.58	1.02	1.64	1.28	YEAR'S TOTAL
Days with "01 in. or more	18	7	12	7	10	4	2	10	5	4	10	16	11.88
Days with "04 in. or more	12	5	8	6	6	1	2	9	2	3	10	12	10.5
													76

Kept at Canterbury
in the County of Kent
by A. Lander

Lat. 51°16' Long. 1°5'E
Time of Observation 9h
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 40 ft.

Read Carb.
20/4/23

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.03	0.09	0.04	-	0.07	-	-	-	-	-	.48	.09	1
2	-	0.26	0.08	0.24	-	-	0.06	-	-	-	-	-	2
3	-	0.12	-	0.34	0.11	-	-	.22	-	.01	.09	-	3
4	-	0.02	0.14	-	0.02	-	0.08	.04	.01	.26	-	-	4
5	-	0.02	0.16	0.02	-	-	0.58	-	-	.26	.30	-	5
6	0.02	-	0.04	-	-	-	-	.31	-	.14	.07	-	6
7	0.20	-	0.61	0.24	-	-	-	-	-	-	-	-	7
8	0.01	-	0.20	0.05	-	0.04	0.27	.05	-	-	.03	-	8
9	0.08	-	-	-	-	-	0.07	.07	-	.10	-	-	9
10	-	-	-	-	-	-	-	.03	.12	-	.05	-	10
11	0.03	-	-	-	0.10	-	-	.07	-	-	-	-	11
12	-	-	-	0.34	-	-	-	.03	-	-	-	-	12
13	-	-	-	0.20	-	0.38	0.09	-	.38	-	-	-	13
14	-	-	-	0.01	-	0.31	0.18	.12	.37	-	-	-	14
15	0.54	0.14	-	-	-	-	-	-	.51	-	-	-	15
16	-	-	-	0.03	-	-	0.12	-	.03	-	-	.41	16
17	-	0.11	-	-	-	-	0.02	-	.06	-	-	.12	17
18	0.40	-	-	0.02	-	0.04	0.01	-	.01	-	-	.19	18
19	0.66	-	0.06	-	-	-	-	-	.37	.22	-	-	19
20	0.01	-	0.03	-	-	-	-	-	-	.21	-	.01	20
21	0.22	-	0.33	-	-	-	-	-	-	.02	-	.65	21
22	-	-	-	0.06	-	0.08	-	.10	.01	.03	-	.08	22
23	-	-	-	0.01	-	0.18	0.24	-	.20	.08	-	-	23
24	-	-	0.06	0.12	-	0.09	-	.16	.01	.14	-	.01	24
25	0.18	-	0.03	0.30	-	-	0.02	-	-	.03	-	.04	25
26	-	0.27	0.14	0.08	-	0.21	0.24	-	.32	-	.06	-	26
27	0.29	0.30	0.08	0.03	-	-	-	.40	.31	.03	.02	.14	27
28	0.02	0.22	0.08	-	-	0.20	-	.01	.30	.20	.02	.11	28
29	0.11	-	-	-	-	0.16	-	.08	-	.35	-	.09	29
30	-	~~X~~	0.15	0.06	-	0.01	-	.10	.51	.20	.06	.15	30
31	-	~~X~~	-	~~X~~	-	~~X~~	-	-	~~X~~	.02	~~X~~	.38	31
TOTAL	2.80	1.55	2.23	2.15	0.30	1.70	1.98	1.79	3.52	2.30	1.18	2.47	YEAR'S TOTAL
Days with ".01 in. or more	15	10	16	17	4	11	13	15	16	17	10	14	158
Days with ".04 in. or more	9	8	14	11	3	10	10	12	11	11	7	12	118

Form 1090.

AIR MINISTRY.
METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
REGISTER OF RAINFALL IN 1926.

County No. _____
River Dist. _____
Station No. _____

Kept at Canterbury
in the County of _____
by _____

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3		1.04											3
4													4
5											0.17		5
6													6
7					0.21								7
8													8
9													9
10													10
11													11
12													12
13											1.10		13
14													14
15										0.70			15
16								1.02					16
17						0.89							17
18							0.32						18
19			0.07										19
20													20
21													21
22													22
23													23
24													24
25				20.6									25
26													26
27									0.12				27
28	0.47												28
29													29
30		X											30
31		X		X		X			X		X		31
TOTAL	2.34	2.42	0.22	3.88	1.11	2.76	1.32	1.54	0.55	3.89	5.76	0.77	YEAR'S TOTAL 26.56
Days with '01 in. or more.	14	15	7	17	14	14	13	8	9	13	23	8	155
Days with '04 in. or more	12	11	4	13	8	12	8	6	7	11	16	6	114
	59.4	61.5	5.6	98.6	2.82	70.1	33.5	39.1	14.0	98.8	146.3	19.6	674.7

Section



for the entry of Daily Observations.

AIR MINISTRY.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Register of Rainfall in 1927.

Kept at

Canterbury

in the County of

Kent

Diameter of Funnel of Gauge in.

Height of top of Gauge above Ground ft. in.

Ground Sea Level ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		1.28						.65					1
2													2
3													3
4													4
5				.29									5
6							1.92						6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14									.95				14
15													15
16													16
17													17
18													18
19													19
20											.80		20
21													21
22										.51			22
23													23
24						.92							24
25													25
26					.16							1.10	26
27					.16								27
28	0.26												28
29													29
30		X											30
31		X	.52	X		X			X		X		31
TOTAL	1.68	3.85	2.45	1.48	.64	4.06	5.02	3.39	3.20	1.40	3.11	4.15	YEAR'S TOTAL 34.43
Days with 0.1 in. or more.	21	14	18	13	6	16	15	19	15	10	18	11	176
Days with 0.4 in. or more.	13	13	15	8	5	14	11	18	11	7	12	9	136
42.7	97.8	62.2	37.6	16.3	103.1	127.5	86.1	81.3	35.6	79.0	105.4	874.6	(Signed) 874.6

FORM 1889.
REGISTER OF RAINFALL IN 1928.

Kept at Canterbury
in the County of.....
Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
Ground „ Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.
An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.
Please read the Notes and Instructions Overleaf.

Date.	Jan. in.	Feb. in.	March in.	April in.	May in.	June in.	July in.	August in.	Sept. in.	Oct. in.	Nov. in.	Dec. in.	Date.
1											.63		1
2		.22											2
3													3
4								.55					4
5													5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13						.58							13
14													14
15				.54									15
16													16
17													17
18													18
19													19
20													20
21					.60								21
22										.90			22
23													23
24													24
25													25
26	.58												26
27							.44					.65	27
28								.50					28
29													29
30		X											30
31		X	.52	X		X			X		X		31
TOTAL	3.19	0.83	1.97	2.57	2.79	2.27	.84	1.66	0.80	4.93	3.63	3.25	YEARS TOTAL 28.73
Days with '01 in. or more.	19	8	13	17	13	13	4	13	5	21	19	18	163
Days with '04 in. or more.	16	7	10	11	13	10	4	10	3	18	15	15	132

Section



for the entry of Daily Observations.

297 297
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form T1090.

REGISTER OF RAINFALL IN 1929.

Kept at Canterbury

in the County of Kent

Diameter of Funnel of Gauge _____ in.

Height of top of Gauge above Ground _____ ft. _____ in.

„ Ground „ Sea Level 124 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2							.19						2
3													3
4						.86							4
5					.59								5
6													6
7													7
8													8
9		.23											9
10													10
11											.92		11
12													12
13													13
14													14
15													15
16								1.00					16
17													17
18													18
19													19
20													20
21												.91	21
22			.06										22
23													23
24										.67			24
25													25
26													26
27													27
28													28
29				.25									29
30		X							.20				30
31	.28	X		X		X			X		X		31
TOTAL	1.15	0.72	0.12	1.32	1.07	1.71	0.93	2.97	0.32	2.94	4.49	6.39	YEAR'S TOTAL 24.13
Days with 01 in. or more.	14	7	4	11	7	10	9	9	2	17	18	23	131
Days with 04 in. or more.	10	6	2	10	6	7	6	5	2	14	13	19	100
40-9999	29.2	18.3	3.0	33.5	27.2	43.4	23.6	75.4	8.1	74.7	114.0	162.3	612.7
													(Signed).....P.T.O. 612.9

FORM 1090.

REGISTER OF RAINFALL IN 1929.

Kept at Canterbury
in the County of Kent
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
,, Ground ,, Sea Level 124 ft.

cfm
days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	11	03		05				42		17	10		I
2	01					03	19			24		26	2
3			04				18			05		38	3
4				15	08	93	04	03				45	4
5			01	02	57		02	17		19	01	63	5
6					25	14	22	37		09	05	54	6
7						03		90		28	54	42	7
8						18				22		19	8
9		23		06								49	9
10		10		20						17	02	33	10
II			01	21							92	03	II
12				20	05	06						02	12
13	04	10			04	09						01	13
14		12			02	02						30	14
15	08				06	14					55	01	15
16								1.00			13		16
17	03												17
18											13		18
19											03		19
20							03			35			20
21	09							02				91	21
22	02										03	05	22
23			06							01	44	20	23
24		06		04				03		67	30	25	24
25	07	08								20	17	11	25
26	05			04							10	08	26
27	03									05	49		27
28	12			10			14			14	44	38	28
29	08			25			02		12	02	12	05	29
30	14	×				16	02		20	03	02	30	30
31	28	×		×		×	10		×	06	×		31
TOTAL	1.15	.72	.12	1.32	1.07	1.78	.96	2.94	32	2.94	4.59	6.39	YEAR'S TOTAL 24.30
Days with .01 in. or more.													
Days with .04 in. or more.													

REGISTER OF RAINFALL IN 1930 .

Kept at Canterbury
in the County of Kent

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
,, Ground ,, Sea Level 127 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2											.80		2
3				.60									3
4								1.75					4
5													5
6		.75											6
7													7
8													8
9													9
10													10
11												.49	11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19			.49						.92				19
20							.72			.44			20
21													21
22													22
23													23
24													24
25													25
26						.65							26
27													27
28													28
29													29
30		X											30
31	.40	X		X	.72	X			X		X		31
TOTAL	2.38	1.41	1.53	1.40	3.18	1.39	2.24	2.78	4.18	1.84	4.58	1.95	28.86
Days with or in. or more.	18	10	9	17	16	6	14	13	19	13	16	13	158
Days with or in. or more.	14	5	9	8	12	4	9	11	11	10	16	9	118

40-9990 60.5 35.8 38.9 35.6 20.8 35.3 56.9 70.6 106.2 46.7 116.3 49.5 733.1
(Signed)..... P.T.O.

FORM A. 1. METEOROLOGICAL
REGISTER

CANTERBURY

ORGANIZATION.

1921. 10 JAN 1922

Kept at 10 Lond
in the County of bar
by (miss) Bessie

LONDON RD

KENT

1921-30

Long
9 A.M. Canterbury
Station S.E.R. West
of Rain Gauge 5 in.
ge above Ground - ft. 6 in.
,, Sea Level 66 ft.
result entered to the previous day.

IMPORTANT NOTE.—Rain
If an Observer prefers not to con
the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of
this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges,
and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers,"
sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden
Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	11		03								04	05	1
2	05	05			12						54		2
3	02		06			15		16			15		3
4	05				06			02			35		4
5	03							19			14		5
6	10		36		06		10					02	6
7	15	08			24								7
8				09							12		8
9				02									9
10	16	19						04	02	03			10
11	12	04							34			04	11
12	30		09					24	16			05	12
13	48		04	39				09	04	02	08	04	13
14	03							03		06		24	14
15				12	03							04	15
16				10			03	04			06		16
17	06		05	23				30	02				17
18	11	03							03				18
19			20		03							12	19
20			05			04		01		86			20
21								06			12		21
22										10		20	22
23				15			01	02				04	23
24	03			03				01				06	24
25	02	34							01			10	25
26	02		05		04	04						15	26
27			03									05	27
28			20		12		20	34				02	28
29			11		18	03	02					10	29
30	05	X			08	03					09	09	30
31	09	X		X	02	X			X		X		31
TOTAL	1.98	.79	1.30	1.13	.98	.29	.36	1.55	.62	1.04	1.69	1.44	13.20
Days with 01 in. or more	19	6	12	8	11	5	5	14	7	5	10	17	119
Days with 04 in. or more	13	5	10	6	8	3	2	9	3	3	10	15	84

REGISTER OF RAINFALL IN 1921.

Kept at 10 London Road
in the County of Canterbury
by (miss) Bessie Spillett

Lat. Long.
Time of Observation 9 A.M.
Nearest Railway Station S.E.R. Canterbury West
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground - ft. 6 in.
" " " " Sea Level 66 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	11		03								04	05	1
2	05	05			12						54		2
3	02		06			15		16			15		3
4	05				06			02			35		4
5	03							19			14		5
6	10		36		06		10					02	6
7	15	08			24								7
8				09							12		8
9				02									9
10	16	19						04	02	03			10
11	12	09							34			04	11
12	30		09					24	16			05	12
13	48		09	39				09	04	02	08	09	13
14	03							03		06		24	14
15				12	03							04	15
16				10			03	04			06		16
17	06		05	23				30	02				17
18	11	03							03				18
19			20		03							12	19
20			05			04		01		86			20
21								06			12		21
22										10		20	22
23				15			01	02				04	23
24	03			03				01				06	24
25	02	39							01			10	25
26	02		05		04	04						15	26
27			03									05	27
28			20		12		20	34				02	28
29			11		18	03	02					10	29
30	05	X			08	03					09	09	30
31	09	X		X	02	X			X		X		31
TOTAL	1.98	.79	1.30	1.13	.98	.29	.36	1.55	.62	1.07	1.69	1.44	13.20
Days with .01 in. or more	19	6	12	8	11	5	5	14	7	5	10	17	119
Days with .04 in. or more	13	5	10	6	8	3	2	9	3	3	10	15	87

AIR MINISTRY.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1922.

Kept at 10 London Road Canterbury
in the County of Kent
by B. Spillett

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Canterbury West
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground _____ ft. 6 in.
" " " " Sea Level 66 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		09	03		08		01		13	01	47	11	1
2	03	27	08	22					05				2
3		12	02	37	11		03	22		03	11		3
4		04	16	01	03		09	05	03	27			4
5		02	17	03	03		57			28	26		5
6	03		06					23		18	10		6
7	20		58	24			02					01	7
8	02		20	04		06	25	05		02	04		8
9	10						06	08		11			9
10								03	11	01	08		10
11	04				12			09					11
12				32	02			06	34				12
13				22		44	12		38				13
14	08			01		35	21	20	51				14
15	48	16		02									15
16		01		05			13		06			33	16
17		12			04		03		06			14	17
18	35			04		05	02		02				18
19	65	09	09						38	23		21	19
20										22		45	20
21	24	32	33							03		74	21
22	02	11		07		28	01	10		03		09	22
23		02		01		13	24		21	10			23
24	01		07	12		10	01	17	03	22			24
25	18		04	30		01	04			04		06	25
26	02	23	13	05		20	24		32		07		26
27	29	28	08	04				42	31	09	02	16	27
28	03	22	10			21		01	37	16	03	11	28
29	12		01			19		08		32		13	29
30	02	X	16	07		02	04	10	48	26	08	14	30
31	02	X		X		X			X	02	X	39	31
TOTAL	2.93	2.10	2.31	2.23	.43	2.04	2.12	1.89	3.79	2.63	1.26	3.07	YEAR'S TOTAL
Days with "01 in. or more	20	15	17	19	7	12	18	15	17	20	10	14	26.80
Days with "04 in. or more	11	12	14	14	4	10	11	13	14	13	8	13	184 137

REGISTER OF RAINFALL IN 1923.

Kept at 10 London Rd Canterbury
in the County of Kent
by Miss B. Spillett

Lat. _____ Long. _____
Time of Observation 9 a.m. Greenwich Time
Nearest Railway Station Canterbury West.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 6 ft.
" " " " Sea Level 66 ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day.
An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	04		14							03	32	08	1
2	18				03					20	01	15	2
3						13				94		03	3
4								03	05			14	4
5	21			03		02				06	02	01	5
6	21		13			07				12			6
7	14	60	36	05	12		07		02	37		22	7
8	07	20	25	03	21					31	66		8
9	08			06	09					02	04		9
10		16		05	20		06			32		02	10
11			03		05					56			11
12		23	22		24	17				26			12
13	05	06	16	02	03		14				41	02	13
14		04	06		03			04	02	15		12	14
15	03	04		01	22	14		07			20		15
16		06			10					02	13	03	16
17								04	03				17
18	11	15						18	03	02			18
19	16	03		01		09			03	36			19
20		02	07		02	02		01	37	03		02	20
21		17		12					02	19	04	13	21
22	03	32	01	05					31	11	11	20	22
23		01	35	02	37		03	24	22	70	06		23
24		04		04				1 21	20	09		07	24
25		09	16	1 03	14	08	15			33		47	25
26		40		19				15		05		20	26
27		11	03		14	04	01	26		03		14	27
28	01	08		05	1 47		18				25	01	28
29	19		20	22	05		03	26				19	29
30		X					03			30		08	30
31		X		X	02	X	14		X	12	X	15	31
TOTAL	1 51	2 81	2 17	1 98	3 53	76	84	2 46	1 30	5 69	2 25	2 48	YEAR'S TOTAL
Days with 01 in. or more	14	19	14	16	18	9	10	10	11	25	12	21	179
Days with 04 in. or more	11	16	11	10	13	7	6	9	5	19	10	14	131

FOR OFFICIAL USE.

AIR MINISTRY.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1924.

County No. 293

River Dist. 297

Station No.

Kept at 10 London Road
in the County of Kent, Canterbury,
by (Miss) B. Spillett

Lat. Long.
Time of Observation 9 O'clock
Nearest Railway Station Canterbury West
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 6 ft.
" " " " Sea Level 66 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	17		08	02	06	13	04	01			37	05	1 RVV
2	05		25		11	05	02	15				08	2 85
3			08	04	28	02	20	11	02				3 843
4					48	33	08		01	03		18	4
5			03				04			13	03	02	5
6								22		84			6
7						04			12	25			7
8	30	01		07	31	24	19		01	18			8
9	26	10		11	03	04	02		13				9
10	11	02		41	14	03			02				10
11				20	07	16			04		12		11
12	02			12	02	10		04			48		12
13	03			20		07		06	11			16	13
14				22				03				02	14
15				03					05			40	15
16								02	01			03	16
17	11				01		77	29					17
18	25	16			26	05	05	17		05	05		18
19	16	04					05	08		04	06		19
20					06		03	04	05	03			20
21	40		03		15		11	03	27	53			21
22	30	02	17					01	27				22
23	01	04	27		22		03	12	19			45	23
24	26	15	18	03	10			02			10	79	24
25		05	08	03	02		44		32		15		25
26		07	04	46			12		77	11	23	07	26
27		05	04	34		08	13		02	05	42	97	27
28				03			33	07			48		28
29	10	08		18	24			17	01	65	13	15	29
30		X	02	26	13		15	21	03	70	02	40	30
31	02	X	02	X	35	X		02	X	25	X	38	31 750
TOTAL	2.55	.79	1.29	2.75	3.04	1.34	2.80	1.87	2.45	3.84	2.64	4.15	YEAR'S TOTAL 29.51
Days with 1/4 in. or more.	16	12	13	17	19	13	18	20	19	14	13	15	189
Days with 1/4 in. or more.	12	9	9	12	15	11	14	13	11	12	11	12	14.14

Section



for the entry of Daily Observations.

AIR MINISTRY.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Register of Rainfall in 1925.

FOR OFFICIAL USE.

Kept at 10 London Road
in the County of Canterbury, Kent.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 6 ft.
Ground Sea Level 66 ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	33		06	05	01			20	09		23	08	1
2	20			15			03		04		42		2
3	35	04			24		21				06		3
4					16		11	01		02	06		4
5		06		14			02	02	14		30		5
6		16	07	04	12		29	01	02		55		6
7		12	02	02	01		08		03	04	02	04	7
8	02	02			16				01	13	02	05	8
9			03	25					12		04		9
10			29		01		01	25	08		72		10
11		08						08	02		13		11
12		41	04					02		19			12
13		33	20	05						03	02		13
14	09	04	06	16									14
15	14	22		11						32			15
16	01	01			03				01	10			16
17		01											17
18		06					02			01			18
19	02	01		02	27	11			05	56		21	19
20			18		06		07		91	25		30	20
21		09	03				01	12	04	18		75	21
22	02		07	09	01	03	34	18	16	63	01	58	22
23		13	02	15	42	21	06	33		39	03	13	23
24		44	11	04	11	20	36	13		02	10	03	24
25	12	135		03			01	02	23		08	05	25
26		20	02	13	02	15	12	04		24		10	26
27	11	05		14	49		27	02			13	01	27
28	09	06		03								29	28
29	19			24	07						11	47	29
30		X		41			30				04	33	30
31	05	X		X		X	09		X		X	01	31
TOTAL	1.74	3.89	1.20	2.25	2.19	.70	2.40	1.43	1.95	3.11	3.07	3.43	27.36
Days with 0.1 in. or more.	14	21	14	19	16	5	18	14	15	15	19	16	186
Days with 0.4 in. or more.	10	17	9	15	10	4	12	8	10	11	14	13	133

(Signed) Berrie F. Spilleth [P.T.O.]

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1926.

Kept at 10 London Road, Canterbury
in the County of Kent

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 6 ft.
Ground Sea Level 66 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	26	23				14			04				1
2	03					66	09		03				2
3	22	119	01			05	10	03	03				3
4		04	07				25						4
5	11	06	05		13		01				33	17	5
6		13		17	06	18		05	11		04	03	6
7	21	06		09	16	11		03	05		02	02	7
8		02		11	01	02				01	44		8
9		06	02			25			01	08	72		9
10		02				09		07			10		10
11		06			07	05		26		04	03		11
12		05			10	06			04	20			12
13	03				03			02		01	118	03	13
14	16	02		02	12	08				59	20	09	14
15	25	04		49						67	08		15
16		11		30	01			90			02		16
17		39			04	78					04	16	17
18	09	12		42	20		35	07			49		18
19			04	17	02		18				04	04	19
20				71		04	06	09		35	62		20
21				11	04		09	02		04	61	03	21
22	24	09		18							25	25	22
23	03					24							23
24						16	02		05	55			24
25	06			83				12		11	11	06	25
26							05		07		27		26
27	02	01		10	02		02		16		01		27
28	43			03			27			29	02	01	28
29		X	05	17	12					27	25		29
30	08	X		02	15					06			30
31	13	X		X		X			X	47	X		31
TOTAL	235	270	24	392	128	291	149	166	59	374	587	89	YEARS TOTAL
Days with 01 in. or more.	16	18	6	16	16	15	12	11	10	15	22	11	168
Days with 04 in. or more.	12	14	4	13	11	14	9	7	7	13	17	6	127

Please read the Notes and Instructions Overleaf.

Section



for the entry of Daily Observations.

271
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

297
REGISTER OF RAINFALL IN 1927.

Kept at 10 London Road Canterbury
in the County of Kent

Diameter of Funnel of Gauge.....5 in.
Height of top of Gauge above Ground.....1 ft. 0.6 in. *Height altered 1928*
" Ground " Sea Level 6.6 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		1.20		.10		.39	.17	.50		.11	.21		1
2		.02	.09	.11		.01	.01			.04	.02		2
3	.11					.06							3
4			.01	.02		.02	.29		.01			.02	4
5	.07	.02	.14	.27		.03		.36			.15		5
6	.03		.10	.18		.03	1.95		.04		.03		6
7		.19	.10	.37		.08	.02	.32					7
8	.20		.05	.28			.22	.17	.01		.34		8
9				.05			.44	.03	.26				9
10			.05					.01	.54		.03		10
11				.03		.05		.06	.03		.01		11
12	.07		.01				.01	.08		.07	.27		12
13	.09			.04			.35	.15	.12		.02		13
14	.05			.04			1.11		.80	.18	.02	.09	14
15	.02				.04		.04	.35				.08	15
16	.04				.10		.01	.14	.21			.15	16
17	.12	.03				.25		.06	.09				17
18	.08	.01				.25		.14	.05		.08		18
19	.03	.14				.01		.08			.08		19
20	.03	.16					.05	.43			.70		20
21	.15	.21			.11		.02	.02	.02	.18	.17	.63	21
22	.06	.03	.22		.13	.31	.14	.09	.03	.50		.61	22
23		.38	.37			.12		.21	.56	.02	.19	.11	23
24		.10	.25	.08		.78		.16		.02	.05	.63	24
25		.26	.36			.17	.02	.01				.81	25
26	.11	.66	.04		.15	.07	.02		.01	.02	.02	1.09	26
27	.03	.32	.13		.12	.33	.26			.26	.01		27
28	.17	.14		.10		.17	.02			.01	.17		28
29	.03		.07			.23		.01	.37		.60		29
30	.17	X	.08			.30				.01			30
31	.02	X	.38	X	.02	X	.03		X	.10	X	.04	31
TOTAL	1.68	3.87	2.45	1.67	.67	3.66	5.18	3.38	3.15	1.52	3.17	4.26	YEAR'S TOTAL 34.66
Days with ".01 in. or more.	21	16	17	13	7	20	20	21	16	13	20	11	195
Days with ".04 in. or more.	14	11	15	11	6	15	11	16	10	8	12	10	139

REGISTER OF RAINFALL IN 1928.

Kept at 10 London Road Canterbury
in the County of Kent

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" Ground " Sea Level 6.6 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan. in.	Feb. in.	March in.	April in.	May in.	June in.	July in.	August in.	Sept. in.	Oct. in.	Nov. in.	Dec. in.	Date
1		.01	.09	.03				.16			.58	.01	1
2	.46	.24	.01		.08						.49		2
3				.11	.01		.15	.35			.10		3
4	.01	.06		.44		.03		.15					4
5	.19	.18	.04	.04			.01				.01	.02	5
6			.10			.50						.08	6
7				.04		.19		.11					7
8		.02	.05			.28	.01			.16	.25		8
9			.03			.12				.12	.03	.03	9
10	.06	.17	.41	.24	.13			.02		.21	.03		10
11	.02		.04	.16		.17				.09	.25	.26	11
12	.21	.08								.03		.16	12
13		.08			.08	.60		.06			.24	.08	13
14	.02	.10		.23	.08	.21				.35	.39	.02	14
15	.08			.48	.35	.02		.02		.04	.21		15
16	.02	.01		.48	.18	.02				.04	.28	.23	16
17			.02	.04	.37					.15			17
18	.33				.08	.14				.37	.02		18
19				.04	.12	.03		.11		.40	.05	.09	19
20	.13				.19			.04		.30	.01	.28	20
21	.10		.04	.13	.54					.76	.29		21
22	.03		.11		.34			.11		.92	.25	.10	22
23	.22				.22				.03	.05	.21		23
24	.12						.02	.04	.12	.03	.21	.19	24
25	.06					.04			.03	.08	.03	.06	25
26	.47					.07	.02	.07		.64		.13	26
27			.03	.04			.42	.08		.04		.66	27
28	.23		.02	.01					.49			.06	28
29	.03	.03	.33	.14					.19	.06	.08	.53	29
30	.04	×	.22	.03		.10	.20					.28	30
31	.05	×	.49	×		×	.07		×	.01	×	.13	31
TOTAL	2.88	.98	2.03	2.68	2.77	2.52	.90	1.92	.86	4.85	4.01	3.40	YEAR'S TOTAL 29.80
Days with ".01 in. or more.	21	11	16	17	14	15	8	13	5	21	21	20	18.2
Days with ".04 in. or more.	15	7	11	14	13	11	4	11	3	18	15	16	13.8

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090.

REGISTER OF RAINFALL IN 1929.

Kept at 10 London Road Canterbury
in the County of Kent.

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
Ground Sea Level 66 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.10	.05		.06				.41		.20			1
2	.03					.05	.19	.01		.29	.11	.26	2
3			.04				.14			.04		.36	3
4				.16	.08	.86	.05	.03				.34	4
5	.03		.02	.03	.56	.13	.08	.18		.14		.65	5
6					.25		.20	.33		.11	.06	.63	6
7					.03	.04		.93		.28	.52	.25	7
8						.20				.18		.34	8
9		.23		.05								.51	9
10	.01	.11		.20						.19	.04	.33	10
11				.22							.84	.02	11
12			.01	.18	.04	.04						.04	12
13	.06	.12			.05	.04						.01	13
14		.03			.02	.05						.12	14
15	.09				.05	.13					.45	.19	15
16								.98			.19		16
17										.01			17
18								.03			.15		18
19											.04		19
20							.03		.02	.33			20
21	.15										.01	.82	21
22			.05					.02			.02	.05	22
23		.08									.46	.20	23
24	.02			.04			.01	.03		.73	.28	.24	24
25	.05									.25	.19	.09	25
26	.09	.06									.09	.09	26
27	.02			.04							.41		27
28	.11			.12			.14			.21	.54	.34	28
29	.09			.30			.02		.15	.02	.14	.04	29
30	.10	×				.16	.02		.20	.04	.02	.35	30
31	.30	×		×		×	.04		×	.08	×		31
TOTAL	1.25	.68	.12	1.40	1.11	1.72	.98	2.95	.37	3.13	4.59	6.33	24.64
Days with or more.	15	7	4	11	8	10	11	10	3	16	19	23	137
Days with or more.	10	6	2	10	6	10	7	5	2	14	16	21	109

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at Canterbury
in the County of Kent

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
,, Ground ,, Sea Level 66 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	.07	.02		.12			.25	.01		.02	.44		I
2		.05		.01	.01		.01	.07			.68		2
3	.02	.02		.57				1.50					3
4	.10						.03	.09	.01	.12			4
5		.02			.30			.22		.04			5
6		.66		.03	.80		.02	.14	.52	.02			6
7	.02	.28	.04		.11			.06	.01	.21	.47		7
8	.09								.04			.31	8
9	.21				.28				.03				9
10	.33	.02	.35		.18								10
11	.12	.06	.05		.04				.04	.07		.48	11
12	.22			.07	.04			.12	.10			.20	12
13	.04		.07	.09	.10	.01	.14	.26	.18				13
14	.01	.05		.02			.35		.01				14
15		.06	.25	.01			.40	.08		.04	.15		15
16		.03	.01						.15				16
17		.03	.18	.08			.02		.13	.14			17
18			.13	.04	.07				.04		.10	.03	18
19			.34	.05					.68	.16	.21	.02	19
20				.16			.70	.11	.27	.46	.30	.02	20
21								.16	.02	.09	.44		21
22					.30		.06	.07		.22	.25		22
23			.14	.02		.22	.32	.04	.02				23
24	.34	.02		.04	.14		.10			.09	.28	.05	24
25	.06			.10	.54	.12			.02		.22	.01	25
26	.09				.02	.57			.67		.17	.36	26
27						.01	.04		.64	.02	.43	.05	27
28									.79		.20		28
29	.17		.03				.03				.19	.21	29
30	.09	X			.70	.45	.07				.04	.33	30
31	.33	X	.06	X	.21	X		.04	X	.54	X	.03	31
TOTAL	2.31	1.32	1.65	1.41	3.84	1.38	2.54	2.97	4.37	2.24	4.57	2.10	30.70
*Days with or in. or more.	17	13	12	15	16	6	15	15	20	15	16	13	173
*Days with or in. or more.	14	6	10	10	14	4	10	14	13	12	16	8	131

*See Instruction 2 (f) on other side.



for the e
AIR MI

R1

Kept at Waterbury
in the County of Connecticut

Diameter of Funnel of Gauge	
Height of top of Gauge above	
" Ground	

THE MORNING

An observer who does not return the following year in the spa

FOR OFFICIAL USE.

LL ORGANIZATION.

29.

CATERHAM

KENT

1929

US DAY.

uary 1st of the

Jan. 1, following.

Date	Jan.	Feb.								Oct.	Nov.	Dec.	Date
	in.	in.								in.	in.	in.	
1													1
2		.25											2
3													3
4													4
5			1.48										5
6													6
7													7
8													8
9													9
10													10
11													11
12			.37										12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21			.02										21
22													22
23													23
24													24
25			.02										25
26													26
27													27
28													28
29				.28									29
30		X											30
31	.46	X		X		X			X		X	31	
TOTAL	1.68	0.80	0.09	1.15	2.93	1.18						YEAR'S TOTAL	
Days with .01 in. or more.	28	16	7	13	8	9							
Days with .04 in. or more.	7	4	0	8	7	2							

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1929.

Kept at Baterham

in the County of Kent

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

„ Ground „ Sea Level 600 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2		.25											2
3													3
4													4
5					1.48								5
6													6
7													7
8													8
9													9
10													10
11													11
12						.37							12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21			.02										21
22													22
23													23
24													24
25			.02										25
26								2 nd 24 1/2/30					26
27								3 rd 14 1/2/30					27
28													28
29				.28									29
30		X											30
31	.46	X		X		X			X		X		31
TOTAL	1.68	0.80	0.09	1.15	2.93	1.18							YEAR'S TOTAL
Days with ".01 in. or more.	28	16	7	13	8	9	no returns after June						
Days with ".04 in. or more.	7	4	0	8	7	2							

40-9999 42.7 20.3 2.3 29.2 74.4 30.0

(Signed)..... P.T.O.

Section

A

for the entry of Daily Observations.

Form 1090.

AIR MINISTRY.—METEOROLOGICAL

REGISTER OF288
CHARING - PETT PLACE

FOR OFFICIAL USE.

ORGANIZATION.

1927.

1927-1930

064113001 782309

File 851029/28

Kept at *Pett Place*in the County of *Charing*

Diameter of Funnel of Gauge..... in.

Height of top of Gauge above Ground..... ft..... in.

Ground Sea Level..... 400-300 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		1'20		0'14.		0'39.	0'43.	0'42.		0'10.	0'32.		1
2			0'02.	0'14.		0'01				0'02.			2
3	0'13.1												3
4				0'05.		0'06						0'02.	4
5	0'13.	0'25.	0'20.	0'48.		0'09.	0'15.	0'08.			0'14.		5
6			0'23.	0'03		0'04.	1'42.	0'01.	0'12		0'04		6
7	0'07.	0'22.	0'04.	0'43		0'19.		0'15.					7
8	0'10.		0'11.	0'20				0'35.			0'22.		8
9				0'06			0'41	0'13.			0'11.		9
10			0'19.		0'01.				0'15.				10
11						0'05.			0'52.				11
12	0'04.		0'04				0'27	0'27.		0'08.	0'29.		12
13	0'05.						0'02	0'30.	0'15.		0'02.		13
14				0'05.			0'06.		1'19.	0'03	0'03.	0'20.	14
15							0'08.	0'32.	0'12.				15
16								0'05.	0'07.			0'12.	16
17	0'45.				0'12.	0'31.		0'09.	0'21.				17
18	0'18.	0'13.				0'25.		0'37	0'04.		0'04		18
19		0'10.						0'01			0'05.		19
20		0'17.						0'76.			0'33.	0'08	20
21	0'30.	0'19.			0'05.		0'08.	0'06.	0'01.	0'35.	0'12.	0'74	21
22	0'12.	0'05.	0'20.		0'06			0'06.	0'05.	0'80		0'58.	22
23		0'26.	0'34.			0'23.		0'05.	0'69.	0'04	0'14	0'18.	23
24		0'19.	0'26.			0'33.		0'09			0'09	0'44	24
25		0'22.	0'40.			0'19.		0'11.	0'01.			1'48.	25
26	0'10.	0'70	0'05.							0'01	0'02.	1'08	26
27	0'04.	0'30	0'06.		0'42	0'26	0'11.			0'17			27
28	0'05.	0'12.		0'04		0'15.				0'02			28
29			0'12.			0'17			0'35.		0'85.		29
30	0'19	X	0'15.			0'15.		0'01		0'04			30
31		X	0'43	X		X			X	0'07	X		31
TOTAL	1'95.	4'10.	2'84.	1'62.	0'66.	2'84.	3'83.	3'49.	3'68.	1'73.	2'81.	4'92.	YEARS TOTAL 34'47.
Days with "01 in. or more.	14.	14.	14.	10.	15.	16.	10.	20.	14.	12.	16.	10.	15.
Days with "04 in. or more.	11.	14.	16.	10.	14.	15.	10.	17.	12.	8.	13.	9.	14.

R. K. Pett
Aug 9/28

Section **A** for the entry of Daily Observations.

262A
FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1927.

Kept at 1st Place

in the County of Charing

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

Ground Sea Level.....ft.....in.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		1.20		0.14.		0.39.	0.43.	0.42.		0.10.	0.32.		1
2			0.02.	0.14.		0.01				0.02.			2
3	0.13.1												3
4				0.05.		0.06						0.02.	4
5	0.13.	0.25.	0.20.	0.48.		0.09.	0.15.	0.08.			0.14		5
6			0.23.	0.03		0.04.	1.42.	0.01.	0.12		0.04		6
7	0.07.	0.22.	0.04.	0.43		0.19.		0.15.					7
8	0.10.		0.11.	0.20				0.35.			0.22.		8
9				0.06			0.41	0.13.			0.11.		9
10			0.19.		0.01.				0.15.				10
11						0.05.			0.52.				11
12	0.04.		0.04				0.27	0.27.		0.08.	0.29.		12
13	0.05.						0.02	0.30.	0.18.		0.02.		13
14				0.05.			0.06.		1.19.	0.03	0.33.	0.20.	14
15							0.08.	0.32.	0.12.				15
16								0.05.	0.07.			0.12.	16
17	0.45.				0.12.	0.31.		0.09.	0.21.				17
18	0.18.	0.13.				0.25.		0.27	0.04.		0.04		18
19		0.10.						0.01			0.05.		19
20		0.17.						0.76.			0.33.	0.08	20
21	0.30.	0.19.			0.05.		0.08.	0.06.	0.01.	0.35.	0.12.	0.74	21
22	0.12.	0.05.	0.20.		0.06			0.06.	0.05.	0.80		0.58.	22
23		0.26.	0.34.			0.23.		0.05.	0.69.	0.04	0.14	0.18.	23
24		0.19.	0.26.			0.33.		0.09			0.09	0.44	24
25		0.22.	0.40.			0.19.		0.11.	0.01.			1.48.	25
26	0.10.	0.70	0.05.							0.01	0.02.	1.08	26
27	0.04.	0.30	0.06.		0.42	0.26	0.11.			0.17			27
28	0.05.	0.12.		0.04		0.15.				0.02			28
29			0.12.			0.17			0.35.		0.85.		29
30	0.19	X	0.15.			0.15.		0.01		0.04			30
31		X	0.43	X		X			X	0.07	X		31
TOTAL	1.95.	4.10.	2.84.	1.62.	0.66.	2.84.	3.83.	3.49.	3.68.	1.73.	2.81.	4.92.	34.47.
Days with "01 in. or more.	14.	14.	16.	10.	11.	16.	10.	20.	14.	12.	16.	10.	137
Days with "04 in. or more.	11.	14.	16.	10.	14.	16.	10.	17.	12.	8.	13.	9.	142

Section **A**

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1928.

Kept at Pett Place, Charing
in the County of West.
Diameter of Funnel of Gauge..... in.
Height of top of Gauge above Ground..... ft.
Ground Sea Level ft.

appears to be 4 inches low
low up 1927
letter to observe re leak or exposure
end of file 851029/88 1029/88
New file and lower
to 1 ft already recommended

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

0.28.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		0.06		0.20	—		0.17	0.07					1
2			0.17	0.23				0.22			0.79		2
3	0.75	0.33			0.28						0.40		3
4				0.10	0.14		0.18	0.02			0.20	0.02	4
5	0.09	0.03		0.30	—			0.24			0.02		5
6	0.18	0.28		0.04								0.01	6
7			0.06			0.07							7
8			—	0.09		0.40		0.13					8
9			0.20		0.02	0.30				0.12	0.22		9
10			0.03			0.33				0.10	0.02		10
11	0.03	0.13	0.22	0.19	0.13	0.03				0.06	0.10		11
12		0.07	0.30	0.12						0.18	0.27	0.20	12
13	0.13	0.07								0.18		0.21	13
14		0.20				0.89					0.18	0.07	14
15	0.01	0.11		0.19	0.22	0.35				0.65	0.25	—	15
16	0.05			0.37	0.20					0.10	0.31		16
17	0.02			0.92	0.20					0.05	0.28	0.20	17
18				—	0.18					0.18	0.04		18
19	0.65			0.03	0.10	0.23				0.35			19
20				0.06	0.15	0.03		0.11		0.27	0.12	0.13	20
21	0.10				—					0.67	0.02	0.25	21
22	0.07		0.08	0.07	0.31			0.06	—	0.50	0.20		22
23	0.02		0.10	0.02	0.19			0.02		0.67	0.05	0.11	23
24	0.26		0.03		0.30					—	0.07	0.25	24
25	0.04		0.04		0.02			0.01	0.02	0.04	0.23	0.16	25
26	0.04					0.02				0.04	0.01	0.03	26
27	0.16					0.04		0.10		1.15	—	0.13	27
28			0.02	0.03		0.01	0.38	0.04		0.12		0.40	28
29	0.26		0.14				0.01		0.10			0.08	29
30	0.10	X	0.27	0.09				—	0.12	0.07	0.07	0.80	30
31	0.04	X	0.08	X		X	0.15		X	0.05	X	0.15	31
TOTAL	3.08	1.48	1.94	2.05	2.64	2.70	0.79	0.94	0.24	5.59	4.03	2.90	YEARS TOTAL
Days with 0.1 in. or more.	20	7	9	3	2	4	1	3	1		4	4	30
Days with 0.4 in. or more.	15	8	11	14	12	8	4	8	2	21	17	12	132

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1929.

Kept at Pet Place, Charing

in the County of Leam

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 5 ft. — in.

„ Ground „ Sea Level — ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

None

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.28.	0.39.			0.01.		0.21.	0.08.		0.23.	0.13.	0.36.	1
2		0.15.		0.05.				0.50.		0.17.	0.05.		2
3	0.04.	0.03.				0.06.	0.19.			0.22.	0.12.	0.26.	3
4			0.03.			0.05.	0.17.			0.21.		0.40.	4
5	0.02.			0.16.	0.05.	0.05.	0.10.					0.10.	5
6				0.03.	0.52.	0.16.	0.08.	0.30.				0.55.	6
7					0.27.		0.14.	0.39.		0.19.	0.08.	0.42.	7
8					0.05.	0.04.		0.24.		0.21.	0.42.	0.13.	8
9						0.19.					0.19.	0.30.	9
10		0.24.								0.27.		0.39.	10
11	0.05.	0.04.		0.30.						0.16.	0.03.	0.31.	11
12				0.30.	0.05.						0.44.	0.20.	12
13				0.15.	0.20.	0.03.						0.02.	13
14	0.06.	0.04.			0.03.	0.06.					0.01.		14
15					0.02.	0.02.						0.09.	15
16	0.05.					0.22.					1.05.	0.19.	16
17	0.07.							0.90.			0.67.		17
18													18
19								0.12.			0.12.		19
20								0.02.			0.07.		20
21							0.04.			0.43.			21
22	0.16.							0.03.			0.02.	1.12.	22
23			0.03.			0.02.					0.09.	0.14.	23
24											0.28.	0.30.	24
25	0.02.							0.04.		0.75.	0.34.	0.30.	25
26	0.06.									0.38.	0.18.	0.06.	26
27		0.08.									0.06.	0.05.	27
28	0.03.										0.50.	0.06.	28
29	0.14.			0.09.			0.18.			0.17.	0.69.	0.22.	29
30	0.22.	X		0.20.					0.17.		0.44.	0.04.	30
31	4	X		X		X			X		X	0.20.	31
TOTAL	1.33.	0.97.	0.06.	1.28.	1.20.	1.90.	1.11.	2.49.	0.29.	2.29.	6.00.	6.22.	YEAR'S TOTAL
Days with 0.1 in. or more.	13.	6.	2.	9.	8.	12.	8.	8.	3.	12.	22.	23.	126.
Days with 0.4 in. or more.	10.	5.	—	7.	6.	9.	8.	6.	3.	12.	19.	22.	108.

FOR OFFICIAL USE.

FORM 1090.

REGISTER OF RAINFALL IN 1929.

Diameter of Funnel of Gauge.....5. in. 5779
Height of top of Gauge above Ground.....1 ft. — in.
" " Ground " " Sea Level 350 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Home

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I							0'21	0'08		0'23.	0'13.	0'36.	I
2								0'50.		0'17.	0'08.		2
3							0'19.			0'22.	0'12.	0'26.	3
4							0'17			0'21.		0'40.	4
5							0'10.					0'10.	5
6							0'08	0'30.				0'54.	6
7							0'14	0'39.		0'19.	0'08.	0'42.	7
8								0'24		0'21.	0'42	0'13.	8
9											0'19.	0'30.	9
10										0'27		0'40.	10
II										0'16	0'03.	0'31.	II
I2											0'44.	0'20	I2
I3												0'02.	I3
I4											0'01.		I4
I5												0'08	I5
I6											1'02.	0'19.	I6
I7								0'90			0'67.		I7
I8										—			I8
I9								0'19.	0'12		0'11.		I9
20								0'02.			0'07.		20
21							0'04			0'43			21
22								0'02			0'01.	1'10.	22
23											0'09.	0'14.	23
24											0'28.	0'30.	24
25							—	0'04.		0'75.	0'34.	0'30.	25
26										0'28.	0'18.	0'06	26
27											0'06.	0'04.	27
28											0'50	0'06.	28
29							0'18.			0'17.	0'69	0'21	29
30		X							0'17.		0'44.	0'04	30
31		X		X		X			X		X	0'20.	31
TOTAL							0'08	—	0'23	1'13	5'36	6'11.	YEAR'S TOTAL
Days with or in. or more.							1'11.	2'49.	0'29	3'29.	5'91.	6'11.	19'27.
Days with or in. or more.							0'.	9.8	2.3	12.	22.	25.23	27.
Days with or in. or more.							0'.	7.6	2.3	12.	19.	29.22	27.

(Signed)

[P.T.O.]

FORM 1000

REGISTER OF RAINFALL IN 1930.

Kept at Pett Place Gardens (old g) OK this year. NP Check.

in the County of Charing Kent

Diameter of Funnel of Gauge. 8 in.

Height of top of Gauge above Ground. 3 ft. 6 in.

Ground Sea Level ft.

low up 1927/29

f 851029/28

CueC sent 24/2/3

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.
03.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in. 8	in. 8	in. 8	in. 8	in. 8	in. 8	in. 8	in. 8	in. 8	in. 8	in. 8	in. 8	
I		0.38		0.07		0.25				0.01	0.25		I
2	0.10	0.02		0.13			0.58		0.04		0.54	0.04	2
3		0.09			0.03		0.01	0.02		0.01	0.75	0.01	3
4		0.04		0.54	0.01			1.34	0.01	0.15	0.12		4
5	0.17	0.05		0.04	0.01		0.01	0.26		0.03			5
6	0.01				0.30			0.10		0.32			6
7		0.74	0.02		0.82			0.04	0.42			0.03	7
8		0.35			0.02			0.10		0.01	0.39	0.10	8
9	0.20				0.03						TRACE	0.21	9
10	0.18				0.83			0.01	0.02		0.02	TRACE	10
II	0.35		0.35		0.25					0.11	TRACE		II
12	~~0.17~~	0.13	0.04		0.07				0.06			0.44	12
13	0.17			0.15	0.74	0.02		0.02				0.26	13
14	0.03		0.04	0.19	0.23	0.06	0.15	0.28	0.30	0.07	0.01	0.06	14
15	0.02						0.36			0.01		0.02	15
16		0.19	0.28	0.03							0.15		16
17						0.03	0.29		0.12	0.07			17
18		0.03	0.27	0.19	0.01		0.06		0.18				18
19				0.03	0.04		0.01			0.11	0.17	0.08	19
20			0.27	0.07				0.06	0.46	0.30	0.04	0.02	20
21				0.15		0.01	0.40		0.45		0.62	0.01	21
22							0.14	0.35	0.04	0.06	0.45	0.02	22
23					0.28		0.12	0.04	0.02	0.33		TRACE	23
24			0.16	0.15		0.17	0.10	0.15		0.01		0.03	24
25	0.35	0.01				0.11	0.14	0.01	0.04	0.04	0.44	0.16	25
26	0.16				0.21	0.02			0.04	0.01	0.26	0.01	26
27	0.03					0.35	0.01		0.58		0.50	0.39	27
28						0.10	0.04		0.30	0.02	0.27	0.04	28
29									0.87		0.18	0.06	29
30	0.16	x					0.04	0.43	0.13		0.22	0.10	30
31	0.08	x		x	0.98	x	0.32		x		x	0.39	31
TOTAL	2.11	2.03	1.43	1.74	3.76	1.12	3.08	3.21	4.38	1.67	5.41	2.42	32.36
Days with or in. or more.	3.38 15	1.65 10	1.80 9	1.67 11	2.25 18	0.87 9	17	15	4.84 19	1.91 18	5.16 17	2.45 22	18.0
Days with or in. or more.	11	7	8	9	12	5	13	11	15	11	15	13	130

Section

A

for the entry of Daily Observations

Station No.

METEOROLOGICAL OFFICE

METFORM 1090

(Rev. Feb. 1965)

REGISTER OF RAINFALL IN 19630

Kept at Charing Pelts Place

in the County of

Diameter of funnel of gauge.....in.

Height of top of gauge above ground.....ft.....in.

Height of ground above sea level.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.11	.02	—	.12	—	—	.58	—	.04	—	.59	.04		1
2	—	.07	—	—	.03	—	.01	.02	—	.01	.83	.01		2
3	—	.05	—	.56	.02	—	—	1.36	.01	.16	.10	—		3
4	.18	.06	—	.04	.01	—	.01	.26	—	.03	—	—		4
5	.01	—	—	—	.31	—	—	.10	—	.36	—	—		5
6	—	.72	.04	—	.80	—	—	.04	.42	—	—	.03		6
7	—	.36	—	—	.02	—	—	.10	—	.01	.36	.10		7
8	.23	—	—	—	.05	—	—	—	—	—	—	.22		8
9	.18	—	—	—	.34	—	—	.01	.02	—	.02	—		9
10	.38	—	.37	—	.27	—	—	—	—	.11	—	—		10
11	—	.12	.04	—	.07	—	—	—	.06	—	—	.47		11
12	.16	—	—	.17	.14	.02	—	.02	—	—	—	.27		12
13	.04	—	.06	.23	.25	.07	.15	.28	.30	.07	.01	.01		13
14	.05	—	—	—	—	—	.36	—	—	.01	—	.02		14
15	—	.20	.27	.03	—	—	—	—	—	—	.14	—		15
16	—	—	—	—	—	.04	.29	—	.12	.08	—	—		16
17	—	.05	.29	.21	.01	—	.06	—	.18	—	—	—		17
18	—	—	—	.03	.05	—	.01	—	—	.12	.16	.09		18
19	—	—	.27	.06	—	—	—	.06	.78	.30	.04	.02		19
20	—	—	—	.15	—	.01	.70	—	.50	—	.62	—		20
21	—	—	—	—	—	—	.15	.35	.05	.06	.46	—		21
22	—	—	—	—	.27	—	.12	.04	.02	.35	—	—		22
23	—	—	.18	.19	—	.17	.10	.15	—	.01	—	.03		23
24	.37	.02	—	—	—	.12	.13	.01	.04	.04	.46	.16		24
25	.16	—	—	—	.23	.02	—	—	.04	.01	.24	.01		25
26	.02	—	—	—	—	.36	.01	—	.58	—	.50	.33		26
27	—	—	—	—	—	.09	.04	—	.31	.02	.28	.05		27
28	—	—	—	—	—	—	—	—	.90	—	.24	.06		28
29	.19	X	—	—	—	—	.04	.44	.12	—	.22	.11		29
30	.09	X	—	—	.99	—	.38	—	.01	—	—	.42		30
31	.40	X	.08	X	.25	X	—	—	X	.25	X	.03		31
TOTAL	2.57	1.67	1.60	1.79	4.11	.90	3.14	3.24	4.50	2.00	5.27	2.45	Year's Total	33.31
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(g) on other side.

†Spare column, no entries required, except year's total.

(Signed)

(P.T.O.)

FORM A. 1. METEOROLOGIC
REGI

CHARTING

ORGANIZATION.

92/.....

Kept at Charing
in the County of Ken
by Mid Kent wa

P.S.
KENT

1921-30

Long.....
9 am
ation Charing 1/4 mile
of Rain Gauge.....5 in.
uge above Ground.....ft.....in.
,, Sea Level 593 ft.

result entered to the previous day.

IMPORTANT NOTE.—Ra
If an Observer prefers not to c.....ly requested to add
the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of
this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges,
and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers,"
sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden
Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.12	—	—	—	—	.04	—	.10	—	—	.01	.08	1
2	.22	—	.01	—	.27	—	—	.02	—	—	.58	—	2
3	.04	—	—	—	—	.10	—	—	—	—	.30	—	3
4	.02	—	.07	—	.14	—	—	.02	—	—	.43	—	4
5	.01	—	—	—	—	—	—	—	—	—	.21	.02	5
6	—	—	.37	—	—	—	.02	.10	—	—	—	—	6
7	.20	—	.02	—	.25	—	—	—	—	—	—	.01	7
8	.18	.04	.03	—	.01	—	—	—	—	—	—	—	8
9	—	.01	—	.18	—	—	—	—	—	—	—	—	9
10	.10	.03	—	.03	—	—	—	—	.06	—	—	.04	10
11	.02	.22	—	—	—	—	—	—	.53	.01	—	—	11
12	.45	.01	.14	—	—	—	—	.49	.04	—	—	.09	12
13	—	—	.05	.35	—	—	—	.08	.20	—	.10	.01	13
14	.60	—	—	—	—	—	—	.01	—	.01	—	.60	14
15	.01	—	—	.10	.02	—	—	—	—	—	—	.07	15
16	—	—	—	.15	—	—	—	—	—	—	.08	.01	16
17	.02	—	—	.57	—	—	—	.26	—	—	—	—	17
18	—	—	.14	.01	—	—	—	—	.03	—	—	—	18
19	.19	—	.27	.03	—	—	—	—	—	—	—	.07	19
20	—	—	—	—	.05	—	—	—	—	1.32	—	.01	20
21	—	—	—	—	—	—	—	—	—	—	.08	.02	21
22	—	—	—	—	—	—	—	—	—	.09	—	.25	22
23	—	—	—	.35	—	—	—	.10	—	—	—	(.25)	23
24	—	—	—	.08	—	—	—	.02	—	—	—	.09	24
25	—	—	—	—	—	—	—	—	—	—	—	.08	25
26	—	.78	—	—	—	—	—	—	—	—	—	.03	26
27	—	—	—	—	.05	.05	—	—	—	—	—	.05	27
28	—	—	.18	—	—	—	.25	.04	—	—	—	.02	28
29	—	X	.15	—	.10	—	.03	—	—	—	—	.04	29
30	.22	X	.01	—	.18	—	—	—	—	—	.23	.19	30
31	.06	X	—	X	.03	X	—	—	X	—	X	—	31
TOTAL	2.46	1.09	1.44	1.85	1.10	.19	.30	1.24	.86	1.43	2.02	2.05	16.03.
Days with ".01 in. or more	16	6	12	10	10	3	3	11	5	4	9	21	110
Days with ".04 in. or more	11	3	8	7	7	3	1	7	4	2	8	13	74

REGISTER OF RAINFALL IN 1921.....

Kept at Charing Pumping Station
in the County of Kent
by Mid Kent Water Co

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Charing 1/4 mile
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level 543 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.12	—	—	—	—	.04	—	.10	—	—	.01	.08	1
2	.22	—	.01	—	.27	—	—	.02	—	—	.58	—	2
3	.04	—	—	—	—	.10	—	—	—	—	.30	—	3
4	.02	—	.07	—	.14	—	—	.02	—	—	.43	—	4
5	.01	—	—	—	—	—	—	—	—	—	.21	.02	5
6	—	—	.37	—	—	—	.02	.10	—	—	—	—	6
7	.20	—	.02	—	.25	—	—	—	—	—	—	.01	7
8	.18	.04	.03	—	.01	—	—	—	—	—	—	—	8
9	—	.01	—	.18	—	—	—	—	—	—	—	—	9
10	.10	.03	—	.03	—	—	—	—	.06	—	—	.04	10
11	.02	.22	—	—	—	—	—	—	.53	.01	—	—	11
12	.45	.01	.14	—	—	—	—	.44	.04	—	—	.09	12
13	—	—	.05	.35	—	—	—	.08	.20	—	.10	.01	13
14	.60	—	—	—	—	—	—	.01	—	.01	—	.60	14
15	.01	—	—	.10	.02	—	—	—	—	—	—	.07	15
16	—	—	—	.15	—	—	—	—	—	—	.08	.01	16
17	.02	—	—	.57	—	—	—	.26	—	—	—	—	17
18	—	—	.14	.01	—	—	—	—	.03	—	—	—	18
19	.19	—	.27	.03	—	—	—	—	—	—	—	.07	19
20	—	—	—	—	.05	—	—	—	—	1.32	—	.01	20
21	—	—	—	—	—	—	—	—	—	—	.08	.02	21
22	—	—	—	—	—	—	—	—	—	.09	—	.25	22
23	—	—	—	.35	—	—	—	.10	—	—	—	(.25)	23
24	—	—	—	.08	—	—	—	.02	—	—	—	.09	24
25	—	—	—	—	—	—	—	—	—	—	—	.08	25
26	—	.78	—	—	—	—	—	—	—	—	—	.03	26
27	—	—	—	—	.05	.05	—	—	—	—	—	.05	27
28	—	—	.18	—	—	—	.25	.04	—	—	—	.02	28
29	—	X	.15	—	.10	—	.03	—	—	—	—	.04	29
30	.22	X	.01	—	.18	—	—	—	—	—	.23	.19	30
31	.06	X	—	X	.03	X	—	—	X	—	X	—	31
TOTAL	2.46	1.09	1.44	1.85	1.10	.19	.30	1.24	.86	1.43	2.02	2.05	YEAR'S TOTAL 16.03.
Days with .01 in. or more	16	6	12	10	10	3	3	11	5	4	9	21	110
Days with .04 in. or more	11	3	8	7	7	3	1	7	4	2	8	13	74

AIR MINISTRY.

FORM 1090/

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1922

Kept at Charing Pumping Station
in the County of Kent
by Mid Kent Water Company

Lat. _____ Long. _____
Time of Observation 9 AM
Nearest Railway Station Charing 1/4 mile
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level 295 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	/	07	06	/	26	/	02	01	04	02	41	/	1
2	05	15	20	/	01	/	/	01	/	/	01	/	2
3	/	05	01	04	16	/	14	/	01	06	10	/	3
4	01	03	13	71	05	/	03	04	/	47	/	/	4
5	/	02	12	04	/	/	83	/	01	14	36	/	5
6	04	01	00	01	/	/	01	02	/	06	14	/	6
7	38	/	61	/	/	/	02	01	/	/	01	42	7
8	/	/	11	21	/	/	03	18	01	/	/	/	8
9	01	/	/	25	/	/	22	20	02	05	/	/	9
10	/	/	/	/	/	/	03	14	04	02	/	01	10
11	12	/	/	/	02	/	/	01	/	01	/	/	11
12	/	/	/	/	/	/	/	10	35	/	/	02	12
13	/	/	/	35	/	/	/	/	32	/	/	/	13
14	03	/	/	30	/	70	15	00	76	/	/	/	14
15	27	30	/	/	/	03	28	/	/	/	/	/	15
16	01	03	/	/	/	/	06	/	10	/	/	36	16
17	/	08	/	13	12	/	03	/	02	/	/	15	17
18	37	/	/	/	01	/	/	/	01	02	/	26	18
19	57	08	/	01	/	/	01	/	46	17	/	65	19
20	/	/	10	/	/	/	/	/	/	/	/	01	20
21	45	32	02	/	/	/	/	/	/	02	/	63	21
22	01	10	04	06	/	02	/	03	01	02	/	11	22
23	/	02	/	08	/	/	02	/	56	11	/	/	23
24	/	01	12	03	/	21	03	35	03	02	/	01	24
25	32	/	02	01	/	06	/	/	08	05	/	06	25
26	11	16	15	15	/	01	25	01	41	/	/	02	26
27	42	27	01	20	/	18	/	30	28	06	/	10	27
28	02	26	02	/	/	15	/	/	14	28	/	12	28
29	/	/	03	02	/	20	02	05	/	25	/	14	29
30	02	X	21	01	/	/	/	24	46	14	02	06	30
31	01	X	/	X	/	X	/	01	X	02	X	24	31
TOTAL	3.22	1.96	2.05	2.61	.63	1.56	2.18	1.80	4.12	1.99	1.05	3.37	YEAR'S TOTAL
Days with 01 in. or more	19	17	18	18	7	9	18	18	21	20	7	18	26.54
Days with 04 in. or more	11	11	12	12	4	6	7	10	13	12	4	13	190
													115

AIR MINISTRY.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1923.

Kept at Charing Pumping Station
in the County of Kent
by Maid Kent Water Co.

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Charing 1/4 mile.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level 29.5 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan. in.	Feb. in.	March in.	April in.	May in.	June in.	July in.	August in.	Sept. in.	Oct. in.	Nov. in.	Dec. in.	Date
1	.07	.02	.12			.01					.43	.20	1
2	.15				.04	.01				.24	.02	.40	2
3										1.03		.04	3
4						.01			.10			.23	4
5	.15		.01			.01				.04		.02	5
6	.30	.01	.11			.02				.18			6
7	.21	.82	.50	.02	.10	.01				.68		.27	7
8	.05	.22	.13		.17		.08			.35	.67		8
9	.06	.03	.02	.13	.03					.02	.01		9
10		.22		.17	.10					.26	.03		10
11	.05			.04	.05					.56		.02	11
12		.34	.38	.01	.06					.25	.01	.01	12
13	.06	.05	.16		.02	.09				.02	.47		13
14		.06	.08		.07				.35	.06		.09	14
15	.02	.03		.01	.46	.15		.03			.20		15
16					.07			.01		.01	.10	.05	16
17		.06			.01			.10	.09				17
18	.10	.35						.05	.13	.03			18
19	.12	.08				.10			.05	.35		.04	19
20	.01	.07	.21			.02			.33	.16			20
21		.12	.01	.18		.03			.05	.14	.07	.14	21
22		.35		.08				.02	.19	.13	.09	.15	22
23		.05	.03		.27		.05	.38	.21	.82			23
24	.01	.03				.05		.58	.16	.13			24
25		.12	.07	1.27	.06		.10	.01	.04	.18		.52	25
26		.42		.15	.01			.19		.13		.22	26
27		.07	.05		.03	.03	.03	.31		.02		.21	27
28	.01	.11	.01		1.05		.13	.01			.15		28
29	.01	X		.41	.35		.03	.23				.25	29
30	.06	X		.01	.02		.02			.27	.02	.02	30
31	.02	X		X		X	.26		X	.04	X	.35	31
TOTAL	1.46	3.63	1.89	2.48	2.97	0.54	0.70	1.92	1.70	6.10	2.27	3.23	YEAR'S TOTAL 28.89
Days with 0.1 in. or more	18	22	15	12	19	13	8	12	11	25	13	19	187
Days with 0.4 in. or more	12	17	10	8	13	4	5	7	11	20	8	15	130

AIR MINISTRY.

FORM 1090

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1924.

Kept at Blowing Pumping Station
in the County of Kent
by The Maid Kent Water Co.

Lat. _____ Long. _____
Time of Observation 9.0 a.m.
Nearest Railway Station Blowing 1 1/4 ml.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level 29.5 ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.10	/	.12	.01	.05	.24	.02	/	/	/	.68	.10	WRB ₁
2	.06	/	.24	.02	.15	.13	.08	/	/	/	/	.32	155 ₂
3	/	/	.08	.09	.58	.03	.35	.23	.05	/	/	/	3
4	/	/	/	/	.07	.44	.15	/	.01	.15	.01	.22	4
5	/	.01	.32	/	.03	.01	.10	/	/	.17	.01	.10	5
6	/	.18	/	/	.01	/	/	.15	/	.69	/	/	6
7	/	/	/	/	.02	.10	/	/	.17	.35	/	/	7
8	.16	/	/	.06	.24	/	.11	/	/	.24	/	/	8
9	.18	.22	.04	.04	.06	.04	.02	/	.25	/	/	/	9
10	.28	.03	.78	.78	.22	.10	/	/	.02	/	/	/	10
11	.02	/	/	.46	.20	.39	/	.13	.05	/	.23	/	11
12	/	.01	/	.27	.05	.97	/	.19	/	/	.43	/	12
13	.05	/	/	.19	.02	.06	/	.05	.12	/	.03	.20	13
14	.02	/	/	.16	/	/	.01	.05	.02	/	/	/	14
15	/	/	/	.02	/	/	/	/	.07	/	/	.66	15
16	.01	.02	/	/	/	/	/	.18	.03	/	/	.06	16
17	.26	.04	/	/	/	/	1.17	.22	.01	/	/	.01	17
18	.30	.01	/	/	.41	.02	.10	.21	/	/	.05	/	18
19	.10	/	/	/	/	/	/	.09	/	.13	.03	.03	19
20	.36	.01	/	/	.21	.01	.05	.11	.10	.03	.01	.01	20
21	.34	/	/	/	.02	/	.08	.09	.15	.45	/	/	21
22	.01	/	.04	/	/	/	/	.06	.09	.01	/	/	22
23	/	.24	.56	.11	.31	/	/	.04	.24	/	.04	.62	23
24	.43	.05	.25	.13	.23	/	/	.06	/	/	.06	.03	24
25	.02	.10	.26	.46	.03	/	.57	.01	.39	.03	.25	/	25
26	/	.04	.06	.42	/	/	.05	/	.17	.14	.37	.22	26
27	/	.19	/	.06	/	.15	.07	/	/	.08	.94	1.04	27
28	/	.02	.01	.15	/	/	1.03	.15	/	.03	.49	/	28
29	.12	.10	/	.66	.41	/	.55	.26	.03	1.03	.20	.15	29
30	.03	X	.02	.06	(.12)	/	.03	.14	.07	.58	.02	.35	30
31	/	X	/	X	.25	X	/	.12	X	.20	X	.30	973 ₃₁
TOTAL	2.85	1.27	1.96	4.15	3.69	2.69	4.54	2.54	2.04	4.31	3.85	4.42	YEAR'S TOTAL 38.31
Days with .01 in. or more	19	16	11	19	22	14	18	20	19	16	17	17	208
Days with .04 in. or more	13	9	9	16	16	10	14	19	13	12	11	13	155

Section



for the entry of Daily Observations.

V V V GWS

FOR OFFICIAL USE.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

281

Register of Rainfall in 1925.

Kept at *Blowing Pumping Station*
in the County of *Kent*.

Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground ft. in.
" Ground " Sea Level *295* ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan. in.	Feb. in.	March in.	April in.	May in.	June in.	July in.	August in.	Sept. in.	Oct. in.	Nov. in.	Dec. in.	Date
1	.28	.01	.67	.01	.04	—	—	.11	.15	—	.31	.02	1
2	.26	.02	.01	.03	.02	—	.06	.03	.01	—	.56	—	2
3	.14	.01	—	.03	.23	—	.30	.01	.01	—	.06	—	3
4	—	—	—	—	.21	—	.10	—	.02	—	.07	—	4
5	—	.03	—	.25	—	—	—	.26	.01	—	.45	—	5
6	—	.04	.05	.15	.09	—	.12	.06	.10	—	.66	—	6
7	—	.01	.01	.01	.02	—	.29	—	—	.10	.06	.02	7
8	.12	.02	.09	—	.31	—	—	—	.01	.07	.04	.06	8
9	—	.04	—	—	—	—	—	.02	.11	—	.11	.02	9
10	—	.03	.13	—	.28	—	.02	.19	.05	—	.45	—	10
11	—	.42	.02	—	.01	—	.01	.21	.02	—	.51	—	11
12	—	.25	.01	.18	—	—	—	.04	.01	.10	—	—	12
13	—	.53	.27	.30	—	—	—	.01	—	.12	—	—	13
14	.08	.02	.01	.17	—	—	—	—	—	—	—	—	14
15	.25	—	—	—	—	—	—	—	—	.15	—	—	15
16	.02	.08	—	—	.06	—	—	—	.05	.02	—	.02	16
17	.01	.01	—	—	.01	—	—	—	.03	—	—	.01	17
18	—	.10	—	.02	—	—	.03	—	.04	—	—	—	18
19	.01	.01	—	.06	.11	.02	.02	—	.10	.81	—	.06	19
20	—	—	.15	—	.07	—	.03	—	.72	.43	—	.48	20
21	—	.01	—	—	—	—	.13	.08	.10	.09	—	.86	21
22	—	—	.02	—	—	—	1.02	.03	.98	1.06	—	.35	22
23	—	.21	—	.43	.65	.03	.05	.25	—	.48	.03	.18	23
24	—	.48	.25	.01	.15	.25	.95	.12	.01	.03	.13	.05	24
25	.10	1.31	—	—	—	—	.05	.02	.48	—	.05	.10	25
26	—	.13	—	.06	.02	—	.10	—	.05	.26	.01	.15	26
27	.15	—	—	.02	.35	—	.45	.02	—	.01	.20	.10	27
28	.10	—	—	.15	—	—	—	—	—	.01	—	.20	28
29	.16	X	—	.17	.03	—	.05	—	.02	—	.10	.48	29
30	.03	X	—	.48	.01	—	.10	—	.01	—	.09	.08	30
31	.12	X	.02	X	—	X	.38	—	X	—	X	—	31
TOTAL	1.83	3.77	1.71	2.53	2.67	.30	4.26	1.46	3.09	3.74	3.89	3.24	32.49
Days with ".01 in. or more.	15	22	14	18	19	3	20	16	23	15	18	18	201
Days with ".04 in. or more.	11	11	7	11	12	1	15	9	12	11	16	13	129

(Signed) *G. J. Ball* P.T.O.

Section



for the entry of Daily Observations.

AIR MINISTRY.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Register of Rainfall in 1926.

Kept at Charing Pumping Station
in the County of Kent

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground ft. in.
" Ground " Sea Level 295 ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. Obs agrees to (70) on 28th Jan. f. 6

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

6583/26

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.85	—	—	.01	.06	—	—	.05	—	.06	—	1
2	.31	.01	—	—	—	.69	—	—	.02	—	.05	—	2
3	.13	.92	.07	—	—	—	—	.08	—	—	.01	—	3
4	.10	—	.05	—	—	—	.15	—	.17	—	—	—	4
5	—	.01	—	—	.17	—	.02	—	—	—	.41	.22	5
6	.20	.48	—	.35	.02	.08	.02	.07	—	—	.03	.02	6
7	.19	.01	—	.12	.36	.12	.21	.06	.03	—	.06	—	7
8	—	.02	—	.32	.09	.04	—	—	—	—	.65	—	8
9	—	.10	.04	—	—	.13	—	.01	—	.26	.88	—	9
10	—	.01	—	—	.03	.07	.01	.36	—	—	.08	—	10
11	—	.03	—	—	.04	.14	—	.06	—	.01	.07	—	11
12	—	.20	—	—	.12	.05	—	.01	—	.31	.02	—	12
13	.03	.01	—	—	.02	—	—	.02	—	.01	1.18	.07	13
14	.04	.03	—	.08	.38	.21	—	—	—	.42	.22	.22	14
15	—	.02	—	.48	.10	.07	—	—	.02	.32	.05	—	15
16	—	.04	—	.35	—	—	—	.66	—	—	.02	—	16
17	—	.57	—	—	.03	.50	—	—	—	—	.13	.23	17
18	.37	.15	—	.25	.20	—	.22	.06	—	—	.51	—	18
19	—	—	.01	.28	.03	—	.43	—	—	—	.13	.05	19
20	.01	—	.02	.45	.01	—	.03	.15	—	.13	.88	—	20
21	—	—	—	.07	.01	—	.15	.02	—	.02	.49	.06	21
22	.30	.10	—	.15	—	—	—	—	—	—	.19	.41	22
23	.06	—	—	.25	—	.05	—	—	.01	—	.01	—	23
24	.01	—	—	—	—	.06	.05	—	—	.60	—	.01	24
25	.07	—	—	.65	—	—	.11	.27	—	.03	.12	.18	25
26	—	—	—	—	—	—	.15	—	—	—	.22	—	26
27	—	—	.02	.48	.05	—	.03	—	—	—	.04	—	27
28	(40)	—	—	.08	—	—	.38	—	—	.29	.19	.03	28
29	—	X	—	.17	.04	—	—	—	—	.31	—	—	29
30	.06	X	—	.02	.30	—	—	.01	—	.03	—	—	30
31	.02	X	—	X	—	X	—	—	X	.29	X	—	31
TOTAL	2.60	3.56	.21	4.85	2.01	2.27	1.96	1.84	.30	3.03	6.70	1.50	YEARS TOTAL
Days with .01 in. or more.	15	18	6	17	19	14	14	14	6	14	26	11	174
Days with .04 in. or more.	11	9	3	16	11	14	9	9	2	9	21	8	122

(Signed) Z. Z. Ball [P.T.O.]

Section **A**

for the entry of Daily Observations.

262
FOR OFFICIAL USE.

Form 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1924.

Kept at Charing Pumping Station
in the County of Kent

Diameter of Funnel of Gauge.....5.....in.
Height of top of Gauge above Ground.....ft.....in.
" Ground " Sea Level.....295.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	1.44	—	.11	—	.36	.30	.44	—	—	.38	—	1
2	.02	.01	.08	.16	—	.03	.01	—	—	.13	—	.01	2
3	.08	—	.02	—	—	.01	—	—	.01	—	—	.03	3
4	.10	.22	.01	.04	—	.02	.21	—	—	—	—	.01	4
5	.06	.01	.20	.62	—	.11	.01	.13	—	—	.16	.03	5
6	—	.18	.28	.10	—	.05	1.45	.03	.16	—	.04	—	6
7	.06	.01	.02	.35	—	.20	—	.35	—	—	.01	—	7
8	.11	—	.13	.06	—	—	.04	.18	—	—	.24	—	8
9	.01	—	.02	.14	—	—	.36	.08	.28	—	.01	—	9
10	—	—	.05	.01	.02	—	.03	.03	.42	—	—	—	10
11	.01	—	.02	—	—	.05	—	.02	—	—	.02	—	11
12	.08	—	.01	—	—	—	.49	.32	—	—	.44	—	12
13	.09	—	—	.04	—	—	.14	.35	.10	—	.03	.01	13
14	.03	—	—	.04	—	—	.41	.02	1.35	.05	.03	.20	14
15	.05	—	—	—	.02	—	.04	.45	—	—	—	.04	15
16	.03	—	—	—	.13	—	.02	.02	.15	—	—	.16	16
17	.48	.03	.01	—	—	.32	—	.12	.14	—	—	—	17
18	.12	.15	.09	—	—	.30	—	.62	.05	—	.05	—	18
19	—	.10	—	—	—	—	—	.01	—	—	.06	—	19
20	.10	.15	—	—	—	.01	.06	.82	—	—	.43	.04	20
21	.22	.20	—	—	.05	—	.02	.05	.02	.38	.15	1.02	21
22	.13	.05	.21	—	—	.23	.04	.05	.05	.83	.01	.56	22
23	.03	.35	.42	—	—	.01	—	.06	.63	.04	.16	.03	23
24	—	.15	.24	.01	—	.35	—	.13	—	.01	.04	.82	24
25	.01	.22	.04	—	—	.25	.01	.15	.01	.01	.01	1.48	25
26	.15	.85	—	—	.02	.01	.01	—	—	.05	.02	1.03	26
27	.01	.28	.10	—	.45	.33	.16	—	—	.16	.03	—	27
28	.15	.10	—	.06	—	.32	.02	—	—	.02	.10	—	28
29	.05	X	.06	—	—	.22	—	.02	—	—	.80	—	29
30	.16	X	.28	—	—	.20	.01	—	.38	.08	—	—	30
31	—	X	.62	X	.01	X	.01	—	X	.05	X	.04	31
TOTAL	2.34	4.53	2.94	1.83	.40	3.38	4.18	4.48	3.48	1.81	3.25	5.84	YEAR'S TOTAL 39.09
Days with ".01 in. or more.	25	18	21	13	4	20	22	23	14	12	22	16	243
Days with ".04 in. or more.	14	14	14	11	3	14	12	16	11	9	13	10	144

Section **A** for the entry of Daily Observations.

276
FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1928.

Kept at Charing Pumping Station
in the County of Kent

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....ft.....in.

„ Ground „ Sea Level.....295.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.09	—	.15	.23	—	—	—	.32	—	—	.16	.01	1
2	.40	.22	.02	—	.39	—	—	—	—	—	.38	—	2
3	.02	—	—	.16	.15	—	.14	.41	—	—	.19	—	3
4	.09	.09	—	.14	.02	.01	—	.52	—	—	—	—	4
5	.19	.26	—	—	—	—	.01	—	—	—	—	.04	5
6	—	—	.09	—	—	.25	—	—	.10	—	—	.01	6
7	.01	.02	—	.09	—	.24	—	.15	—	.01	—	—	7
8	—	.03	.22	—	.01	.28	.02	—	—	.12	.25	—	8
9	.01	—	.04	—	—	.34	—	—	—	.14	—	.06	9
10	.04	.12	.10	.20	.16	.05	—	—	—	.14	.10	—	10
11	.01	.10	.54	.15	—	.06	—	—	—	.15	.30	.16	11
12	.18	.13	.01	.01	—	—	—	—	—	.13	—	.15	12
13	—	.18	—	—	—	.95	—	—	—	—	.18	.04	13
14	.03	.14	—	.18	.26	.38	—	—	—	.64	.40	—	14
15	.06	—	—	.48	.34	—	—	—	—	.04	.23	.01	15
16	.02	—	—	.09	.14	—	—	—	—	.05	.36	.14	16
17	.01	—	.02	—	.24	—	—	—	—	.22	—	—	17
18	.41	—	.02	.05	.05	.25	—	—	—	.36	.02	.01	18
19	—	—	—	.02	.14	.05	—	.12	—	.41	.13	.14	19
20	.10	—	.04	—	.01	—	—	—	—	.62	.03	.20	20
21	.12	—	.10	—	.65	—	—	.16	—	.69	.22	.01	21
22	.01	—	.12	—	.12	—	—	.04	.04	.44	.12	.12	22
23	.31	—	.04	—	.23	—	—	—	.04	.09	.25	—	23
24	.04	—	.04	—	—	—	—	.02	.05	.06	.22	.14	24
25	.06	—	—	—	—	.03	—	—	—	.05	.01	.05	25
26	.16	—	—	—	—	.04	—	.11	—	.28	—	.13	26
27	—	—	.03	.04	—	.02	.42	.05	—	.06	—	.43	27
28	.28	—	.06	—	—	—	—	—	.39	—	—	.08	28
29	.12	.04	.38	.12	—	—	—	—	.16	.06	.06	.88	29
30	.06	X	.11	.02	—	.18	.23	—	—	.04	—	.15	30
31	.08	X	.25	X	—	X	.10	—	X	.01	X	.33	31
TOTAL	3.54	1.33	2.41	3.28	3.00	3.19	.95	1.90	.78	5.93	3.61	3.35	YEAR'S TOTAL 33.28
Days with ".01 in. or more.	26	11	20	15	15	15	6	10	6	23	19	22	188
Days with ".04 in. or more.	18	9	15	12	12	12	4	9	6	21	16	14	151

Section



for the entry of Daily Observations.

289
FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1929 .

Kept at Charing Pumping Station
in the County of Kent

Diameter of Funnel of Gauge.....5.....in.
Height of top of Gauge above Ground.....—.....ft.....—.....in.
,, Ground ,, Sea Level 295 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.03	.02	—	.03	—	.01	—	.49	—	.16	.02	.01	1
2	.05	.10	—	—	—	.10	.20	—	—	.29	.22	.32	2
3	.01	—	—	—	.10	.01	.42	—	—	.14	—	.41	3
4	.01	—	.01	.14	.04	.93	.09	—	—	—	—	.28	4
5	.01	—	.04	—	.65	.16	.10	.32	—	.06	—	.44	5
6	.02	—	—	—	.18	—	.19	.38	—	.12	.08	.48	6
7	—	—	—	—	.05	.06	—	.20	—	.24	.52	.24	7
8	—	—	—	—	—	.19	—	—	—	.24	.08	.32	8
9	.03	.26	—	.12	—	—	—	—	—	—	—	.44	9
10	.06	.06	—	.22	—	—	—	—	—	.16	.04	.44	10
11	—	—	—	.45	.03	—	—	—	—	—	.63	.04	11
12	.01	—	—	.15	.14	.12	—	—	—	—	—	.03	12
13	.06	—	—	.02	.02	.03	—	—	—	—	.03	.02	13
14	.03	—	—	—	.04	.01	—	—	—	—	—	.10	14
15	.04	—	—	—	—	.24	—	—	—	—	.14	.16	15
16	.08	—	—	—	—	—	—	.84	—	—	.58	—	16
17	.06	—	—	—	—	—	—	—	—	—	—	—	17
18	.04	—	—	—	—	—	—	—	.04	—	.14	—	18
19	—	—	—	—	—	—	—	.05	—	—	.04	—	19
20	—	—	—	—	—	—	.04	—	—	.41	—	—	20
21	.23	—	—	—	—	—	—	—	—	—	.02	1.20	21
22	.03	.01	—	—	—	.02	—	.02	—	—	.06	.16	22
23	—	.11	—	—	—	—	—	—	—	.02	.24	.28	23
24	—	.01	—	—	—	—	.02	.02	—	.46	.38	.40	24
25	—	.02	—	—	—	—	—	—	—	.29	.13	.04	25
26	—	—	—	.03	.05	—	—	.01	—	—	.04	.05	26
27	.06	—	—	—	—	—	—	—	—	.01	.60	.05	27
28	.22	—	—	.04	—	—	.18	—	—	.14	.65	.35	28
29	.02	X	—	.22	—	—	—	—	.20	.02	.45	.04	29
30	.23	X	—	—	—	.20	—	—	.21	.02	.13	.39	30
31	.43	X	—	X	—	X	.08	—	X	.14	X	—	31
TOTAL	1.46	.59	.08	1.48	1.39	2.11	1.32	2.33	.45	3.25	6.28	6.48	YEAR'S TOTAL
Days with ".01 in. or more.	22	8	2	10	10	13	9	9	3	14	22	25	150
Days with ".04 in. or more.	12	4	1	4	8	8	8	6	3	13	19	22	111

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at Charing Pumping Station
in the County of Kent
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground — ft — in.
,, Ground ,, Sea Level 295 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.11	.03	—	.14	—	—	.52	—	—	.01	.47	—	1
2	.01	.07	—	—	.02	—	—	—	—	—	.83	—	2
3	.03	.04	—	.52	—	—	—	.56	—	.01	.13	—	3
4	.31	.05	—	.12	.01	—	—	.07	—	.14	—	—	4
5	.03	—	—	.04	.29	—	—	.08	—	.03	—	—	5
6	.01	.36	.01	—	.93	—	—	.03	.37	—	—	—	6
7	.01	.85	—	—	.05	—	—	.10	—	.34	.43	.11	7
8	.23	—	—	—	—	—	—	—	—	.01	—	.18	8
9	.20	—	—	—	.33	—	—	—	.01	—	.01	.04	9
10	.38	—	.29	—	.25	—	—	—	—	—	—	.02	10
11	.11	.13	.01	—	.04	—	—	—	.01	.11	—	.45	11
12	.31	—	—	.12	.13	—	—	—	.06	—	—	.27	12
13	.04	—	.02	.19	.09	.05	.14	.28	.34	—	—	.01	13
14	.03	.02	—	—	—	—	.37	—	—	—	—	—	14
15	.01	.18	.27	.05	—	—	.31	—	—	.09	.13	.01	15
16	—	.01	.01	.01	—	.02	.01	—	.12	—	—	—	16
17	—	.03	.24	.14	—	—	—	—	.19	.07	—	—	17
18	—	—	.05	.04	.04	—	—	—	—	—	.16	.07	18
19	—	—	.16	.06	—	—	—	.06	.95	.10	.13	.02	19
20	—	—	—	.13	—	—	.75	.09	.42	.26	.50	.01	20
21	.01	—	—	—	—	—	.06	.31	.03	.03	.46	—	21
22	—	—	—	.01	.29	—	.09	.07	.01	.34	.18	—	22
23	.01	—	.19	.12	—	.28	.08	.10	—	—	—	.04	23
24	.39	—	—	—	.09	.03	.11	—	—	.04	.47	.14	24
25	.12	—	—	—	.19	—	—	—	—	—	.27	.17	25
26	.05	—	—	—	—	.44	.01	—	.62	—	.23	.32	26
27	—	.01	—	—	—	—	.03	—	.24	.01	.25	.04	27
28	—	—	—	—	—	—	—	—	1.06	—	.18	.02	28
29	.20	X	—	—	—	—	.03	.58	.04	—	.15	.24	29
30	.07	X	—	—	.90	—	.17	—	—	—	.01	.37	30
31	.39	X	.06	X	.34	X	—	—	X	.33	X	.09	31
TOTAL	3.06	1.78	1.31	1.69	3.99	.82	2.68	3.33	4.47	1.92	4.99	2.62	YEAR'S TOTAL 32.66
Days with ".01 in. or more.	23	12	11	14	16	5	14	12	15	16	18	20	176
Days with ".04 in. or more.	14	7	7	12	14	3	10	11	11	10	16	14	129

Sept at Woolmans
in the County of Kent
by M. Goler

CHATHAM - WOOLMANS WOOD
KENT

IMPORTANT NOTE.—Rain

If an Observer prefers not to confo
the reading at 9 a.m. on 1st Januar
this paragraph. Full instructions for
and particulars as to the British F
sent post-free on application to T.
Square, London, N.W. 1, or to THE St

Records t

RECORD. 361

ZATION.

5-8
M
rtham
e 5- in.
ind. 3 ft. 0 in.
Level 470 ft.
to the previous day.
add
end of
pages,
vers,"
mden
burgh.
Jan. 1, following.

1921-30

Date	Jan.	Feb.	March	Apr							pv.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.15	.	.03								.05	.36	1
2	.04	.									.47		2
3	.01		.03		.18	.19		.07			.33		3
4	.10				.18			.03			.26		4
5	.02							.10			.30		5
6	.17		.38		.05								6
7	.18	.02		.09	.11		.06						7
8	.02			.09	.02								8
9	.												9
10	.20							.04	.44				10
11	.16	.04						.67					11
12	.25		.09					.08	.29		.15		12
13	.23		.04	.30				.06	.02	.03			13
14	.							.04			.30		14
15	.			.11									15
16	.01			.12							.09	.02	16
17	.05		.20	.42				.23					17
18	.13	.04											18
19	.		.13		.02	.03		.03					19
20	.		.05			.05				.32			20
21	.										.11		21
22	.			.33								.23	22
23	.			.15				.02	.02	.11		.06	23
24	.01			.07								.03	24
25	.02	.75		.05								.06	25
26	.				.38							.19	26
27	.03				.04								27
28	.		.26		.14		.43	.02					28
29	.	X	.06		.17		.03	.01				.05	29
30	.11	X			.02							.16	30
31	.03	X		X		X			X		X		31
TOTAL	1.92	.85	1.27	1.73	1.28	.27	.52	.63	1.07	.90	1.61	1.61	YEAR'S TOTAL 13.66
Days with ".01 in. or more	20	4	10	10	11	3	3	10	6	4	7	11	99
Days with ".04 in. or more	12	3	8	10	8	2	2	6	3	3	7	9	73

FORM 1090 METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
(formerly B.R.O. Form A.1). REGISTER OF RAINFALL IN 1921

✓ Obsd at Woolmans Wood
Chatham
in the County of Kent
by W. Gales Fisher

Lat. 51° 20' N Long. 0° 30' E
Time of Observation 9 AM
Nearest Railway Station Chatham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. 0 in.
" " " " Sea Level 470 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.15	.	.03								.05	.36	1
2	.04	.									.47		2
3	.01	.	.03		.15	.19		.07			.33		3
4	.10	.			.18			.03			.26		4
5	.02	.						.10			.30		5
6	.17	.	.18		.05								6
7	.18	.02		.09	.11		.06						7
8	.02			.09	.02								8
9	.												9
10	.20								.04	.44			10
11	.16	.04							.67				11
12	.25		.09					.05	.29			.15	12
13	.23		.04	.30				.06	.02	.03			13
14	.							.04				.30	14
15	.			.11									15
16	.01			.12							.09	.02	16
17	.05		.20	.42				.23					17
18	.13	.04											18
19	.		.13		.02	.05			.03				19
20	.		.05			.05				.32			20
21	.										.11		21
22	.			.33								.23	22
23	.			.15				.02	.02	.11		.06	23
24	.01			.07								.03	24
25	.02	.75		.05								.06	25
26	.				.38							.19	26
27	.03				.04								27
28	.		.26		.14		.43	.02					28
29	.	X	.06		.17		.03	.01				.05	29
30	.11	X			.02							.16	30
31	.03	X		X		X			X		X		31
TOTAL	1.92	.85	1.27	1.73	1.28	.27	.52	.63	1.07	.90	1.61	1.61	YEAR'S TOTAL 13.66
Days with .01 in. or more	20	4	10	10	11	3	3	10	6	4	7	11	99
Days with .01 in. or more	12	3	8	10	8	2	2	6	3	3	7	9	73

REGISTER OF RAINFALL IN 1922.

Kept at Woolmans Wood, Chatham.
in the County of Kent
by W. Boles Finch

Lat. 51° 20' 1/2" N Long. 0° 30' 1/2" E
Time of Observation 9 a.m.
Nearest Railway Station Chatham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. 0 in.
" " " " Sea Level 470 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
at reader
can follow
on request

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.	.10	.17	.	.02	.	.01	.07	.02	.01	.47	.03	1
2	.05	.31	.09	.05	.	.	.07	.	.02	.	.	.	2
3	.	.10	.05	.73	.14	.	.06	.24	.05	.01	.05	.	3
4	.	.05	.15	.01	.10	.	.13	.18	.	.31	.	.	4
5	.	.	.16	.05	.02	.	.81	.	.	.30	.72	.	5
6	.10	.	.03	.26	.	.	.09	.12	.02	.	.11	.	6
7	.17	.	.45	.05	.	.	.27	.12	.	.	.	.	7
8	.03	.	.15	.	.	.06	.14	.21	.	.	.01	.	8
9	.05	.	.	.	.	.	.16	.05	.01	.11	.	.01	9
10	.02	.	.	.	.	.03	.	.	.27	.01	.07	.	10
11	.	.	.	.	.	.	.	.06	.	.	.	.	11
12	.	.	.	.32	.11	.	.	.10	.39	.	.	.	12
13	.	.	.	.32	.	.28	.06	.	.06	.	.	.	13
14	.	.	.	.02	.	.26	.54	.31	.73	.	.01	.	14
15	.10	.15	.	.02	.	.02	.01	.	.02	.	.	.	15
16	.	.06	.	.10	.07	.	.10	.	.10	.	.01	.28	16
17	.	.13	.	.	.	.	.02	.01	.	.	.	.13	17
18	.49	.01	.	.	.	.	.03	.	.	.	.	.25	18
19	.56	.07	.07	.	.	.	.	.	.37	.63	.01	.50	19
20	.01	.	.	.	.	.	.	.	.	.03	.	.	20
21	.18	.17	.10	.	.	.	.	.	.	.	.	.66	21
22	.01	.09	.	.11	.	.	.02	.19	.	.10	.	.02	22
23	.	.02	.	.01	.	.06	.15	.	.04	.	.	.	23
24	.	.	.	.05	.05	.08	.02	.21	.02	.	.	.	24
25	.13	.	.	.32	.07	.09	.	.	.	.02	.	.10	25
26	.15	.28	.08	.10	.	.13	.22	.	.07	.	.02	.	26
27	.23	.17	.05	.05	.	.	.	.26	.45	.	.01	.19	27
28	.04	.20	.14	.	.	.30	.	.02	.01	.21	.	.08	28
29	.11	~~X~~	.	.	.	.17	.	.11	.	.17	.	.18	29
30	.01	~~X~~	.12	.01	.	.02	.09	.35	.42	.04	.11	.10	30
31	.07	~~X~~	.	~~X~~	.	~~X~~	.	.	~~X~~	.	~~X~~	.48	31
TOTAL	2.51	1.91	1.81	2.58	.58	1.50	3.00	2.61	3.07	1.95	1.60	3.01	YEAR'S TOTAL 26.13
Days with 01 in. or more	19	15	14	18	8	12	20	17	18	13	12	14	180
Days with 04 in. or more	14	13	13	13	6	9	14	15	11	8	6	11	133

REGISTER OF RAINFALL IN 1923.

Kept at Woolmans Wood Chathamin the County of Kentby W. Boles-SmithLat 51° 20' 2" N Long 0° 30' 2" E.Time of Observation 9 a.m.Nearest Railway Station ChathamDiameter of Funnel of Rain Gauge 5 in.Height of top of Gauge above Ground 3 ft 0 in." " " " Sea Level 470 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.09		.21						.05	.03	.25	.10	1
2	.19				.08					.10	.01	.11	2
3	.02					.10				1.10	.01		3
4	.01								.10			.15	4
5	.21			.09		.06				.08			5
6	.18	.01	.07	.10		.13						.02	6
7	.05	.83	.34		.07					.33		.07	7
8	.02	.21	.03		.19					.25	.75		8
9	.10	.13	.02		.02						.05		9
10				.17	.14					.24	.15		10
11		.02		.16	.02					.43		.15	11
12		.42	.50	.08	.23	.10				.25			12
13		.04	.20	.02			.09				.49		13
14		.11	.08		.02				.65	.09			14
15	.01	.01	.01	.02	.23	.12		.05			.17		15
16		.06			.02						.17	.03	16
17		.01				.02		.09	.03				17
18	.11	.15						.10		.02			18
19	.06	.10				.09			.03	.98			19
20		.05	.17		.02	.01			.34	.11		.03	20
21	.01	.13	.03	.07					.04	.27	.10	.15	21
22	.01	.38	.06						.41	.13		.07	22
23		.02	.23	.01	.40		.02	.25	.13	.71	.05		23
24		.01						.51	.14	.02			24
25		.11	.20	.60	.05	.22	.17		.02	.36		.45	25
26		.42		.14				.09		.07		.18	26
27		.15			.23		.02	.05		.05		.12	27
28	.08	.03		.05	1.12		.21				.19		28
29		~~X~~		.07	.37		.08	.31		.16		.19	29
30		~~X~~					.04					.02	30
31		~~X~~		~~X~~	.07	~~X~~	.24		~~X~~	.09	~~X~~	.23	31
TOTAL	1.15	3.40	2.15	1.58	3.28	.85	.87	1.45	1.94	5.87	2.39	2.07	27.00
Days with ".01 in. or more	15	22	14	13	17	9	8	8	11	22	12	16	167
Days with ".04 in. or more	9	15	10	10	12	7	6	8	8	19	10	12	126

AIR MINISTRY.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

County No. _____

River Dist. _____

Station No. _____

REGISTER OF RAINFALL IN 1924.

Kept at Woolmans Wood, Chatham

in the County of Kent

by W. Coles-Hutch

Lat. 51° 20' 2" N Long. 0° 30' 2" E

Time of Observation 9 a.m.

Nearest Railway Station Chatham

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 3 ft. 0 in.

" " " " Sea Level 470 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.06		.07	.02	.04	.10		.01			.44	.13	1 <u>RRR</u>
2	.06		.13		.02	.32	.03					.26	2 <u>WST</u>
3			.15		.04	.41	.33	.22	.20				3
4					.02	.01			.08	.15		.13	4
5		.03	.04		.03		.08			.33		.03	5
6		<u>.20</u>								.31			6
7					.04	.16			.41	.30			7
8	<u>.60</u>			.09	.10	.02	.28	.17	.22	.09			8
9	.23	.18				.03			.05				9
10	.17	.04		.25	.21				.10				10
11				<u>.66</u>	.15	<u>.50</u>			.02		.25		11
12		.01		.14	.04	.48		.07	.42		<u>.91</u>		12
13	.07			.26		.01		.04			.01	.26	13
14	.01			.21				.08	.04			.01	14
15				.02					.03			.30	15
16	.02							.03				.06	16
17	.12						<u>.95</u>	.06				.01	17
18	.26				.09		.04	.29		.05	.07		18
19	.09	.07						.16		.08	.04		19
20								.07	.13				20
21	.46			.01	.21		.10		.16	<u>.74</u>			21
22	.36	.05	.17				.84	.37	.15				22
23			<u>.21</u>		.23		.05	.17	.17			.46	23
24	.39	.07	.12	.05	.25		.01	.06			.08	.25	24
25		.05	.09	.01	.01		.42	.01	.30		.18		25
26		.03	.01	.32			.04		<u>.46</u>	.12	.30	.08	26
27		.07	.02	.40			.20			.16	.39	<u>.57</u>	27
28				.03			.63	.12		.03	.23		28
29	.04	.08		.17	.37			.28		.65	.28	.04	29
30	.02	X		.46	.19		.03	.21	.17	.65	.08	.22	30
31		X		X	<u>.47</u>	X		<u>.47</u>	X	.15	X	.18	31 <u>228</u>
TOTAL	2.96	.88	1.01	3.10	2.51	2.04	4.03	2.89	3.11	3.81	3.26	2.99	YEAR'S TOTAL <u>32.59</u>
Days with 01 in. or more.	16	12	10	16	18	10	15	19	17	14	13	16	176
Days with 04 in. or more.	13	9	8	11	14	6	12	16	15	13	12	13	142



AIR MINISTRY.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Register of Rainfall in 1925.

356

Kept at Woolmans Wood, Chatham
in the County of Kent

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 3 ft. 0 in.
" Ground " Sea Level 470 + ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.54		.31	.09	.02			.06	.04		.38		1
2	.22		.03	.16			.08	.10			.47		2
3	.18	.04			.22		.09	.08	.02	.08	.01		3
4	.02				.19		.03	.11			.08		4
5		.04		.22				.09	.11				5
6		.21		.13	.09		.02	.01			.38		6
7		.10	.03				.36		.01	.03	.01	.04	7
8	.03	.02			.20						.03	.05	8
9			.02	.15	.04			.22	.23		.13		9
10			.10		.01			.40	.14		.60		10
11		.30			.01			.01	.02		.23		11
12		.30						.02		.16			12
13		.36	.11	.03				.08		.02			13
14	.09			.18									14
15	.20			.07						.25			15
16		.03			.01				.20	.10			16
17					.06								17
18		.05		.01	.02								18
19					.19	.01	.21	.19	.14	.76		.23	19
20			.20		.03		.35		.38	.45		.24	20
21			.02				.13	.11	.15	.67		.51	21
22	.02	.04	.07	.14			.80	.17	.25	.68		.37	22
23			.09	.13	.63	.05	.07	.20		.27		.08	23
24		.27		.02	.06	.27		.34	.01	.21	.08	.02	24
25	.06	.86							.23			.07	25
26				.12	.07	.04	.50	.03	.05	.21		.08	26
27	.20			.15	.42		.21	.24					27
28	.13	.02	.04	.10			.05		.02				28
29	.23	X		.06	.10		.35		.02		.06	.27	29
30		X		.28							.01	.36	30
31	.12	X		X		X	.05		X	.01	X	.42	31
TOTAL	2.07	2.64	1.02	2.04	2.37	.37	3.30	2.46	2.02	3.90	2.47	2.74	YEARS TOTAL 27.40
Days with .01 in. or more.	13	14	11	17	18	4	15	18	17	14	13	13	167
Days with .04 in. or more.	10	11	7	14	12	3	13	14	11	11	9	12	127

(Signed).....M. G. G. G. G...... (P.T.O.)

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1926.

Kept at Woolmans Wood, Chatham
in the County of Kent

Diameter of Funnel of Gauge.....5.....in.
Height of top of Gauge above Ground.....3.....ft.....0.....in.
,, Ground ,, Sea Level.....4.70.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	<u>.28</u>	<u>.23</u>	-	-	-	<u>.14</u>	-	-	<u>.03</u>	-	-	-	1
2	<u>.12</u>	<u>.03</u>	-	-	-	<u>.75</u>	<u>.03</u>	-	<u>.08</u>	-	<u>.03</u>	-	2
3	<u>.14</u>	<u>.63</u>	<u>.12</u>	-	-	<u>.01</u>	<u>.03</u>	-	<u>.02</u>	-	-	-	3
4	<u>.01</u>	<u>.13</u>	<u>.05</u>	<u>.55</u>	<u>.X8</u>	-	<u>.03</u>	-	-	-	<u>.35</u>	<u>.30</u>	4
5	<u>.05</u>	<u>.08</u>	<u>05</u>	-	<u>.15</u>	-	<u>.02</u>	-	-	-	<u>.35</u>	<u>.30</u>	5
6	-	<u>.32</u>	<u>.01</u>	<u>.36</u>	<u>.01</u>	<u>.10</u>	<u>.01</u>	<u>.11</u>	<u>.22</u>	-	-	<u>.01</u>	6
7	<u>.21</u>	<u>.07</u>	-	<u>.16</u>	-	<u>.14</u>	-	<u>.14</u>	<u>.06</u>	-	<u>.09</u>	<u>.02</u>	7
8	<u>.01</u>	<u>.02</u>	-	<u>.74</u>	-	<u>.02</u>	-	<u>.03</u>	-	<u>.02</u>	<u>.86</u>	-	8
9	-	<u>.03</u>	-	-	-	<u>.40</u>	-	-	-	<u>.10</u>	<u>.43</u>	-	9
10	-	<u>.02</u>	-	-	-	<u>.11</u>	-	<u>.35</u>	<u>.02</u>	-	<u>.01</u>	-	10
11	-	<u>.14</u>	-	-	<u>.01</u>	<u>.16</u>	-	<u>.17</u>	-	<u>.03</u>	<u>.10</u>	-	11
12	-	<u>.04</u>	-	-	<u>.04</u>	-	-	-	-	<u>.26</u>	<u>.01</u>	-	12
13	<u>.10</u>	-	-	-	<u>.01</u>	-	-	<u>.01</u>	-	<u>.08</u>	<u>1.07</u>	<u>.02</u>	13
14	<u>.35</u>	<u>.02</u>	-	<u>.12</u>	<u>.25</u>	<u>.15</u>	-	-	-	<u>.54</u>	-	<u>.10</u>	14
15	<u>.40</u>	<u>.03</u>	-	<u>.37</u>	<u>.02</u>	-	-	-	-	<u>.49</u>	<u>.06</u>	-	15
16	-	<u>.11</u>	-	<u>.30</u>	<u>.01</u>	-	-	<u>.21</u>	-	-	<u>.03</u>	-	16
17	-	<u>.48</u>	-	<u>.07</u>	-	<u>.65</u>	-	-	-	-	<u>.06</u>	-	17
18	-	<u>.08</u>	-	<u>.11</u>	<u>.05</u>	-	<u>.31</u>	<u>.20</u>	-	-	<u>.50</u>	-	18
19	<u>.25</u>	-	-	<u>.11</u>	<u>.11</u>	-	<u>.25</u>	-	-	-	<u>.02</u>	-	19
20	-	-	<u>.11</u>	<u>.68</u>	<u>.02</u>	-	<u>.03</u>	<u>.13</u>	-	<u>.25</u>	<u>.83</u>	-	20
21	-	-	-	<u>.11</u>	<u>.03</u>	-	<u>.11</u>	<u>.03</u>	-	<u>.02</u>	<u>.46</u>	<u>.03</u>	21
22	<u>.28</u>	<u>.06</u>	-	<u>.15</u>	-	-	-	-	-	<u>.04</u>	<u>.02</u>	<u>.12</u>	22
23	-	<u>.02</u>	-	<u>.02</u>	-	<u>.35</u>	-	<u>.08</u>	<u>.08</u>	-	-	-	23
24	<u>.04</u>	<u>.04</u>	-	-	-	<u>.04</u>	-	-	-	<u>.38</u>	-	-	24
25	<u>.06</u>	-	-	<u>.97</u>	-	-	<u>.06</u>	-	-	<u>.10</u>	<u>.09</u>	<u>.14</u>	25
26	<u>.03</u>	-	-	<u>.03</u>	-	-	<u>.30</u>	-	-	-	<u>.15</u>	-	26
27	<u>.03</u>	<u>.01</u>	<u>.05</u>	<u>.23</u>	<u>.03</u>	-	<u>.11</u>	-	<u>.16</u>	-	<u>.05</u>	-	27
28	<u>.41</u>	-	-	<u>.19</u>	<u>.04</u>	-	<u>.38</u>	-	<u>.11</u>	<u>.36</u>	<u>.01</u>	<u>.02</u>	28
29	<u>.02</u>	X	-	<u>1.16</u>	<u>.10</u>	-	-	-	-	<u>.10</u>	<u>.22</u>	-	29
30	<u>.01</u>	X	-	<u>.07</u>	<u>.14</u>	-	-	-	-	-	<u>.18</u>	-	30
31	<u>.16</u>	X	-	X	<u>.03</u>	X	-	-	X	-	X	-	31
TOTAL	<u>2.96</u>	<u>2.59</u>	<u>.39</u>	<u>6.50</u>	<u>1.05</u>	<u>3.02</u>	<u>1.67</u>	<u>1.46</u>	<u>.70</u>	<u>2.77</u>	<u>5.65</u>	<u>.71</u>	YEARS TOTAL <u>29.52</u>
Days with ".01 in. or more.	<u>20</u>	<u>21</u>	<u>6</u>	<u>20</u>	<u>17</u>	<u>13</u>	<u>13</u>	<u>11</u>	<u>8</u>	<u>14</u>	<u>23</u>	<u>4</u>	<u>175</u>
Days with ".04 in. or more.	<u>14</u>	<u>13</u>	<u>5</u>	<u>13</u>	<u>8</u>	<u>11</u>	<u>7</u>	<u>8</u>	<u>5</u>	<u>11</u>	<u>16</u>	<u>4</u>	<u>120</u>

Please read the Notes and Instructions Overleaf.

REGISTER OF RAINFALL IN 1927.

Kept at Woolmans Wood, Chatham
in the County of Kent

Diameter of Funnel of Gauge.....5.....in.
Height of top of Gauge above Ground.....3.....ft. 0.....in.
" Ground " Sea Level 470 T ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		1.06		.05		.06	.26	.50		.07	.24		1
2			.01	.12		.06	.03		.01	.02			2
3									.02			.01	3
4	.04			.03			.26		.01			.06	4
5	.02	.08		.32		.05	.02	.27	.01		.12		5
6	.08		.31	.23			1.36	.05	.22		.01		6
7	.04	.28	.06	.37		.14							7
8				.26			.22	.50			.26		8
9				.03			.08	.09	.30				9
10									.97				10
11						.06	.02	.08					11
12	.09						.14	.17		.06	.05		12
13	.04			.03			.07	.17	.16		.04		13
14	.09	.04		.05			.69	.04	1.36		.03	.30	14
15							.09	.52	.01	.01		.10	15
16					.15		.02	.07	.08				16
17	.17					.35		.21	.29				17
18	.16					.36		.30					18
19		.18				.04			.02		.23		19
20	.03	.05					.09	.56	.04		.47	.9	20
21	.20	.11	.04		.18		.01	.19	.08	.27	.08	.68	21
22	.11	.02	.14		.21	.18	.17	.21	.03	.41		.50	22
23	.01	.25	.25			.15			.72	.01	.13	.15	23
24	.01	.11	.61	.06		.31		.03	.03		.06	.13	24
25		.42	.40			.16		.10	.03			.75	25
26	.18	.43	.19		.11	.02			.02		.01	.98	26
27	.07	.18	.08		.20	.10	.20			.31			27
28		.24	.10	.08		.24				.04	.19		28
29	.11	X	.07			.26			.55		.80		29
30	.23	X	.02			.60				.08			30
31	.02	X	.83	X	.16	X	.04		X	.08	X		31
TOTAL	1.73	3.45	3.11	1.63	1.01	3.14	3.77	4.06	4.96	1.36	2.72	3.75	YEAR'S TOTAL 34.69
Days with .01 in. or more.	19	14	14	12	6	14	18	18	21	11	15	11	176
Days with .04 in. or more.	14	13	12	9	6	16	13	17	11	8	12	10	144

REGISTER OF RAINFALL IN 1928.

Kept at Woodhurst Wood, Chatham
in the County of Kent
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 3' ft. 0 in.
Ground Sea Level 47.0 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.17	.01	.14	.24				.25			.58	.02	1
2	.63	.26	.03		.10						.17	.01	2
3	.02	.01		.10	.14		.40	.50			.05	.05	3
4	.05	.08		.15		.02		.77			.13		4
5	.15	.20	.04				.02				.01		5
6	.07					.40					.01	.07	6
7	.26			.05		.12		.14					7
8	.01	.01			.02	.44				.40	.03		8
9			.01			.14			.07				9
10	.14	.15	.01	.24	.06	.04				.10			10
11		.09	.02	.43		.15				.01	.36	.18	11
12		.01	.01	.01				.07			.01	.40	12
13		.27				.75		.10		.59	.08	.14	13
14	.02	.07		.10	.40	.36		.10		.10	.34		14
15	.05	.01		.26	.42				.02	.04	.27		15
16		.03		.70	.19					.01			16
17	.02			.05	.17					.21	.40		17
18	.38		.02	.03	.23	.18						.02	18
19	.01			.06	.10			.19		.34	.06	.06	19
20			.06		.83	.02		.09		.25		.19	20
21			.10	.10	.08					.84	.42	.01	21
22	.06		.01	.01	.10			.12		.28	.10	.10	22
23	.28				.20				.12	.08	.26		23
24								.01	.15		.22	.18	24
25	.08		.04			.03			.03	.09	.06	.06	25
26	.15					.07	.22	.34		.82		.12	26
27			.03			.06	.84			.17		.67	27
28	.29		.04					.09	.28			.18	28
29	.08	.05	.28	.10					.10	.12	.05	.78	29
30	.01	X	.83	.08			.21			.01		.16	30
31	.08	X	.46	X		X	.10	.48	X		X	.35	31
TOTAL	3.01	1.25	2.13	2.71	3.04	2.78	1.79	3.25	.77	3.96	3.61	3.75	YEARS TOTAL 32.05
Days with '01 in. or more.	22	14	17	17	14	14	6	14	7	18	20	20	183
Days with '04 in. or more.	16	8	9	14	13	11	5	13	5	15	16	16	141

Please read the Notes and Instructions Overleaf.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1929.

Kept at Woolmans Wood, Chatham Feb 1/4 low.
in the County of Kent

Diameter of Funnel of Gauge.....5.....in.
Height of top of Gauge above Ground.....3.....ft. 0.....in.
,, Ground ,, Sea Level 470 ~~ft.~~ ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.05		.04				.40		.19		.01	1
2		.11					.11	.01		.24		.18	2
3			.04			.01	.13					.17	3
4		.01		.18	.14	.31	.44	.02				.40	4
5	.02				.81		.11	.21		.21		.30	5
6					.11	.01	.06	.30		.04	.17	.01	6
7					.01	.02		.67		.26	.69	.28	7
8						.13				.17		.32	8
9	.03			.05						.12		.36	9
10	.15	.04		.11		.08					.10	.41	10
11				.25							.84	.01	11
12			.02	.19									12
13	.07			.02								.03	13
14												.20	14
15	.03					.09					.78	.18	15
16	.02							.95			.49		16
17									.06				17
18	.05							.06	.20				18
19	.08								.03		.17		19
20	.03									.50	.05	.01	20
21			.04					.05				.76	21
22						.04		.03			.11	.07	22
23		.07						.01		.02	.81	.15	23
24										1.04	.29	.32	24
25			.02							.15		.02	25
26				.01	.03						.09	.09	26
27	.11			.03							.52	.03	27
28				.08			.17			.16	.50	.25	28
29		~~X~~		.49					.03	.01	.33	.02	29
30	.03	~~X~~				.06			.28		.18	.33	30
31	.26	~~X~~		~~X~~		~~X~~	.14		~~X~~		~~X~~		31
TOTAL	.88	.28	.12	1.45	1.10	.75	1.16	2.71	.60	3.11	6.12	4.91	23.19
Days with .01 in. or more.	12	5	4	11	5	9	7	11	5	13	16	25	123
Days with .04 in. or more.	6	4	2	8	3	6	7	7	3	11	16	17	90

Please read the Notes and Instructions Overleaf.

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at *Woolmans Wood,*
in the County of *Chatham, Kent.*

Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *3* ft. *0* in.
,, Ground ,, Sea Level *470* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	.08	.26	.	.15	.	.01	.20	.	.	.	.30	.	I
2	.	.17	.	.02	.	.	.	.02	.	.	.65	.	2
3	.10	.12	.	.42	.	.	.	1.33	.	.	.06	.	3
4	.24	.03	.	.26	.	.	.	.02	.	.	.01	.	4
5	.04	.	.	.01	.30	.	.	.73	.	.12	.	.	5
6	.	.	.	.02	.28	.	.	.18	.65	.03	.	.	6
7	.47	.23	.	.	.43	.	.	.18	.02	.20	.37	.07	7
8	.25	.	.09	.	.03	.	.	.	.	.01	.01	.25	8
9	.10	.	.12	.	.	.	.	.05	.03	.	.02	.01	9
10	.05	.25	.15	.	.11	.	.	.07	.02	.	.	.	10
11	.09	.	.	.	.06	.	.	.	.04	.	.	.42	11
12	.23	.02	.	.06	.09	.	.	.10	.02	.	.	.29	12
13	.01	.	.35	.	.	.	.08	.	.03	.	.	.20	13
14	.	.03	.	.06	.	.	.51	.29	.31	.	.	.09	14
15	.03	.01	.44	.03	.	.	.32	.	.07	.04	.17	.24	15
16	.	.02	.	.	.	.	.	.	.22	.	.	.	16
17	.	.	.	.17	.03	.02	.	.02	.	.08	.	.	17
18	.	.	.10	.03	.06	.12	.20	.07	.	.	.10	.	18
19	.	.	.09	.05	.	.	.	.06	.62	.08	.29	.03	19
20	.	.	.	.	.02	.	.72	.28	.27	.15	.41	.01	20
21	.02	.	.	.10	.	.	.11	.01	.09	.01	.62	.	21
22	.01	.	.	.	.34	.01	.07	.05	.01	.32	.20	.	22
23	.03	.02	.	.09	.	.40	.	.08	.	.03	.	.06	23
24	.04	.	.	.	.09	.52	.	.	.04	.03	.23	.08	24
25	.38	.	.	.	.16	.	.23	.	.	.	.17	.	25
26	.10	.	.	.	.01	.17	.	.	.38	.	.18	.25	26
27	.01	.	.	.	.27	.	.	.	.52	.02	.42	.05	27
28	.	.	.	.	.	.	.42	.	.60	.01	.38	.10	28
29	.10	X	.08	.	.	.	.01	.20	.25	.	.30	.13	29
30	.03	X	.	.	.94	.	.40	.	.02	.	.02	.14	30
31	.25	X	.01	X	.32	X	.	.	X	.12	X	.09	31
TOTAL	2.66	1.16	1.43	1.47	3.54	1.25	3.27	3.74	4.21	1.25	4.91	2.57	31.40
*Days with "or in. or more.	22	11	9	14	17	7	12	18	20	15	20	18	183
*Days with ".04 in. or more.	15	5	8	9	13	4	4	14	13	8	16	15	134

Kept at Luton Water
in the County of ...
by W. Gales

CHATHAM - LUTON WATERWORKS

KENT

1921-30

364
NIZATION.

33' E

am

Barometer

Gauge 1 in.

Ground 3 ft. 0 in.

Sea Level 58 m ft.

red to the previous day.

d to add

the end of

in gauges,

Observers,"

Camden

Edinburgh.

Jan. 1, following.

IMPORTANT NOTE.—R
If an Observer prefers not to c
the reading at 9 a.m. on 1st Ja
this paragraph. Full instruction
and particulars as to the Britis
sent post-free on application t
Square, London, N.W. 1, or to Th
Reco

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.12		.03								.01	.09	1
2	.04				.13						.43		2
3			.01		.23	.17					.21		3
4	.09							.10			.29		4
5	.01							.09			.32		5
6	.12		.14		.06		.06						6
7	.20				.10								7
8				.05									8
9				.10				.04					9
10	.18							.03	.35				10
11	.13							.58					11
12	.25		.10					.09	.28		.13		12
13	.14		.05	.33				.01		.01			13
14											.22		14
15				.16									15
16				.08				.01		.08	.01		16
17	.02		.19	.39				.26					17
18	.08	.04							.02	.04			18
19			.12			.02					.05		19
20			.05			.01				.28			20
21										.10			21
22				.05						.11	.13		22
23				.23				.02			.05		23
24				.10							.02		24
25		.68									.06		25
26					.76						.17		26
27	.02				.01								27
28			.28		.04		.38	.02			.03		28
29			.07		.12						.05		29
30	.08	X			.02					.26	.10		30
31	.04	X		X		X		X		X			31
TOTAL	1.52	.72	1.24	1.51	1.47	.20	.44	.60	.95	.83	1.70	1.11	YEAR'S TOTAL 12.29
Days with ".01 in. or more	15	2	10	9	9	3	2	8	5	5	8	13	89
Days with ".04 in. or more	12	2	8	9	7	1	2	14	3	5	7	10	70

Kept at Luton Waterworks, Chatham
in the County of Kent
by W. Gales Finch

Lat. 51° 22' N Long. 0° 33' E
Time of Observation 9 a.m.
Nearest Railway Station Chatham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. 0 in.
" " " " " Sea Level 55 ft.

1921
1922

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.12		.03								.01	.09	1
2	.04				.13						.43		2
3			.01		.23	.17					.21		3
4	.09							.10			.29		4
5	.01							.09			.32		5
6	.12		.14		.06		.06						6
7	.20				.10								7
8				.05									8
9				.10					.04				9
10	.18								.03	.15			10
11	.13								.58				11
12	.25		.10					.09	.28			.13	12
13	.14		.05	.35				.01		.01			13
14												.22	14
15				.16									15
16				.08				.01			.08	.01	16
17	.02		.19	.39				.26					17
18	.08	.04							.02	.04			18
19			.12			.02						.05	19
20			.05			.01				.28			20
21											.10		21
22				.05						.11		.13	22
23				.23				.02				.05	23
24				.10								.02	24
25		.68										.06	25
26					.76							.17	26
27	.02				.01								27
28			.28		.04		.38	.02				.03	28
29			.07		.12							.05	29
30	.08	~~X~~			.02						.26	.10	30
31	.04	~~X~~		~~X~~		~~X~~			~~X~~		~~X~~		31
TOTAL	1.52	.72	1.24	1.51	1.47	.20	.44	.60	.95	.83	1.70	1.11	YEAR'S TOTAL 12.29
Days with ".01 in. or more	15	2	10	9	9	3	2	8	5	5	8	13	89
Days with ".04 in. or more	12	2	8	9	7	1	2	14	3	5	7	10	70

REGISTER OF RAINFALL IN 1922.

Kept at Luton Waterworks, Chatham.
in the County of Kent
by W. Coles Smith.

Lat. 51° 22' N Long. 0° 13' E
Time of Observation 9 a.m.
Nearest Railway Station Chatham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. 0 in.
" " " " Sea Level 88 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

09

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.11	.15		.03			.05			.44	.01	1
2	.15	.23	.09	.13			.02		.02				2
3		.07	.04	.53	.14		.06	.21					3
4		.02	.16		.05		.10	.12		.29			4
5		.01	.12	.06			.80			.26	.64		5
6	.01		.05				.01	.08		.17	.16		6
7	.09		.56	.23			.27	.07					7
8	.01		.08	.02		.05	.23	.50					8
9	.05						.08			.09	.01		9
10						.02			.26		.06		10
11					.11			.22					11
12				.25				.07	.32				12
13				.30		.24	.05		.03				13
14				.01		.19	.28	.35	.50				14
15	.15	.09		.02		.03							15
16				.05	.03		.09					.30	16
17		.21			.05		.01	.01	.09			.09	17
18	.50				.02		.08					.32	18
19	.49	.05	.03						.35	.44		.50	19
20										.04			20
21	.13	.22	.15	.01					.01			.64	21
22	.01	.08		.06			.01	.15		.07		.01	22
23		.01		.03		.01	.18		.08				23
24			.06	.07	.04	.09	.02	.20	.01				24
25	.12		.02	.34	.01	.04						.08	25
26	.14	.22	.04	.11		.11	.18		.05			.01	26
27	.23	.13	.04					.27	.45		.04	.17	27
28	.03	.17	.12			.30		.01		.07	.02	.10	28
29	.10					.09		.06		.13		.16	29
30		~~X~~	.14			.01	.08	.34	.37	.04	.04	.25	30
31	.04	~~X~~		~~X~~		~~X~~		.05	~~X~~	.02	~~X~~	.36	31
TOTAL	2.25	1.62	1.85	2.22	.48	1.18	2.53	2.76	2.54	1.62	1.41	3.00	YEAR'S TOTAL 23.48
Days with .01 in. or more	16	14	16	16	9	12	18	17	13	11	8	14	164
Days with .04 in. or more	12	17	14	11	5	8	13	15	9	10	6	11	125

AIR MINISTRY.

FORM 1090

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1923.

Kept at Luton Waterworks, Chatham.
in the County of Kent
by W. Coles-Hinch.

Lat. 51° 22' N Long. 0° 33' E
Time of Observation 9 a.m.
Nearest Railway Station Chatham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. 0 in.
" " " " Sea Level 88 ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day.
An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.09		.20							.02	.29	.06	1
2	.17				.12					.06	.01	.12	2
3	.02					.08				.91		.01	3
4									.07			.20	4
5	.24			.07		.03				.05			5
6	.27		.05	.09		.15							6
7	.08	.78	.29	.04	.06					.27		.05	7
8	.05	.18	.02		.18					.26	.85		8
9	.10	.01			.05						.01		9
10		.18	.01	.12	.11					.24	.10		10
11	.03			.16	.02					.40		.09	11
12		.36	.35	.04	.27	.09				.22	.01		12
13	.04	.07	.18	.01			.20				.50		13
14		.03	.06	.01	.02			.05	.55	.07	.16		14
15	.01	.02		.05	.27	.14		.01					15
16		.06						.05			.16	.03	16
17								.14	.02	.02			17
18	.09	.13				.05							18
19	.06	.07							.03	.95		.01	19
20		.05	.18		.01	.02			.28	.10			20
21		.14		.03					.07	.23	.10	.13	21
22		.45	.10						.33	.11		.06	22
23		.02		.01	.48			.25	.05	.66	.03	.01	23
24			.24					.63	.15	.01		.02	24
25		.15	.24	.55		.24	.16	.01	.01	.31		.43	25
26		.34		.12				.06		.07		.20	26
27		.20	.04		.22		.01	.03		.04		.10	27
28		.03		.04	.85		.16				.19		28
29	.05				.39		.08	.25				.16	29
30		X			.03		.04			.15		.08	30
31		X		X		X	.23		X	.06	X	.21	31
TOTAL	1.30	3.27	1.96	1.34	3.08	.80	.88	1.48	1.56	5.21	2.41	1.97	YEAR'S TOTAL 25.26
Days with '01 in. or more	14	19	13	14	15	8	7	10	10	22	12	18	162
Days with '04 in. or more	11	14	11	10	11	6	6	7	7	19	8	13	123

REGISTER OF RAINFALL IN 1924.

Kept at Luton Waterworks, Chatham.
in the County of Kent
by W. Coles-Fluich

Lat. 51° 22' N Long. 0° 33' E
Time of Observation 9 a.m.
Nearest Railway Station Chatham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. 0 in.
" " " " Sea Level 88 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimètres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.03		.05		.03	.10	.03	.01			.39	.19	RWR 1
2			<u>.25</u>			.30		.20				.16	W 2
3			.07		.14		.31	.20	.18				3
4					.02	.38			.02	.45		.09	4
5		.05	.04		.02		.08			.25		.08	5
6		<u>.34</u>						.14		.31			6
7					.05	.13			.29	.28			7
8	<u>.50</u>	.01		.07	.10	.01	.30		.08				8
9	.21	.13		.09	.03	.03	.01		.13				9
10	.13	.03		<u>.47</u>	.19				.01				10
11	.01			.40	.13	<u>.39</u>			.06		.21	.01	11
12				.23	.03	.14	.06	.06			<u>.65</u>		12
13	.03			.21				.05	.37		.01	.29	13
14				.20				.06				.31	14
15				.01					.03				15
16	.01							.03	.01			.02	16
17	.12						<u>.88</u>	.04					17
18	.24	.07			.07			.26		.03	.05		18
19	.11					.05		.17		.06	.03		19
20					.20		.06	.06	.13	.04			20
21	.33	.03			.02		.07		.12	<u>.70</u>			21
22	.36		.13				.26	.34	.14				22
23			.18		.23		.04	.21	.15			.44	23
24	.38	.10	.09	.02	.27		.01	.06	.25		.07	.26	24
25		.03	.05	.01	.11		.47		<u>.55</u>		.18	.05	25
26		.02		.38			.03			.12	.40	.09	26
27		.07		.33			.16			.13	.26	<u>.49</u>	27
28				.03			.45	.12		.01	.29		28
29	.03	.07		.13	.37			.19		.58	.30	.04	29
30		X		.46	.09		.05	.17	.14	.65	.08	.15	30
31		X		X	<u>.55</u>	X		<u>.44</u>	X	.12	X	.26	31
TOTAL	2.49	.95	.86	3.04	2.65	1.53	3.27	2.81	2.66	3.73	2.92	2.93	YEAR'S TOTAL
Days with 01 in. or more	14	12	8	15	19	9	16	19	17	14	13	16	29.84
Days with 04 in. or more	9	7	8	11	13	7	13	17	13	12	11	14	172



Register of Rainfall in 1925.

258

Kept at Luton Waterworks
in the County of Chatham, Kent

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 3 ft. 0 in.
" Ground " Sea Level 88 7 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.46		.37	.10	.01			.09		.01	.37	.02	1
2	.18			.11			.03		.07		.42		2
3	.15	.01			.21		.22		.01		.03		3
4		.05			.18			.11		.06	.04		4
5				.14				.31	.11		.09		5
6		.20		.14	.07		.21		.02		.30		6
7		.10	.01		.02		.14		.02			.09	7
8	.02	.01			.16								8
9				.15	.06			.13	.25		.05		9
10			.08					.27	.13		.64		10
11		.32							.02	.12	.11		11
12		.51						.01					12
13		.50	.12	.02				.05		.04			13
14	.04	.04		.15				.01					14
15	.21	.01		.08						.29			15
16	.01				.03				.24	.10			16
17					.03								17
18		.05			.14		.10						18
19		.01			.15	.02		.11	.12	.67		.25	19
20			.16		.04		.30	.01	.41	.28		.21	20
21			.01		.02		.15	.12	.04	.61		.48	21
22			.14	.08			.84	.12	.35	.68		.38	22
23		.17	.05	.17	.61	.04	.06	.19		.20		.10	23
24		.31			.05	.22		.26	.01		.06	.05	24
25	.06	1.00			.05	.02	.03	.04	.22			.02	25
26		.16		.14	.37		.45	.11		.24		.05	26
27	.24			.13			.18	.12					27
28	.07		.04	.10					.01			.18	28
29	.10			.06	.09		.03				.09	.25	29
30		X		.24			.28				.05	.43	30
31	.10	X		X		X	.05		X		X		31
TOTAL	1.64	3.45	.98	1.81	2.29	.30	3.07	2.06	2.03	3.30	2.25	2.51	25.69
Days with ".01 in. or more.	12	16	9	15	18	4	15	17	16	12	12	13	159
Days with ".04 in. or more.	10	12	7	14	13	2	12	14	10	11	11	11	127

(Signed)..... W. J. Miller & Wick..... [P 70]

[P.Y.O.]

#

AIR MINISTRY.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

County No.

River Dist.

Station No.

REGISTER OF RAINFALL IN 1926.

Kept at Luton Waterworks Chatham
in the County of Kent
by W. Cole Quick

Lat. 51° 22' N Long. 0° 33' E
Time of Observation 9 AM.
Nearest Railway Station Chatham
Diameter of Funnel of Rain Gauge 5" in.
Height of top of Gauge above Ground 3 ft. 0 in.
" " " " Sea Level 88 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.29	.19	.	.	.	.89	.	.	.	.	.	.	1
2	.02	.01	.	.	.	.51	.04	.	.12	.	.03	.	2
3	.21	.54	.05	.	.	.	.	.	.01	.	.	.	3
4	.	.04	.08	.26	.	.	.19	.	.	.	.	.	4
5	.02	.09	.03	.	.14	.	.01	.	.	.	.33	.30	5
6	.	.26	.	.35	.	.13	.02	.07	.20	.	.	.	6
7	.18	.09	.	.14	.01	.12	.13	.03	.02	.02	.08	.02	7
8	.	.03	.	.45	.03	.01	.	.	.	.	.80	.	8
9	.	.	.01	.	.	.38	.	.	.	.	.54	.	9
10	.	.14	.	.	.	.08	.	.27	.	.	.	.	10
11	.	.02	.	.	.	.14	.	.25	.	.17	.14	.01	11
12	.	.	.	.	.07	.	.	.01	.02	.26	.	.	12
13	.06	.01	.	.	.06	.	.	.	.	.10	.93	.	13
14	.44	.02	.	.13	.31	.24	.	.	.	.53	.	.05	14
15	.17	.12	.	.26	.	.	.	.	.	.45	.05	.	15
16	.	.45	.	.31	.01	.	.	.22	.	.	.02	.	16
17	.03	.08	.	.07	.19	.63	.	.	.	.	.	.10	17
18	.09	.	.	.11	.08	.	.42	.20	.	.	.51	.	18
19	.	.	.	.07	.10	.	.20	.	.	.29	.01	.	19
20	.	.	.09	.67	.	.	.05	.12	.	.03	.80	.	20
21	.	.04	.	.07	.04	.	.08	.02	.	.01	.50	.	21
22	.26	.	.	.13	.	.	.	.	.	.	.	.13	22
23	.03	.	.	.01	.	.24	.	.	.	.	.	.	23
24	.	.	.	.	.	.09	.	.	.09	.43	.	.	24
25	.03	.	.	.94	.	.	.03	.09	.	.12	.11	.06	25
26	.	.02	.	.	.	.	.19	.	.15	.	.14	.	26
27	.03	.	.03	.25	.01	.	.05	.	.11	.	.03	.	27
28	.43	.	.	.13	.	.	.36	.	.	.28	.02	.02	28
29	.06	.	.	1.40	.11	.	.	.	.	.07	.16	.	29
30	.02	X	.	.07	.11	.	.	.	.	.	.14	.	30
31	.12	X	.	X	.03	X	.	.	X	.	X	.	31
TOTAL	2.49	2.15	.29	5.82	1.30	2.66	1.77	1.28	.72	.276	5.34	.69	YEAR'S TOTAL
Days with ".01 in. or more.	18	17	6	19	15	12	13	10	8	13	19	8	27.27
Days with ".04 in. or more.	11	12	3	18	10	11	10	7	5	10	14	5	115

Section **A**

for the entry of Daily Observations.

FOR OFFICIAL USE.

Form 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1927.

335

Kept at Luton Waterworks, Chatham
in the County of Kent

Diameter of Funnel of Gauge.....5 in.
Height of top of Gauge above Ground.....3 ft. 0 in.
„ Ground „ Sea Level.....88 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		1.20		.02		.13	.33	.45		.04	.21		1
2			.05	.12		.02	.01						2
3	.08												3
4			.02	.01			.36					.01	4
5	.06	.07	.05	.28		.04	.01	.27			.06	.01	5
6			.11	.22			1.44		.06				6
7	.03	.26	.03	.33				.15		.01			7
8	.03			.27			.19	.18			.19		8
9			.10	.03			.06	.18	.22				9
10							.02		1.11				10
11			.02			.04		.02	.01				11
12	.03						.12	.26		.05			12
13	.10			.03			.21	.16	.12		.14		13
14	.14	.03		.01			.57	.02	1.09		.02	.22	14
15				.03			.07	.42	.01	.02		.11	15
16					.14			.16	.17				16
17	.34		.01			.25		.18	.19			.02	17
18	.05					.35		.21	.05		.05		18
19		.14				.01		.02					19
20	.10	.12					.06	.46			.07		20
21	.13	.11			.09			.26	.05	.27	.48	.53	21
22	.12	.02	.11		.06	.12	.13	.06	.01	.38	.15	.54	22
23		.32	.31			.07			.62	.02	.14	.11	23
24		.16	.46	.05		.30		.01			.01	.30	24
25		.43	.59			.11		.22	.05			.99	25
26	.17	.39	.12		.17	.02				.01		.66	26
27	.12	.20	.10		.17	.09	.23			.22	.01		27
28	.05	.18	.03	.06		.24				.02	.20		28
29	.02		.08			.22		.07	.52		.71		29
30	.27	X	.04			.36				.08			30
31		X	.76	X	.15	X	.02		X	.03	X	.10	31
TOTAL	1.84	3.63	2.99	1.46	.78	2.37	3.83	3.76	4.28	1.15	2.44	3.60	YEARS TOTAL
Days with ".01 in. or more.	17	14	18	13	6	16	16	20	15	12	14	12	173
Days with ".04 in. or more.	13	12	13	7	6	13	12	16	12	6	11	9	130

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1928.

Kept at Luton Waterworks, Clatham
in the County of Hert

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 3 ft. 0 in.
" Ground " Sea Level 88 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.06			.21	.15						.37		1
2	.62	.36									.20	.03	2
3				.06	.09		.40	.58			.05	.04	3
4	.01	.02		.15		.01		.80					4
5	.16	.18	.21				.01						5
6						.31						.06	6
7				.03		.23		.15					7
8			.04			.32	.02		.01		.03		8
9	.05		.01			.11			.06	.30			9
10	.10	.15	.01	.22	.09	.05				.07	.06		10
11		.05	.03	.28		.23		.03		.04	.26	.19	11
12	.24	.12						.02				.40	12
13		.16			.01	.63		.13			.08	.08	13
14	.01	.06		.04	.26	.31				.52	.33		14
15	.02			.39	.42			.01		.03	.20	.10	15
16	.02			.40	.26					.02	.41		16
17				.02	.12					.16			17
18	.38			.04	.14	.10				.32	.01	.01	18
19				.06	.28	.07		.27		.24	.05	.03	19
20	.06				.53			.05		.31	.03	.19	20
21	.03		.05	.14	.04					.32	.37		21
22			.16		.15			.14		.27	.12	.09	22
23	.17		.01		.23				.03	.07	.23		23
24	.06								.17		.18	.20	24
25	.03		.07			.03				.18	.09	.04	25
26	.21					.05	.17	.29		.81		.10	26
27							.81	.04		.04		.58	27
28	.23		.04						.34	.05		.19	28
29	.08	.01	.29	.09					.04		.03	.82	29
30		X	.59	.07		.01	.19					.18	30
31	.07	X	.39	X		X	.08	.21	X		X	.20	31
TOTAL	2.61	1.11	1.90	2.20	2.77	2.46	1.68	2.72	.65	3.75	3.10	3.53	28.48
Days with ".01 in. or more.	20	9	13	15	14	14	7	13	6	17	19	19	166
Days with ".04 in. or more.	14	7	9	13	13	11	5	10	4	15	15	16	132

Section



for the entry of Daily Observations.

365
FOR OFFICIAL USE.

Form 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1929.

Kept at Luton Waterworks, Chatham
in the County of Kent

Diameter of Funnel of Gauge.....5.....in.
Height of top of Gauge above Ground.....3.....ft. 0.....in.
„ Ground „ Sea Level.....88.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.03		.07		.01		.26		.21		.01	1
2		.33				.01	.08			.19	.07	.17	2
3							.28			.04		.23	3
4				.17	.14	.48	.33	.01				.35	4
5	.01			.01	.70	.14	.08	.23		.19		.38	5
6					.14		.09	.22		.03	.05	.24	6
7								.30		.22	.52	.27	7
8				.01		.13				.19	.01	.27	8
9		.11		.02						.11		.30	9
10	.08	.08		.08							.11	.37	10
11				.16							.73	.02	11
12			.02	.17	.09	.06						.08	12
13	.13	.01		.02	.05								13
14	.01					.01						.11	14
15	.09					.06					.57	.13	15
16								.89			.40		16
17													17
18									.36		.14		18
19											.02		19
20							.02		.01	.63		.03	20
21	.11							.01				.80	21
22	.02		.01			.02		.02			.07	.05	22
23		.02								.01	.68	.12	23
24					.01					1.08	.24	.29	24
25	.01	.01								.12	.06	.01	25
26	.01			.03							.12	.08	26
27											.62	.02	27
28	.09			.07			.10			.12	.45	.26	28
29	.03			.45					.02	.02	.31	.02	29
30	.01	X				.04			.17		.19	.28	30
31	.20	X		X		X	.09		X		X		31
TOTAL	.80	.59	.03	1.26	1.13	.96	1.07	1.94	.56	3.16	5.36	4.89	YEAR'S TOTAL 21.75
Days with ".01 in. or more.	13	7	2	12	6	10	8	8	4	14	19	25	128
Days with ".04 in. or more.	6	3	0	7	5	6	7	5	2	11	17	19	88

Please read the Notes and Instructions Overleaf.

(Signed) W. Goletzsch, M. Inst. G.E.

Section **A**

for the entry of Daily Observations.

383
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at Luton Waterworks, Chatham
in the County of Kent

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 3 ft 0 in.
,, Ground ,, Sea Level 88 ↑ ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.08	.10	.	.18	.	.	.23	.	.	.	.30	.	1
2	.	.06	.	.01	.	.	.	.01	.	.	.45	.	2
3	.08	.03	.	.46	.	.	.	1.34	.	.	.03	.	3
4	.21	.02	.	.24	.	.	.	.01	.	.11	.	.	4
5	.01	.	.	.04	.32	.	.	.69	.	.02	.	.	5
6	.	.01	.02	.	.35	.	.	.30	.64	.01	.	.	6
7	.09	.33	.	.	.02	.	.	.13	.	.19	.29	.	7
8	.05	.	.	.	.	.	.	.	.01	.	.	.32	8
9	.44	.04	.03	.	.39	.	.	.02	.01	.	.	.01	9
10	.37	.10	.34	.	.12	.	.	.03	.	.	.	.05	10
11	.22	.01	.	.	.04	.	.	.	.01	.	.	.38	11
12	.21	.	.	.05	.05	.	.	.03	.	.	.	.25	12
13	.01	.	.24	.09	.06	.	.08	.27	.28	.	.	.	13
14	.05	.05	.06	.08	.	.	.26	.	.	.	.	.09	14
15	.	.03	.35	.02	.	.	.26	.	.	.05	.14	.	15
16	.	.	.	.	.	.03	.02	.	.22	.07	.	.	16
17	.	.	.07	.07	.	.	.	.	.04	.	.	.	17
18	.	.	.15	.02	.09	.13	.22	.	.	.	.09	.04	18
19	.	.	.01	.05	.	.	.	.01	.63	.09	.29	.01	19
20	.	.	.	.07	.	.	.64	.08	.16	.17	.41	.	20
21	.	.	.	.	.	.	.06	.26	.12	.01	.58	.	21
22	.01	.	.	.	.33	.	.14	.09	.01	.23	.18	.	22
23	.03	.	.	.04	.	.35	.17	.02	.03	.	.	.04	23
24	.38	.	.	.	.08	.48	.24	.	.	.04	.23	.07	24
25	.05	.	.	.	.14	.	.	.	.	.	.17	.	25
26	.04	.	.	.	.02	.17	.	.	.38	.	.23	.27	26
27	.	.	.	.	.04	.	.	.	.43	.	.34	.06	27
28	.	.	.	.	.	.	.	.	.34	.	.37	.11	28
29	.21	.	.03	.	.01	.	.45	.20	.05	.	.21	.11	29
30	.02	X	.	.	.97	.	.26	.	.	.01	.01	.17	30
31	.21	X	.01	X	.39	X	.	.	X	.12	X	.07	31
TOTAL	2.77	.98	1.31	1.42	3.42	1.16	3.03	3.49	3.36	1.12	4.32	2.05	YEAR'S TOTAL 28.23
* Days with "or in. or more.	20	11	11	14	17	5	13	16	16	13	17	16	169
* Days with ".04 in. or more.	15	6	6	11	14	4	12	9	11	9	15	14	126

40-9999

*See Instruction 2 (f) on other side.

(Signed)

W. Cole Smith
M. M. C. E.

[P.T.O.]

Kept at Woodlands, Che
in the County of Kent
by William A. Waring.

CHELSFIELD
KENT

1921-30

ATION.

ill S.F.C.R.

5 in.


nd 4.5 in.

Level about 400 ft.

to the previous day.

add
nd of
uges,
vers,"
mden
urgh.

Jan. 1, following.



IMPORTANT NOTE.—Rain
If an Observer prefers not to confor
the reading at 9 a.m. on 1st Januar
this paragraph. Full instructions for
and particulars as to the British R
sent post-free on application to Th
Square, London, N.W. 1, or to THE SU

Records to

Date	Jan.	Feb.	March	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.13	-	.07	-	-	-	-	-	-	-	.03	.13	1
2	.01	-	-	-	.15	-	-	.01	.05	-	.43	-	2
3	-	-	.06	-	.04	.09	-	.11	-	-	.37	-	3
4	.11	.01	-	-	.26	-	-	.01	-	-	.37	-	4
5	.01	-	-	-	-	-	-	.09	-	-	.30	-	5
6	.10	.02	.31	-	.03	-	-	-	-	-	-	-	6
7	.35	.01	-	-	.12	-	-	-	-	-	-	-	7
8	-	-	-	.03	.02	-	-	-	-	-	-	-	8
9	-	-	-	.03	-	-	-	-	.02	-	-	-	9
10	.27	-	-	-	-	-	-	-	.02	.49	-	-	10
11	.13	.01	-	-	.05	-	-	-	1.02	-	-	-	11
12	.27	-	.08	-	-	-	-	.41	.24	-	-	.16	12
13	.27	-	.10	.36	.01	-	-	.19	-	.05	-	-	13
14	-	-	-	-	-	-	-	.01	-	-	-	.25	14
15	-	-	-	.12	.01	-	-	-	-	-	-	.01	15
16	.03	-	.01	.08	-	-	-	.06	-	-	.27	-	16
17	.05	-	.20	.52	-	-	.13	.15	.02	-	-	-	17
18	.07	.03	-	-	-	-	-	-	.03	-	-	-	18
19	-	-	.15	-	-	.03	-	-	-	.02	-	.18	19
20	-	-	.05	-	-	.01	-	.01	-	.30	-	-	20
21	-	-	-	-	-	-	-	-	-	-	.10	-	21
22	-	-	-	-	-	-	-	-	-	.14	-	.17	22
23	-	-	-	.20	-	-	-	.78	-	.01	-	.06	23
24	-	-	-	.05	-	-	-	-	-	-	-	.02	24
25	-	.36	-	.01	.01	.05	-	-	-	-	-	.06	25
26	.03	-	-	-	.29	.03	-	-	-	-	-	.22	26
27	.02	-	-	-	.02	-	-	-	-	-	-	-	27
28	-	-	.35	-	.13	-	.20	-	-	-	-	.05	28
29	.01	-	.13	-	.16	-	.02	.01	-	-	-	.03	29
30	.12	~~XX~~	-	.10	.06	-	-	-	-	-	.25	.05	30
31	.02	~~XX~~	-	~~XX~~	-	~~XX~~	-	-	~~XX~~	-	~~XX~~	-	31
TOTAL	2.00	.44	1.51	1.50	1.36	.21	.35	1.84	1.40	1.01	2.12	1.39	YEAR'S TOTAL 15.13 ✓
Days with ".01 in. or more	18	6	11	10	15	5	3	12	7	6	8	13	114 ✓
Days with ".01 in. or more	11	1	10	7	9	2	2	7	3	4	7	10	73 ✓

FORM 1090 METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
(formerly B.R.O. Form A.1).

REGISTER OF RAINFALL IN 1921

Kept at Woodlands Chelsfield
in the County of Hert
by William J. Waring

Lat. N.K. Long. N.K.
Time of Observation 9.0 a.m.
Nearest Railway Station Chelsfield S.E.C.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 4 ft. = in.
" " " " Sea Level about 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.13	-	.07	-	-	-	-	-	-	-	.03	.13	1
2	.01	-	-	-	.15	-	-	.01	.05	-	.43	-	2
3	-	-	.06	-	.04	.09	-	.11	-	-	.37	-	3
4	.11	.01	-	-	.26	-	-	.01	-	-	.37	-	4
5	.01	-	-	-	-	-	-	.09	-	-	.30	-	5
6	.10	.02	.31	-	.03	-	-	-	-	-	-	-	6
7	.35	.01	-	-	.12	-	-	-	-	-	-	-	7
8	-	-	-	.03	.02	-	-	-	-	-	-	-	8
9	-	-	-	.03	-	-	-	-	.02	-	-	-	9
10	.27	-	-	-	-	-	-	-	.02	.49	-	-	10
11	.13	.01	-	-	.05	-	-	-	1.02	-	-	-	11
12	.27	-	.08	-	-	-	-	.41	.24	-	-	.16	12
13	.27	-	.10	.36	.01	-	-	.19	-	.05	-	-	13
14	-	-	-	-	-	-	-	.01	-	-	-	.25	14
15	-	-	-	.12	.01	-	-	-	-	-	-	.01	15
16	.03	-	.01	.08	-	-	-	.06	-	-	.27	-	16
17	.05	-	.20	.52	-	-	.13	.15	.02	-	-	-	17
18	.07	.03	-	-	-	-	-	-	.03	-	-	-	18
19	-	-	.15	-	-	.03	-	-	-	.02	-	.18	19
20	-	-	.05	-	-	.01	-	.01	-	.30	-	-	20
21	-	-	-	-	-	-	-	-	-	-	.10	-	21
22	-	-	-	-	-	-	-	-	-	.14	-	.17	22
23	-	-	-	.20	-	-	-	.78	-	.01	-	.06	23
24	-	-	-	.05	-	-	-	-	-	-	-	.02	24
25	-	.36	-	.01	.01	.05	-	-	-	-	-	.06	25
26	.03	-	-	-	.29	.03	-	-	-	-	-	.22	26
27	.02	-	-	-	.02	-	-	-	-	-	-	-	27
28	-	-	.35	-	.13	-	.20	-	-	-	-	.05	28
29	.01	-	.13	-	.16	-	.02	.01	-	-	-	.03	29
30	.12	~~X~~	-	.10	.06	-	-	-	-	-	.25	.05	30
31	.02	~~X~~	-	~~X~~	-	~~X~~	-	-	~~X~~	-	~~X~~	-	31
TOTAL	2.00	.44	1.51	1.50	1.36	.21	.35	1.84	1.40	1.01	2.12	1.39	YEAR'S TOTAL 15.13 ✓
Days with ".01 in. or more	18	6	11	10	15	5	3	12	7	6	8	13	114 ✓
Days with ".01 in. or more	11	1	10	7	9	2	2	7	3	4	7	10	73 ✓

REGISTER OF RAINFALL IN 1921

Kept Woodlands & Hermit's Chisfield.
in the County of Hunt
By H. A. Waring

Lat. 51° 02' N Long. 1° 02' W
Time of Observation 9.0.2.7. Winter & Summer.
Nearest Railway Station Knowlton S.E.C.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 4 ft. 4 in.
" " " " Sea Level 424 ft. 476 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	.12	.25	-	.21	-	.03	~~.02~~	.03	.02	.73	.12	1
2	.05	.21	.07	.15	-	-	.06	-	.22	-	-	-	2
3	-	.13	.09	.58	.12	-	.07	.15	-	-	.07	-	3
4	-	.11	.07	-	.17	-	.19	.05	-	.25	-	-	4
5	-	-	.19	.06	-	-	<u>1.14</u>	-	-	.01	.74	-	5
6	.06	-	.05	-	-	-	.05	.22	-	.07	.06	-	6
7	.07	-	.53	.20	-	-	.06	.07	-	-	-	.04	7
8	.03	-	.13	.06	-	.04	.25	.08	-	-	.01	.01	8
9	.05	-	-	.08	-	-	.01	.12	-	.01	-	.01	9
10	-	-	-	-	-	-	-	-	.09	-	.19	-	10
11	.04	-	-	-	.06	-	-	.10	-	-	-	-	11
12	-	-	-	.58	-	-	-	.12	.26	-	-	-	12
13	-	-	-	.35	-	.12	.06	-	.01	-	-	-	13
14	-	-	-	.01	-	.62	.56	.06	.59	-	-	-	14
15	.26	.12	-	.02	-	.04	-	-	-	-	.02	-	15
16	-	-	-	.23	.05	-	.07	-	.04	-	-	.18	16
17	-	.35	-	-	-	-	.02	-	.01	-	-	.09	17
18	.67	-	-	-	.01	-	.01	-	-	.03	-	.19	18
19	.69	.03	.05	-	-	-	-	-	.41	.76	-	.51	19
20	-	-	.03	-	-	-	-	-	-	.06	-	-	20
21	.20	.25	-	.04	-	-	-	-	-	.07	-	1.07	21
22	-	.03	-	.21	.13	.02	.11	.17	-	.05	-	.07	22
23	-	.01	-	.03	-	-	.07	-	.10	-	-	-	23
24	.02	-	.06	.10	.12	.15	.01	.13	.01	-	-	-	24
25	.29	-	-	.50	.26	.03	-	.01	.01	-	-	.16	25
26	.16	.24	.02	.28	-	.10	.14	-	.03	-	.04	.06	26
27	.21	.22	.06	.12	-	-	-	.23	.12	.01	-	.30	27
28	.14	.36	.13	-	-	.31	-	.01	.01	.02	.01	.13	28
29	-	X	-	-	-	.24	-	.36	-	.10	-	.17	29
30	-	X	.18	.03	-	-	.03	.32	.23	-	.04	.84	30
31	.06	X	-	X	-	X	.03	.15	X	.04	X	.40	31
TOTAL	3.00	2.18	1.91	3.63	1.13	1.67	2.97	2.35	2.17	1.50	1.91	4.35	YEAR'S TOTAL
Days with ".01 in. or more	16.	13.	15.	19.	9.	10.	20.	17.	16.	14.	10	17	(28.77)
Days with ".04 in. or more	14.	10.	13.	15.	8.	8.	13.	15.	9.	8.	7	15	(176)
													(135)

REGISTER OF RAINFALL IN 1923.

Kept at Heworth, Cheshfield.
in the County of West.
by W. A. Waring.

Lat. N.K. Long. N.K.
Time of Observation 9.0.2 m.
Nearest Railway Station Throckmorton S.E.C.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 4 ft. 476 in.
" " " " Sea Level 476 ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day.
An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.10	-	.23	-	-	.01	-	-	-	.05	.18	.13	1
2	.22	-	-	-	.09	-	-	-	-	.06	.01	.15	2
3	.02	-	-	-	-	.06	-	-	-	<u>1.18</u>	-	.04	3
4	-	.01	-	-	-	-	-	-	.08	-	-	.12	4
5	.35	-	-	.15	-	.06	-	-	-	.03	.06	-	5
6	.22	.06	.05	.10	-	.16	-	-	-	-	-	-	6
7	.02	.97	.40	-	.06	-	-	-	-	.34	-	.33	7
8	.04	.16	.01	-	.06	-	-	-	-	.24	.68	-	8
9	.12	.01	.05	-	.01	-	1.03	-	-	-	.01	-	9
10	-	.15	-	.41	.11	-	.15	-	-	.25	.01	-	10
11	-	.01	-	.23	.02	-	-	-	-	.41	-	.06	11
12	-	.36	.46	.07	.11	.06	-	-	.01	.54	-	.05	12
13	.01	.10	.16	.06	-	-	.04	-	-	-	.53	-	13
14	-	.02	.04	.01	-	-	-	.02	.46	-	-	-	14
15	.01	-	.03	-	.20	.13	-	.02	.04	-	.27	.01	15
16	-	.10	-	-	.02	.01	-	-	-	.01	.15	-	16
17	.01	.04	-	-	-	-	-	.06	.02	-	-	-	17
18	.05	.11	-	-	-	-	-	.09	.06	.01	-	-	18
19	.14	.03	-	-	-	.04	.01	-	.07	.89	-	.13	19
20	.02	.06	.09	-	.01	-	-	-	.30	.09	-	-	20
21	-	.22	.03	.07	-	-	-	-	.02	.14	-	.22	21
22	-	.47	.05	-	.01	-	-	-	.19	.21	.05	.06	22
23	-	.06	.12	-	.35	-	.02	.32	.18	.63	-	.03	23
24	-	-	.12	.05	-	-	-	.81	.21	.01	-	.03	24
25	-	.13	.05	.53	.03	.16	.13	.04	.01	.47	-	.68	25
26	-	.22	.16	.06	.05	-	-	.02	-	.19	-	.23	26
27	-	.09	.03	-	.07	-	.01	.05	-	.04	-	.09	27
28	-	.06	-	.05	.61	-	.31	-	-	-	.16	-	28
29	.11	~~X~~	-	.07	.64	-	.07	.32	-	-	-	.20	29
30	-	~~X~~	-	-	-	-	.07	-	-	.15	-	.23	30
31	-	~~X~~	-	~~X~~	-	~~X~~	.35	.10	~~X~~	.03	~~X~~	.16	31
TOTAL	1.44	3.44	2.08	1.86	2.45	.69	2.19	1.85	1.65	5.97	2.11	2.95	YEAR'S TOTAL
Days with ".01 in. or more	15.	22.	17.	13.	17.	9.	11.	11.	13.	22.	11.	19.	28.68
Days with ".04 in. or more	9.	17.	13.	12.	11.	7.	8.	8.	9.	17.	8.	16.	180 135

FORM 1090.

AIR MINISTRY.
METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

County No.
River Dist.
Station No.

REGISTER OF RAINFALL IN 192

Kept at Hewitts, Chesham
in the County of Bucks
by W. A. Waring.

Lat. N.K. Long. N.K.
Time of Observation 9.0.2.12
Nearest Railway Station in the hills S. E. P.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 4 ft. 7 in.
" " " " Sea Level 476 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.03	-	-	-	.01	.19	.06	-	-	-	.39	.02	1 RVV
2	.04	-	.20	-	-	.33	.02	.08	-	-	-	.10	2 WSS
3	-	-	.09	-	.05	.01	.20	.19	.13	-	-	-	3 C. W
4	-	-	-	.01	.01	.49	-	-	.01	.06	-	.18	4
5	-	.16	.04	-	-	-	-	-	-	.07	-	.03	5
6	-	.03	-	-	-	-	-	.20	-	.29	-	-	6
7	-	-	-	-	.05	.70	-	-	.15	.32	-	-	7
8	.15	.01	-	.08	.14	-	-	-	.01	.10	-	-	8
9	.10	.22	-	.03	.04	.04	-	-	.28	-	-	-	9
10	.15	-	-	.38	.37	-	-	-	-	-	-	-	10
11	.01	-	-	.63	.21	.22	-	-	.04	.01	.66	.02	11
12	-	.01	-	.12	.03	.40	-	.05	.07	-	.73	-	12
13	.10	-	-	.41	.04	-	-	.09	.75	-	.06	.26	13
14	.03	-	-	.20	-	-	-	.02	-	-	.01	.01	14
15	-	-	-	.01	-	-	-	-	.05	.01	-	.49	15
16	-	-	-	-	-	-	-	.47	.04	-	-	.07	16
17	.16	-	-	-	.01	-	.80	.16	.02	-	-	-	17
18	.37	.07	-	-	.27	.09	-	.36	-	.03	.07	-	18
19	.09	-	-	-	-	.01	-	.10	-	.06	.03	-	19
20	-	-	-	-	.05	.05	.05	.02	.13	.06	-	.01	20
21	.31	-	-	-	.11	-	.01	-	.15	.59	-	-	21
22	.47	-	.30	-	-	-	.13	.34	.20	-	-	-	22
23	-	-	.22	-	.17	-	-	.12	.21	-	-	.62	23
24	.36	.08	.14	.03	.25	-	-	.24	-	-	.04	.46	24
25	-	.02	.07	.05	.30	-	.46	-	.56	.01	.19	.01	25
26	-	-	-	.40	-	-	.23	-	.24	.06	.39	.19	26
27	-	.09	.02	.57	-	.02	.28	-	-	.09	.49	.94	27
28	-	-	-	.08	-	-	.73	.14	-	.01	.35	-	28
29	-	.06	-	.11	.47	-	.18	.28	.09	.76	.11	.10	29
30	-	X	-	.55	.11	-	.30	.09	.39	.58	.06	.55	30
31	.01	X	.02	X	.64	X	-	.04	X	.12	X	.17	31 883
TOTAL	2.38	.75	1.10	3.66	3.33	2.55	3.45	2.99	3.52	3.23	3.58	4.23	YEAR'S TOTAL
Days with "01 in. or more.	15	10	9	16	20	12	13	18	19	18	14	18	34.77
Days with "04 in. or more	11	6	7	12	16	9	11	16	16	13	12	12	182

Register of Rainfall in 1925.

376

Kept at Henllys Gbelsfield.
in the County of Went
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 4 ft. 2 in.
" Ground " Sea Level 472 ft.

Observers are requested to read the instructions printed overleaf before filling in this form.
Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1. following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.95	-	.25	.05	.01	-	-	.24	.05	.01	.46	-	1
2	.53	-	-	.19	-	-	-	-	-	-	.52	-	2
3	.13	.01	.01	-	.16	-	.01	-	.02	-	.08	-	3
4	.02	-	-	-	.14	-	-	.20	.03	.04	.07	-	4
5	-	.13	-	.40	-	-	-	-	.11	-	.06	-	5
6	-	.13	-	.12	.21	-	.27	.04	-	-	.30	-	6
7	-	.22	.06	.02	.02	-	.05	-	.01	.04	.03	.14	7
8	.04	.01	.02	-	.29	-	-	-	.01	-	-	.21	8
9	-	.02	-	.04	.01	-	-	.13	.26	-	.19	-	9
10	-	.01	.06	-	.02	-	-	.10	.34	-	.62	-	10
11	-	.18	-	-	-	-	-	.13	.01	.01	.13	-	11
12	-	.72	-	-	-	-	-	.01	.01	.17	-	-	12
13	.02	.72	.13	.02	-	-	-	.02	-	.01	-	.01	13
14	.30	.22	.05	.17	-	-	-	-	-	-	-	-	14
15	.19	-	-	.07	.41	-	-	-	-	.25	-	-	15
16	-	.06	-	-	-	-	-	-	.09	.10	-	-	16
17	.01	-	-	-	-	-	-	-	-	-	-	-	17
18	-	.04	-	-	.34	-	.20	-	-	-	-	-	18
19	-	-	-	.04	.01	.01	.04	.01	.22	.81	-	.17	19
20	-	-	.12	-	.01	-	.08	.01	.53	.60	-	.18	20
21	.01	-	.06	-	-	-	.06	.09	.06	.65	-	.37	21
22	-	-	.01	.12	-	-	1.43	.13	.74	1.03	-	.62	22
23	.01	.17	.03	.08	.21	-	.05	.46	-	.13	-	.03	23
24	-	.27	.02	-	.22	.20	-	.20	-	.09	.12	.06	24
25	.04	1.28	-	.02	-	-	.03	.01	.21	.02	-	.03	25
26	-	.25	-	.07	.03	.02	.58	.13	.03	.28	-	.10	26
27	.22	-	-	.18	.45	-	.23	.02	-	-	.09	-	27
28	.10	-	-	.15	-	-	-	-	.02	-	-	.24	28
29	.13	X	-	-	.16	-	.01	-	-	-	.06	.46	29
30	-	X	-	.42	-	-	.32	-	-	-	.03	.55	30
31	.10	X	-	X	-	X	.08	-	X	-	X	-	31
TOTAL	2.80	4.44	.82	2.16	2.70	.23	3.44	1.93	2.75	4.24	2.76	3.17	YEAR'S TOTAL
Days with .01 in. or more.	16	17	12	17	17	3	15	17	18	16	14	14	176
Days with .04 in. or more.	11	13	8	14	10	1	12	11	10	12	12	11	125



REGISTER OF RAINFALL IN 1926.

Kept at Havilla Chisfield.in the County of HertDiameter of Funnel of Gauge.....5 in.Height of top of Gauge above Ground.....4 ft. 2 in.,, Ground ,, Sea Level 4.72 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.55	.34	-	-	-	.20	-	-	.08	-	-	-	1
2	.03	-	-	-	-	.88	.01	-	.18	-	.02	-	2
3	.30	.59	.07	-	-	.01	-	.01	.03	-	-	-	3
4	-	.07	.03	.79	-	-	.18	-	-	-	.13	-	4
5	.07	.09	.09	-	.17	-	.03	-	-	-	.38	.22	5
6	.01	.39	-	.37	-	.03	.05	.05	.40	-	.10	-	6
7	.18	.04	-	.15	.03	.09	.05	.06	.02	-	.24	.03	7
8	-	-	-	.22	-	-	-	-	-	.09	.85	-	8
9	-	.03	.01	-	-	.56	.05	.06	-	.16	.38	-	9
10	-	-	-	-	.03	.15	-	.64	-	-	.17	-	10
11	-	.13	-	-	.06	.16	-	.18	-	.03	.02	-	11
12	-	.04	-	-	.10	.02	-	-	-	.28	-	.01	12
13	.06	-	-	-	-	.07	-	-	-	.06	<u>1.24</u>	-	13
14	.28	.02	-	.20	.20	.20	-	-	-	.57	-	.13	14
15	.07	.07	-	.35	-	-	-	-	.11	.36	.12	-	15
16	-	.13	-	.20	-	-	-	.20	-	-	.01	-	16
17	-	.48	-	.08	.05	.65	-	-	-	-	.08	.01	17
18	.19	.05	-	.02	.03	.06	.30	.21	-	-	.59	-	18
19	-	-	.01	.09	.17	-	.16	-	-	-	.08	-	19
20	-	-	-	.72	.05	-	.01	.16	-	.09	.67	-	20
21	-	-	-	.20	.03	.01	.14	.01	-	.01	.47	-	21
22	.44	.05	-	.11	-	-	-	-	-	.03	.09	.06	22
23	.07	.04	-	-	-	.01	-	-	.01	-	-	-	23
24	-	-	-	-	-	.06	.01	-	.21	.62	-	-	24
25	.10	-	-	.91	-	-	.06	.02	.01	.16	.07	.08	25
26	-	-	-	.02	-	-	.34	-	.09	-	.11	-	26
27	.04	.01	.01	.22	.02	.02	.19	-	.25	-	.05	-	27
28	.51	-	-	.37	.02	-	.36	-	-	.28	.16	.01	28
29	.02	X	-	.22	.14	-	-	-	-	.09	.24	-	29
30	.04	X	-	.08	.28	-	.01	-	-	-	.14	-	30
31	.27	X	-	X	.01	X	-	.49	X	-	X	-	31
TOTAL	3.23	2.57	.22	5.32	1.39	3.18	1.95	2.09	1.39	2.83	6.41	.55	YEAR'S TOTAL
Days with ".01 in. or more.	18	17	6	19	16	17	16	12	11	14	24	8	178.
Days with ".04 in. or more.	15	14	2	17	9	11	11	9	7	11	21	4	131.

Please read the Notes and Instructions Overleaf.

Section **A**

for the entry of Daily Observations.

352
FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1927.

Kept at Heavitree, Chelmsfield
in the County of Kent
Diameter of Funnel of Gauge..... 5 in.
Height of top of Gauge above Ground..... 4 ft. 3 in.
„ Ground „ Sea Level..... 472 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	1.02	.01	-	-	-	.33	.19	-	.14	.30	-	1
2	-	-	.06	.14	-	.05	-	-	-	.01	-	.01	2
3	.08	-	.01	-	-	-	-	-	.01	-	-	.04	3
4	-	-	.02	.02	-	-	.01	-	-	-	-	-	4
5	.05	.09	.33	.33	.14	.02	.01	.13	-	-	.06	-	5
6	-	-	.22	.23	-	.06	.78	.01	.07	-	-	-	6
7	.02	.31	.08	.38	-	.29	-	.18	-	-	.03	-	7
8	.02	-	.02	.18	-	-	.18	.24	.01	-	.06	-	8
9	-	-	.02	.19	-	-	.10	.05	.15	-	-	-	9
10	-	-	-	-	-	-	-	-	.84	.02	-	-	10
11	-	-	-	.03	-	-	.12	.01	-	-	-	-	11
12	.10	-	.02	-	-	-	.06	.54	-	.04	.01	-	12
13	.13	-	-	-	-	-	.07	.20	.15	.01	.01	.04	13
14	.15	-	-	.06	.02	-	.46	.10	1.46	-	.02	.41	14
15	-	-	-	-	-	-	.05	.69	.07	-	-	.01	15
16	-	.03	-	-	.20	-	-	.05	.20	-	-	-	16
17	.52	-	-	-	-	.25	-	.43	.10	-	-	-	17
18	.06	-	-	-	-	.51	-	.23	.01	-	.05	-	18
19	-	.15	-	-	-	-	-	.04	-	-	.11	-	19
20	.18	.14	-	-	-	-	.09	.44	-	-	.55	.09	20
21	.04	.19	-	-	.05	.01	.02	.43	.20	.25	.06	.79	21
22	.10	.02	.30	-	.17	.10	-	.11	.16	.60	-	.75	22
23	.01	.37	.35	-	-	.17	-	-	.50	.01	.11	.23	23
24	-	.22	.52	-	-	.28	-	.06	-	-	.01	.33	24
25	.01	.34	.56	-	-	.10	-	.06	.04	.01	-	1.72	25
26	.19	.61	.14	-	.20	.05	.01	-	.02	.06	.01	.50	26
27	.16	.52	-	-	.29	.21	.16	-	-	.44	-	-	27
28	.31	.29	.01	.05	-	.15	-	-	-	.09	.24	-	28
29	-	X	.11	-	-	.29	-	-	.56	-	.94	-	29
30	.20	X	.02	-	-	.50	.05	-	-	.13	-	-	30
31	.01	X	.65	X	.01	X	.04	.01	X	.06	X	.24	31
TOTAL	2.34	4.30	3.45	1.61	1.08	3.04	2.54	4.20	4.55	1.87	2.57	5.16	YEAR'S TOTAL
Days with ".01 in. or more.	19	14	19	10	8	16	17	21	17	14	16	13	184
Days with ".04 in. or more.	14	12	11	8	6	14	13	18	13	9	10	11	139

W. A. Waring

REGISTER OF RAINFALL IN 1928 .

Kept at Hewitts Chelsfield.
in the County of Kent.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 4 ft. 2 in.
" Ground " Sea Level 472 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.04	-	.16	.32	-	-	-	.19	-	-	.22	.02	1
2	.84	.42	.02	-	.01	-	-	-	-	-	.01	.02	2
3	-	-	-	.10	.44	-	.53	.84	-	-	.02	.05	3
4	.05	.14	-	.12	-	.02	-	.53	-	-	-	-	4
5	.17	.26	.10	-	-	.01	.03	-	-	-	.01	-	5
6	-	-	-	-	-	.32	-	-	-	-	-	.06	6
7	-	-	.01	.05	-	.28	-	.13	-	-	-	-	7
8	-	.02	.04	-	-	.46	.01	-	-	.16	.01	-	8
9	.03	-	.06	-	-	.07	-	-	.29	.21	-	-	9
10	.18	.20	.01	.14	.01	.11	-	.01	-	.08	.13	-	10
11	.06	.08	-	.09	-	.07	-	.08	-	.07	.16	.18	11
12	.24	.13	.01	-	-	-	-	.09	-	.02	-	.15	12
13	-	.10	-	-	-	.74	-	.08	-	-	.09	.01	13
14	.04	.10	-	.09	.19	.38	-	.22	-	.61	.37	-	14
15	.02	-	-	.64	.25	-	-	-	-	-	.17	.01	15
16	.04	.04	-	.26	.14	-	-	-	-	.04	.34	.20	16
17	-	-	-	-	.15	-	-	-	-	.16	-	.01	17
18	.34	-	.02	.05	.51	.11	-	-	-	.37	.01	-	18
19	-	-	-	-	.28	.03	-	.06	-	.68	.01	.02	19
20	.06	-	-	-	.02	-	-	.26	-	.32	.15	.13	20
21	.16	-	.07	.08	.02	-	-	-	-	.21	.48	-	21
22	.02	-	.17	-	.07	-	-	.06	-	.64	.23	.07	22
23	.39	-	.04	-	.18	-	-	-	-	.18	.25	-	23
24	.03	-	.18	-	-	-	-	.03	.10	.02	.15	.25	24
25	.05	-	-	-	-	.06	-	-	.01	.03	-	.08	25
26	.16	-	-	-	-	.10	.03	.33	-	.67	-	.17	26
27	-	-	.02	-	-	.03	.85	.01	.01	.14	-	.71	27
28	.38	-	.01	-	-	-	-	-	.33	-	-	.12	28
29	.08	.06	.51	.06	-	-	-	.01	.01	.06	.03	.83	29
30	-	X	.62	.09	-	.18	.27	.01	-	-	-	.14	30
31	.12	X	.49	X	-	X	.08	.08	X	.04	X	.31	31
TOTAL	3.50	1.55	2.54	2.09	2.27	2.97	1.80	3.02	.75	4.71	2.84	3.54	YEAR'S TOTAL 31.58
Days with ".01 in. or more.	22	11	18	13	13	16	7	18	6	20	19	21	184.
Days with ".04 in. or more.	18	10	11	13	9	12	4	13	3	17	12	15	137.

REGISTER OF RAINFALL IN 1929.

Kept at Hemthorpe, Chelmsford.
in the County of Hunt

Diameter of Funnel of Gauge.....5 in.
Height of top of Gauge above Ground.....4 ft.....2 in.
,, Ground ,, Sea Level.....472 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	-	.03	-	-	-	-	-	.20	-	.32	-	-	I
2	-	.21	-	-	-	.01	.03	-	-	.12	.01	.46	2
3	-	-	.01	-	-	-	.45	-	.04	.05	-	.27	3
4	-	-	-	.26	.27	.18	.45	.02	-	-	-	.42	4
5	.01	-	-	-	.94	.13	.05	.26	-	.25	-	.18	5
6	-	-	-	-	.20	-	.04	.22	-	.10	.06	.67	6
7	-	-	-	-	-	.01	-	.47	-	.43	.54	.81	7
8	-	-	-	-	-	.07	-	-	-	.23	-	.51	8
9	.01	.06	-	-	-	-	-	-	-	-	-	.42	9
10	.15	.02	-	.07	-	-	-	-	-	.06	.10	.40	10
11	-	-	-	.21	-	-	-	-	-	-	1.13	.05	11
12	-	-	.01	.15	.39	.14	-	-	-	-	-	.03	12
13	.06	-	-	-	.13	.02	-	.01	-	-	-	.02	13
14	.01	-	-	-	-	.16	-	-	-	-	-	.22	14
15	.04	.01	-	-	-	.05	-	-	-	-	.66	.11	15
16	-	-	-	-	-	-	-	.87	-	-	.65	-	16
17	.03	-	-	-	-	-	-	-	-	-	-	-	17
18	-	-	-	-	-	-	-	.03	-	-	.42	-	18
19	-	-	-	-	-	-	-	-	.01	-	.10	-	19
20	-	-	-	-	-	-	.06	.01	-	.50	-	-	20
21	.13	-	-	-	-	-	-	.03	-	-	-	.46	21
22	.02	-	-	-	-	-	-	.02	-	-	.24	.02	22
23	-	.01	-	-	-	-	-	-	-	.26	.52	.27	23
24	-	-	-	-	-	-	-	.03	-	1.21	.58	.42	24
25	-	.09	-	-	-	-	-	-	-	.06	.15	.02	25
26	-	.01	-	.02	-	-	-	-	-	-	.17	.20	26
27	-	-	-	.02	-	-	-	.05	-	-	.61	.01	27
28	.13	-	-	.06	-	-	.14	-	-	.15	.55	.48	28
29	.06	~~X~~	-	.40	-	-	-	-	-	.01	.30	.11	29
30	.01	~~X~~	-	-	-	.07	.01	-	.07	-	.38	.34	30
31	.42	~~X~~	-	~~X~~	-	~~X~~	.28	-	~~X~~	-	~~X~~	-	31
TOTAL	1.08	.44	.02	1.19	1.93	.84	1.51	2.22	.12	3.75	7.17	6.90	27.17
Days with "or in. or more.	13	8	2	8	5	10	9	13	3	14	18	24	127
Days with "04 in. or more.	7	3	-	6	5	7	7	6	2	13	17	19	92

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1930 .

Kept at Heath, Chalfont
in the County of Buck

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 4 ft. 2 in.
,, Ground ,, Sea Level 472 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	.06	.55	-	.10	-	-	.02	-	-	-	.49	-	I
2	-	.21	-	-	.02	-	.04	.01	-	-	.60	-	2
3	.14	.11	-	.46	.03	-	-	.68	-	.01	.05	-	3
4	.41	.01	-	.06	-	-	-	-	-	.18	-	-	4
5	-	-	-	-	.16	-	-	.24	-	.05	-	.01	5
6	-	-	.04	-	.34	-	-	.07	.39	.02	-	-	6
7	.13	.13	-	-	.01	-	-	.12	-	.22	.48	.01	7
8	.02	-	-	-	-	-	-	-	.01	-	-	.16	8
9	.33	.01	.05	-	.38	-	-	-	.01	-	.01	-	9
10	.50	.04	.25	-	.14	-	-	.03	.55	-	-	.12	10
11	.21	.01	-	-	.13	-	-	-	.01	-	-	.37	11
12	.28	-	-	.08	.15	-	-	.09	.05	-	-	.24	12
13	.03	-	.17	.23	.07	-	.06	.25	.30	-	-	-	13
14	.09	.10	.08	-	-	-	.48	-	.01	-	-	-	14
15	-	.02	.55	.01	-	-	.23	-	-	.01	.24	-	15
16	-	-	-	-	-	.01	.18	-	.05	-	-	-	16
17	-	-	.10	.23	-	.32	.02	-	.35	.22	-	-	17
18	-	-	-	.04	.13	-	.02	-	.02	-	.10	.05	18
19	-	-	-	.10	-	-	-	.03	.73	.09	.33	-	19
20	-	-	-	.03	.01	-	.79	.25	.35	.10	.22	.01	20
21	-	-	-	-	-	-	.06	.56	.05	.05	.44	-	21
22	.05	-	-	.01	.50	-	.06	.06	-	.20	.14	-	22
23	.07	.01	-	.21	.01	.39	.02	.03	.03	.01	.04	.03	23
24	.28	.03	-	.03	.29	.08	.16	-	-	.03	.28	-	24
25	.01	-	-	-	.21	.01	-	-	.01	.04	.05	-	25
26	.11	-	-	-	.41	-	.01	-	.36	-	.16	.28	26
27	-	-	-	-	.01	-	-	-	.30	.01	.35	.10	27
28	-	-	-	-	-	-	-	-	.34	.01	.51	.15	28
29	.15	~~X~~	-	-	-	-	.32	.49	.07	-	.33	.07	29
30	.01	~~X~~	-	-	.44	-	.14	-	-	-	.01	.24	30
31	.28	~~X~~	.07	~~X~~	.48	~~X~~	-	-	~~X~~	.04	~~X~~	.10	31
TOTAL	3.16	1.23	1.31	1.59	3.92	.81	2.61	2.91	3.99	1.29	4.83	1.94	29.59
*Days with or in. or more.	19	12	8	13	20	5	16	14	20	17	19	15	178
*Days with .04 in. or more.	15	6	8	9	14	3	11	10	13	10	17	11	127

40-9999

*See Instruction 2 (f) on other side.

(Signed)

W. A. Waring

[P.T.O.]

Kept at Trugg
in the County of CHIDDINGSTONE HOATH
by W. J. G. Gage

IMPORTANT
If an Observer prepare the reading at 9 a.m. this paragraph. Full particulars as sent post-free on 10 Square, London, N.W.

CHIDDINGSTONE HOATH

KENT

1921 - 1922

ORGANIZATION.

62/.....

Long.....

Lat.....
Station.....

1 of Rain Gauge.....in.

Gauge above Ground.....ft.....in.

„ Sea Level.....ft.

result entered to the previous day.

ly requested to add

for it at the end of

acing of rain gauges,

Rainfall Observers,”

ization, 62, Camden

ay Place, Edinburgh.

his form.

Jan. 1, following.

--

Date	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.								in.	in.	in.	
1	.46	.0									.02	.15	1
2	.03										.28	.03	2
3	.04		.16					.17			.14		3
4	.25		.62		.26			.04			.48		4
5	.02	.02					.21				.30	.02	5
6	.23	.01	.63		.11							.01	6
7	.26	.03		.06	.19								7
8	.05		.01	.02	.04								8
9	.01							.04					9
10	.37		.01							.51			10
11	.21	.02			.05			.60					11
12	.56		.18				.57	.15				.11	12
13	.24		.11	.34			.09	.02	.05				13
14			.03	.02	.03		.05					.34	14
15				.09								.01	15
16	.11		.03	.16			.28				.23	.01	16
17	.14		.39	.01			.09	.16					17
18	.11	.02							.02				18
19			.23		.03							.19	19
20			.17							.20			20
21	.02									.32	.11		21
22										.07	.01	.44	22
23				.18			.10	.58		.21		.13	23
24	.01			.03				.01				.17	24
25	.02	.81			.03							.22	25
26	.04				.12							.32	26
27	.02					.27						.16	27
28	.01		.40		.12		.56					.03	28
29	.04		.12		.36							.05	29
30	.11				.18						.23	.18	30
31													31
TOTAL	3.36	.94	2.50	.91	1.76	.30	.75	2.16	.83	1.36	1.80	2.52	YEAR'S TOTAL
Days with ".01 in. or more	24	7	15	9	12	2	3	10	5	6	9	18	120
Days with ".04 in. or more	16	1	10	5	10	1	3	9	3	6	7	12	82

METEOROLOGICAL OFFICE—BRITISH RAINFALL ORGANIZATION.
REGISTER OF RAINFALL IN 1921

338
81 JAN 1922

Kept at Truggers, Chiddingtons Heath
in the County of Kent
by Alger Vian

Lat. _____ Long _____
Time of Observation _____
Nearest Railway Station Westerham
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.46	.03	.07								.02	.15	1
2	.03				.33						.28	.03	2
3	.04		.10					.17			.14		3
4	.25		.02		.26			.04			.48		4
5	.02	.02						.21			.30	.02	5
6	.23	.01	.63		.11							.01	6
7	.26	.03		.06	.19								7
8	.05		.01	.01	.04								8
9	.01								.04				9
10	.37		.01							.51			10
11	.21	.02			.05				.60				11
12	.56		.18					.57	.15			.11	12
13	.24		.11	.34				.09	.02	.05			13
14			.03	.02	.03			.05				.34	14
15				.09								.01	15
16	.11		.03	.16				.28			.23	.01	16
17	.14		.39	.01			.09	.16					17
18	.11	.02							.02				18
19			.23			.03						.19	19
20			.17							.20			20
21	.02									.32	.11		21
22										.07	.01	.44	22
23				.18			.10	.58		.21		.13	23
24	.01			.03				.01				.12	24
25	.02	.81			.63							.22	25
26	.04				.12							.32	26
27	.02					.27						.16	27
28	.01		.40		.12		.56					.03	28
29	.04		.12		.36							.05	29
30	.11	X			.18						.23	.18	30
31		X		X		X			X		X		31
TOTAL	3.36	.94	2.50	.91	1.76	.30	.75	2.16	.83	1.36	1.80	2.52	YEAR'S TOTAL 19.19
Days with "01 in. or more	24	7	15	9	12	2	3	10	5	6	9	18	120
Days with "04 in. or more	16	1	10	5	10	1	3	9	3	6	7	12	82

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 192

Kept at Triggers, Chiddingfold Heath
in the County of Kent
by Alsager Dean

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Cusden, Dover
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground _____ ft. 8 in.
" " " " Sea Level 555 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	.04	.36		.23		.04	.02	.22	.01	1.08	.10	1
2	.02	.15	.22	.14			.06	.01	.11				2
3		.08	.27	.59	.21		.16	.27		.02	.08		3
4		.17	.12		.09		.28	.15		.39	.80		4
5			.42	.02	.18		1.09	.01		.31	.20		5
6	.05		.06				.13	.19		.06	.01		6
7	.16		.89	.19				.07			.07		7
8	.11		.19	.02		.10	.57				.01	.03	8
9	.10			.04			.02	.16		.03	.23	.01	9
10	.01								.39				10
11	.11						.01						11
12				.86			.17	.52					12
13	.02			.56		.12	.06		.07				13
14				.04		.57	.88	.10	.57				14
15	.39	.28		.08		.02					.02		15
16		.12		.13	.07		.01		.07			.49	16
17		.40			.04		.04	.03	.05			.11	17
18	.69			.01	.01		.02		.03			.38	18
19	1.20	.13							.54	.26		.87	19
20	.61	.02								.02		1.03	20
21	.32	.30		.05								1.46	21
22		.16	.07	.13				.10				.05	22
23		.07		.03		.09	.04		.02				23
24	.02			.10	.07	.11	.01	.28				.01	24
25	.44		.17	.35	.68	.10				.05		.12	25
26	.14	.61	.01	.06		.22	.21		.06		.03	.02	26
27	.40	.49		.05				.29	.07	.03		.28	27
28	.19	.48				.31			.02	.20	.01	.21	28
29	.13		.10			.12		.29		.15		.27	29
30	.01	X	.21			.06	.13	.19	.11	.02	.10	1.04	30
31	.07	X	.04	X		X	.03	.14	X	.06	X	.35	31
TOTAL	4.60	3.50	3.13	3.45	1.58	1.82	3.72	2.98	2.85	1.61	2.74	5.83	YEAR'S TOTAL
Days with .01 in. or more	22	15	14	19	9	11	18	18	15	14	12	18	185
Days with .04 in. or more	15	14	13	15	8	10	13	13	12	8	7	13	141

FORM A. 1. METEOROLOGICAL
REGIST

CHILHAM

LOWER EMSDEN

2955
GANIZATION.

Kept at Lower Emsden

in the County of Kent

by R. H. Neame

KENT

1921 - 24

1926 - 29

58'E

7 a.m.

Chilham S.E. 24

rain Gauge 5 in.

above Ground 3 ft. - in.

Sea Level 305 ft.

entered to the previous day.

IMPORTANT NOTE.—Rain :

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.18												1
2	.08	.06	.04		.24 .27 15 21			.03			.45	.13	2
3	.06	.01	.07		.03 .15			.08			.13		3
4	.08	.01	.01		.07 .2			.02			.35		4
5	.04				.05			.20			.16		5
6	.12	.01	.42		.24		.11						6
7	.27	.02			.39								7
8	.02	.01			.04								8
9				.08					.04				9
10	.14	.18		.10				.04	.11	.03			10
11	.17	.28	.01					.72	.41			.06	11
12	.28	.03	.12					.12	.02	.02		.01	12
13	.47		.11	.30				.02	.25		.14	.06	13
14				.086				.04				.42	14
15				.09			.06	.22				.05	15
16	.03						.08				.08		16
17	.06		.12	.51				.26					17
18	.10		.10	.06	.05				.04				18
19			.13		.26							.09	19
20								.02		1.03		.03	20
21	.01		.05			.10		.04		.02	.10	.24	21
22						.05	.02			.15			22
23				.30		.04		.20				.05	23
24				.17				.02				.08	24
25	.03	.62		.05	.02							.10	25
26	.01	.01			.04				.02			.15	26
27	.01											.05	27
28	.03		.25		.06		.13	.04		.03		.10	28
29					.24		.10					.08	29
30		X			.25						.08	.12	30
31	.08	X		X	.04	X			X		X		31
TOTAL	2.27	1.04	1.43	1.69	1.51	.19	.50	1.74	.89	1.28	1.49	1.92	YEAR'S TOTAL
Days with 0.1 in. or more	21	11	12	29	11	3	6	12	7	6	8	17	1545
Days with 0.4 in. or more	14	4	10	9	10	3	5	10	5	2	8	15	94 95

REGISTER OF RAINFALL IN 1921

Kept at Lower Innder. chiphaw
in the County of Kant
by R. Mc Neane

Lat. 57.25' N Long. 58' E
Time of Observation 6-7 a.m.
Nearest Railway Station Chitham S.E. CR
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. — in.
" " " " Sea Level 30.5 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.18												1
2	.08	.06	.04		.21 .29 15 21			.03			.45	.13	2
3	.06	.01	.07		.03 .15			.08			.13		3
4	.08	.01	.01		.05 .07			.02			.35		4
5	.04				.05			.20			.16		5
6	.12	.01	.42		.05		.11						6
7	.27	.02			.39								7
8	.02	.01			.05								8
9				.08					.04				9
10	.14	.18		.10				.04	.11	.03			10
11	.17	.08	.01					.72	.41			.06	11
12	.28	.03	.12					.12	.02	.02		.01	12
13	.47		.11	.30				.02	.25		.14	.06	13
14				.086				.04				.42	14
15				.09			.06	.02				.05	15
16	.03						.08				.08		16
17	.06		.12	.51				.20					17
18	.10		.10	.06	.05				.04				18
19			.13		.06							.09	19
20								.02		1.03		.03	20
21	.01		.05			.10		.04		.02	.10	.24	21
22						.05	.02			.15			22
23				.30		.04		.20				.05	23
24				.19				.02				.08	24
25	.03	.62		.05	.02							.10	25
26	.01	.01			.04				.02			.15	26
27	.01											.05	27
28	.03		.25		.06		.13	.05		.03		.10	28
29					.24		.10					.08	29
30		X			.25						.08	.12	30
31	.08	X		X	.04	X			X		X		31
TOTAL	2.27	1.04	1.43	1.69	1.51	.19	.50	1.74	.89	1.28	1.49	1.92	YEAR'S TOTAL
Days with ".01 in. or more	21	11	12	29	11	3	6	12	7	6	8	17	15.95
Days with ".04 in. or more	14	4	10	9	10	3	5	10	5	2	8	15	94 95

Kept at Lower Suddon, Chatham
in the County of Kent
by The Reame

Lat. 51°25'N Long. 58°E
Time of Observation 6.30 a.m.
Nearest Railway Station Chatham Dock
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. — in.
" " " " Sea Level 305 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

?

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.07		.11				.04		.24		1
2	.07	.37	.14				.09						2
3		.07	.03	.63				.07	.09		.07		3
4			.14		.09		.15	.26	.18				4
5			.07		.06		.76		.22	.32			5
6	.04		.16							.17	.33		6
7	.20									.29	.15		7
8	.01		.25								.04	.25	8
9	.08		.54				.37	.18					9
10	.03					.02		.22		.26			10
11	.01				.06			.06					11
12					.09			.10		.11			12
13				.70			.05		.42				13
14	.06					.36	.23	.07	.54				14
15	.30	.14				.65			.57	.05			15
16		.06				.10	.19		.18	.07			16
17		.14		.26			.11		.02			.36	17
18	.25				.08		.05					.23	18
19	.96	.11		.11		.06			.34			.17	19
20				.05						.35		.41	20
21	.36	.27										.76	21
22		.10	.36									.14	22
23	.25	.07				.41	.08	.12					23
24			.08			.06							24
25				.21		.08	.08	.28				.09	25
26		.30	.10	.27		.25	.26	.05			.25	.11	26
27	.40	.35	.04	.11					.31				27
28	.02	.28		.11		.26		.35	.31	.36			28
29	.15		.14	.09		.24		.19	.34	.26		.14	29
30								.35	.41		.04	.09	30
31												.29	31
TOTAL	3.19	2.26	2.12	2.54	.49	2.41	2.42	2.30	3.91	2.24	1.12	3.04	YEAR'S TOTAL
Days with ".01 in. or more	16	12	13	10	6	10	12	13	14	10	7	12	135
Days with ".01 in. or more	12	12	12	10	6	9	12	13	13	10	7	12	128

REGISTER OF RAINFALL IN 1923.

Kept at Lower Esder - Chatham
in the County of Kent
by F. J. Meane

Lat. 51° 25' N Long. 5° 8' E
Time of Observation 6.30 am
Nearest Railway Station Chatham S.E.C.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. — in.
" " " " Sea Level 305 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.09		.27									.27	1
2	.23									1.12			2
3	.23												3
4	.23	.15			.07								4
5	.14	.09			.11					.43			5
6					.23					.09			6
7	.15		.18							.30			7
8	.07	.39	.37							.30			8
9		.57	.22	.19	.07								9
10	.14		.07	.11	.18					.46			10
11													11
12													12
13	.12	.20									.75		13
14		.08	.33		.27					.11	.24		14
15	.05				.24						.27		15
16								.10			.14		16
17		.18						.05	.13				17
18	.16				.09			.11		.39			18
19		.23		.17		.08							19
20		.03				.08			.38	.15			20
21		.41			.18				.05	.26	.04	.04	21
22				.06				.33	.30	.15	.08		22
23		.06	.48					.72	.17	.81			23
24									.23	.14			24
25		.08			.30	.10	.21	.18		.10		1.04	25
26		.44	.11	.87				.25		.24			26
27		.20		.54			.04				.27	.11	27
28	.10	.09			1.15		.20	.30				.26	28
29	.11			.38	.53								29
30	.09	X								.30			30
31		X		X		X	.41		X	.13	X		31
TOTAL	1.54	3.20	2.03	2.32	3.42	.36	.86	2.04	1.26	5.49	2.06	1.45	YEAR'S TOTAL
Days with 01 in. or more	12	15	8	7	12	3	4	8	6	18	8	5	25.93
Days with 04 in. or more	12	14	8	7	12	3	4	8	6	18	8	5	106.105

AIR MINISTRY.

FORM 1090

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1924.

Kept at Lower Salsden, Chichester
in the County of Went
by F. H. Trame

Lat. 57° 25' Long. 58° E
Time of Observation 6-7 a.m.
Nearest Railway Station Chichester, S.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. in.
" " " " Sea Level 305 ft.

Jan. 1, following.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.26			.35	.05				.42	.05	16RW 1
2	.41		.15		.16	.18	.03						185 2
3	.18			.08	.54	.35	.32	.33					3
4			.03		.18		.08						4
5			.23				.05		.21	.53			5
6								.23		.70			6
7		.08						.04	.19	.29			7
8	.17						.04		.10				8
9	.17	.16		.28	.26	.50	.24		.17				9
10	.11			.18	.24	.04			.05				10
11				.40	.14	.34			.90		.08		11
12				.29	.04				.09		.68	.88	12
13				.13				.13				.47	13
14				.20								.07	14
15				.11								.07	15
16													16
17	.17						1.00				.09		17
18	.45	.08			.31	.09	.03	.25		.17			18
19								.21		.19			19
20								.09					20
21	.56						.05	.03	.13	.46			21
22	.31		.56										22
23			.56				.02	.31	.37	.20		.54	23
24												.87	24
25		.24	.25				.56		.47	.08	.13		25
26		.10	.08	.30			.29	.30	.37	.26		.17	26
27				.36			.13	.30		.79	.68	1.09	27
28				.17			.69	.13		.40	.24	.07	28
29		.10		.16	.94			.13				.48	29
30	.12	X		.23	.15		.06	.13		.46			30
31	.04	X		X	.15	X			X	.53	X	.54	88231
TOTAL	299	76	1.33	3.09	3.11	1.85	3.64	2.98	3.05	4.86	2.82	5.23	YEAR'S TOTAL 34.71
Days with 01 in. or more	11	6	6	13	11	7	16	11	11	13	7	11	123
Days with 04 in. or more	11	6	5	13	11	7	3	10	11	13	7	4	118

Section



for the entry of Daily Observations.

AIR MINISTRY.

FOR OFFICIAL USE.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

277A

Register of Rainfall in 1926.

Kept at Lower Emsdon, Chichester
LOWER EMSDON, CHICHESTER
in the County of Hants

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 3 ft. — in.
" Ground " Sea Level 305 ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1. following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.22 ~~.32~~				.10							1
2		.02				.54	.05				.02		2
3		1.00	.02			.01		.04		.11			3
4		.05	.08	.03	~~.08~~		.12						4
5		.08	.03		.12		.05				.45	.26	5
6		.27		.22	.02	.15	.02	.07			.05	.06	6
7		.04	.02	.14	.17		.01				.01		7
8		.07		.13	.03	.12					.40		8
9		.03	.02			.19					.76		9
10		.04			.04	.12		.23			.06		10
11		.03			.10	.04		.09			.12		11
12		.07								.26	.02		12
13					.06	.09					.75		13
14		.03			.07	.12				.53	~~.40~~ ~~.08~~	.14	14
15				.52	.07					.70	.08		15
16		.17		.25				.85			.03		16
17		.44				.00					.11 ~~.53~~	.24	17
18		.07		.42	.17	.03	.35	.11			.53		18
19			.02	.26	.06		.25				.07		19
20				.64			.05	.13		.41	1.01		20
21					.03	.06		.02		.02	.41 ~~.22~~		21
22			.02				.12				.23 ~~.02~~	.40	22
23		.06	.01	.31		.07			.15				23
24		.01				.42				.64			24
25		.01		.88			.03	.19		.09	.06		25
26				.01			.05		.09		.32		26
27				.20					.10				27
28				.10		.09	.31			.24			28
29				.99						.33	.24		29
30		X		.03	.30					.15			30
31		X		X		X			X	.20	X		31
TOTAL	2.99	2.71	.22	4.23 ~~3.97~~	1.24	2.95	1.41	1.73	.34	3.68	6.12	1.10	YEAR'S TOTAL 28.72
Days with ".01 in. or more.	19 ~~20~~	19	8	16	13	16	12	9	3	12	23 ~~22~~	5	156
Days with ".04 in. or more.	12	13	1	13	10	14	9	8	3	11	18 ~~17~~	5	147

(Signed)

E. V. Keane

(P.T.O.)

REGISTER OF RAINFALL IN 1927.

Kept at Lower Grades, Blitham
in the County of Kent
Diameter of Funnel of Gauge.....5.....in.
Height of top of Gauge above Ground.....3.....ft.....in.
„ Ground „ Sea Level 30.5.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.
An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.
Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		1.39		.23		.69	.39	.48		.13	.22		1
2			.07	.15		.02							2
3	.11												3
4				.03									4
5		.10	.15	.33			.57	.04			.16	.04	5
6			.06	.03			1.90		.07		.94		6
7		.20		.57		.10		.05			.95		7
8	.20		.15	.21				.41			.10		8
9				.04			.39	.23	.17		.14		9
10								.01	.69		.07		10
11						.09	.43						11
12	.08							.19		.10	.33		12
13	.10						.07	.14	.10	.02	.02	.12	13
14				.10			1.19	.10	.78	.10	.03		14
15							.19	.31	.53			.15	15
16					.05			.14					16
17	.17				.03	.31		.05	.23				17
18					.06	.30		.07					18
19		.20						.04					19
20		.10						.69			.79		20
21	.02	.22			.05		.06	.14		.57	.20	.82	21
22		.03	.37		.16		.07	.03	.04	.56		.59	22
23		.31	.39			.27	.09	.23	.49	.03	.13		23
24		.16	.25	.03		.90		.16			.25	.53	24
25		.25	.40			.15		.13				1.25	25
26	.26	.75	.05			.06						.83	26
27		.26	.03			.66	.16			.32			27
28	.09	.17		.03	.33		.02		.46	.05	.80		28
29	.23		.06			.21		.02					29
30		X	.12			.18							30
31		X	.49	X		X			X		X		31
TOTAL	1.26	4.14	2.69	1.75	.68	3.94	5.47	3.66	3.56	1.88	3.33	4.33	YEAR'S TOTAL 36.69
Days with "01 in. or more.	9	13	13	11	6	13	13	21	10	9	15	8	~~111~~
Days with "04 in. or more.	8	12	12	7	5	12	12	18	10	7	13	8	122

Section **A** for the entry of Daily Observations.

281
FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1928.

Kept at Lower Ender, Shillar

in the County of Kent

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....3.....ft.....in.

„ Ground „ Sea Level 30.5.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				.20				.22			.70		1
2	.98										.43		2
3		.44	.17	.15	.23		.25	.06			.06		3
4	.25			.08				.80			.06		4
5													5
6								.85				.05	6
7				.03		.40							7
8						.42				.20	.11		8
9		.16	.15			.37				.10			9
10	.07	.08		.18	.15					.96			10
11		.05		.10		.12				.18	.32	.28	11
12	.23		.37		.01					.97	.32		12
13		.15				.72					.20	.26	13
14				.20	.19	.30				.41	.30		14
15				.42	.20					.03	.35	.06	15
16	.15			.76	.21					.84	.30	.23	16
17				.09	.10					.16			17
18	.14		.03		.13	.17				.41		.18	18
19				.03	.20	.04		.20		.23	.13		19
20	.11				.10			.01		.50	.03	.20	20
21	.18		.05		.59					.62	.30		21
22			.10		.25			.12		.80	.17	.10	22
23	.30				.24			.11			.24		23
24	.13								.10	.08	.18	.20	24
25	.07		.03							.07	.05	.06	25
26	.30					.10				.08		.20	26
27			.04	.20						.10	.10	.63	27
28							.27		.52			.08	28
29	.55		.40	.10					.16	.10		.47	29
30	.10	X	.10	.09		.05	.21					.28	30
31	.14	X	.35	X		X	.08		X		X	.21	31
TOTAL	3.62	.85	1.79	2.65	2.60	2.69	.81	1.67	.78	4.24	4.03	3.49	YEAR'S TOTAL 29.22
Days with ".01 in. or more.	15	5	11	14	13	10	4	8	3	19	18	16	136
Days with ".04 in. or more.	15	5	9	13	12	10	4	7	3	18	17	16	129

REGISTER OF RAINFALL IN 1929.

Kept at Lower Esder, Clapham
Frame House, Kest
in the County of Kest
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 3 ft. in.
Ground Sea Level 305 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.10	.11		.10				.25		.21			1
2								.01		.24	.12		2
3						.03		.01				.69	3
4				.16		1.09							4
5					.19	.07		.14				.51	5
6					.50	.02		.56		.37	.07	.72	6
7					.34.34	.06		1.34		.24	.24	.52	7
8					.06	.21				.28		.24	8
9				.06							.58	.32	9
10				.30						.20		.33	10
11		.20		.26								.11	11
12			.01	.19	.09								12
13						.12						.04	13
14		.17				.04					.56	.17	14
15											.60	.19	15
16						.21		.84					16
17										.01			17
18								.02	.08				18
19											.18		19
20							.06			.46			20
21											.11	.86	21
22												.17	22
23		.05	.05							.92	.40		23
24										.85	.25	.14	24
25			.02								.20	.07	25
26	.10										.56	.10	26
27				.03									27
28	.40			.07			.18			.21	.85	.54	28
29				.27			.04		.17	.03	.28	.02	29
30	.40	X		.06		.12			.24	.05	.04	.37	30
31	.20	X		X		X	.13		X	.07	X		31
TOTAL	1.20	.53	.08	1.50	1.18	1.97	.41	3.17	.49	3.24	5.04	6.11	YEAR'S TOTAL 23.93
Days with 01 in. or more.	5	4	3	10	5	10	4	8	3	14	15	19	100
Days with 04 in. or more.	5	4	1	9	5	8	4	5	3	11	15	18	88

Section **A** for the entry of

FORM 1090.

METEOROLOGICAL

FOR OFFICIAL USE.

SECTION.

394

Kept at Scadbury Park
in the County of Kent

SCADBURY PK CHISLEHURST
KENT

read the instructions
on this form.

fill in section C

Diameter of Funnel of Gauge
Height of top of Gauge above Ground
" " " " Sea

1925 - 30.

THE MORNING ME

An observer who does not conform to the requirements of the Regulations for the year following year in the space on the reverse of this form.

DAY.

1st of the

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.53	—	0.25	0.01	—	—	—	0.14	0.10	0.01	0.29	—	1
2	.16	.02	—	.21	—	—	—	—	.01	—	.31	—	2
3	.10	.02	—	—	.13	—	—	—	—	—	.23	—	3
4	—	—	.01	—	.12	—	—	.26	.09	—	.08	—	4
5	—	.14	—	.28	—	—	—	—	.14	—	.05	—	5
6	—	.19	—	.13	.16	—	.36	.09	—	—	.23	—	6
7	—	.10	.03	.06	.04	—	.05	—	.07	—	.09	.10	7
8	.04	—	.01	—	.14	—	—	—	.02	—	.02	.10	8
9	—	.02	—	.04	—	—	—	.12	.30	—	.11	—	9
10	—	—	.08	—	—	—	—	.11	.29	—	.40	—	10
11	—	.12	—	—	—	—	—	—	.02	—	.10	—	11
12	.02	.69	—	—	—	—	—	.03	—	.18	—	—	12
13	—	.41	.14	.05	—	—	—	.03	—	.03	—	—	13
14	.09	.08	.05	—	.01	—	—	—	—	—	—	—	14
15	.19	—	—	.26	—	—	—	—	—	.28	—	—	15
16	—	.05	—	—	—	—	—	—	.11	.09	—	—	16
17	—	—	—	—	—	—	—	—	—	—	—	—	17
18	—	.09	—	—	.25	—	.17	.01	—	.02	—	—	18
19	.01	—	—	—	.05	—	—	—	.15	.84	—	.16	19
20	—	—	.12	—	.01	—	.56	.06	.59	.24	—	.23	20
21	—	—	.04	—	—	—	.18	.13	.04	.35	—	.35	21
22	—	—	.05	.15	—	—	1.75	.15	.82	.81	—	.73	22
23	.04	.12	.03	.07	.24	—	.07	.38	.04	.06	—	.03	23
24	.01	.30	—	.04	.12	.18	—	.19	—	.05	.09	.03	24
25	.04	.78	—	—	—	—	.02	—	.17	.22	—	.05	25
26	.01	.36	—	.08	.01	.02	.44	.23	.11	—	.10	.11	26
27	.25	.06	—	—	.23	.01	.25	.04	—	—	—	.05	27
28	.09	—	—	.37	—	—	—	—	.03	—	—	.19	28
29	.09	X	—	—	.08	—	—	—	—	—	.05	.30	29
30	—	X	—	.34	—	—	.27	—	—	—	.03	.77	30
31	.11	X	.06	X	.06	X	.05	—	X	—	X	.03	31
TOTAL	1.78	3.55	0.87	2.09	1.65	0.21	4.17	1.97	3.10	3.18	2.18	3.23	YEARS TOTAL 27.98
Days with .01 in. or more.	16	17	12	14	15	3	12	15	18	13	15	15	165
Days with .04 in. or more.	12	14	8	13	12	1	11	12	14	10	13	12	132

(Signed) B. Orchard.

P.T.O.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Register of Rainfall in 1925.

394

Kept at Seadbury Park, Chislehurst
in the County of Kent

Diameter of Funnel of Gauge — 5 in.
Height of top of Gauge above Ground 1 ft. — in.
„ Ground „ Sea Level 250 ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.53	—	0.25	0.01	—	—	—	0.14	0.10	0.01	0.29	—	1
2	16	02	—	21	—	—	—	—	01	—	31	—	2
3	10	02	—	—	73	—	—	—	—	—	23	—	3
4	—	—	01	—	12	—	—	26	09	—	08	—	4
5	—	14	—	28	—	—	—	—	14	—	05	—	5
6	—	19	—	13	16	—	36	09	—	—	23	—	6
7	—	10	03	06	04	—	05	—	07	—	09	10	7
8	04	—	01	—	14	—	—	—	02	—	02	10	8
9	—	02	—	04	—	—	—	12	30	—	11	—	9
10	—	—	08	—	—	—	—	11	29	—	40	—	10
11	—	12	—	—	—	—	—	—	02	—	10	—	11
12	02	69	—	—	—	—	—	03	—	18	—	—	12
13	—	41	14	05	—	—	—	03	—	03	—	—	13
14	09	08	05	—	01	—	—	—	—	—	—	—	14
15	19	—	—	26	—	—	—	—	—	28	—	—	15
16	—	05	—	—	—	—	—	—	11	09	—	—	16
17	—	—	—	—	—	—	—	—	—	—	—	—	17
18	—	09	—	—	25	—	17	01	—	02	—	—	18
19	01	—	—	—	05	—	—	—	15	84	—	16	19
20	—	—	12	—	01	—	56	06	59	24	—	23	20
21	—	—	04	—	—	—	18	13	04	35	—	35	21
22	—	—	05	15	—	—	1.75	15	82	81	—	73	22
23	04	12	03	07	24	—	07	38	04	06	—	03	23
24	01	30	—	04	12	18	—	19	—	05	09	03	24
25	04	78	—	—	—	—	02	—	17	22	—	05	25
26	01	36	—	08	01	02	44	23	11	—	10	11	26
27	25	06	—	—	23	01	25	04	—	—	—	05	27
28	09	—	—	37	—	—	—	—	03	—	—	19	28
29	09	X	—	—	08	—	—	—	—	—	05	30	29
30	—	X	—	34	—	—	27	—	—	—	03	77	30
31	11	X	06	X	06	X	05	—	X	—	X	03	31
TOTAL	1.78	3.55	0.87	2.09	1.65	0.21	4.17	1.97	3.10	3.18	2.18	3.23	YEARS TOTAL
Days with 0.1 in. or more.	16	17	12	14	15	3	12	15	18	13	15	15	165
Days with 0.4 in. or more.	12	14	8	13	12	1	11	12	14	10	13	12	132

(Signed) B. Orchard. [P.T.O.]

A**REGISTER OF RAINFALL IN 1926.**

376

Kept at Scadbury Park, Chislehurst
in the County of Kent.

Diameter of Funnel of Gauge.....5 in.

Height of top of Gauge above Ground.....1 ft.....in.

„ Ground „ Sea Level (approx).....250 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.26	.19	—	—	—	.15	—	—	.04	—	—	—	1
2	.03	.01	—	—	—	.88	.01	—	.28	—	.01	—	2
3	.15	.53	.08	—	—	—	—	—	.02	—	—	—	3
4	—	.04	.06	.69	—	—	.20	—	—	—	.10	—	4
5	.04	.07	.07	—	.07	—	.03	—	—	—	.30	.24	5
6	.05	.43	—	.36	—	.12	.01	.09	.29	—	.07	—	6
7	.24	.05	—	.24	.06	—	.01	.05	.04	—	.23	.03	7
8	—	—	—	.25	—	—	—	.01	—	.10	.76	—	8
9	—	.01	—	—	—	.26	—	.50	—	.06	.24	—	9
10	—	—	—	—	.01	.13	.01	.28	.01	—	.18	—	10
11	—	.18	—	—	.02	.09	—	.23	—	—	—	—	11
12	—	.06	—	—	.09	.15	—	.01	.02	.28	—	—	12
13	.01	—	—	—	.01	.01	—	—	—	.23	<u>1.15</u>	—	13
14	(.28)	—	—	.08	<u>.37</u>	.20	—	—	—	.59	.02	—	14
15	(.28)	.02	—	.21	—	—	—	—	—	.33	.08	—	15
16	—	.14	—	.31	.01	—	—	.19	—	—	—	.10	16
17	—	.64	—	.05	.06	.64	—	.01	—	—	.08	.19	17
18	.10	.08	—	.25	.04	.08	.31	—	—	—	.49	—	18
19	—	—	.01	—	.14	—	.30	.03	—	—	.05	—	19
20	—	—	—	.22	.09	—	.02	—	—	.12	.50	—	20
21	—	—	—	.28	—	—	.10	.08	—	.02	.40	—	21
22	.21	.05	—	.10	.01	—	—	—	—	.07	.04	.04	22
23	.04	.04	—	—	—	.08	—	—	—	—	—	—	23
24	—	—	—	—	.02	.13	.02	—	.09	.48	—	—	24
25	.10	—	.01	<u>1.11</u>	.13	—	.06	—	.01	.17	.05	.10	25
26	—	—	—	—	—	.13	.28	—	.12	—	.17	—	26
27	.06	.02	—	.15	—	—	.25	—	.17	—	—	—	27
28	.35	—	—	.30	.03	—	.35	—	—	.27	.19	.02	28
29	.03	X	—	.23	.15	—	—	—	—	.06	.28	—	29
30	.02	X	—	.09	.08	—	—	—	—	—	.22	—	30
31	.12	X	—	X	—	X	—	.95	X	—	X	—	31
TOTAL	2.09	2.56	.23	4.92	1.39	3.05	1.96	2.43	1.09	2.78	5.61	.72	YEARS TOTAL
Days with '01 in. or more.	18	17	5	17	18	14	15	12	11	13	22	7	169
Days with '04 in. or more.	14	13	3	17	11	13	8	8	7	12	20	5	130

Please read the Notes and Instructions Overleaf.

Section **A** for the entry of Daily Observations.

368
FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1927.

Kept at Seadbury Park, Chislehurst
in the County of Kent

Diameter of Funnel of Gauge.....5 in.

Height of top of Gauge above Ground.....ft.....in.

„ Ground „ Sea Level approx 2.50 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.90	—	—	—	—	.46	.19	—	.04	.31	—	1
2	—	—	.06	.10	—	—	—	—	—	.08	.04	—	2
3	.04	—	—	—	—	—	—	—	—	—	—	.02	3
4	—	—	—	.01	.02	—	.03	—	—	—	—	.01	4
5	.04	.11	.21	.46	—	.01	—	.07	—	—	.10	—	5
6	—	—	.15	.18	.25	.15	.76	.02	.03	—	—	—	6
7	.07	.32	.07	.47	—	.07	.15	.25	—	—	.01	—	7
8	.02	—	.02	.21	—	—	.03	.22	—	—	.02	—	8
9	—	—	.01	.10	—	—	.02	.05	.17	—	—	—	9
10	—	—	.01	—	—	—	.08	—	.46	.02	—	—	10
11	—	—	—	.02	—	—	.05	—	—	—	—	—	11
12	—	.01	.04	—	—	—	.08	.09	—	.03	—	—	12
13	.10	.01	—	.01	—	—	—	.16	.09	—	.01	.01	13
14	.35	—	—	.09	.03	—	.50	.19	1.32	—	.02	.39	14
15	—	—	—	—	—	—	.01	.65	.01	—	—	—	15
16	—	—	—	—	.24	—	—	.06	.25	—	—	—	16
17	.44	—	—	—	—	.22	—	.45	.10	—	—	—	17
18	.02	—	—	—	—	.38	—	.21	.03	—	.03	—	18
19	—	.16	—	—	—	.03	—	.05	—	.02	.08	—	19
20	.08	.15	—	—	—	—	.08	.38	—	—	.49	.06	20
21	.06	.13	—	—	.06	.02	—	.20	.07	.18	.06	.53	21
22	.09	.02	.14	—	.09	.10	.07	—	.19	.35	—	.48	22
23	.01	.33	.23	—	—	.14	.02	—	.42	.01	.09	.21	23
24	—	.14	.16	.01	—	.24	—	.09	—	—	—	.33	24
25	.17	.35	.49	—	—	.26	—	.12	.22	—	—	—	25
26	.15	.53	.06	—	.15	.06	.01	—	.04	.01	—	1.22	26
27	—	.43	—	—	.25	.29	.46	—	—	.28	.01	—	27
28	.23	.20	.01	.03	—	.37	—	—	—	.01	.21	—	28
29	—	X	.11	—	—	.22	—	.01	.49	—	.75	—	29
30	.18	X	—	—	—	.47	—	—	.01	.10	—	—	30
31	.04	X	.25	X	.01	X	.03	—	X	.19	X	.05	31
TOTAL	2.09	3.79	2.02	1.69	1.10	3.03	2.84	3.46	3.90	1.32	2.23	3.31	YEARS TOTAL
Days with ".01 in. or more.	17	15	16	12	9	16	17	19	16	13	15	11	176
Days with ".04 in. or more.	14	12	12	7	6	13	10	17	12	7	9	8	127

FORM 1090.

REGISTER OF RAINFALL IN 1928.

Kept at Scadbury Park, Chislehurst
in the County of Kent
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
„ Ground „ Sea Level App. 250 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan. in.	Feb. in.	March in.	April in.	May in.	June in.	July in.	August in.	Sept. in.	Oct. in.	Nov. in.	Dec. in.	Date
1	.16	—	.15	.22	—	—	—	.20	—	—	.09	.01	1
2	.47	.43	—	—	.02	—	—	—	—	—	.02	.04	2
3	—	—	—	.12	.32	—	.39	.60	—	—	.01	.04	3
4	.05	.03	—	.02	—	.02	—	.45	—	—	—	—	4
5	.18	.18	.11	.08	—	—	.05	—	—	—	—	—	5
6	—	—	—	—	—	.29	—	—	—	—	—	.05	6
7	—	—	.01	.04	—	.38	—	.10	—	.01	—	—	7
8	—	.02	.10	—	—	.25	.01	—	.01	.18	—	—	8
9	.10	—	.05	—	—	.03	—	—	.32	.15	—	—	9
10	.14	.11	—	.13	.01	.09	—	—	—	.05	.12	—	10
11	.07	.04	.01	.07	—	—	—	.03	—	.03	.22	.18	11
12	.18	.19	—	.05	—	.02	—	—	—	.03	—	.17	12
13	—	.07	—	—	—	.61	—	—	—	—	.08	—	13
14	.03	.10	—	—	.09	.39	—	.05	—	.44	.20	—	14
15	.02	—	—	.41	.31	—	—	—	—	.04	.32	.01	15
16	.07	.03	—	.14	.12	—	—	—	—	—	.23	.14	16
17	—	—	—	—	.37	—	—	—	—	.16	—	—	17
18	.41	—	.04	.04	.38	.09	—	—	—	.22	.01	—	18
19	—	—	—	—	.30	.01	—	.14	—	.53	.02	.03	19
20	.07	—	—	—	—	—	—	.09	—	.37	.04	.19	20
21	.09	—	.04	.11	.11	—	—	—	—	.23	.31	—	21
22	.01	—	.09	—	.11	—	—	.11	—	1.00	.24	.09	22
23	.17	—	.02	—	.25	—	—	—	—	.06	.08	—	23
24	.02	—	.24	—	.02	—	—	.01	.08	.01	.19	.22	24
25	.03	—	.01	—	—	.02	—	—	—	—	.07	.03	25
26	.24	—	—	—	—	.08	.16	.46	—	.51	—	.19	26
27	—	—	.03	—	—	—	.95	.09	—	.05	—	.58	27
28	.21	—	—	—	—	—	—	—	.23	—	—	.22	28
29	.09	.03	.40	.03	—	—	—	—	.04	.05	.03	.45	29
30	—	×	.33	.04	—	.07	.37	.03	—	.02	—	.19	30
31	.13	×	.34	×	—	×	.12	.19	×	.02	×	.08	31
TOTAL	2.94	1.23	1.97	1.50	2.41	2.35	2.05	2.55	.68	4.16	2.28	2.01	26.13
Days with 01 in. or more.	22	11	16	14	13	14	7	14	5	21	18	19	174
Days with 04 in. or more.	17	7	11	12	10	9	6	11	4	15	13	15	130
YEAR'S TOTAL													

Section

A

for the entry of Daily Observations.

397
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1929 .

Kept at Scadbury Park, Chislehurst
in the County of Kent

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
,, Ground ,, Sea Level 250 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.03	—	.01	—	.01	—	.33	—	.20	—	—	I
2	—	.18	—	—	—	.02	.03	—	—	.23	.03	.19	2
3	—	—	.01	—	—	—	1.00	—	.02	.04	—	.19	3
4	—	—	—	.24	.09	.64	.40	—	—	—	—	.58	4
5	—	—	—	—	.67	.13	.03	.17	—	.21	.01	.36	5
6	—	—	—	—	.17	—	—	.14	—	.18	.05	.59	6
7	—	—	—	—	—	.03	—	.26	—	.29	.44	.41	7
8	—	—	—	—	.01	.07	—	—	—	.20	—	.34	8
9	.04	.07	—	—	—	—	—	—	—	.01	—	.31	9
10	.21	.02	—	.07	—	—	—	.01	—	.07	.10	.19	10
11	—	—	—	.14	.05	—	—	—	—	—	.73	.07	11
12	—	—	—	.16	.15	.13	—	—	—	—	—	.05	12
13	.05	—	—	.02	.05	.01	—	—	—	—	—	—	13
14	—	—	—	—	.04	.11	—	—	—	—	—	.15	14
15	.06	.01	—	—	—	.05	—	—	—	—	.39	.11	15
16	—	—	—	—	—	—	—	.85	—	—	.59	—	16
17	—	—	—	—	—	—	—	—	—	—	.19	—	17
18	.01	—	—	—	—	—	—	.13	—	—	—	—	18
19	.01	—	—	—	—	—	—	—	.01	—	—	—	19
20	—	—	—	—	—	—	.08	.03	—	.31	.02	.01	20
21	.10	—	—	—	—	—	—	—	—	—	—	.32	21
22	.02	—	—	—	—	—	—	.02	—	—	.23	.01	22
23	—	.03	—	—	—	—	—	—	—	.09	.28	.19	23
24	—	—	—	—	—	—	—	.01	—	1.06	.40	.44	24
25	.01	.05	.01	—	—	—	—	—	—	.05	.10	—	25
26	—	—	—	.07	—	—	—	—	—	—	.13	.07	26
27	—	—	—	—	—	—	—	—	—	.02	.56	.04	27
28	.07	—	—	.06	—	—	.15	—	—	.03	.31	.23	28
29	.06	—	—	.51	—	—	—	—	.07	.01	.14	.06	29
30	.01	×	—	—	—	—	—	—	.08	—	.44	.08	30
31	.26	×	—	×	—	×	.12	—	×	—	×	—	31
TOTAL	.91	.39	.02	1.28	1.23	1.20	1.81	1.95	.18	3.00	5.14	4.99	22.10
Days with or in. or more.	13	7	2	9	8	10	7	10	4	16	19	23	128
Days with or in. or more.	8	3	0	7	7	6	5	6	2	12	16	21	93

40-9999

(Signed) B. Orchard

[P.T.O.]

FORM 1090.

REGISTER OF RAINFALL IN 1930 .

Kept at *Scadbury Park, Chislehurst*
in the County of *Kent*.

Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *1* ft *—* in.
,, Ground ,, Sea Level *250* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	.05	.53	—	.07	—	—	.03	—	—	—	.26	—	I
2	—	.28	—	—	.04	—	.03	—	—	—	.63	—	2
3	.03	.07	—	.37	—	—	—	.48	—	.02	.04	—	3
4	.36	—	—	.04	.01	—	—	.09	—	.11	—	—	4
5	—	—	—	—	.16	—	—	.27	—	.04	—	—	5
6	.10	—	.17	—	.50	—	—	.15	.75	.03	—	—	6
7	.02	.06	—	—	.01	—	—	.18	—	.14	.37	.03	7
8	—	—	—	.01	—	—	—	—	.07	.03	—	.08	8
9	.19	—	.04	—	.41	—	—	—	.05	—	.01	.04	9
10	.39	.02	.29	—	.10	—	—	.09	.01	—	—	.09	10
11	.20	—	—	.06	.11	—	—	—	—	—	—	.51	11
12	.16	—	—	.06	.12	—	—	.09	.03	—	—	.18	12
13	.02	.01	.12	.29	.07	—	.10	.23	.18	—	—	—	13
14	.09	.14	.10	.01	—	—	.24	—	—	—	—	—	14
15	—	.04	.72	—	—	—	.09	—	—	.01	.26	—	15
16	—	—	—	.03	—	—	.10	—	.05	—	—	—	16
17	—	—	.15	.11	—	.32	.02	—	.24	.32	—	—	17
18	—	—	—	.04	—	—	.02	—	—	—	.09	.06	18
19	—	—	—	.21	—	—	—	.05	.82	.10	.26	—	19
20	—	—	—	.04	.10	—	.38	.24	.22	.05	.25	—	20
21	.01	—	.02	—	.27	—	.07	.45	.04	.04	.37	—	21
22	—	—	—	—	—	—	.06	.02	.01	.21	.16	.01	22
23	.10	—	—	.06	—	.34	—	—	.02	.01	.06	.02	23
24	.29	—	—	.01	.82	.01	.10	—	—	.04	.17	.10	24
25	.01	—	—	—	.37	.02	—	—	.09	.04	.21	—	25
26	.09	—	—	—	.14	—	—	—	.33	—	.09	.19	26
27	—	—	—	—	—	—	—	—	.36	.01	.37	.06	27
28	—	—	—	—	—	—	.02	—	.30	.02	.55	.08	28
29	.13	X	.05	—	—	—	.46	.01	.15	—	.17	.03	29
30	.01	X	—	—	.52	—	.19	—	—	—	.01	.09	30
31	.17	X	.02	X	.63	X	—	—	X	.16	X	.10	31
TOTAL	2.42	1.15	1.68	1.41	4.38	.69	1.91	3.35	3.72	1.38	4.33	1.67	28.09
* Days with .01 in. or more.	19	8	10	15	17	4	15	13	18	18	19	16	172
* Days with .04 in. or more.	13	6	8	11	15	2	10	12	14	11	17	12	131

B

** The following register of mo
&c., is required if daily
values cannot be given o
side.

RAINFALL IN 19

NOTE.—Records taken in millim
be entered on Form 10At ChislehurstIn the County of Kent

Rain Gauge { Diameter of Funnel.....
Height of Top above Ground.....11 ft.....in.
Height of Ground above Sea Level.....330 ft.

CHISLEHURST

KENT.

1925 - 30

MONTHLY

(especially if a change
in its exposure), and

register should be sent :—

Chislehurst

Hour of observation.....

M.S. Direction W by S2 yds. Direction W by N

If gauge has been moved during the year state—

Date of move..... Distance..... Direction.....

Month.	Total Depth.	Greatest Fall in 24 hours.	Number of Days with
	Inches.	Inches.	01 in. or more
JAN.	↑		
FEB.			
MAR.			
APR.			
MAY			
JUNE			
JULY			
AUG.	2.18		
SEPT.	3.26		
OCT.	3.36		
NOV.	2.15		
DEC.	3.20		
Total			

Nature of objects nearest to gauge	<u>House</u>	<u>Tree</u>	
Heights of objects	<u>16 ft</u>	<u>30 ft</u>	
Distances...	<u>15</u>	<u>30</u>	
Directions...	<u>S</u>	<u>N</u>	

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)



If you know of any record of rainfall not quoted in *British Rainfall*, please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

M.O. 7

- 2 JAN 1926

Signature W. P. Jones**D**

INSTRUCTIONS.

1. Advice as to the selection of the site for a raingauge, particulars of the gauge recommended for use and other information is given in "Rules for Rainfall Observers," to be obtained from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumshugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type* :—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.
- The raingauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash — (not '00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
 - When there is less than '005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked '005; this graduation is to show the limit between the amounts which count as '01 and those which are mere "traces." An entry '005 is not to be made in the register.

- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 } 14 would show that the reading on

the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was 14 in.

- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.
- The "total number of days with '01 in. or more" includes all the days with any rain except those for which the entry is "trace."
- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.
- The heaviest daily fall for each month should be underlined.

London : Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses : Adastral House, Kingsway, London, W.C.2 ; 28, Abingdon Street, London, S.W.1 ; York Street, Manchester ; 1, St. Andrew's Crescent, Cardiff ; or 120, George Street, Edinburgh ; or through any Bookseller. 1925. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JAS. TRUSCOTT & SON, LTD., Suffolk Lane, Cannon Street, E.C.

B

393 A

* * The following register of monthly totals, &c., is required if daily or weekly values cannot be given on the other side.

RAINFALL IN 1925

NOTE.—Records taken in millimetres should be entered on Form 1091.

At BlidehurstIn the County of Kent

Diameter of Funnel.....in.

Height of Top above Ground.....ft.....in.

Height of Ground above Sea Level.....ft.....in.

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
	Inches.	Inches.	Date.	.01 in. or more	.04 in. or more
JAN.					
FEB.					
MAR.					
APR.					
MAY					
JUNE					
JULY					
AUG.	2.18				
SEPT.	3.26				
OCT.	3.36				
NOV.	2.15				
DEC.	3.20				
Total					

Signature.....

W.P. Jones

* Every observer is requested to fill in this section (especially if a change has been made in the position of the gauge or in its exposure), and also the space for notes as far as possible:—

Name and Address to which any correspondence relating to this register should be sent:—

W.P. JonesPearsons Holloway Lane Blidehurst

Latitude of Station..... Longitude..... Hour of observation.....

Nearest Railway Station..... Distance..... Direction.....

Nearest Parish Church..... Distance..... Direction.....

If gauge has been moved during the year state—

Date of move..... Distance..... Direction.....

Nature of objects nearest to gauge.....

Heights of objects.....

Distances.....

Directions.....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)



If you know of any record of rainfall not quoted in *British Rainfall*, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

M.O. 7

- 2 JAN 1926

D

INSTRUCTIONS.

1. Advice as to the selection of the site for a rain gauge, particulars of the gauge recommended for use and other information is given in "Rules for Rainfall Observers," to be obtained from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.
- The rain gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash — (not '00'). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
 - When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

- The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.
- On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as .01 and those which are mere "traces." An entry .005 is not to be made in the register.
- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | .14 | would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.
- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.
- The "total number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace."
- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.
- The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 28, Abingdon Street, London, S.W.1; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; or 120, George Street, Edinburgh; or through any Bookseller. 1925. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JAS. TRUSCOTT & SON, LTD., Suffolk Lane, Cannon Street, E.C.

BMonthly
Summary.**C**

Particulars of Station.

375A

* * The following register of monthly totals, &c., is required if daily or weekly values cannot be given on the other side.

RAINFALL IN 1926

NOTE.—Records taken in millimetres should be entered on Form 1091.

At BhislehurstIn the County of KentDiameter of Funnel 5 in.Height of Top above Ground 9 ft.Height of Ground above Sea Level 325 ft.

Month.	Total Depth.	Greatest Fall in 24 hours.	Number of Days with '01 in. or more	Number of Days with '04 in. or more
	Inches.	Inches.	Date.	
JAN.	2.12			
FEB.	2.67			
MAR.	0.04			
APR.	4.90			
MAY	1.43			
JUNE	2.52			
JULY	1.97			
AUG.	1.59			
SEPT.	2.33			
OCT.	2.90			
NOV.	5.55			
DEC.	0.86			
Total	28.88	✓—S		

* Every observer is requested to fill in this section (especially if a change has been made in the position of the gauge or in its exposure), and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

W. P. Jones, Peasons, Holbrook LaneBhislehurst KentLatitude of Station 6 1/2 miles S.E. of Greenwich Longitude

Hour of observation by the clock—in Winter in Summer


Nearest Railway Station Bhislehurst Distance 2030 yds. Direction W by SNearest Parish Church Bhislehurst Distance 650 yds. Direction NW by W

If gauge has been moved during the year state—

Date of move Distance Direction

Nature of objects nearest to gauge Houses TreesHeights of objects 20' above 30' aboveDistances 16' 30'Directions S N

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)



If you know of any record of rainfall not quoted in *British Rainfall*, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

Signature W. P. Jones**D**

INSTRUCTIONS.

1. Advice as to the selection of the site for a raingauge, particulars of the gauge recommended for use and other information is given in "Rules for Rainfall Observers," to be obtained from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.
- The raingauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash—(not .00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
 - When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

- The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as .01 and those which are mere "traces." An entry .005 is not to be made in the register.

- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 } .14 would show that the reading on 18

the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.

- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

- The "total number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace."
- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

- The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; or 120, George Street, Edinburgh; or through any Bookseller. 1926. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by WATERLOW & SONS LIMITED, Birch Lane, London, E.C.3.

(140ws) (335403) Wt. 9586/14345/631 Gp. 127 13000 9-26 W & S Ltd.

BMonthly
Summary.**C**

Particulars of Station.

367

** The following register of monthly totals, &c., is required if daily or weekly values cannot be given on the other side.

RAINFALL IN 1927

At BhislehurdIn the County of Kent

Rain Gauge. (Diameter of Funnel.....in.
Height of Top above Ground.....9 ft. - in.
Height of Ground above Sea Level.....330 ft.)

Month.	Total Depth.	Greatest Fall in 24 hours.	Number of Days with
	Inches.	Inches.	0.1 in. 0.4 in. or more or more
JAN.	2.09		
FEB.	4.25		
MAR.	2.15		
APR.	1.64		
MAY	1.02		
JUNE	3.09		
JULY	2.96		
AUG.	3.84		
SEPT.	4.26		
OCT.	1.47		
NOV.	2.42		
DEC.	3.18		
Total	32.37		

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

W. P. Jones.
Peasons Holbrook Lane Bhislehurd

Hour of observation by the clock,—in Winter 8-9 am in Summer 8-9 amNearest Railway Station Bhislehurd Distance 2.000 yds. Direction from gauge W. by S.Nearest Parish Church at W Distance 700 yds. Direction from gauge W by N.

Nature of objects nearest to gauge

Heights of objects

Distances ...

Directions from gauge

If gauge has been moved during the year state—

Date of move..... Distance..... Direction.....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in *British Rainfall*, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

M.O. 7

-9 JAN 1928

INSTRUCTIONS.

D

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6. Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

- The raingauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash — (not .00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

- The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as .01 and those which are mere "traces." An entry .005 is not to be made in the register.

- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 } .14 would show that the reading on 18

the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.

- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

- The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02, or .03.

- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

- The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. 1927. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by WATERLOW & SONS LIMITED, Birch Lane, London, E.C.3.

(140w) (268366) Wt. 9951/599/660 Gp. 127 13000 9-27 W & S Ltd.

B**C**

379

** The following register of monthly totals, &c., is required if daily or weekly values cannot be given on the other side.

RAINFALL IN 1928

At ChislehurstIn the County of KentDiameter of Funnel 5 in.Height of Top above Ground 1 ft.Height of Ground above Sea Level 330 ft.

Month.	Total Depth. Inches.	Greatest Fall in 24 hours. Inches.	Date.	Number of Days with '01 in. or more	'04 in. or more
JAN.	2.80				
FEB.	1.25				
MAR.	2.18				
APR.	1.82				
MAY	2.31				
JUNE	2.37				
JULY	2.25				
AUG.	2.65				
SEPT.	0.75				
OCT.	4.17				
Nov.	2.10				
DEC.	5.00				
	2.90				
Total	29.55				

Signature W. P. Jones

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

W. P. Jones
Peasons Hollbrook Lane ChislehurstHour of observation by the clock—in Winter 9 am in Summer 9 amNearest Railway Station Chislehurst Distance 6.150 Direction from gauge W by SNearest Parish Church at 4 Distance 2200 Direction from gauge W by N


Nature of objects nearest to gauge	<u>Trees</u>	<u>Trees</u>	<u>Trees</u>	<u>House</u>
Heights of objects	<u>100</u>	<u>35</u>	<u>40</u>	<u>30</u>
Distances	<u>100</u>	<u>50</u>	<u>55</u>	<u>42</u>
Directions from gauge	<u>N</u>	<u>S</u>	<u>E</u>	<u>W</u>

If gauge has been moved during the year state—

Date of move NO Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in *British Rainfall*, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

D

INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.
- 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash — (not '00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

- When there is less than '005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

- The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked '005; this graduation is to show the limit between the amounts which count as '01 and those which are mere "traces." An entry '005 is not to be made in the register.
- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | 14 | would show that the reading on 18th

the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was '14 in.

- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.
- The "number of days with '01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with '04 in. or more" includes all the days with any rain except those for which the entries are trace, '01, '02, or '03.
- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.
- The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JAS. TRUSCOTT & SON, LTD., Suffolk Lane, E.C.

** The following register of monthly totals &c., is required if daily or weekly values are not given on the other side.

RAINFALL IN 1929

At Ghislehurst

In the County of Kent

Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground 1 ft - in.
Height of Ground above Sea Level 330 ft.

Month.	Total Depth. Inches.	Greatest Fall in 24 hours. Inches.	Date.	Number of Days with ·01 in. ·04 in. or more or more
JAN.	0.89			
FEB.	0.43			
MAR.	0.03			
APRIL	1.32			
MAY	1.18			
JUNE	1.17			
JULY	1.66			
AUG.	2.04			
SEPT.	0.15			
OCT.	3.00			
NOV.	5.47			
DEC.	5.35			
Total	22.69			

Signature

W. P. Jones

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

W. P. Jones, "Peacocks"
Hollbrook Lane, Ghislehurst

Hour of observation by the clock—in Winter..... in Summer.....

Nearest Railway Station Ghislehurst Distance 6150 Direction from gauge W by S

Nearest Parish Church at do. Distance 2200 Direction from gauge W by N

Nature of objects nearest to gauge True True True None

Heights of objects 35' 15" 40' 35' 40' 35' 40' 30'

Distances 100 ft 50 ft 55 ft 42 ft

Directions from gauge N S E W

If gauge has been moved during the year state—

Date of move..... Distance..... Direction.....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

D

INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd, 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

- The raingauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash— (not '00'). The entry "trace" or "tr" is to be made in the two following cases; (A) and (B).

- When there is less than .005 in. of water in the gauge, and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

- The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as .01 and those which are mere "traces." An entry .005 is not to be made in the register.

- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 } .14 would show that the

reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.

- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

- The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02, or .03.

- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

- The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

* * The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1930

At Chislehurst
In the County of Kent

Rain Gauge { Diameter of Funnel 5 in.
Height of Top above Ground 1 ft. - in.
Height of Ground above Sea Level 330 ft.

Month.	Total Depth. Inches.	Greatest Fall in 24 hours. Inches.	Date.	Number of Days with ".01 in. or more or more or more
JAN.	2.54			
FEB.	1.23			
MAR.	1.73			
APRIL	1.56			
MAY	4.31			
JUNE	0.81			
JULY	1.93			
AUG.	3.65	1.19	24-30 th	
SEPT.	3.96			
OCT.	1.98			
NOV.	3.96			
DEC.	1.80			
Total	29.46			

Signature

W. P. Jones

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

W. P. Jones
Person, Stolbrook Lane, Chislehurst

Hour of observation by the clock—in Winter 8.30 am in Summer 8.30 am

Nearest Railway Station Chislehurst Distance 6150 Direction from gauge W by S

Nearest Parish Church at do Distance 2200 Direction from gauge W by N

Nature of objects nearest to gauge	Heights of objects	Distances	Directions from gauge
<u>Trees</u>	<u>35-40 ft</u>	<u>100</u>	<u>N</u>
<u>Wall</u>	<u>6-0</u>	<u>12-0</u>	<u>S</u>
<u>Trees</u>	<u>35-40 ft</u>	<u>55</u>	<u>E</u>
<u>House</u>	<u>30 ft</u>	<u>42</u>	<u>W</u>

If gauge has been moved during the year state—

Date of move..... Distance..... Direction.....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

D

INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.
- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash— (not "00"). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

- When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as .01 and those which are mere "traces." An entry .005 is not to be made in the register.
- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | } .14 would show that the

reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in

- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.
- The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02, or 0.3.
- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.
- The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

CHISLEHURST - HAWKWOOD

393

County No. 20

River Dist. 5 miles

Station No.

Kept at Hawkwood Ohio

in the County of Kent

KENT

by Miss M. C. Edlman

THE MORNING MEASUREMENT

An observer who does not conform to the requirements of the following year in the space on the reverse

Records taken

1925-30

AY.

of the

Jan. 1, following.

1925.

Date	Jan.	Feb.	March	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	$\frac{55}{100}$	-	$\frac{15}{100}$	-	$\frac{1}{100}$	-	-	$\frac{15}{100}$	$\frac{4}{100}$	$\frac{2}{100}$	$\frac{28}{100}$	-	1
2	$\frac{17}{100}$	$\frac{2}{100}$	-	$\frac{23}{100}$	-	-	-	-	-	-	$\frac{36}{100}$	-	2
3	$\frac{10}{100}$	$\frac{1}{100}$	-	-	$\frac{10}{100}$	-	-	-	$\frac{3}{100}$	-	$\frac{21}{100}$	-	3
4	$\frac{1}{100}$	-	-	-	$\frac{10}{100}$	-	-	$\frac{27}{100}$	$\frac{1}{100}$	$\frac{1}{100}$	$\frac{9}{100}$	-	4
5	-	$\frac{14}{100}$	$\frac{2}{100}$	$\frac{32}{100}$	-	-	-	-	$\frac{11}{100}$	-	$\frac{6}{100}$	-	5
6	-	$\frac{16}{100}$	-	$\frac{11}{100}$	$\frac{13}{100}$	-	$\frac{32}{100}$	$\frac{8}{100}$	-	-	$\frac{27}{100}$	$\frac{2}{100}$	6
7	-	$\frac{11}{100}$	$\frac{3}{100}$	$\frac{2}{100}$	$\frac{5}{100}$	-	$\frac{7}{100}$	-	$\frac{3}{100}$	$\frac{1}{100}$	$\frac{10}{100}$	$\frac{5}{100}$	7
8	$\frac{4}{100}$	$\frac{2}{100}$	$\frac{2}{100}$	-	$\frac{14}{100}$	-	-	-	-	-	$\frac{3}{100}$	$\frac{10}{100}$	8
9	-	$\frac{2}{100}$	-	$\frac{5}{100}$	$\frac{2}{100}$	-	-	$\frac{11}{100}$	$\frac{38}{100}$	-	$\frac{9}{100}$	-	9
10	-	-	$\frac{5}{100}$	-	-	-	-	$\frac{12}{100}$	$\frac{29}{100}$	-	$\frac{42}{100}$	$\frac{1}{100}$	10
11	-	$\frac{9}{100}$	-	-	-	-	-	-	$\frac{4}{100}$	-	$\frac{11}{100}$	-	11
12	$\frac{1}{100}$	$\frac{71}{100}$	-	-	-	-	-	$\frac{1}{100}$	$\frac{3}{100}$	$\frac{14}{100}$	-	-	12
13	-	$\frac{42}{100}$	$\frac{12}{100}$	-	-	-	-	$\frac{4}{100}$	-	$\frac{1}{100}$	-	$\frac{1}{100}$	13
14	$\frac{9}{100}$	$\frac{8}{100}$	$\frac{5}{100}$	$\frac{16}{100}$	-	-	-	-	-	-	-	-	14
15	$\frac{19}{100}$	$\frac{1}{100}$	-	$\frac{9}{100}$	-	-	-	-	-	$\frac{27}{100}$	-	-	15
16	$\frac{1}{100}$	$\frac{2}{100}$	-	-	-	-	-	-	$\frac{11}{100}$	$\frac{6}{100}$	-	-	16
17	-	-	-	-	-	-	-	-	$\frac{1}{100}$	-	-	-	17
18	-	$\frac{7}{100}$	-	-	$\frac{18}{100}$	-	$\frac{11}{100}$	$\frac{1}{100}$	-	$\frac{3}{100}$	-	-	18
19	$\frac{1}{100}$	$\frac{1}{100}$	-	$\frac{1}{100}$	$\frac{2}{100}$	-	-	-	$\frac{15}{100}$	$\frac{81}{100}$	-	$\frac{13}{100}$	19
20	-	-	$\frac{11}{100}$	-	-	-	$\frac{18}{100}$	$\frac{5}{100}$	$\frac{65}{100}$	$\frac{24}{100}$	-	$\frac{22}{100}$	20
21	-	-	-	-	-	-	$\frac{15}{100}$	$\frac{7}{100}$	$\frac{3}{100}$	$\frac{31}{100}$	-	$\frac{36}{100}$	21
22	-	-	$\frac{7}{100}$	$\frac{11}{100}$	-	-	$\frac{163}{100}$	$\frac{22}{100}$	$\frac{64}{100}$	$\frac{77}{100}$	-	$\frac{62}{100}$	22
23	$\frac{1}{100}$	$\frac{10}{100}$	$\frac{4}{100}$	$\frac{7}{100}$	$\frac{24}{100}$	-	$\frac{6}{100}$	$\frac{50}{100}$	$\frac{1}{100}$	$\frac{1}{100}$	-	$\frac{4}{100}$	23
24	-	$\frac{32}{100}$	-	$\frac{4}{100}$	$\frac{12}{100}$	$\frac{16}{100}$	-	$\frac{14}{100}$	-	$\frac{4}{100}$	$\frac{10}{100}$	$\frac{4}{100}$	24
25	$\frac{5}{100}$	$\frac{78}{100}$	-	-	-	-	-	$\frac{2}{100}$	$\frac{27}{100}$	$\frac{3}{100}$	-	$\frac{5}{100}$	25
26	$\frac{2}{100}$	$\frac{40}{100}$	-	$\frac{8}{100}$	-	$\frac{2}{100}$	$\frac{41}{100}$	$\frac{21}{100}$	$\frac{6}{100}$	$\frac{21}{100}$	-	$\frac{8}{100}$	26
27	$\frac{25}{100}$	$\frac{5}{100}$	-	-	$\frac{22}{100}$	-	$\frac{34}{100}$	$\frac{4}{100}$	-	$\frac{1}{100}$	-	$\frac{4}{100}$	27
28	$\frac{9}{100}$	-	-	$\frac{40}{100}$	-	-	-	-	$\frac{3}{100}$	-	-	$\frac{17}{100}$	28
29	$\frac{8}{100}$	-	-	-	$\frac{8}{100}$	-	-	-	-	-	$\frac{15}{100}$	$\frac{25}{100}$	29
30	-	X	-	$\frac{36}{100}$	-	-	$\frac{27}{100}$	-	-	-	$\frac{5}{100}$	$\frac{70}{100}$	30
31	$\frac{12}{100}$	X	$\frac{2}{100}$	X	$\frac{3}{100}$	X	$\frac{6}{100}$	-	X	X	X	$\frac{3}{100}$	31
TOTAL	1 $\frac{20}{100}$	3 $\frac{54}{100}$	$\frac{68}{100}$	2 $\frac{5}{100}$	1 $\frac{44}{100}$	$\frac{18}{100}$	3 $\frac{60}{100}$	2 $\frac{4}{100}$	2 $\frac{92}{100}$	2 $\frac{98}{100}$	2 $\frac{32}{100}$	2 $\frac{92}{100}$	YEAR'S TOTAL 26 $\frac{47}{100}$
Days with 01 in. or more.	17	20	11	14	14	2	11	16	19	17	14	18	173
Days with 04 in. or more	11	13	7	12	10	1	11	13	10	9	13	14	125

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1925.

County No. 20
River Dist. 5 miles
Station No.Kept at Hawkwood Chislehurstin the County of Kentby Miss M. C. EdlmannLat. 51° 27' Long. 0° 5'Time of Observation Nine o'clock AMNearest Railway Station ChislehurstDiameter of Funnel of Rain Gauge 5 in.Height of top of Gauge above Ground 5 ft. 0 in." " " " Sea Level 300 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

1925.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	$\frac{55}{100}$	-	$\frac{15}{100}$	-	$\frac{1}{100}$	-	-	$\frac{15}{100}$	$\frac{4}{100}$	$\frac{2}{100}$	$\frac{28}{100}$	-	1
2	$\frac{17}{100}$	$\frac{2}{100}$	-	$\frac{23}{100}$	-	-	-	-	-	-	$\frac{36}{100}$	-	2
3	$\frac{10}{100}$	$\frac{1}{100}$	-	-	$\frac{10}{100}$	-	-	-	$\frac{3}{100}$	-	$\frac{21}{100}$	-	3
4	$\frac{1}{100}$	-	-	-	$\frac{10}{100}$	-	-	$\frac{27}{100}$	$\frac{1}{100}$	$\frac{1}{100}$	$\frac{9}{100}$	-	4
5	-	$\frac{14}{100}$	$\frac{2}{100}$	$\frac{32}{100}$	-	-	-	-	$\frac{11}{100}$	-	$\frac{6}{100}$	-	5
6	-	$\frac{16}{100}$	-	$\frac{11}{100}$	$\frac{13}{100}$	-	$\frac{32}{100}$	$\frac{8}{100}$	-	-	$\frac{27}{100}$	$\frac{2}{100}$	6
7	-	$\frac{11}{100}$	$\frac{3}{100}$	$\frac{2}{100}$	$\frac{5}{100}$	-	$\frac{7}{100}$	-	$\frac{3}{100}$	$\frac{1}{100}$	$\frac{10}{100}$	$\frac{5}{100}$	7
8	$\frac{4}{100}$	$\frac{2}{100}$	$\frac{2}{100}$	-	$\frac{14}{100}$	-	-	-	-	-	$\frac{3}{100}$	$\frac{10}{100}$	8
9	-	$\frac{2}{100}$	-	$\frac{5}{100}$	$\frac{2}{100}$	-	-	$\frac{11}{100}$	$\frac{38}{100}$	-	$\frac{9}{100}$	-	9
10	-	-	$\frac{5}{100}$	-	-	-	-	$\frac{12}{100}$	$\frac{29}{100}$	-	$\frac{42}{100}$	$\frac{1}{100}$	10
11	-	$\frac{9}{100}$	-	-	-	-	-	-	$\frac{4}{100}$	-	$\frac{11}{100}$	-	11
12	$\frac{1}{100}$	$\frac{71}{100}$	-	-	-	-	-	$\frac{1}{100}$	$\frac{3}{100}$	$\frac{14}{100}$	-	-	12
13	-	$\frac{42}{100}$	$\frac{12}{100}$	-	-	-	-	$\frac{4}{100}$	-	$\frac{1}{100}$	-	$\frac{1}{100}$	13
14	$\frac{9}{100}$	$\frac{8}{100}$	$\frac{5}{100}$	$\frac{16}{100}$	-	-	-	-	-	-	-	-	14
15	$\frac{19}{100}$	$\frac{1}{100}$	-	$\frac{9}{100}$	-	-	-	-	-	$\frac{27}{100}$	-	-	15
16	$\frac{1}{100}$	$\frac{2}{100}$	-	-	-	-	-	-	$\frac{11}{100}$	$\frac{6}{100}$	-	-	16
17	-	-	-	-	-	-	-	-	$\frac{1}{100}$	-	-	-	17
18	-	$\frac{7}{100}$	-	-	$\frac{18}{100}$	-	$\frac{11}{100}$	$\frac{1}{100}$	-	$\frac{3}{100}$	-	-	18
19	$\frac{1}{100}$	$\frac{1}{100}$	-	$\frac{1}{100}$	$\frac{2}{100}$	-	-	-	$\frac{15}{100}$	$\frac{81}{100}$	-	$\frac{13}{100}$	19
20	-	-	$\frac{11}{100}$	-	-	-	$\frac{18}{100}$	$\frac{5}{100}$	$\frac{65}{100}$	$\frac{24}{100}$	-	$\frac{22}{100}$	20
21	-	-	-	-	-	-	$\frac{15}{100}$	$\frac{7}{100}$	$\frac{3}{100}$	$\frac{31}{100}$	-	$\frac{36}{100}$	21
22	-	-	$\frac{7}{100}$	$\frac{11}{100}$	-	-	$\frac{163}{100}$	$\frac{22}{100}$	$\frac{64}{100}$	$\frac{77}{100}$	-	$\frac{62}{100}$	22
23	$\frac{1}{100}$	$\frac{10}{100}$	$\frac{4}{100}$	$\frac{7}{100}$	$\frac{24}{100}$	-	$\frac{6}{100}$	$\frac{50}{100}$	$\frac{1}{100}$	$\frac{1}{100}$	-	$\frac{4}{100}$	23
24	-	$\frac{32}{100}$	-	$\frac{4}{100}$	$\frac{12}{100}$	$\frac{16}{100}$	-	$\frac{14}{100}$	-	$\frac{4}{100}$	$\frac{10}{100}$	$\frac{4}{100}$	24
25	$\frac{5}{100}$	$\frac{78}{100}$	-	-	-	-	-	$\frac{2}{100}$	$\frac{27}{100}$	$\frac{3}{100}$	-	$\frac{5}{100}$	25
26	$\frac{2}{100}$	$\frac{40}{100}$	-	$\frac{8}{100}$	-	$\frac{2}{100}$	$\frac{41}{100}$	$\frac{21}{100}$	$\frac{6}{100}$	$\frac{21}{100}$	-	$\frac{8}{100}$	26
27	$\frac{25}{100}$	$\frac{5}{100}$	-	-	$\frac{22}{100}$	-	$\frac{34}{100}$	$\frac{4}{100}$	-	$\frac{1}{100}$	-	$\frac{4}{100}$	27
28	$\frac{9}{100}$	-	-	$\frac{40}{100}$	-	-	-	-	$\frac{3}{100}$	-	-	$\frac{17}{100}$	28
29	$\frac{8}{100}$	-	-	-	$\frac{8}{100}$	-	-	-	-	-	$\frac{15}{100}$	$\frac{25}{100}$	29
30	-	X	-	$\frac{36}{100}$	-	-	$\frac{27}{100}$	-	-	-	$\frac{5}{100}$	$\frac{70}{100}$	30
31	$\frac{12}{100}$	X	$\frac{2}{100}$	X	$\frac{3}{100}$	X	$\frac{6}{100}$	-	X	X	X	$\frac{3}{100}$	31
TOTAL	$1 \frac{29}{100}$	$3 \frac{54}{100}$	$\frac{68}{100}$	$2 \frac{5}{100}$	$1 \frac{44}{100}$	$\frac{18}{100}$	$3 \frac{60}{100}$	$2 \frac{4}{100}$	$2 \frac{92}{100}$	$2 \frac{98}{100}$	$2 \frac{32}{100}$	$2 \frac{92}{100}$	YEAR'S TOTAL 26 $\frac{47}{100}$
Days with 0.1 in. or more.	17	20	11	14	14	2	11	16	19	17	14	18	173
Days with 0.4 in. or more.	11	13	7	12	10	1	11	13	10	9	13	14	125

672

26.47

✓

REGISTER OF RAINFALL IN 1926.

FOR OFFICIAL USE.

County No. 20

River Dist. 5 miles

Station No.

Kept at Hawtwood Chislehurstin the County of Kentby Miss M. C. EdlmannLat. 51° 27' N Long. 0° 5'Time of Observation 9 o'clock A.M.Nearest Railway Station ChislehurstDiameter of Funnel of Rain Gauge 5 in.Height of top of Gauge above Ground 5 ft." " " " Sea Level 300 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	$\frac{26}{100}$	$\frac{19}{100}$	—	—	—	$\frac{15}{100}$	—	—	$\frac{7}{100}$	—	—	—	1
2	$\frac{20}{100}$	$\frac{2}{100}$	—	—	—	$\frac{93}{100}$	$\frac{1}{100}$	—	$\frac{27}{100}$	—	$\frac{1}{100}$	—	2
3	—	$\frac{56}{100}$	$\frac{6}{100}$	—	—	$\frac{1}{100}$	—	$\frac{1}{100}$	$\frac{4}{100}$	—	—	—	3
4	—	$\frac{5}{100}$	$\frac{3}{100}$	$\frac{73}{100}$	—	—	$\frac{21}{100}$	—	—	—	$\frac{7}{100}$	—	4
5	$\frac{4}{100}$	$\frac{7}{100}$	$\frac{8}{100}$	—	$\frac{5}{100}$	—	$\frac{5}{100}$	—	$\frac{2}{100}$	—	$\frac{30}{100}$	$\frac{22}{100}$	5
6	$\frac{5}{100}$	$\frac{37}{100}$	—	$\frac{36}{100}$	$\frac{1}{100}$	—	$\frac{1}{100}$	$\frac{5}{100}$	$\frac{25}{100}$	—	$\frac{8}{100}$	—	6
7	$\frac{24}{100}$	$\frac{4}{100}$	—	$\frac{24}{100}$	$\frac{5}{100}$	$\frac{12}{100}$	$\frac{7}{100}$	$\frac{9}{100}$	$\frac{7}{100}$	—	$\frac{23}{100}$	$\frac{4}{100}$	7
8	—	$\frac{1}{100}$	—	$\frac{20}{100}$	—	—	—	$\frac{1}{100}$	$\frac{1}{100}$	$\frac{8}{100}$	$\frac{78}{100}$	—	8
9	—	$\frac{1}{100}$	$\frac{1}{100}$	—	—	$\frac{29}{100}$	$\frac{1}{100}$	$\frac{29}{100}$	—	$\frac{6}{100}$	$\frac{22}{100}$	$\frac{1}{100}$	9
10	$\frac{2}{100}$	—	—	—	$\frac{2}{100}$	$\frac{4}{100}$	—	$\frac{45}{100}$	—	—	$\frac{23}{100}$	—	10
11	$\frac{1}{100}$	$\frac{17}{100}$	—	—	$\frac{2}{100}$	$\frac{9}{100}$	—	$\frac{45}{100}$	—	$\frac{2}{100}$	$\frac{2}{100}$	—	11
12	—	—	—	—	$\frac{6}{100}$	$\frac{12}{100}$	—	—	$\frac{2}{100}$	$\frac{22}{100}$	$\frac{1}{100}$	$\frac{1}{100}$	12
13	$\frac{1}{100}$	—	—	—	—	$\frac{2}{100}$	—	$\frac{2}{100}$	—	$\frac{16}{100}$	$\frac{79}{100}$	—	13
14	$\frac{22}{100}$	$\frac{6}{100}$	—	$\frac{9}{100}$	$\frac{50}{100}$	$\frac{18}{100}$	—	—	—	$\frac{60}{100}$	$\frac{2}{100}$	$\frac{12}{100}$	14
15	$\frac{7}{100}$	$\frac{3}{100}$	—	$\frac{19}{100}$	$\frac{2}{100}$	—	—	—	—	$\frac{36}{100}$	$\frac{5}{100}$	—	15
16	—	$\frac{11}{100}$	—	$\frac{31}{100}$	$\frac{2}{100}$	$\frac{1}{100}$	—	$\frac{17}{100}$	—	—	$\frac{1}{100}$	—	16
17	—	$\frac{58}{100}$	—	$\frac{3}{100}$	$\frac{5}{100}$	$\frac{74}{100}$	—	—	—	$\frac{1}{100}$	$\frac{6}{100}$	$\frac{21}{100}$	17
18	$\frac{10}{100}$	$\frac{2}{100}$	—	$\frac{37}{100}$	$\frac{4}{100}$	$\frac{4}{100}$	$\frac{28}{100}$	$\frac{2}{100}$	—	$\frac{1}{100}$	$\frac{47}{100}$	$\frac{1}{100}$	18
19	—	—	—	$\frac{1}{100}$	$\frac{24}{100}$	$\frac{1}{100}$	$\frac{26}{100}$	—	—	—	—	—	19
20	—	$\frac{1}{100}$	—	$\frac{23}{100}$	$\frac{7}{100}$	—	$\frac{2}{100}$	$\frac{6}{100}$	—	$\frac{9}{100}$	$\frac{53}{100}$	—	20
21	—	—	—	$\frac{22}{100}$	$\frac{2}{100}$	—	$\frac{5}{100}$	—	—	$\frac{1}{100}$	$\frac{38}{100}$	—	21
22	$\frac{21}{100}$	$\frac{5}{100}$	—	$\frac{12}{100}$	—	—	—	—	—	$\frac{6}{100}$	$\frac{5}{100}$	$\frac{3}{100}$	22
23	$\frac{5}{100}$	$\frac{3}{100}$	—	—	—	$\frac{4}{100}$	—	—	—	—	$\frac{1}{100}$	—	23
24	$\frac{1}{100}$	—	—	—	$\frac{3}{100}$	$\frac{8}{100}$	$\frac{2}{100}$	—	$\frac{7}{100}$	$\frac{52}{100}$	—	—	24
25	$\frac{9}{100}$	—	$\frac{1}{100}$	$\frac{114}{100}$	—	—	$\frac{2}{100}$	—	$\frac{2}{100}$	$\frac{19}{100}$	$\frac{3}{100}$	$\frac{9}{100}$	25
26	$\frac{1}{100}$	—	—	$\frac{3}{100}$	$\frac{3}{100}$	—	$\frac{28}{100}$	—	$\frac{7}{100}$	$\frac{1}{100}$	$\frac{17}{100}$	—	26
27	$\frac{5}{100}$	—	—	$\frac{13}{100}$	—	$\frac{8}{100}$	$\frac{7}{100}$	—	$\frac{22}{100}$	$\frac{1}{100}$	$\frac{1}{100}$	$\frac{1}{100}$	27
28	$\frac{34}{100}$	—	—	$\frac{29}{100}$	$\frac{3}{100}$	—	$\frac{36}{100}$	—	$\frac{2}{100}$	$\frac{28}{100}$	$\frac{16}{100}$	$\frac{1}{100}$	28
29	$\frac{4}{100}$	—	—	$\frac{16}{100}$	$\frac{15}{100}$	—	—	—	—	$\frac{7}{100}$	$\frac{33}{100}$	—	29
30	$\frac{2}{100}$	—	—	$\frac{9}{100}$	$\frac{7}{100}$	—	$\frac{6}{100}$	$\frac{1}{100}$	—	$\frac{2}{100}$	$\frac{22}{100}$	—	30
31	$\frac{13}{100}$	—	—	—	$\frac{1}{100}$	—	—	$\frac{115}{100}$	—	—	—	—	31
TOTAL	$2 \frac{17}{100}$	$2 \frac{44}{100}$	$\frac{19}{100}$	$4 \frac{84}{100}$	$1 \frac{49}{100}$	$3 \frac{02}{100}$	$1 \frac{74}{100}$	$2 \frac{78}{100}$	$1 \frac{15}{100}$	$2 \frac{78}{100}$	$5 \frac{25}{100}$	$\frac{76}{100}$	28.69
Days with 01 in. or more.	21.	18.	5	19	20.	17.	16.	13.	13.	19.	26.	11.	28
Days with 04 in. or more.	18.5	12.	2	16.	10	13	8	8.	8.	12.	18.	5.	128

28.69
 YEAR'S TOTAL
 28.69
 198
 128

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1927.

Kept at Hawthorn Chichester
in the County of Kent
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 5 ft. 5 in.
" Ground " Sea Level 3.00 ft.

181

*See for details
not copy by Ops. see over.
Ops notified 29/2/28. (D1)*

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

1926

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	$\frac{21}{100}$	$\frac{1}{100}$	$\frac{1}{100}$	—	—	$\frac{48}{100}$	$\frac{24}{100}$	—	$\frac{4}{100}$	$\frac{30}{100}$	—	1
2	—	—	$\frac{5}{100}$	$\frac{8}{100}$	—	—	—	—	—	$\frac{6}{100}$	$\frac{4}{100}$	$\frac{1}{100}$	2
3	$\frac{3}{100}$	$\frac{1}{100}$	—	—	—	—	$\frac{1}{100}$	—	—	—	—	$\frac{2}{100}$	3
4	$\frac{1}{100}$	—	$\frac{1}{100}$	$\frac{1}{100}$	$\frac{1}{100}$	—	$\frac{3}{100}$	—	—	—	—	—	4
5	$\frac{4}{100}$	$\frac{11}{100}$	$\frac{16}{100}$	$\frac{41}{100}$	$\frac{19}{100}$	$\frac{3}{100}$	$\frac{1}{100}$	$\frac{9}{100}$	—	—	$\frac{9}{100}$	$\frac{1}{100}$	5
6	—	—	$\frac{15}{100}$	$\frac{18}{100}$	$\frac{10}{100}$	$\frac{14}{100}$	$\frac{76}{100}$	$\frac{2}{100}$	$\frac{4}{100}$	—	$\frac{1}{100}$	—	6
7	$\frac{4}{100}$	$\frac{32}{100}$	$\frac{5}{100}$	$\frac{50}{100}$	—	$\frac{9}{100}$	$\frac{8}{100}$	$\frac{27}{100}$	—	—	$\frac{2}{100}$	—	7
8	$\frac{2}{100}$	—	$\frac{1}{100}$	$\frac{17}{100}$	—	—	$\frac{4}{100}$	$\frac{29}{100}$	—	—	$\frac{2}{100}$	—	8
9	$\frac{1}{100}$	—	$\frac{1}{100}$	$\frac{12}{100}$	—	—	—	$\frac{6}{100}$	$\frac{19}{100}$	—	—	$\frac{1}{100}$	9
10	—	—	—	—	—	—	—	$\frac{1}{100}$	$\frac{46}{100}$	—	—	—	10
11	—	—	—	$\frac{1}{100}$	—	—	$\frac{19}{100}$	—	—	—	—	—	11
12	$\frac{2}{100}$	—	$\frac{3}{100}$	—	—	—	$\frac{3}{100}$	$\frac{9}{100}$	—	$\frac{4}{100}$	—	—	12
13	$\frac{6}{100}$	—	—	$\frac{1}{100}$	—	—	$\frac{8}{100}$	$\frac{15}{100}$	$\frac{10}{100}$	—	$\frac{2}{100}$	—	13
14	$\frac{29}{100}$	$\frac{2}{100}$	—	$\frac{7}{100}$	$\frac{1}{100}$	—	$\frac{49}{100}$	$\frac{20}{100}$	$\frac{136}{100}$	—	$\frac{2}{100}$	$\frac{43}{100}$	14
15	—	$\frac{1}{100}$	—	—	—	—	$\frac{3}{100}$	$\frac{67}{100}$	$\frac{3}{100}$	—	—	—	15
16	—	—	—	—	$\frac{22}{100}$	$\frac{19}{100}$	—	$\frac{7}{100}$	$\frac{22}{100}$	$\frac{2}{100}$	—	—	16
17	$\frac{57}{100}$	—	—	—	—	—	—	$\frac{49}{100}$	$\frac{12}{100}$	—	—	—	17
18	$\frac{4}{100}$	—	—	—	—	$\frac{36}{100}$	—	$\frac{20}{100}$	$\frac{3}{100}$	—	$\frac{3}{100}$	—	18
19	$\frac{1}{100}$	$\frac{14}{100}$	—	—	—	$\frac{3}{100}$	—	$\frac{7}{100}$	—	$\frac{1}{100}$	$\frac{8}{100}$	—	19
20	$\frac{6}{100}$	$\frac{15}{100}$	—	—	—	—	$\frac{6}{100}$	$\frac{38}{100}$	—	—	$\frac{56}{100}$	$\frac{6}{100}$	20
21	$\frac{6}{100}$	$\frac{11}{100}$	—	—	$\frac{5}{100}$	$\frac{2}{100}$	$\frac{1}{100}$	$\frac{17}{100}$	$\frac{6}{100}$	$\frac{19}{100}$	$\frac{6}{100}$	$\frac{67}{100}$	21
22	$\frac{9}{100}$	$\frac{3}{100}$	$\frac{11}{100}$	—	$\frac{6}{100}$	$\frac{86}{100}$	$\frac{4}{100}$	$\frac{3}{100}$	$\frac{19}{100}$	$\frac{37}{100}$	$\frac{1}{100}$	$\frac{47}{100}$	22
23	$\frac{1}{100}$	$\frac{33}{100}$	$\frac{21}{100}$	—	—	$\frac{15}{100}$	$\frac{2}{100}$	$\frac{1}{100}$	$\frac{49}{100}$	$\frac{2}{100}$	$\frac{7}{100}$	$\frac{22}{100}$	23
24	—	$\frac{9}{100}$	$\frac{13}{100}$	—	—	$\frac{19}{100}$	—	$\frac{11}{100}$	—	$\frac{1}{100}$	$\frac{1}{100}$	$\frac{29}{100}$	24
25	—	$\frac{83}{100}$	$\frac{51}{100}$	—	—	$\frac{22}{100}$	—	$\frac{10}{100}$	$\frac{21}{100}$	—	~~$\frac{20}{100}$~~	$\frac{132}{100}$	25
26	$\frac{16}{100}$	$\frac{50}{100}$	$\frac{5}{100}$	—	$\frac{17}{100}$	$\frac{8}{100}$	$\frac{3}{100}$	—	$\frac{4}{100}$	$\frac{1}{100}$	—	$\frac{53}{100}$	26
27	$\frac{14}{100}$	$\frac{39}{100}$	—	—	$\frac{25}{100}$	$\frac{31}{100}$	$\frac{56}{100}$	—	—	$\frac{28}{100}$	—	$\frac{5}{100}$	27
28	$\frac{20}{100}$	$\frac{22}{100}$	—	$\frac{2}{100}$	—	$\frac{34}{100}$	—	—	—	$\frac{2}{100}$	$\frac{20}{100}$	—	28
29	—	—	$\frac{10}{100}$	—	—	$\frac{22}{100}$	—	$\frac{1}{100}$	$\frac{48}{100}$	—	$\frac{88}{100}$	—	29
30	$\frac{14}{100}$	X	$\frac{3}{100}$	—	—	$\frac{89}{100}$	$\frac{1}{100}$	—	$\frac{3}{100}$	$\frac{8}{100}$	$\frac{1}{100}$	—	30
31	$\frac{3}{100}$	X	$\frac{36}{100}$	X	—	X	$\frac{3}{100}$	—	X	$\frac{14}{100}$	X	$\frac{27}{100}$	31
TOTAL	$\frac{194}{100}$	$\frac{394}{100}$	$\frac{198}{100}$	$\frac{59}{100}$	$\frac{106}{100}$	$\frac{901}{100}$	$\frac{299}{100}$	$\frac{723}{100}$	$\frac{455}{100}$	$\frac{129}{100}$	$\frac{243}{100}$	$\frac{426}{100}$	YEARS TOTAL
Days with 01 in. or more.	21	16	17	12	9	16	20	22	16	14	19	14	196
Days with 04 in. or more.	13	13	11	7	7	13	10	17	13	8	10	10	131

Please read the Notes and Instructions Overleaf.

(144ws)

(Signed) Mary C. Edman

[P.T.O.]

B**C**

**** The following register of monthly totals, &c., is required if daily or weekly values cannot be given on the other side.**

RAINFALL IN 192.....

NOTE.—Records taken in millimetres should be entered on Form 1091.

At.....

In the County of.....

Rain Gauge. (Diameter of Funnel.....in.

Height of Top.....

Height of Ground.....

Month.	Total Depth	Inch
JAN.	1	30
FEB.	2	4
MAR.	5	9
APR.	6	1
MAY	7	2
JUNE	8	2
JULY	13	2
AUG.	14	2
SEPT.	18	3
OCT.	19	8
NOV.	20	5.6
DEC.	21	6
Total	22	1

JAN.

FEB.

MAR.

APR.

MAY

JUNE

JULY

AUG.

SEPT.

OCT.

NOV.

DEC.

Total

Signature.....

Inches.
2. 43
100.

With apologies.

*** Every observer is requested to fill in this section (especially if a change has been made in the position of the gauge or in its exposure), and also the space for notes as far as possible:—**

Name and Address to which any inquiry relating to this register should be sent:—

Latitude of Station..... Longitude.....

Hour of observation by the clock—in Winter.....in Summer.....

Nearest Railway Station..... Distance..... Direction.....

Nearest Parish Church..... Distance..... Direction.....

If the gauge has been moved during the year state—

Date of move..... Distance..... Direction.....

Sketches of objects nearest to gauge

Sketches of objects

Sketches of objects

Sketches of objects

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)



If you know of any record of rainfall not quoted in *British Rainfall*, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

INSTRUCTIONS.

1. Advice as to the position of the gauge, particulars of the gauge, and the position of the Director, The Superintendent, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

- The rain gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash—(not .00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B). (A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

- The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as .01 and those which are mere "traces". An entry .005 is not to be made in the register.

- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 } .14 would show that the reading on 18 } the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.

- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

- The "total number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace."

- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

- The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; or 120, George Street, Edinburgh; or through any Bookseller. 1926. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by WATERLOW & SONS LIMITED, Birch Lane, London, E.C.3.

(140ws) (335403) Wt. 9586/14345/631 Gp. 127 13000 9-26 W & S Ltd.

Section **A**

for the entry of Daily Observations.

378
FOR OFFICIAL USE.

Form 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1928.

Kept at Hawthwood, Chislehurst
in the County of Kent
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 12 ft. 12 in.
" Ground " Sea Level 300 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

1927

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	4/100	-	11/100	24/100	-	-	-	2/100	-	-	9/100	1/100	1
2	45/100	43/100	2	-	2/100	-	42/100	2	-	-	2	4	2
3	2/1	-	-	11	44	-	~~42~~ 80	-	-	-	3	5	3
4	3/1	-	-	1	-	1/100	-	40	-	-	-	1	4
5	16/1	19	6	6	-	-	4	-	-	-	-	4	5
6	1	-	-	-	-	25	-	-	-	-	-	-	6
7	-	-	2	4	-	38	-	11	-	-	1	-	7
8	-	2	8	-	-	23	1	-	4/100	10/100	-	-	8
9	8	-	5	-	-	3	-	-	29	8	-	1	9
10	12	10	7	11	-	5	-	-	-	6	11	-	10
11	9	7	-	5	-	-	-	8	-	4	24	19	11
12	16	14	1	6	-	-	-	1	-	4	2	18	12
13	-	10	-	-	-	60	-	-	1	42	6	2	13
14	3	9	-	-	4	40	-	4	-	1	19	-	14
15	1	1	-	45	27	-	-	-	-	-	21	1	15
16	4	1	-	20	12	-	-	-	-	1	20	14	16
17	-	-	-	-	30	-	-	-	-	14	1	2	17
18	41	-	2	5	43	10	-	-	-	19	1	-	18
19	1	-	-	-	28	2	-	13	-	48	2	3	19
20	6	-	-	-	-	-	-	9	-	37	5	18	20
21	8	-	2	10	13	-	-	1	-	22	28	1	21
22	-	-	8	-	9	-	-	8	-	102	18	7	22
23	18	-	1	-	26	-	-	6	-	7	9	1	23
24	4	-	22	-	3	-	-	-	8	2	16	21	24
25	3	-	4	-	-	-	-	-	-	1	6	3	25
26	20	-	-	-	-	4	7	51	-	57	-	17	26
27	-	-	2	-	-	4	97	4	1	5	-	61	27
28	23	-	-	-	-	-	-	-	24	-	1	20	28
29	9	2	37	2	-	-	-	1	5	4	3	42	29
30	1	X	31	5	-	3	34	4	-	2	1	19	30
31	11	X	37	X	-	X	9	4	X	1	X	9	31
TOTAL	269/100	120	185/100	185/100	241/100	218/100	194/100	263/100	12/100	391/100	29/100	294/100	YEARS TOTAL
Days with "01 in. or more.	25	10	18	14	12	13	7	18	7	22	23	25	194
Days with "04 in. or more.	17	7	11	12	10	9	6	13	5	16	13	15	135

Kept at Huxwood, Clidhurst
in the County of Kent.

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 10 ft. in.
,, Ground ,, Sea Level 300 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.
1929.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	$\frac{1}{100}$	$\frac{4}{100}$	$\frac{1}{100}$	-	-	-	-	$\frac{36}{100}$	-	$\frac{18}{100}$	-	$\frac{4}{100}$	I
2	-	$\frac{17}{100}$	-	-	-	-	$\frac{2}{100}$	$\frac{1}{100}$	-	$\frac{22}{100}$	$\frac{2}{100}$	$\frac{25}{100}$	2
3	-	-	-	-	-	-	$\frac{98}{100}$	-	-	$\frac{4}{100}$	-	$\frac{20}{100}$	3
4	-	-	-	$\frac{23}{100}$	$\frac{7}{100}$	$\frac{35}{100}$	$\frac{40}{100}$	$\frac{1}{100}$	-	-	-	$\frac{68}{100}$	4
5	-	$\frac{1}{100}$	-	-	$\frac{70}{100}$	$\frac{13}{100}$	$\frac{4}{100}$	$\frac{13}{100}$	-	$\frac{18}{100}$	-	$\frac{47}{100}$	5
6	$\frac{1}{100}$	-	-	-	$\frac{17}{100}$	$\frac{1}{100}$	~~$\frac{100}{100}$~~	$\frac{15}{100}$	-	$\frac{8}{100}$	$\frac{5}{100}$	$\frac{62}{100}$	6
7	-	-	-	-	$\frac{1}{100}$	-	-	$\frac{29}{100}$	-	$\frac{29}{100}$	$\frac{43}{100}$	$\frac{50}{100}$	7
8	-	-	-	-	-	$\frac{6}{100}$	-	-	-	$\frac{19}{100}$	-	$\frac{31}{100}$	8
9	$\frac{6}{100}$	$\frac{4}{100}$	-	-	-	-	-	-	-	$\frac{2}{100}$	-	$\frac{40}{100}$	9
10	$\frac{16}{100}$	-	-	$\frac{3}{100}$	-	-	-	-	-	$\frac{6}{100}$	$\frac{9}{100}$	$\frac{22}{100}$	10
11	-	-	-	$\frac{15}{100}$	$\frac{3}{100}$	-	-	$\frac{2}{100}$	-	$\frac{1}{100}$	$\frac{78}{100}$	$\frac{5}{100}$	11
12	-	-	-	$\frac{17}{100}$	$\frac{15}{100}$	$\frac{15}{100}$	-	-	-	-	-	$\frac{10}{100}$	12
13	$\frac{5}{100}$	-	-	$\frac{3}{100}$	$\frac{5}{100}$	$\frac{2}{100}$	~~$\frac{100}{100}$~~	-	-	-	$\frac{1}{100}$	$\frac{1}{100}$	13
14	-	-	-	-	$\frac{4}{100}$	$\frac{12}{100}$	-	-	-	-	-	$\frac{15}{100}$	14
15	-	$\frac{4}{100}$	-	-	-	$\frac{4}{100}$	-	-	-	-	$\frac{41}{100}$	$\frac{14}{100}$	15
16	-	-	-	-	-	-	-	$\frac{79}{100}$	-	-	$\frac{86}{100}$	-	16
17	-	-	-	-	-	-	-	$\frac{1}{100}$	-	-	$\frac{2}{100}$	-	17
18	$\frac{1}{100}$	-	-	-	-	-	-	$\frac{15}{100}$	-	-	$\frac{18}{100}$	-	18
19	-	-	-	-	-	-	-	-	-	-	$\frac{4}{100}$	-	19
20	-	-	-	-	-	-	$\frac{6}{100}$	$\frac{3}{100}$	-	$\frac{34}{100}$	-	$\frac{1}{100}$	20
21	$\frac{8}{100}$	-	-	-	-	-	-	-	-	-	-	$\frac{40}{100}$	21
22	$\frac{3}{100}$	-	-	-	-	-	-	$\frac{2}{100}$	-	-	$\frac{26}{100}$	$\frac{2}{100}$	22
23	-	$\frac{2}{100}$	-	-	-	-	-	-	-	$\frac{10}{100}$	$\frac{28}{100}$	$\frac{19}{100}$	23
24	-	-	-	-	-	-	-	$\frac{2}{100}$	-	$\frac{110}{100}$	$\frac{46}{100}$	$\frac{48}{100}$	24
25	$\frac{1}{100}$	$\frac{2}{100}$	-	-	-	-	-	-	-	$\frac{6}{100}$	$\frac{13}{100}$	$\frac{1}{100}$	25
26	-	$\frac{4}{100}$	-	$\frac{3}{100}$	-	-	-	-	-	-	$\frac{13}{100}$	$\frac{7}{100}$	26
27	-	-	-	-	-	-	-	-	-	-	$\frac{50}{100}$	$\frac{5}{100}$	27
28	$\frac{6}{100}$	-	-	$\frac{1}{100}$	-	-	$\frac{13}{100}$	-	-	$\frac{6}{100}$	$\frac{27}{100}$	$\frac{28}{100}$	28
29	$\frac{6}{100}$	-	-	$\frac{49}{100}$	-	-	-	-	$\frac{3}{100}$	$\frac{2}{100}$	$\frac{22}{100}$	$\frac{10}{100}$	29
30	$\frac{1}{100}$	X	-	-	-	-	-	-	$\frac{7}{100}$	-	$\frac{34}{100}$	$\frac{7}{100}$	30
31	$\frac{28}{100}$	X	-	X	-	X	$\frac{10}{100}$	-	X	-	X	-	31
TOTAL	$\frac{83}{100}$	$\frac{38}{100}$	$\frac{1}{100}$	$\frac{114}{100}$	$\frac{122}{100}$	$\frac{88}{100}$	$\frac{173}{100}$	$\frac{199}{100}$	$\frac{10}{100}$	$2\frac{95}{100}$	$5\frac{48}{100}$	$5\frac{82}{100}$	INCHES. TOTAL 22 = $\frac{53}{100}$
Days with "or in. or more.	13	8	1	8	8	8	7	13	2	16	20	26	130
Days with "04 in. or more.	7	5	-	4	5	6	6	6	-	13	17	22	91

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at Hawthwood, Chislehurst
in the County of Kent.

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft — in.
,, Ground ,, Sea Level 308 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	$\frac{5}{100}$	$\frac{39}{100}$	—	$\frac{6}{100}$	—	—	—	$\frac{2}{100}$	—	—	$\frac{28}{100}$	—	1
2	$\frac{1}{100}$	$\frac{31}{100}$	—	—	$\frac{2}{100}$	—	$\frac{1}{100}$	$\frac{4}{100}$	—	—	$\frac{57}{100}$	—	2
3	$\frac{3}{100}$	$\frac{8}{100}$	—	$\frac{38}{100}$	$\frac{6}{100}$	—	—	$\frac{47}{100}$	—	$\frac{1}{100}$	$\frac{4}{100}$	—	3
4	$\frac{28}{100}$	—	—	$\frac{4}{100}$	—	—	—	$\frac{12}{100}$	$\frac{2}{100}$	$\frac{12}{100}$	—	—	4
5	$\frac{3}{100}$	—	—	—	$\frac{16}{100}$	—	—	$\frac{25}{100}$	—	$\frac{4}{100}$	—	—	5
6	—	—	$\frac{14}{100}$	—	$\frac{9}{100}$	—	—	$\frac{15}{100}$	$\frac{61}{100}$	$\frac{3}{100}$	—	—	6
7	$\frac{9}{100}$	$\frac{5}{100}$	$\frac{1}{100}$	—	$\frac{2}{100}$	—	—	$\frac{16}{100}$	$\frac{1}{100}$	$\frac{13}{100}$	$\frac{38}{100}$	$\frac{3}{100}$	7
8	$\frac{2}{100}$	—	—	$\frac{1}{100}$	—	—	—	—	$\frac{5}{100}$	$\frac{1}{100}$	$\frac{3}{100}$	$\frac{8}{100}$	8
9	$\frac{19}{100}$	—	$\frac{13}{100}$	—	$\frac{38}{100}$	—	—	—	$\frac{5}{100}$	—	—	—	9
10	$\frac{19}{100}$	$\frac{2}{100}$	$\frac{37}{100}$	—	$\frac{11}{100}$	—	—	$\frac{8}{100}$	$\frac{11}{100}$	$\frac{25}{100}$	—	$\frac{9}{100}$	10
11	$\frac{23}{100}$	—	—	$\frac{4}{100}$	—	—	—	—	$\frac{1}{100}$	—	—	$\frac{52}{100}$	11
12	$\frac{17}{100}$	—	$\frac{1}{100}$	$\frac{6}{100}$	$\frac{13}{100}$	—	—	$\frac{9}{100}$	$\frac{3}{100}$	—	—	$\frac{17}{100}$	12
13	$\frac{4}{100}$	—	$\frac{10}{100}$	$\frac{33}{100}$	$\frac{9}{100}$	—	$\frac{3}{100}$	$\frac{23}{100}$	$\frac{20}{100}$	—	—	$\frac{1}{100}$	13
14	$\frac{8}{100}$	$\frac{13}{100}$	$\frac{10}{100}$	$\frac{3}{100}$	—	—	$\frac{31}{100}$	—	$\frac{1}{100}$	—	—	$\frac{1}{100}$	14
15	$\frac{1}{100}$	$\frac{4}{100}$	—	$\frac{4}{100}$	—	—	$\frac{9}{100}$	—	—	—	$\frac{25}{100}$	—	15
16	—	—	$\frac{69}{100}$	—	—	—	$\frac{10}{100}$	—	$\frac{4}{100}$	—	—	—	16
17	—	—	$\frac{17}{100}$	$\frac{12}{100}$	—	$\frac{29}{100}$	$\frac{4}{100}$	—	$\frac{22}{100}$	—	—	$\frac{1}{100}$	17
18	—	—	—	$\frac{2}{100}$	$\frac{6}{100}$	$\frac{1}{100}$	$\frac{3}{100}$	—	—	—	$\frac{9}{100}$	$\frac{1}{100}$	18
19	—	—	$\frac{1}{100}$	$\frac{27}{100}$	$\frac{3}{100}$	—	—	$\frac{3}{100}$	$\frac{80}{100}$	$\frac{9}{100}$	$\frac{25}{100}$	—	19
20	—	—	—	$\frac{5}{100}$	$\frac{3}{100}$	—	$\frac{39}{100}$	$\frac{21}{100}$	$\frac{20}{100}$	$\frac{4}{100}$	$\frac{27}{100}$	$\frac{1}{100}$	20
21	—	—	$\frac{1}{100}$	—	—	—	$\frac{9}{100}$	$\frac{42}{100}$	$\frac{4}{100}$	$\frac{2}{100}$	$\frac{35}{100}$	—	21
22	—	—	—	—	$\frac{28}{100}$	—	$\frac{6}{100}$	$\frac{2}{100}$	$\frac{1}{100}$	$\frac{19}{100}$	$\frac{13}{100}$	—	22
23	$\frac{9}{100}$	—	—	$\frac{8}{100}$	—	$\frac{35}{100}$	$\frac{2}{100}$	$\frac{1}{100}$	$\frac{1}{100}$	$\frac{2}{100}$	$\frac{6}{100}$	$\frac{3}{100}$	23
24	$\frac{35}{100}$	$\frac{1}{100}$	—	—	$\frac{68}{100}$	$\frac{2}{100}$	$\frac{7}{100}$	—	—	$\frac{4}{100}$	$\frac{18}{100}$	$\frac{10}{100}$	24
25	$\frac{2}{100}$	—	—	—	$\frac{49}{100}$	$\frac{2}{100}$	—	—	$\frac{1}{100}$	$\frac{4}{100}$	$\frac{18}{100}$	$\frac{13}{100}$	25
26	$\frac{10}{100}$	—	—	—	$\frac{61}{100}$	—	—	—	$\frac{36}{100}$	—	$\frac{7}{100}$	—	26
27	—	—	—	—	—	$\frac{1}{100}$	—	—	$\frac{36}{100}$	$\frac{2}{100}$	$\frac{37}{100}$	$\frac{7}{100}$	27
28	$\frac{1}{100}$	—	—	—	—	—	$\frac{1}{100}$	—	$\frac{30}{100}$	$\frac{2}{100}$	$\frac{65}{100}$	$\frac{6}{100}$	28
29	$\frac{10}{100}$	—	$\frac{1}{100}$	—	—	—	$\frac{41}{100}$	$\frac{100}{100}$	$\frac{13}{100}$	—	$\frac{19}{100}$	$\frac{7}{100}$	29
30	—	×	—	—	$\frac{56}{100}$	—	$\frac{20}{100}$	—	$\frac{1}{100}$	—	$\frac{3}{100}$	$\frac{9}{100}$	30
31	$\frac{22}{100}$	×	$\frac{1}{100}$	×	$\frac{69}{100}$	×	—	—	×	$\frac{12}{100}$	×	$\frac{5}{100}$	31
TOTAL	$\frac{252}{100}$	$\frac{113}{100}$	$\frac{176}{100}$	$\frac{153}{100}$	$\frac{449}{100}$	$\frac{70}{100}$	$\frac{186}{100}$	$\frac{320}{100}$	$\frac{359}{100}$	$\frac{119}{100}$	$\frac{434}{100}$	$\frac{152}{100}$	YEAR'S TOTAL $\frac{2783}{100}$
* Days with or more in.	21	8	12	14	18	6	15	16	23	17	19	18	187
* Days with or more in.	14	6	7	11	14	2	10	10	14	10	15	11	124

21.....

ing.....

7 a.m.

on *Side Street S.E. CR.*

Rain Gauge *5* in.

above Ground *1 ft 9* in.

„ Sea Level *250* ft.

It entered to the previous day.

requested to add

it at the end of

ing of rain gauges,

infall Observers,

tion, 62, Camden

form.

Jan. 1, following.

Kept at *Scales*

in the County of.....

by

IMPORTANT NOTE

If an Observer prefers the reading at 9 a.m. on this paragraph. Full in- and particulars as to t sent post-free on appli Square, London, N.W. 1

SCALES HILL
COBHAM

KENT

1921-1923

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.10		.07						.09		.03	.08	1
2	.07				.14						.51		2
3	.02		.03		.02	.21		.28			.36		3
4	.10				.21						.32		4
5	.03							.08			.28		5
6	.11	.02	.35				.06						6
7	.24	.04			.12								7
8					.02								8
9				.14	.03								9
10	.27	.04							.09	.89			10
11	.11								.86	.13			11
12	.22		.12					.17	.34			.18	12
13	.28		.08	.41				.06					13
14			.11					.02				.30	14
15				.05									15
16	.06			.20				.07			.09		16
17	.04		.17	.50				.40					17
18	.11	.07				.02				.02			18
19			.10			.05				.07		.15	19
20			.06	.03						.15			20
21											.09		21
22										.03		.15	22
23				.17						.05		.03	23
24				.11		.03		.08				.02	24
25	.04	.71			.05							.06	25
26					.33							.17	26
27	.02				.03								27
28			.31		.13		.25					.05	28
29			.12		.12		.02					.04	29
30	.13	~~X~~			.03						.41	.07	30
31	.10	~~X~~		~~X~~		~~X~~			~~X~~		~~X~~		31
TOTAL	2.05	.88	1.52	1.61	1.23	.31	.33	1.16	1.38	1.34	2.09	1.30	15.20
Days with ".01 in. or more	18	5	11	8	12	4	3	8	4	7	8	12	100
Days with ".04 in. or more	15	4	10	7	8	2	2	7	4	5	7	10	81
													80

REGISTER OF RAINFALL IN 1921.

Kept at Isle of Wight, Cowes
in the County of Hants
by

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Isle of Wight S.E. & C.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 9 in.
" " " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.10		.07						.09		.03	.08	1
2	.07				.14						.51		2
3	.02		.03		.02	.21		.28			.36		3
4	.10				.21						.32		4
5	.03							.08			.28		5
6	.11	.02	.35				.06						6
7	.24	.04			.12								7
8					.02								8
9				.14	.03								9
10	.27	.04							.09	.89			10
11	.11								.86	.13			11
12	.22		.12					.17	.34			.18	12
13	.28		.08	.41				.06					13
14			.11					.02				.30	14
15				.05									15
16	.06			.20				.07			.09		16
17	.04		.17	.50				.40					17
18	.11	.07				.02				.02			18
19			.10			.05				.07		.15	19
20			.06	.03						.15			20
21											.09		21
22										.03		.15	22
23				.17						.05		.03	23
24				.11		.03		.08				.02	24
25	.04	.71			.05							.06	25
26					.33							.17	26
27	.02				.03								27
28			.31		.13		.25					.05	28
29			.12		.12		.02					.04	29
30	.13				.03						.41	.07	30
31	.10												31
TOTAL	2.05	.88	1.52	1.61	1.23	.31	.33	1.16	1.38	1.34	2.09	1.30	YEAR'S TOTAL
Days with 0.1 in. or more	18	5	11	8	12	4	3	8	4	7	8	12	15.20
Days with 0.4 in. or more	15	4	10	7	8	2	2	7	4	5	7	10	81.80

AIR MINISTRY.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1922.

Kept at Sealers Hill. Cobham
in the County of Kent
by A. W. Booth

Lat. _____ Long. _____
Time of Observation 9.2.22
Nearest Railway Station St. Peter. L.C.D.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 9 in.
" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.13	.23		.13		.02			.02	.59		1
2	.11	.18	.08				.05		.29				2
3		.13	.07	.10	.14		.05	.19				.02	3
4		.06	.10	.75	.14		.17	.15		.24			4
5			.18	.09			1.07			.06	.60		5
6	.06		.03				.05	.20		.07			6
7	.10		.68	.25			.02	.18			.08		7
8	.02		.06	.07		.05	.16	.05			.03		8
9	.10						.11	.37		.05			9
10									.33		.10		10
11	.02				.09			.04					11
12				.45				.11	.29				12
13				.31		.24	.09					.02	13
14						.28	.47	.16	.58				14
15	.37	.10		.05		.06	.02				.04		15
16		.01		.22	.08		.14	.02	.01			.17	16
17		.30			.02		.03		.05			.15	17
18	.72			.02	.01		.08			.10		.24	18
19	.76	.03	.06						.35	.69		.60	19
20			.03							.08			20
21	.16	.24		.03						.05		.96	21
22	.02	.07		.14			.02	.15		.09		.05	22
23		.02		.03			.37		.23				23
24	.02		.08	.06	.06	.08	.02	.20				.07	24
25	.23		.02	.43	.03	.08				.03			25
26	.18	.24	.05	.11			.16		.04		.03	.02	26
27	.23	.20	.10	.02				.29	.42			.23	27
28	.06	.26	.13			.30				.09		.11	28
29	.09					.12		.36		.20	.03	.17	29
30	.02	X	.12				.05	.27	.39	.02	.03	.41	30
31	.05	X		X		X	.05	.06	X	.06	X	.36	31
TOTAL	3.32	1.97	2.02	3.13	.70	1.21	3.20	2.80	2.98	1.85	1.53	3.58	YEAR'S TOTAL
Days with .01 in. or more	19	14	16	17	9	8	21	16	11	15	9	15	170
Days with .04 in. or more	14	11	21	13	6	8	15	15	10	12	5	12	132

REGISTER OF RAINFALL IN 1923.

Kept at Sealers Hill. Cobham
in the County of Kent
by A. W. Booth.

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station St Leonards-on-Sea
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 9 in.
" " " " Sea Level 250 ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.07		.20						.05	.07	.19	.10	1
2	.17									.06	.02	.09	2
3	.02				.07	.11				1.00		.02	3
4									.07	.04		.18	4
5	.31			.28		.06				.01	.04		5
6	.22	.04	.07	.05		.15							6
7	.06	1.09	.44		.13		.01			.27		.16	7
8	.05	.22	.03		.11					.21	.81		8
9	.07		.04		.05		.06				.02		9
10		.19		.25	.10		.03			.27	.05		10
11	.04			.52	.07					.38		.04	11
12	.02	.41	.50	.07	.19	.08				.28			12
13		.09	.19								.44		13
14		.07	.09				.11		.47	.05			14
15	.01		.02	.03	.16	.20		.06	.09		.24		15
16		.06			.07				.04		.19	.02	16
17	.02	.02						.06					17
18	.08	.36				.05	.02	.14	.01	.03			18
19		.09		.01		.03			.06	.84		.04	19
20	.02	.06	.20						.32	.11			20
21		.22		.08					.07	.16	.10	.15	21
22	.03	.40	.08				.02		.21	.13	.08		22
23		.05	.23		.44			.28	.10	.60			23
24		.03						1.43	.21	.02			24
25		.18	.05	.53		.36	.16	.02	.01	.39		.55	25
26		.33		.05				.08		.12			26
27		.06			.25		.02	.03		.10		.23	27
28	.09	.08		.05	.63		.20				.16		28
29				.09	.47		.15	.37				.18	29
30		X					.06			.15		.11	30
31		X		X	.02	X	.29		X	.08	X	.16	31
TOTAL	1.28	4.05	2.14	2.01	2.76	1.04	1.13	2.47	1.71	5.37	2.34	2.03	YEAR'S TOTAL 28.33
Days with '01 in. or more	16	20	13	12	14	8	12	9	13	23	12	14	166
Days with '04 in. or more	10	17	11	10	13	7	7	7	11	20	10	12	135

Kept at Sole
in the County of C
by John

SOLE ST HOUSE
COBHAM
KENT
1921-1926

ORGANIZATION.

.....
g.....
n 9 A.M.
9 A.M. Start
Rain Gauge 5 in.
above Ground 1 ft. 8 in.
Sea Level 311 ft.
It entered to the previous day.
Requested to add
it at the end of
g of rain gauges,
"Infall Observers,"
on, 62, Camden
Place, Edinburgh.
form.

Jan. 1, following.

(-)

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	10	11							4		-	33	1
2	10		5						5		4	10	2
3	7				17						51	1	3
4			3			21		14			26		4
5	10	2			22			2			33		5
6	2							7			32		6
7	10		35		3		5						7
8	26	1			10								8
9				11	2								9
10				6					3				10
11	25	2							4				11
12	11	2			3				81		1		12
13	24		11					14	29			17	13
14	29		8	35				13	1	65			14
15			11		1			4				30	15
16				10	1							2	16
17	3			9				10			10	1	17
18	4		18	53				18	4	x			18
19	11	5		1					1				19
20			10	2	1	3						12	20
21			4			4				15			21
22										-	8		22
23										12		15	23
24				20				5		3		3	24
25				10					2			3	25
26	3	73			8	1						4	26
27					38	2						24	27
28	3		1		2								28
29			30		10		26				3	9	29
30			13		11		1					4	30
31	12				3			4				7	31
TOTAL	2.60	8.5	1.49	1.57	1.32	.31	.32	.91	1.30	-	2.01	1.42	14.45
Days with 01 in. or more	17	7	12	10	15	5	3	69	910	(8)	109	1516	(121)
Days with 04 in. or more	13	23	10	8	7	2	2	98	56	(6)	87	1011	(88)

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
REGISTER OF RAINFALL IN 1921

Kept at 20c Street House
in the County of Cobham Kent
by John Seratton

Lat. _____ Long. _____ JAN
Time of Observation 9 P.M.
Nearest Railway Station Ash Street SEVER
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 8 in.
" " " " Sea Level 34 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.
(-)

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	10	11							4		-	33	1
2	10		5						5		4	10	2
3	7				17						51	1	3
4			3			21		14			26		4
5	10	2			22			2			33		5
6	2							7			32		6
7	10		35		3		5						7
8	25	1			10								8
9				11	2								9
10				6					3				10
11	25	2							4				11
12	11	2			3				81		1		12
13	24		11					14	29			7	13
14	29		8	35				13	1	65			14
15			11		1			4				30	15
16				10	1							2	16
17	3			9				10			10	1	17
18	4		18	53				18	4				18
19	11	5		1					1				19
20			10	2	1	3						12	20
21			4			4				15			21
22											8		22
23										12		15	23
24				20				5		3		3	24
25				10					2			3	25
26	3	73			8	1						4	26
27					38	2						24	27
28	3		1		2								28
29			30		10		26				3	9	29
30			13		11		1					4	30
31	12				3			4				7	31
TOTAL	2.00	85	1.44	1.57	1.32	.31	.32	.87	1.34	.95	2.01	1.42	14.45
Days with "01 in. or more	17	7	12	10	15	5	3	69	910	(8)	109	1515	(121)
Days with "04 in. or more	13	28	10	8	7	2	2	98	56	(6)	87	111	(83)

Form 1090..

AIR MINISTRY.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1922.

Kept at COBHAM
in the County of SURREY
by John Seranton

Lat. _____ Long. _____
Time of Observation 9 AM
Nearest Railway Station Stoke Newington
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 8 in.
" " " " Sea Level 31 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

40

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	4	25	.	.	~~44~~	2	5	3	34	7	46	1
2	.	19	25	.	19	.	2	1	-	5	58	5	2
3	5	22	6	10	19	.	4	.	33	.	.	.	3
4	.	16	8	68	12	.	5	20	.	1	(.02)	.	4
5	.	4	14	.	15	.	28	13	.	23	.	.	5
6	.	.	16	8	.	45	1.10	.	.	7	59	.	6
7	.	.	3	.	.	✓	12	18	2	9	9	.	7
8	16	.	68	25	.	.	1	27	.	.	.	.	8
9	.	.	7	5	.	.	18	2	.	.	5	.	9
10	7	.	.	.	.	.	5	25	.	.	.	2	10
11	7	.	.	.	.	.	.	.	33	5	10	.	11
12	2	.	.	.	8	.	.	4	.	.	.	.	12
13	.	.	.	51	.	.	.	10	(.29)	29	.	.	13
14	.	.	.	32	.	.	7	.	.	.	.	.	14
15	.	.	.	2	.	.	56	13	62	-	3	.	15
16	24	11	.	4	.	2	2	.	.	-	2	.	16
17	.	2	.	21	9	.	13	.	.	.	.	17	17
18	.	28	.	.	3	.	3	1	5	.	.	13	18
19	73	.	.	2	-	.	9	.	.	.	.	25	19
20	83	4	6	.	-	.	.	.	32	.	.	61	20
21	.	.	.	.	-	.	.	.	.	.	.	.	21
22	16	26	2	2	-	.	.	.	15	95	.	92	22
23	2	(.07)	.	15	-	2	.	14	15	.	.	5	23
24	.	2	.	2	-	.	33	25	2	.	.	.	24
25	1	.	7	6	.	10	2	15	26	.	.	.	25
26	24	.	2	48	.	2	.	2	45	.	.	8	26
27	16	27	9	10	.	10	15	.	33	.	3	3	27
28	23	20	10	4	(-)	.	.	30	.	.	2	22	28
29	5	.	11	.	.	30	.	.	.	11	2	11	29
30	10	X	.	2	.	14	.	28	.	17	.	16	30
31	2	X	11	X	.	X	5	24	X	3	X	50	31
TOTAL	3.09	2.5	2.30	3.17	3.66	2	5	3	34	7	4	40	YEAR'S TOTAL
Days with 0.1 in. or more	3.15	2.11	2.05	3.17	3.66	1.17	3.30	2.50	2.88	1.83	1.64	2.90	27.74
Days with 0.1 in. or more	12	14	14	16	16	4	20	14	14	7	12	13	

AIR MINISTRY.
METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
REGISTER OF RAINFALL IN 1923.

Kept at Sole Street House
in the County of Cobham Kent
by John Veratton

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Sole Street
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 8 in.
" " " " Sea Level 311 ft.

4 JAN 1924

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.
17

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	40	-	5	-	-	2	-	26	-	-	9	17	1
2	6	-	22	-	-	2	-	.	7	5	16	17	2
3	16	-	1	-	6	-	-	.	.	5	2	87	3
4	3	-	-	-	-	12	-	.	.	1.17	-	205	4
5	-	-	-	-	-	-	-	5	-	-	-	20	5
6	31	-	-	15	-	8	-	-	-	4	5	2	6
7	25	3	6	6	-	15	-	-	-	-	-	-	7
8	-	1.03	40	2	7	-	-	-	-	28	-	15	8
9	6	21	3	-	10	-	-	-	-	20	73	-	9
10	7	3	3	-	3	-	10	-	-	1	11	-	10
11	7	16	-	24	11	-	-	-	-	55	5	-	11
12	2	-	-	40	2	-	-	0.07	-	39	-	4	12
13	-	35	51	8	19	6	-	-	-	30	-	-	13
14	2	8	18	(03)	-	-	1.1	-	-	-	47	-	14
15	-	5	8	-	-	-	-	+	49	-	3	1	15
16	1	1	1	1	18	14	-	-	11	-	21	-	16
17	-	7	-	-	6	-	-	+	-	-	17	3	17
18	4	5	-	-	-	-	-	+	4	-	-	-	18
19	5	24	-	-	-	3	-	-	3	3	-	-	19
20	10	8	-	-	-	2	2	-	6	84	-	2	20
21	-	7	10	1	-	-	-	-	30	10	-	-	21
22	1	19	2	8	-	-	-	-	5	16	10	20 1/2	22
23	3	44	6	-	1	-	-	+	22	18	7	11 1/2	23
24	-	5	19	2	44	-	1	+	9	65	-	4 1/2	24
25	-	2	6	7	-	-	-	✓	21	2	-	4	25
26	-	(12)	4	49	4	33	14	3	-	40	-	57	26
27	-	30	-	4	-	-	-	9	-	8	-	23	27
28	-	9	4	-	22	-	1	2	-	8	-	7	28
29	-	-	-	5	70	-	14	-	-	-	17	-	29
30	10	X	5	4	50	-	9	36	-	-	-	17	30
31	-	X	-	X	-	X	-	-	X	13	X	10	31
TOTAL	1.72	3.74	2.44	1.70	2.22	9.67	2.26	2.82	1.72	5.45	2.55	2.17	YEAR'S TOTAL
Days with 01 in. or more	15	22	18	16	15	10	6	10	12	21	14	18	28.14
Days with 04 in. or more	11	17	14	11	12	6	5	(10)	12	18	13	19	(181)
	10	18	13	11	12	9	7	(87)	11	19	11	15	(140)

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1924.

County No.

River Dist.

Station No.

Kept at SOLE-STREET HOUSE
CORHAM,
in the County of BY GRAVESEND.
by JOHN SCRATTON

Lat. _____ Long. _____
Time of Observation 9 am.
Nearest Railway Station Rob Street
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 8 in.
" " " " Sea Level 311 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

0.56.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	17	2	5	2	59	44	-	-	5	20	11	11	1 R.V.V.
2	4	-	2	-	9	15	4	4	-	-	36	9	2 W.R.
3	5	-	25	-	1	35	-	-	-	-	-	18	3 C. 20
4	-	-	5	2	8	-	22	-	18	-	-	-	4
5	-	-	-	3	3	40	-	-	2	12	-	15	5
6	-	6	5	-	3	-	6	4	-	14	-	10	6
7	-	-	-	-	-	-	-	-	-	24	-	-	7
8	3	-	-	-	4	47	-	-	7	36	-	-	8
9	28	3	-	7	5	4	3	-	10	-	-	-	9
10	-	21	-	2	3	2	-	1.44	18	-	-	-	10
11	18	4	-	75	21	-	-	-	-	-	1	-	11
12	3	-	-	29	20	50	-	-	4	-	60	3	12
13	-	2	-	27	5	55	-	4	4	-	92	-	13
14	5	-	-	24	-	-	-	4	31	-	3	24	14
15	2	-	-	20	-	-	-	-	-	2	-	2	15
16	-	-	-	1	-	-	-	4	4	-	-	38	16
17	2	-	-	-	-	-	-	4	4	-	-	9	17
18	14	-	-	-	-	-	98	4	2	-	-	1	18
19	27	10	-	-	6	6	2	4	-	5	7	-	19
20	11	-	-	-	-	3	-	56	4	6	4	-	20
21	4	-	-	-	21	2	3	-	4	5	-	1	21
22	44	-	-	-	3	-	5	-	4	66	-	-	22
23	43	3	25	-	-	-	6	7	4	-	-	-	23
24	-	-	16	-	20	-	5	3	4	-	-	45	24
25	37	9	11	3	14	-	2	12	1.43	-	4	36	25
26	1	-	8	6	24	-	52	2	4	2	31	11	26
27	-	17	-	23	1	-	19	-	2	11	44	20	27
28	-	3	50	-	5	-	25	2	-	10	52	75	28
29	-	-	-	4	-	-	71	11	-	2	34	-	29
30	2	X	-	15	35	-	5	20	4	11	22	7	30
31	2	X	-	X	5	X	3	14	X	59	X	34	31 835
TOTAL	2.72	77	105	2.89	2.70	3.08	3.31	2.67	2.42	3.55	4.01	3.69	YEAR'S TOTAL
Days with "1 in. or more.	30	10	10	17	21	13	17	(20)	(20)	17	14	19	32.86
Days with "4 in. or more.	13	6	8	11	15	10	12	(15)	(17)	14	12	15	(148)

(148)

Section



for the entry of Daily Observations.

AIR MINISTRY.

FOR OFFICIAL USE.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Register of Rainfall in 1925.

Kept at Hole N House Cobham

in the County of Kent

Diameter of Funnel of Gauge 5.75 in.

Height of top of Gauge above Ground 1 ft. 8 in.

„ Ground „ Sea Level 311 ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1. following.

1

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	36	10	-	1	30	-	-	-	-	-	-	2	1
2	70	-	15	4	1	-	-	7	-	45	-	-	2
3	34	3	-	18	-	-	4	1	-	55	-	-	3
4	4	2	2	-	21	-	2	43	-	6	-	-	4
5	2	-	1	-	14	-	-	78	1	4	-	-	5
6	-	8	-	21	-	-	-	14	9	5	-	-	6
7	-	15	1	10	14	-	32	-	-	55	3	-	7
8	-	13	3	1	3	-	5	2	3	3	8	-	8
9	4	2	-	-	20	-	-	11	-	1	8	-	9
10	-	3	3	8	-	-	-	19	-	6	-	-	10
11	-	-	8	-	2	-	-	20	18	-	73	-	11
12	-	12	2	-	-	-	-	42	9	-	20	-	12
13	1	52	-	-	-	-	-	-	3	17	-	-	13
14	-	60	12	2	-	-	-	6	-	2	-	-	14
15	9	16	3	17	-	-	-	-	-	-	-	-	15
16	17	-	-	12	-	-	-	-	-	26	-	-	16
17	1	3	-	2	-	-	-	-	16	8	-	3	17
18	-	-	-	-	3	-	-	-	-	-	-	-	18
19	1	5	-	-	1	-	25	-	-	-	-	-	19
20	1	2	-	-	16	-	30	9	18	85	-	37	20
21	-	-	17	-	-	-	19	1	54	37	-	21	21
22	-	-	-	-	-	-	8	3	7	49	-	47	22
23	-	1	18	12	-	-	80	19	41	65	-	45	23
24	-	15	15	10	-	5	7	22	12	-	9	-	24
25	-	29	2	2	1.00	24	-	33	10	4	11	-	25
26	7	1.31	1	1	-	-	4	1	2	-	-	-	26
27	2	44	-	14	-	3	48	13	28	17	-	8	27
28	23	2	-	9	-	-	40	3	-	-	8	-	28
29	9	-	2	3	-	-	-	-	x	-	-	20	29
30	9	x	-	2	-	-	-	-	-	-	5	30	30
31	10	x	-	x	-	x	35	-	x	-	x	40	31
TOTAL	2.04	3.98	1.06	1.78	1.95	3.30	3.39	2.34	2.30	3.42	2.71	2.72	183
Days with .01 in. or more.	17	20	17	19	13	3	15	17	16	14	15	15	123
Days with .04 in. or more.	11	12	6	11	8	2	14	13	11	11	12	12	123

(Signed) John Serattay

[P.T.O.]

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1926.

Kept at

St. John's College

in the County of

Kent

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

„ Ground „ Sea Level.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following

0.00

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	<i>1</i>	<i>19</i>	<i>-</i>	<i>-</i>	<i>8</i>	<i>3</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>18</i>	1
2	<i>28</i>	<i>26</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>12</i>	<i>-</i>	<i>-</i>	<i>X</i>	<i>-</i>	<i>21</i>	<i>-</i>	2
3	<i>23</i>	<i>1</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>115</i>	<i>2</i>	<i>-</i>	<i>X</i>	<i>-</i>	<i>2</i>	<i>-</i>	3
4	<i>29</i>	<i>15</i>	<i>5</i>	<i>-</i>	<i>-</i>	<i>1</i>	<i>-</i>	<i>4</i>	<i>X</i>	<i>-</i>	<i>-</i>	<i>-</i>	4
5	<i>5</i>	<i>6</i>	<i>8</i>	<i>53</i>	<i>-</i>	<i>-</i>	<i>20</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	5
6	<i>4</i>	<i>7</i>	<i>4</i>	<i>-</i>	<i>10</i>	<i>1</i>	<i>2</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>48</i>	<i>22</i>	6
7	<i>1</i>	<i>35</i>	<i>-</i>	<i>27</i>	<i>-</i>	<i>7</i>	<i>1</i>	<i>7</i>	<i>-</i>	<i>-</i>	<i>2</i>	<i>-</i>	7
8	<i>17</i>	<i>4</i>	<i>-</i>	<i>11</i>	<i>4</i>	<i>9</i>	<i>-</i>	<i>2</i>	<i>X</i>	<i>-</i>	<i>9</i>	<i>3</i>	8
9	<i>1</i>	<i>2</i>	<i>-</i>	<i>13</i>	<i>3</i>	<i>-</i>	<i>-</i>	<i>3</i>	<i>-</i>	<i>6</i>	<i>20</i>	<i>-</i>	9
10	<i>-</i>	<i>1</i>	<i>2</i>	<i>-</i>	<i>-</i>	<i>18</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>15</i>	<i>60</i>	<i>-</i>	10
11	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>1</i>	<i>12</i>	<i>1</i>	<i>39</i>	<i>35</i>	<i>-</i>	<i>2</i>	<i>-</i>	11
12	<i>-</i>	<i>10</i>	<i>-</i>	<i>-</i>	<i>3</i>	<i>10</i>	<i>-</i>	<i>34</i>	<i>-</i>	<i>3</i>	<i>8</i>	<i>1</i>	12
13	<i>-</i>	<i>4</i>	<i>-</i>	<i>-</i>	<i>4</i>	<i>2</i>	<i>-</i>	<i>-</i>	<i>X</i>	<i>25</i>	<i>-</i>	<i>-</i>	13
14	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>3</i>	<i>-</i>	<i>-</i>	<i>3</i>	<i>-</i>	<i>11</i>	<i>103</i>	<i>2</i>	14
15	<i>23</i>	<i>3</i>	<i>-</i>	<i>15</i>	<i>19</i>	<i>34</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>58</i>	<i>-</i>	<i>10</i>	15
16	<i>-</i>	<i>3</i>	<i>-</i>	<i>26</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>40</i>	<i>8</i>	<i>-</i>	16
17	<i>-</i>	<i>18</i>	<i>-</i>	<i>33</i>	<i>2</i>	<i>-</i>	<i>-</i>	<i>10</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	17
18	<i>10</i>	<i>45</i>	<i>-</i>	<i>45</i>	<i>45</i>	<i>83</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>10</i>	<i>6</i>	18
19	<i>10</i>	<i>6</i>	<i>-</i>	<i>13</i>	<i>7</i>	<i>-</i>	<i>23</i>	<i>11</i>	<i>-</i>	<i>-</i>	<i>53</i>	<i>-</i>	19
20	<i>-</i>	<i>-</i>	<i>2</i>	<i>7</i>	<i>16</i>	<i>-</i>	<i>22</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	20
21	<i>-</i>	<i>-</i>	<i>1</i>	<i>40</i>	<i>2</i>	<i>-</i>	<i>4</i>	<i>11</i>	<i>-</i>	<i>15</i>	<i>77</i>	<i>-</i>	21
22	<i>-</i>	<i>-</i>	<i>-</i>	<i>10</i>	<i>5</i>	<i>-</i>	<i>15</i>	<i>2</i>	<i>-</i>	<i>2</i>	<i>31</i>	<i>-</i>	22
23	<i>16</i>	<i>5</i>	<i>-</i>	<i>9</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>4</i>	<i>5</i>	<i>5</i>	23
24	<i>7</i>	<i>3</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>11</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	24
25	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>16</i>	<i>2</i>	<i>-</i>	<i>6</i>	<i>60</i>	<i>-</i>	<i>-</i>	25
26	<i>4</i>	<i>-</i>	<i>-</i>	<i>90</i>	<i>-</i>	<i>-</i>	<i>1</i>	<i>6</i>	<i>2</i>	<i>9</i>	<i>10</i>	<i>14</i>	26
27	<i>-</i>	<i>2</i>	<i>-</i>	<i>6</i>	<i>-</i>	<i>-</i>	<i>5</i>	<i>-</i>	<i>14</i>	<i>-</i>	<i>14</i>	<i>-</i>	27
28	<i>3</i>	<i>1</i>	<i>2</i>	<i>17</i>	<i>1</i>	<i>-</i>	<i>8</i>	<i>-</i>	<i>11</i>	<i>5</i>	<i>-</i>	<i>-</i>	28
29	<i>49</i>	<i>-</i>	<i>-</i>	<i>13</i>	<i>4</i>	<i>10</i>	<i>42</i>	<i>-</i>	<i>2</i>	<i>25</i>	<i>-</i>	<i>3</i>	29
30	<i>7</i>	<i>X</i>	<i>-</i>	<i>59</i>	<i>11</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>6</i>	<i>28</i>	<i>-</i>	30
31	<i>4</i>	<i>X</i>	<i>-</i>	<i>X</i>	<i>12</i>	<i>X</i>	<i>2</i>	<i>-</i>	<i>X</i>	<i>-</i>	<i>X</i>	<i>-</i>	31
TOTAL	<i>253</i>	<i>276</i>	<i>24</i>	<i>276</i>	<i>119</i>	<i>344</i>	<i>196</i>	<i>159</i>	<i>70</i>	<i>784</i>	<i>541</i>	<i>84</i>	YEARS TOTAL <i>5</i>
Days with 0.1 in. or more.	<i>27</i>	<i>25</i>	<i>7</i>	<i>48</i>	<i>114</i>	<i>34</i>	<i>15</i>	<i>12</i>	<i>10</i>	<i>15</i>	<i>20</i>	<i>9</i>	<i>178</i>
Days with 0.4 in. or more.	<i>14</i>	<i>13</i>	<i>3</i>	<i>19</i>	<i>11</i>	<i>12</i>	<i>8</i>	<i>8</i>	<i>8</i>	<i>13</i>	<i>16</i>	<i>5</i>	<i>129</i>

Please read the Notes and Instructions Overleaf.

REGIST

Kept at Sole Street H
in the County of Kent

Diameter of Funnel of Gauge 5
Height of top of Gauge above Ground
" Ground " Sea Level

THE MORNING MEASUREMENT

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

FOR OFFICIAL USE

ORGANIZATION.

1927.

359

COBHAM
SOLE ST. HSE

KENT

1927

MONTHLY

WINDY DAY.

Jan. 1, following.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30		X											30
31		X		X		X			X		X		31
TOTAL	2.29	4.15	2.68	2.62	.74	2.49	3.42	3.98	4.60	1.34	2.12	3.72	34.15
Days with ".01 in. or more.													
Days with ".04 in. or more.													

FORM 1090.

ORGANIZATION.

359

REGISTER OF RAINFALL IN 1927.

Kept at Sole Street House Cobham

in the County of Kent

Diameter of Funnel of Gauge 5 in in.

Height of top of Gauge above Ground — ft. in.

„ Ground „ Sea Level — ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30		X											30
31		X		X		X			X		X		31
TOTAL	2.29	4.15	2.68	2.62	.74	2.49	3.42	3.98	4.60	1.34	2.12	3.72	YEAR'S TOTAL 34.15
Days with "01 in. or more.													
Days with "04 in. or more.													

Kept at Cranbrook
in the County of Kent

Diameter of Funnel of Gauge
Height of top of Gauge above
Ground

THE MORNING M

An observer who does not confo
year in the space on the right

CRANBROOK

KENT

1930

335A
FOR OFFICIAL USE.
FALL ORGANIZATION.
30.

DAY.
the following

Jan. 1, following

Date	Jan.	Feb.	March	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
1	.16	.30	—	.22	—	—	.42	—	—	.57	—	—
2	—	.19	—	—	.06	—	—	.38	—	.83	—	—
3	.08	.15	—	.48	.18	—	—	1.04	—	.05	.03	—
4	.38	.02	—	—	—	—	—	.24	.03	.21	—	—
5	.02	—	—	—	.23	—	—	.17	—	—	.01	—
6	—	.22	.03	—	.05	—	—	.12	.27	—	—	—
7	.07	.90	—	—	.01	—	—	.43	.16	.43	.41	.14
8	.17	—	—	—	—	—	—	—	.04	—	—	.26
9	.35	—	.02	—	.34	—	.01	—	.05	—	—	—
10	.55	—	.23	—	.22	—	—	.02	—	—	—	.20
11	.16	.08	—	—	.01	—	—	—	—	.20	—	.32
12	.36	—	—	.15	.04	—	—	.03	.01	—	—	.29
13	.04	—	.06	.18	.08	.16	.18	.25	.43	—	—	—
14	.08	.09	.05	.01	—	—	.42	—	—	—	—	—
15	.04	.08	.33	.03	—	.03	.43	—	—	.04	.18	—
16	—	—	—	—	—	—	—	—	.04	.16	—	—
17	—	.01	.20	.16	—	.10	—	—	.25	.03	—	—
18	—	—	.47	.06	.07	—	—	—	.11	.02	.20	.07
19	—	—	.07	.08	—	—	—	—	1.18	—	.36	.02
20	—	—	—	.10	.01	.01	1.07	.20	.40	.30	.34	—
21	—	—	—	—	—	—	—	.43	.01	.05	.57	—
22	—	—	—	.07	.31	—	.10	.16	.02	.21	.30	.03
23	.01	.01	.21	.21	—	.40	.06	.05	.04	.03	.06	—
24	.04	.02	—	.01	.17	.01	.09	—	—	.03	.61	.22
25	.45	.01	—	—	.21	.01	—	—	.31	—	.44	—
26	.24	.02	—	—	—	.30	.07	—	.30	—	.22	.29
27	.13	—	—	—	—	—	.06	—	.21	—	.40	.12
28	.02	—	—	—	—	—	—	—	.83	—	.20	.23
29	.22	—	—	—	—	—	.01	.09	.04	—	.27	.17
30	.08	—	—	—	.43	.04	.47	—	—	—	.02	.43
31	.56	—	.07	—	.21	—	—	—	—	.14	—	.05
Totals	2.21	2.00	1.74	1.76	2.63	1.06	3.39	3.56	4.73	1.80	6.01	2.85

*Days with
or in.
or more.
*Days with
or in.
or more.

22	14	11	13	17	9	13	14	20	14	18	16	181
19	8	9	10	14	5	11	12	16	10	16	13	143

40-9999

*See Instruction 2 (f) on other side.

(Signed) G. P. Stirling Esq. [P.T.O.]

Section

A

for the en

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE. BRITISH FALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at Grandbrook (Little Glassenbury)
in the County of Herts

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
,, Ground ,, Sea Level 360 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.16	.30	—	.22	—	—	.42	—	—	—	.57	—				I
2	—	.19	—	—	.06	—	—	.33	—	—	.83	—				2
3	.08	.15	—	.48	.18	—	—	1.04	—	.05	.03	—				3
4	.38	.02	—	—	—	—	—	.24	.03	.21	—	—				4
5	.02	—	—	—	.23	—	—	.17	—	—	—	.01				5
6	—	.22	.03	—	.05	—	—	.12	.27	—	—	—				6
7	.07	.90	—	—	.01	—	—	.43	.16	.43	.41	.14				7
8	.17	—	—	—	—	—	—	—	.04	—	—	.26				8
9	.35	—	.02	—	.34	—	.01	—	.05	—	—	—				9
10	.55	—	.23	—	.22	—	—	.02	—	—	—	.20				10
11	.16	.08	—	—	.01	—	—	—	—	.20	—	.32				11
12	.36	—	—	.15	.04	—	—	.03	.01	—	—	.29				12
13	.04	—	.06	.18	.08	.16	.18	.25	.43	—	—	—				13
14	.08	.09	.05	.01	—	—	.42	—	—	—	—	—				14
15	.04	.08	.33	.03	—	.03	.43	—	—	.04	.18	—				15
16	—	—	—	—	—	—	—	—	.04	.16	—	—				16
17	—	.01	.20	.16	—	.10	—	—	.25	.03	—	—				17
18	—	—	.47	.06	.07	—	—	—	.11	.02	.20	.07				18
19	—	—	.07	.08	—	—	—	—	1.18	—	.36	.02				19
20	—	—	—	.10	.01	.01	1.07	.20	.40	.30	.34	—				20
21	—	—	—	—	—	—	—	.43	.01	.05	.57	—				21
22	—	—	—	.07	.31	—	.10	.16	.02	.21	.30	.03				22
23	.01	.01	.21	.21	—	.40	.06	.05	.04	.03	.06	—				23
24	.04	.02	—	.01	.17	.01	.09	—	—	.03	.61	.22				24
25	.45	.01	—	—	.21	.01	—	—	.31	—	.44	—				25
26	.24	.02	—	—	—	.30	.07	—	.30	—	.22	.29				26
27	.13	—	—	—	—	—	.06	—	.21	—	.40	.12				27
28	.02	—	—	—	—	—	—	—	.83	—	.20	.23				28
29	.22	—	—	—	—	—	.01	.09	.04	—	.27	.17				29
30	.08	—	—	—	.43	.04	.47	—	—	—	.02	.43				30
31	.56	—	.07	—	.21	—	—	—	—	.14	—	.05		X		31
T Totals	4.21	2.00	1.74	1.76	2.63	1.06	3.39	3.56	4.73	1.80	6.01	2.85				YEAR'S TOTAL
*Days with or in. or more.	22	14	11	13	17	9	13	14	20	14	18	16				181
*Days with or in. or more.	19	8	9	10	14	5	11	12	16	10	16	13				143

40-9999

*See Instruction 2 (f) on other side.

(Signed) J. P. Stirling Esq. [P.T.O.]

CROSSNESS - SOUTHERN
OUTFALL

IZATION.

Kept at Southern
in the County of Low
by L.C.C.

KENT

IMPORTANT NOTE.—Ra

If an Observer prefers not to co
the reading at 9 a.m. on 1st Jan
this paragraph. Full instructions
and particulars as to the Britis
sent post-free on application to
Square, London, N.W. 1, or to Th

Reco

1921-30

age in.
round ft. in.
ea Level ft.
ed to the previous day.

to add
the end of
n gauges,
bservers,"
Camden
dinburgh.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.16	0.05	0.06									0.15	1
2	0.10				0.04					0.01	0.42		2
3			0.04		0.13	0.20		0.05			0.23		3
4	0.08				0.07						0.31		4
5	0.04							0.02			0.21		5
6	0.09	0.01	0.16		0.01		0.02	0.03					6
7	0.19				0.07								7
8				0.09	0.08	0.01							8
9								0.01					9
10	0.14							0.01	0.26				10
11	0.16	0.02			0.01			1.14					11
12	0.13				0.01			0.07	0.28		0.05		12
13	0.09		0.06	0.40				0.15	0.09	0.04			13
14	0.01		0.02		0.03						0.22		14
15				0.05									15
16	0.01			0.06				0.23			0.18	0.01	16
17	0.07		0.08	0.49			0.01	0.40	0.02				17
18	0.08												18
19			0.11			0.02				0.02		0.07	19
20			0.06							0.14			20
21										0.01	0.11		21
22				0.03						0.15		0.15	22
23				0.10				0.22				0.03	23
24				0.06									24
25	0.01	0.10			0.01	0.03						0.05	25
26	0.01		0.02		0.20							0.20	26
27	0.03		0.01										27
28			0.23		0.08		0.05					0.12	28
29		X	0.12		0.13							0.05	29
30	0.10	X									0.25	0.07	30
31	0.01	X		X	0.03	X		X		X			31
TOTAL	1.51	0.18	0.97	1.28	0.90	0.26	0.08	1.17	1.56	0.62	1.71	1.17	YEAR'S TOTAL 11.41
Days with "01 in. or more	19	4	12	8	14	4	3	8	7	6	7	12	104
Days with "04 in. or more	13	2	9	7	8	1	1	6	3	4	7	10	71

REGISTER OF RAINFALL IN 1921

Kept at Southern Orphee
in the County of London
by L.C.C.

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.16	0.05	0.06									0.15	1
2	0.10				0.04				0.01		0.42		2
3			0.04		0.13	0.20		0.05			0.23		3
4	0.08				0.07						0.31		4
5	0.04							0.02			0.21		5
6	0.09	0.01	0.16		0.01		0.02	0.03					6
7	0.19				0.07								7
8				0.09	0.08	0.01							8
9									0.01				9
10	0.14								0.01	0.26			10
11	0.16	0.02			0.01				1.14				11
12	0.13				0.01			0.07	0.28			0.05	12
13	0.09		0.06	0.40				0.15	0.09	0.04			13
14	0.01		0.02		0.03							0.22	14
15				0.05									15
16	0.01			0.06				0.23			0.18	0.01	16
17	0.07		0.08	0.49			0.01	0.40	0.02				17
18	0.08												18
19			0.11			0.02				0.02		0.07	19
20			0.06							0.14			20
21										0.01	0.11		21
22				0.03						0.15		0.15	22
23				0.10				0.22				0.03	23
24				0.06									24
25	0.01	0.10			0.01	0.03						0.05	25
26	0.01		0.02		0.20							0.20	26
27	0.03		0.01										27
28			0.23		0.08		0.05					0.12	28
29		X	0.12		0.13							0.05	29
30	0.10	X									0.25	0.07	30
31	0.01	X		X	0.03	X			X		X		31
TOTAL	1.51	0.18	0.97	1.28	0.90	0.26	0.08	1.17	1.56	0.62	1.71	1.17	YEAR'S TOTAL 11.41
Days with 0.1 in. or more	19	4	12	8	14	4	3	8	7	6	7	12	104
Days with 0.1 in. or more	13	2	9	7	8	1	1	6	3	4	7	10	71

AIR MINISTRY.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1921.

Kept at Southern Orford
in the County of Hert
by London County Council

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			0.08		0.02		0.01		0.01	0.15	0.31	0.09	1
2	0.12	0.39	0.07	0.16			0.12	0.01	0.04				2
3		0.13	0.06	0.45	0.13		0.01	0.13			0.15		3
4		0.03	0.10	0.01	0.18		0.08			0.27			4
5			0.11	0.17	0.01		0.65			0.03	0.43		5
6	0.04		0.05				0.20	0.26			0.13		6
7	0.08		0.29				0.31	0.12				0.01	7
8	0.02		0.07	0.13			0.07						8
9	0.10			0.12			0.07			0.02		0.01	9
10									0.16				10
11	0.01				0.01			0.07					11
12				0.25				0.10	0.12				12
13				0.25		0.03	0.11	0.05					13
14				0.01		0.36	0.47		0.44				14
15	0.31	0.10		0.02		0.01		0.03					15
16		0.01		0.09	0.12		0.13					0.06	16
17		0.24		0.02	0.01		0.05		0.07	0.05		0.13	17
18	0.41			0.01	0.01		0.01		0.06	0.05		0.06	18
19	0.44	0.04	0.02						0.29	0.25		0.31	19
20	0.01									0.01			20
21	0.08	0.28		0.01			0.01			0.04		0.63	21
22		0.08		0.15	0.06	0.08	0.15	0.08		0.01		0.07	22
23							0.12		0.09				23
24	0.03		0.06	0.08	0.10	0.04	0.01	0.15	0.02			0.01	24
25	0.12			0.33		0.11						0.12	25
26	0.14	0.10	0.02	0.07		0.05	0.07		0.02		0.03	0.08	26
27	0.20	0.02	0.04	0.04			0.02	0.17	0.22	0.06		0.23	27
28	0.06	0.19	0.18			0.42				0.02	0.02	0.05	28
29	0.03	X				0.03		0.22		0.08		0.11	29
30		X	0.05			0.02	0.03	0.26	0.23			0.43	30
31	0.03	X	0.02	X		X	0.20	0.09	X		X	0.19	31
TOTAL	2.23	1.61	1.22	2.37	0.65	1.15	2.90	1.74	1.77	1.04	1.07	2.59	YEAR'S TOTAL 20.34
Days with 0.1 in. or more	18	12	15	19	10	10	22	14	13	13	6	17	169
Days with 0.4 in. or more	12	9	12	3	5	6	15	12	10	8	4	14	201

REGISTER OF RAINFALL IN 1923.

Kept at Crossness Outfall
in the County of Kent
by London County Council

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station before
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.03	0.01	0.12						0.02	0.06	0.17		1
2	0.09	0.01	0.02		0.02					0.05		0.09	2
3						0.05			0.05	0.75	0.04	0.02	3
4									0.03			0.02	4
5	0.13			0.10		0.04				0.02	0.08	0.02	5
6	0.21	0.02	0.10	0.03		0.07							6
7	0.03	0.47	0.35	0.06	0.05					0.34		0.08	7
8	0.02	0.13								0.19	0.64		8
9	0.03		0.02		0.07		1.21				0.01		9
10		0.04		0.25	0.13					0.15			10
11	0.01	0.04		0.29	0.04	16				0.46			11
12		0.40	0.55	0.04	0.14	0.16				0.32		0.01	12
13		0.11	0.19	0.03							0.24		13
14	0.01	0.04	0.04	0.01	0.02		0.01	0.18	0.24	0.02			14
15	0.01	0.01	0.01		0.13	0.08	0.03		0.09		0.15		15
16		0.06			0.02						0.19		16
17	0.03	0.06			0.01		0.02	0.12	0.02				17
18	0.02	0.18				0.04	0.02	0.31	0.01	0.04		0.01	18
19	0.12	0.02					0.02		0.04	0.60		0.08	19
20	0.01	0.03	0.08						0.24	0.05			20
21		0.14	0.02	0.01	0.04				0.01	0.08	0.03	0.18	21
22		0.28	0.01		0.01				0.12	0.15		0.04	22
23		0.02	0.06		0.36		0.04	0.61	0.03	0.30			23
24				0.07	0.01			0.36	0.09			0.04	24
25		0.07	0.05	0.31		0.09	0.10		0.03	0.42		0.46	25
26		0.18	0.06	0.05						0.11		0.28	26
27		0.05	0.01		0.10		0.01	0.14		0.03		0.07	27
28		0.11		0.05	0.27		0.14	0.01			0.13		28
29	0.11	X	0.02	0.01	0.26		0.02	0.29				0.16	29
30		X					0.04			0.11		0.22	30
31		X	0.05	X		X	0.32		X		X	0.13	31
TOTAL	0.86	2.48	1.76	1.31	1.68	0.53	1.98	2.02	1.02	4.29	1.68	1.91	21.52
Days with 0.1 in. or more	15	23	18	14	17	7	13	8	14	20	10	17	176
Days with 0.4 in. or more	5	16	11	9	11	7	6	7	7	17	8	12	116

FOR OFFICIAL USE.

AIR MINISTRY.

Form 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1924.

County No. 402

River Dist. 417

Station No.

Kept at Goodness Outfall
in the County of London Kent
by L. O. C.

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

16 FEB 1925

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.01	-	-	-	0.08	0.19	-	0.05	-	-	0.36	0.11	1 R.R.R.
2	0.03	-	0.12	-	0.01	0.36	0.07	0.10	-	-	-	-	2 J.S.
3	-	-	0.01	-	0.23	0.01	0.05	0.16	0.08	-	-	-	3
4	-	-	-	-	-	0.50	-	-	0.07	0.14	-	0.07	4
5	-	0.25	0.16	-	-	0.01	0.01	-	-	0.21	-	0.09	5
6	-	0.07	-	-	-	-	-	0.30	-	0.21	-	-	6
7	0.01	-	-	-	-	0.37	-	-	0.11	0.33	-	-	7
8	0.02	-	-	0.14	0.05	0.05	-	-	-	0.14	-	-	8
9	-	0.09	-	0.01	-	-	-	-	0.11	-	-	-	9
10	0.34	0.01	-	0.18	0.20	0.04	-	-	-	-	-	-	10
11	-	-	-	0.27	0.13	0.10	-	-	-	-	0.63	-	11
12	-	-	-	0.22	0.01	0.10	-	-	-	-	0.69	-	12
13	-	-	-	0.29	0.59	-	-	0.02	0.44	-	0.01	0.21	13
14	-	-	-	0.14	-	-	-	0.01	-	-	-	0.01	14
15	-	-	-	-	-	-	-	-	0.01	-	-	0.17	15
16	0.01	-	-	-	-	-	-	0.05	0.07	-	-	0.08	16
17	0.12	-	-	-	-	-	1.08	0.06	0.03	-	-	-	17
18	0.29	0.07	-	-	0.28	0.13	0.01	0.10	0.01	0.06	0.03	-	18
19	0.21	-	-	-	-	-	-	0.26	-	0.10	-	-	19
20	0.02	-	-	-	0.03	0.29	0.10	-	0.02	0.05	-	-	20
21	0.45	-	0.02	-	0.02	-	0.04	0.01	0.15	0.65	-	-	21
22	0.48	-	0.08	-	-	-	-	0.26	0.06	-	0.02	-	22
23	-	-	0.07	-	0.14	-	-	0.01	0.07	-	-	0.50	23
24	0.36	0.03	0.02	-	0.15	-	-	0.11	-	-	0.09	0.21	24
25	-	0.02	0.07	0.01	0.20	-	0.53	-	0.26	0.01	0.10	-	25
26	-	-	-	0.38	-	-	0.06	-	1.18	0.12	0.27	0.08	26
27	-	0.11	-	0.37	-	0.02	0.27	0.05	0.07	0.07	0.16	0.61	27
28	-	0.05	-	0.01	-	-	0.45	0.12	-	0.04	0.22	-	28
29	-	-	-	0.20	0.11	-	-	0.12	-	0.39	0.03	0.04	29
30	-	X	-	0.60	0.05	-	-	0.18	0.37	0.58	0.17	0.32	30
31	-	X	-	X	0.64	X	-	0.08	X	0.04	X	0.16	31 7.15
TOTAL	2.35	0.80	0.75	2.82	2.92	2.17	2.67	2.05	3.04	3.14	2.78	2.66	28.15
Days with "01 in. or more.	13	9	8	13	17	13	11	19	16	16	13	14	162
Days with "04 in. or more.	2	6	8	10	13	10	9	15	12	15	9	18	124

Section



for the entry of Daily Observations.

AIR MINISTRY.

FOR OFFICIAL USE.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Register of Rainfall in 1925.

Kept at Grosvenor Outfall
 in the County of Hert E.B.B.

Observers are requested to read the instructions
 printed overleaf before filling in this form.

Every Observer should fill in section C
 overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the
 following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.47		0.36	0.05	0.01			0.06	0.05		0.17		1
2	0.09	0.03		0.13			0.01	0.01	0.04		0.28		2
3	0.03		0.03	0.01	0.17				0.02		0.03		3
4					0.11			0.38		0.03	0.07		4
5		0.23		0.13	0.04		0.01		0.15		0.04		5
6	0.01	0.10		0.11	0.05		0.33	0.01			0.24		6
7			0.01	0.01	0.03		0.07		0.02		0.05	0.02	7
8	0.03	0.05	0.03		0.09				0.02	0.01	0.04	0.05	8
9			0.02	0.05				0.11	0.05		0.03		9
10			0.06	0.02				0.10	0.15		0.05		10
11	0.01	0.06						0.88			0.05		11
12		0.41					0.01	0.12		0.20			12
13		0.43	0.08	0.03						0.01			13
14	0.08	0.07	0.01	0.13									14
15	0.14			0.01						0.22			15
16		0.05		0.01	0.03				0.15	0.02		0.01	16
17										0.06			17
18		0.01			0.06				0.01			0.01	18
19		0.01			0.11		0.18	0.01	0.11	0.72		0.18	19
20			0.10		0.02		0.26	0.06	0.51	0.21		0.17	20
21			0.02				0.10	0.09	0.10	0.23		0.38	21
22			0.04	0.12			0.50	0.14	0.36	0.45		0.46	22
23		0.12	0.03	0.02	0.41		0.08	0.47		0.01		0.02	23
24		0.21	0.02	0.02	0.03	0.13		0.08			0.06	0.03	24
25	0.03	0.65							0.16	0.02		0.04	25
26	0.02	0.30		0.02	0.04		0.45	0.19	0.01	0.15		0.11	26
27	0.24	0.03		0.05	0.14	0.01	0.16	0.02			0.06	0.01	27
28	0.12			0.22	0.03				0.04			0.14	28
29	0.06	X			0.04		0.09				0.04	0.24	29
30		X									0.03	0.03	30
31	0.08	X		X	0.06	X	0.24		X		X	0.08	31
TOTAL	1.41	2.76	0.81	1.30	1.47	0.14	3.99	2.73	1.95	2.34	1.24	2.62	22.76
Days with 0.1 in. or more.	14	16	13	19	18	2	14	16	17	14	15	17	175
Days with 0.04 in. or more.	8	12	5	10	12	1	11	12	12	8	12	11	114

(Signed).....

Section **A**

for the entry of Daily Observations.

FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1926.

382
417

Kept at Crossness Outfall
in the County of E. C. C. Kent

Diameter of Funnel of Gauge.....in.
Height of Gauge above Ground.....ft.....in.
as before
Ground Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	¹⁸ 0.18	0.24			0.04	0.27			0.04				1
2	0.05	0.01				0.63	0.06		0.18				2
3	0.15	0.52	0.01				0.01						3
4		0.04	0.04	0.58			0.31				0.06		4
5	0.05	0.08	0.03		0.04	0.03	0.05				0.17	0.20	5
6	0.05	0.40		0.54	0.01		0.01	0.07	0.04		0.12		6
7	0.29	0.21		0.27	0.22	0.09			0.01		0.16	0.01	7
8		0.01		0.16	0.01					0.06	0.60		8
9			0.02			0.28		0.49			0.16		9
10					0.03	0.19		0.13			0.08	0.01	10
11		0.12			⁰⁸ 0.08	0.10		0.39			0.02		11
12		0.09			⁰⁸ 0.08	0.02		0.04		0.31			12
13										0.02	0.82		13
14	0.16	0.02		0.06	0.19	0.14				0.48	0.01	0.04	14
15		0.01		0.37		0.01			0.14	0.43	0.05		15
16		0.04		0.17				¹⁸ 0.18			0.02		16
17		0.80		0.06	0.06	0.68					0.06	0.27	17
18	¹⁵ 0.15	0.04		0.03	0.02	0.09	0.26	0.01			0.32		18
19			0.02	⁰³ 0.03	0.20		²⁵ 0.25				0.01		19
20			0.02	0.42	0.01		0.01	0.02		0.07	0.38		20
21				0.11	0.05		0.17				0.16		21
22	0.20	0.04		0.10						0.16	0.02	0.04	22
23	0.03	0.02				0.01							23
24	0.01	0.01			0.02	0.18	0.06		0.02	0.40			24
25	0.06		0.02	0.67			0.02		0.08	0.10	0.08	0.02	25
26					0.05		0.37		0.12	0.01	0.12		26
27	0.04	0.02		0.25		0.10	0.03		0.10				27
28	0.21			0.23	0.01		0.36		0.15	0.28	0.05	0.01	28
29	0.02	X		0.10	0.11					0.01	0.32		29
30		X		0.05	0.04		0.01				0.12		30
31	0.02	X		X		X		0.85	X		X		31
TOTAL	✓ 1.67	✓ 2.72	✓ 0.16	✓ 4.20	✓ 1.27	✓ 2.82	✓ 1.98	✓ 2.18	✓ 0.88	✓ 2.33	✓ 3.91	✓ 0.60	✓ 24.72
Days with 0.1 in. or more.	16	19	7	18	19	15	15	9	10	12	23	8	171
Days with 0.4 in. or more.	12	12	1	16	12	11	9	7	8	9	18	4	119

Please read the Notes and Instructions Overleaf.

Section



for the entry of Daily Observations.

375
FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1927.

Kept at Bromnes Ouffell. L.C.C.
in the County of London

Diameter of Funnel of Gauge.....
Height of top of Gauge above Ground.....As before.....in.
" Ground " Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		0.74				0.01	0.05	0.20		0.03	0.25		1
2			0.09	0.08						0.07	0.03		2
3	0.07		0.01			0.01	0.01					0.01	3
4				0.02	0.03	0.01	0.02					0.01	4
5		0.09	0.16	0.45	0.13	0.02	0.01				0.01		5
6			0.12	0.18	0.01	0.13	0.88	0.12	0.07				6
7	0.06	0.30	0.04	0.26		0.05	0.09	0.25			0.01		7
8	0.03		0.06	0.15			0.01	0.24					8
9			0.02	0.21			0.03	0.11	0.22				9
10			0.07					0.14	0.31				10
11				0.01			0.11						11
12			0.08				0.20	0.08					12
13	0.03			0.01			0.20	0.07	0.10		0.01	0.02	13
14	0.10			0.02	0.03		0.30	0.02	1.36		0.05	0.51	14
15							0.01	0.38					15
16					0.25			0.04	0.35			0.01	16
17	0.25		0.01			0.17		0.52	0.03				17
18	0.05					0.28		0.27	0.03		0.02		18
19		0.17				0.03		0.06		0.04	0.07		19
20	0.12	0.14					0.01	0.32			0.58	0.14	20
21	0.04	0.09			0.06	0.04	0.08	0.13	0.06	0.11	0.04	0.28	21
22	0.07		0.10		0.09	0.09			0.17	0.23		0.25	22
23		0.20	0.12			0.18	0.15		0.37	0.02	0.10	0.16	23
24		0.07	0.06	0.04		0.14		0.27		0.01		0.23	24
25		0.30	0.48			0.08		0.03	0.04			0.97	25
26	0.07	0.30	0.07		0.22	0.06	0.03			0.01		0.37	26
27	0.02	0.39			0.15	0.09	0.03			0.30			27
28	0.15	0.15		0.01		0.22	0.29			0.01	0.19		28
29		X	0.14			0.25		0.01	0.41		0.65		29
30	0.06	X	0.02			0.45				0.10			30
31		X	0.14	X	0.05	X	0.01		X	0.29	X	0.22	31
TOTAL	1.12	2.94	1.79	1.44	1.02	2.31	2.52	3.26	3.52	1.22	2.01	3.18	26.33
Days with "01 in. or more.	14	12	18	12	10	19	20	19	13	12	13	13	175
Days with "04 in. or more.	11	12	14	7	7	14	10	16	11	7	8	9	126

Section **A**

for the entry of Daily Observations.

387
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1928. 417

Kept at Southern Cuffall Breconshire
in the County of S. G. B.

Diameter of Funnel of Gauge 14 in.

Height of top of Gauge above Ground 0 ft. 8 in.

20 Ground „ Sea Level 16 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.05	0.01	0.10	0.11				0.07					1
2	0.43	0.38	0.01								0.01	0.02	2
3				0.08	0.20		0.41	0.96				0.04	3
4	0.01	0.01		⁰³ 0.03				0.22					4
5	0.18	0.12	0.04	0.04			0.02				0.01		5
6			0.01			0.35						0.05	6
7				0.03		0.08		0.11					7
8			⁰⁶ 0.06			0.20	0.01		0.04	0.05			8
9	0.01		0.04						0.28	0.07			9
10	0.09	0.14	0.02	0.13	0.01	0.02				0.06	0.09		10
11	0.04	0.10	0.13	0.11		0.01					0.18	0.18	11
12	0.15	0.10	0.01	0.08				0.01		0.05		0.08	12
13		0.08			0.10	0.79		0.03			0.03		13
14	0.02	0.04			0.09	0.61				⁵⁵ 0.55	0.18	0.01	14
15	0.01			0.29	0.22						0.11		15
16	0.04	0.02		0.12	0.09					0.04	0.19	0.14	16
17	0.01				0.47					0.11			17
18	0.45			0.02	0.37	0.05				0.14	0.01		18
19					0.28	0.11		0.07		0.23	0.01	0.03	19
20	0.07			0.01				0.07		0.20	0.01	0.12	20
21	0.05		0.03	0.04	0.24					0.21	0.20		21
22	0.01		0.04		0.08			0.19		0.83	0.16	0.07	22
23	0.18				0.09					0.02	0.07		23
24	0.06		0.31		0.02			0.02	0.06	0.07	0.23	0.21	24
25	0.06									0.01	0.09	0.03	25
26	0.24					0.03	0.04	0.58		0.37		0.18	26
27			0.04				0.75	0.02	0.01			0.59	27
28	0.17		0.02						0.10			0.08	28
29		0.05	0.22	0.02					0.03	0.03	0.02	0.39	29
30	0.04	X	0.20	0.04		0.04	0.35		0.03	0.04		0.16	30
31	0.08	X	0.16	X		X	0.57	²⁵ 0.55	X		X	0.02	31
TOTAL	2.45	1.05	1.44	1.15	2.26	2.29	2.15	2.60	0.55	3.18	1.60	2.40	23.12
Days with '01 in. or more.	23	11	17	15	13	11	7	13	7	18	17	12	170
Days with '04 in. or more.	17	8	11	10	11	8	5	9	4	13	10	13	121

FORM 1090.

REGISTER OF RAINFALL IN 1929.

Kept at Southern Outfall Broomers
in the County of S. G. G. Kent
Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
„ „ Ground „ Sea Level.....ft.....in.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		0.01		0.04				0.26		0.41			1
2		0.15				0.03	0.02			0.03	0.01	0.10	2
3				0.01		0.02	1.20		0.03	0.01		0.12	3
4				0.20	0.07	0.25	0.35					0.43	4
5					0.43	0.15	0.01	0.19		0.23	0.02	0.28	5
6	0.01				0.26		0.05	0.17		0.03	0.06	0.39	6
7					0.01	0.01		0.26		0.23	0.31	0.19	7
8					0.03	0.07				0.14	0.01	0.14	8
9	0.03	0.07										0.17	9
10	0.23			0.04						0.07	0.04	0.18	10
11				0.11	0.05					0.03	0.67	0.09	11
12				0.11	0.19	0.10						0.05	12
13	0.03			0.01	0.02	0.01		0.01					13
14	0.02				0.08	0.06						0.16	14
15	0.02				0.03						0.38	0.03	15
16	0.01					0.03		0.77			0.56		16
17								0.05		0.01			17
18	0.02							0.03			0.20		18
19											0.01		19
20	0.01						0.07	0.02		0.25			20
21	0.06		0.01									0.31	21
22	0.01					0.02		0.03			0.09	0.05	22
23		0.02								0.01	0.29	0.15	23
24					0.02					0.85	0.17	0.31	24
25			0.02							0.01	0.02		25
26				0.02							0.10	0.08	26
27				0.06						0.02	0.58	0.03	27
28	0.08			0.03			0.11			0.04	0.29	0.16	28
29	0.04	X		0.42					0.06		0.59	0.02	29
30	0.02	X				0.02			0.06		1.00	0.12	30
31	0.13	X		X		X	0.24		X		X		31
TOTAL	0.72	0.25	0.03	1.05	1.19	0.77	2.05	1.79	0.15	2.37	5.40	3.56	19.33
Days with 0.1 in. or more.	15	4	2	11	11	12	8	10	3	16	20	22	134
Days with 0.4 in. or more.	5	2			6	5	6	6	2	8	15	19	81

Kept at *Southern Oufall. Broomers*
in the County of *London Kent L.B.C*

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
on Ground,, Sea Level.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.
Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	0.04	0.41		0.06		0.01		0.01			0.16		I
2		0.15			0.01	0.01	0.06	0.01			0.44		2
3		0.11		0.36	0.01			0.46					3
4	0.24	0.01		0.09				0.03	0.09	0.04			4
5	0.01				0.29			0.21					5
6			0.13		0.90			0.05	0.33				6
7	0.07		0.01		0.03			0.08		0.09	0.33	0.10	7
8								0.02	0.02			0.10	8
9	0.14	0.01	0.05	0.01	0.32				0.04			0.03	9
10	0.23		0.14		0.08			0.08				0.02	10
11	0.20	0.01		0.06	0.09							0.30	11
12	0.10			0.01	0.11			0.08				0.11	12
13	0.01		0.05	0.10	0.07		0.05	0.22	0.26				13
14	0.09	0.10	0.15				0.36						14
15		0.04	0.62	0.03			0.10			0.03	0.15		15
16							0.04		0.08				16
17			0.13	0.09		0.30	0.01		0.19	0.26			17
18				0.05	0.07				0.07		0.09		18
19				0.06			0.39	0.03	0.44	0.07	0.27		19
20				0.03	0.02		0.11	0.10	0.15		0.36		20
21			0.02				0.05	0.44	0.04		0.33		21
22				0.03	0.14		0.06	0.05	0.01	0.19	0.14		22
23				0.02		0.33	0.01	0.01	0.03	0.01	0.02		23
24				0.02	0.13		0.15			0.03	0.15	0.10	24
25					0.42				0.06		0.11		25
26	0.12				0.08				0.23		0.07	0.30	26
27									0.06		0.34	0.07	27
28							0.06		0.13		0.38	0.01	28
29	0.17	X	0.05				0.15	1.37	0.09		0.08	0.06	29
30		X			0.31		0.20			0.02	0.03	0.08	30
31	0.11	X	0.01	X	0.29	X			X	0.09	X	0.05	31
TOTAL	1.53	0.84	1.36	1.02	3.37	0.65	1.80	3.25	2.32	0.83	3.45	1.33	21.75
Days with or in. or more.	13	8	11	15	18	4	15	17	18	10	17	13	152
Days with or in. or more.	11	5	8	8	14	2	13	11	15	6	15	10	118

DARTFORD

Kept at J. Taylor's
87 W.
in the County of 1

by J. Taylor

WEST HILL HOUSE

KENT

1921-30

ANIZATION.

AM.
Dartford
in Gauge 5 in.
ve Ground 1 ft. 3 in.
Sea Level 100 ft.
entered to the previous day.
ested to add
at the end of
rain gauges,
"Observers,"
62, Camden
e, Edinburgh.

Jan. 1, following.

IMPORTANT NOTE.

If an Observer prefers not
the reading at 9 a.m. on 1st
this paragraph. Full instruct
and particulars as to the B
sent post-free on applicatio
Square, London, N.W. 1, or to

R

Date	Jan.	Feb.	March								Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.18		.11									.08	1
2	.12				.05				.01		.59		2
3					.05	.15		.08		.03	.28		3
4	.13		.01		.27			.01			.32		4
5								.05			.28		5
6	.12	.05	.30		.02								6
7	.22												7
8				.05	.01								8
9				.01									9
10	.12									.29			10
11	.12	.02			.05			1.19					11
12	.10		.05					.20	.33			.10	12
13	.22			.45	.25			.09	.07	.03			13
14					.07							.34	14
15				.08								.03	15
16	.05		.02	.10				.15			.28		16
17	.05		.05	.48			.07	.30	.02				17
18	.15	.03								.01			18
19			.17	.05		.02				.01			19
20			.05					.01		.13			20
21								.01			.08		21
22		.01								.25		.28	22
23				.25				.83		.01			23
24				.09								.02	24
25	.03	.16							.01			.10	25
26					.06	.02						.30	26
27	.02												27
28			.27		.08		.10				.08		28
29			.10		.15								29
30	.12			.05							.38	.01	30
31	.03												31
TOTAL	1.78	.27	1.13	1.61	1.06	.19	.17	1.73	1.63	.66	2.29	1.26	13.78
Days with ".01 in. or more	16	5	10	10	11	3	2	10	6	8	8	9	98
Days with ".04 in. or more	13	2	8	9	9	1	2	7	3	3	8	6	71

FORM 1090 METEOROLOGICAL OFFICE. BRITISH RAINFALL ORGANIZATION.
(formerly B.R.O. Form A.1). REGISTER OF RAINFALL IN 1921.

Kept at J. Taylor's
87 West Hill, Dartford
in the County of Kent
by J. Taylor

Lat. _____ Long. _____
Time of Observation 9 A.M.
Nearest Railway Station Dartford
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.18		.11									.08	1
2	.12				.05				.01		.59		2
3					.05	.15		.08		.03	.28		3
4	.13		.01		.27			.01			.32		4
5								.05			.28		5
6	.12	.05	.30		.02								6
7	.22												7
8				.05	.01								8
9				.01									9
10	.12									.29			10
11	.12	.02			.05				1.19				11
12	.10		.05					.20	.33			.10	12
13	.22			.45	.25			.09	.07	.03			13
14					.07							.34	14
15				.08								.03	15
16	.05		.02	.10				.15			.28		16
17	.05		.05	.48			.07	.30	.02				17
18	.15	.03								.01			18
19			.17	.05		.02				.01			19
20			.05					.01		.13			20
21								.01			.08		21
22		.01								.25		.28	22
23				.25				.83		.01			23
24				.09								.02	24
25	.03	.16							.01			.10	25
26					.06	.22						.30	26
27	.02												27
28			.27		.08		.10				.08		28
29			.10		.15								29
30	.12			.05							.38	.01	30
31	.03												31
TOTAL	1.78	.27	1.13	1.61	1.06	.19	.17	1.73	1.63	.66	2.29	1.26	13.78
Days with ".01 in. or more	16	5	10	10	11	3	2	10	6	8	8	9	98
Days with ".01 in. or more	13	2	8	9	9	1	2	7	3	3	8	6	71

FORM 1090 METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
(formerly B.R.O. Form A.1).

REGISTER OF RAINFALL IN 1922

Kept at West Hall House, Dartford
in the County of Kent
by J. Taylor (Head Gardener)

Lat. _____ Long _____
Time of Observation 9 a.m.
Nearest Railway Station DARTFORD
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.08	.18		.05		.02		.01	.04	.40	.04	1
2		.28	.08	.17			.05		.25				2
3		.25	.08	.42	.17			.19			.14		3
4		.03	.13		.17		.12			.25			4
5			.13	.15			.95			.11	.55		5
6	.12		.03				.02	.20			.15		6
7	.09		.35	.19			.12	.12				.01	7
8	.02		.10	.11			.10						8
9	.15			.05			.17	.09		.02	.05	.01	9
10									.08		.07		10
11					.03			.02					11
12				.32				.13	.08				12
13				.32		.10	.17		.01				13
14						.40	.50		.69				14
15	.43	.25		.05									15
16	.02			.15	.13		.17		.08			.13	16
17	.01	.25		.02	.02		.02					.14	17
18	.43			.01						.08		.12	18
19	.63	.04	.02						.46	.50		.48	19
20	.04	.03								.05		.02	20
21	.11	.24		.01						.05		.83	21
22	.02	.07		.18	.23	.03	.15	.14		.02		.02	22
23		.01					.50		.13				23
24	.02		.02	.04	.23	.06		.16					24
25	.28			.38	.05	~~.03~~		.03				.12	25
26	.32	.18	.02	.13		.03	.15		.04		.03	.04	26
27	.20	.06	.03	.10				.22	.25	.07		.27	27
28	.13	.27	.10			.39						.05	28
29		~~X~~				.10		.40		.08		.07	29
30		~~X~~	.12			.08	.05	.30	.38		.07	.55	30
31	.20	~~X~~		~~X~~		~~X~~	.05	.10	~~X~~	.02	~~X~~	.37	31
TOTAL	3.22	2.04	1.39	3.10	1.08	1.19	3.31	2.10	2.46	1.29	1.46	3.27	YEAR'S TOTAL 25.91
Days with "01 in. or more	18	14	14	18	9	8	17	13	12	12	8	17	16
Days with "04 in. or more	13	11	9	15	7	6	14	11	10	9	7	13	125

AIR MINISTRY.

FORM 1090

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

REGISTER OF RAINFALL IN 1923.

Kept at West Hill House
in the County of Kent Barford
by J. Baylors

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Barford
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 100 ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.07		.15						.08	.06	.22	.12	1
2	.14		.05		.05					.10		.05	2
3	.07					.07				.92		.05	3
4									.08			.02	4
5	.12			.17		.17				.06	.06		5
6	.25		.10	.07		.17							6
7	.05	.83	.42		.03					.36		.32	7
8	.05	.20	.01							.26	.75		8
9	.07		.03				.55				.03		9
10		.08		.30	.12	.01							10
11	.02	.01		.35	.06					.48		.01	11
12		.45	.75	.05	.16	.12				.26		.02	12
13		.11	.17	.06			.05				.29		13
14		.12	.06					.05	.31	.04			14
15		.02			.08	.09			.05		.23		15
16		.06			.05						.25		16
17								.07	.01				17
18	.09	.20						.20		.05			18
19	.12	.02				.01			.12	1.12		.10	19
20		.03	.12						.25	.06			20
21		.20	.02	.01					.03	.14	.02	.23	21
22		.45							.10	.15	.08	.07	22
23		.03	.12		.27			.71	.02	.32		.03	23
24			.09	.06				.20	.20	.01			24
25		.10	.06	.40		.19	.15	.02		.35		.48	25
26		.17	.03	.01	.02			.02		.29		.35	26
27		.02	.01		.07		.02	.23				.15	27
28		.15		.15	.35		.09			.02	.15		28
29	.15				.47		.04	.23				.25	29
30		X					.02			.02		.20	30
31	.01	X	.02	X		X	.25	.05	X		X	.19	31
TOTAL	1.24	3.25	2.21	1.63	1.73	.83	1.17	1.78	1.25	5.07	2.11	2.64	24.91
Days with 0.1 in. or more	2 ¹³	6 ¹⁹	6 ¹⁷	2 ¹¹	2 ¹²	2 ⁸	2 ⁸	2 ¹⁰	3 ¹¹	3 ¹⁰	2 ¹⁰	4 ¹⁷	36 ¹⁵⁶
Days with 0.4 in. or more	11	13	11	9	10	6	6	8	8	14	8	13	120

FORM 20.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1924.

County No.

River Dist.

Station No.

Kept at West Hill House gardens
in the County of Kent
by J. Yaglas (Head gardener)

Lat. _____ Long. _____
Time of Observation 9-0 a.m.
Nearest Railway Station Barford
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 100 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02				.02	.25	.08	.05			.44	.13	1 ROR
2	.04		.22			.33		.07				.08	2 JES
3			.06		.08	.03	.10	.25	.03				3 C
4					.02	.57			.07	.11		.10	4 DMP
5		.32	.06							.06		.03	5
6		.07						.25		.37			6
7					.03	.50			.12	.50			7
8	.35			.23	.06	.02			.01	.11			8
9		.07				.02			.27				9
10	.27			.27	.23								10
11				.40	.11	.25			.01		.80		11
12		.03		.18	.06	.40		.01			.90		12
13	.03			.23	.23			.01	.74			.20	13
14	.01			.19	.01			.01				.08	14
15				.01					.03			.39	15
16	.02							.15	.06			.05	16
17	.10				.01		1.07	.12				.02	17
18	.37	.06			.43	.20	.02	.07		.07	.18		18
19	.16					.01		.05		.06			19
20	.03				.01	.53	.03	.01	.02	.06			20
21	.57				.08		.07	.02	.15	.62			21
22	.56		.23		.01			.27	.11				22
23			.06		.17		.02	.07	.11			.48	23
24	.45	.06	.02		.13			.20			.15	.28	24
25			.13	.03	.17		.73	.01	.27	.01	.28	.04	25
26		.03		.40			.08		1.30	.10	.45	.28	26
27		.02		.46		.04	.30	.03		.16	.40	.71	27
28				.05			.30	.10		.02	.30		28
29		.07		.20	.33		.02	.27	.04	.48	.08	.07	29
30		X		1.15	.23		.01	.16	.37	.68	.15	.37	30
31		X		X	.83	X		.10	X	.10	X	.13	31 877
TOTAL	2.92	.73	.78	3.80	3.25	3.45	2.83	2.28	3.71	3.51	4.13	3.44	34.53
Days with .01 in. or more.	54	39	17	21	72	315	513	722	5	216	11	21	7313
Days with .04 in. or more.	9	6	6	11	14	9	8	15	12	14	11	15	130

Section



for the entry of Daily Observations.

AIR MINISTRY.

FOR OFFICIAL USE.

Form 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Register of Rainfall in 1925.

399

Kept at West Hill House, Dartford
in the County of Kent

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.43	—	.35	.09	.04	—	.01	.11	.04	—	.25	—	1
2	.15	.02	—	.10	—	—	—	—	—	—	.34	—	2
3	.10	—	—	—	.14	—	—	—	.02	—	.25	—	3
4	—	—	—	—	.11	—	—	.26	—	.04	.12	—	4
5	—	.28	—	.30	—	—	—	—	.16	—	.02	—	5
6	—	—	—	.06	.14	—	.34	.07	—	—	.30	—	6
7	—	.25	.04	.03	.04	—	—	—	.02	—	.05	.08	7
8	.05	.01	.05	—	.14	—	—	—	—	—	—	.09	8
9	—	—	.03	.06	.03	—	—	.10	.28	—	.02	—	9
10	—	—	.09	—	.04	—	—	.14	.18	—	.30	—	10
11	—	.09	.03	—	—	—	—	—	.08	—	.13	—	11
12	—	.45	—	—	—	—	—	—	.02	.04	—	—	12
13	—	.94	.09	.03	—	—	—	.10	—	.16	—	—	13
14	.16	.29	.02	.15	—	—	—	—	—	—	—	—	14
15	.12	—	—	.02	.24	—	—	—	—	.28	—	—	15
16	.02	.11	—	—	—	—	—	—	.18	.09	—	—	16
17	—	—	—	—	—	—	—	—	—	.04	—	—	17
18	—	.06	—	—	—	—	.27	.01	—	.07	—	—	18
19	—	—	—	—	.11	—	—	—	.15	.99	—	.15	19
20	—	—	.10	—	—	—	.34	—	.45	.19	—	.18	20
21	—	—	.02	—	.01	—	.15	.07	.04	.39	—	.38	21
22	—	.03	—	.15	—	—	1.89	.10	.55	.83	—	.63	22
23	.02	.15	.03	.03	.30	—	.08	.10	—	—	—	.07	23
24	—	.35	—	.03	.05	.15	—	.64	—	.03	.25	.07	24
25	.05	.92	—	.04	—	—	.05	—	.15	.03	—	.07	25
26	.02	.35	—	.02	—	.02	.55	.23	—	.09	—	.07	26
27	.28	.15	—	.25	.18	—	.24	—	—	—	.08	.10	27
28	.12	—	.02	.10	—	—	—	—	.02	—	—	.12	28
29	.08	—	—	—	.07	—	—	—	—	—	.05	.35	29
30	—	X	—	.24	—	—	.38	—	—	—	.06	.85	30
31	.11	X	—	X	.07	X	.05	—	X	—	X	.05	31
TOTAL	2.01	4.45	.77	1.70	1.71	.14	4.35	1.93	2.32	3.27	2.22	3.26	
Days with ".01 in. or more.	314	316	612	617	216	112	112	112	415	211	214	115	
Days with ".04 in. or more.	11	13	6	11	14	1	11	11	11	12	12	15	

(Signed) J. Taylor

P.T.O.

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1926.

379A

Kept at West Hill House, Darford.
in the County of KentDiameter of Funnel of Gauge.....5.....in.
Height of top of Gauge above Ground.....1.....ft. 3.....in.
Ground Sea Level.....1.00.....ft.

Gauge leaking, readings about
9% ^{high} till gauge repaired
in May 1926. Totals for Jan to
June have been adjusted
See file 689418/26. encl 6A.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.35	.39	—	—	—	.21	—	—	.04	—	—	—	1
2	.03	—	—	—	—	.44	.04	—	.15	—	.02	—	2
3	.32	.43	.04	—	—	.01	.02	—	.02	—	—	—	3
4	—	.04	.04	.63	—	—	.25	—	—	—	.03	—	4
5	.05	.04	.05	—	.04	—	.02	—	—	—	.34	.28	5
6	.12	.41	—	.50	—	—	.05	.07	.29	—	.11	—	6
7	.12	.34	—	.09	.04	.09	.02	.01	—	—	.23	.01	7
8	—	.02	—	.16	—	—	—	.03	—	.10	.63	—	8
9	—	—	—	—	—	.45	.05	.43	—	—	.21	—	9
10	—	—	—	—	.01	.15	—	.04	—	—	.11	—	10
11	.02	.15	—	—	.03	.09	—	.14	—	—	.01	—	11
12	—	.15	—	—	.11	.05	—	—	—	.10	—	.02	12
13	—	—	—	—	—	—	—	—	—	.30	.44	.02	13
14	.28	.05	—	.04	.04	.19	—	—	—	.53	.02	.06	14
15	.04	.03	—	.15	—	—	—	—	—	.38	.04	—	15
16	—	.20	—	.25	—	—	—	.29	—	—	.01	—	16
17	—	.43	—	.04	.13	.40	—	—	—	—	.04	.11	17
18	—	.05	—	.15	.05	.03	.35	.04	—	—	.50	—	18
19	—	—	—	.04	.18	—	.19	—	—	—	—	—	19
20	—	—	—	.09	.06	—	.01	.05	—	.14	.56	—	20
21	—	—	—	.49	—	.02	—	—	—	—	.32	—	21
22	.35	.05	—	.24	—	—	—	—	—	.12	—	—	22
23	.05	.06	—	—	—	—	—	—	—	—	.01	—	23
24	—	—	—	—	.01	.03	.01	—	.04	.52	—	—	24
25	.05	—	.02	1.05	—	—	.10	—	.04	.12	.09	.15	25
26	—	—	—	.03	—	—	.34	—	.15	—	.15	—	26
27	.05	—	—	.33	—	.05	.04	—	.09	.01	.01	—	27
28	.35	—	—	.33	.02	—	.34	—	.10	.12	.20	.03	28
29	.05	X	—	.16	.11	—	—	—	—	.05	.30	—	29
30	—	X	—	.10	.04	—	.01	—	—	—	.15	—	30
31	.13	X	—	X	—	X	—	.40	X	—	X	—	31
TOTAL	(2.17) 2.39	(3.20) 3.53	(.19) .21	(4.40) 4.86	(.20) .99	2.84	1.90	1.56	.95	2.49	4.92	.68	27.32
Days with ".01 in. or more.	216	216	4	19	44	14	16	210	9	12	24	8	35162
Days with ".04 in. or more.	14	14	3	18	10	10	10	8	8	11	14	4	127

Please read the Notes and Instructions Overleaf.

(144ws)

9% 10.86 11.93

15.34 (Signed)

J. Taylor

26.20

[P.T.O.]

Section

A

for the entry of Daily Observations.

372
FOR OFFICIAL USE.

Form 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1927.Kept at *the gardens, West Hill House, Darford.*in the County of *Kent*Diameter of Funnel of Gauge.....*5* in.Height of top of Gauge above Ground.....*1* ft. *3* in.,, Ground ,, Sea Level.....*100* ft.*Rain in 1926.**Box for April & 600 notified 3/8/28.***THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	<i>Snow or Rain</i> in.		in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		<i>1.23</i>		<i>.03</i>			<i>.12</i>	<i>.24</i>		<i>.04</i>	<i>.25</i>		1
2			<i>.05</i>	<i>.07</i>						<i>.02</i>	<i>.05</i>		2
3	<i>.05</i>												3
4	<i>.02</i>			<i>.01</i>	<i>.12</i>	<i>.02</i>	<i>.02</i>						4
5	<i>.06</i>	<i>.10</i>	<i>.20</i>	<i>.48</i>				<i>.10</i>			<i>.06</i>	<i>.04</i>	5
6			<i>.12</i>	<i>.28</i>	<i>.07</i>	<i>.12</i>	<i>.91</i>	<i>.02</i>	<i>.10</i>				6
7	<i>.08</i>	<i>.27</i>	<i>.03</i>	<i>.15</i>		<i>.05</i>		<i>.22</i>					7
8	<i>.05</i>		<i>.05</i>	<i>.19</i>			<i>.02</i>	<i>.32</i>			<i>.07</i>		8
9			<i>.02</i>	<i>.20</i>			<i>.06</i>	<i>.03</i>	<i>.18</i>			<i>.03</i>	9
10			<i>.10</i>						<i>.44</i>				10
11				<i>.04</i>			<i>.07</i>						11
12	<i>.03</i>						<i>.31</i>	<i>.08</i>					12
13	<i>.06</i>			<i>.02</i>			<i>.23</i>	<i>.17</i>	<i>.12</i>				13
14	<i>.16</i>				<i>.04</i>		<i>.32</i>	<i>.03</i>	<i>1.45</i>		<i>.07</i>	<i>.44</i>	14
15		<i>.02</i>					<i>.01</i>	<i>.45</i>			<i>.01</i>		15
16					<i>.21</i>		<i>.01</i>	<i>.12</i>	<i>.30</i>				16
17	<i>.42</i>					<i>.23</i>		<i>.47</i>	<i>.04</i>				17
18	<i>.06</i>					<i>.39</i>		<i>.23</i>	<i>.04</i>		<i>.04</i>		18
19		<i>.20</i>				<i>.02</i>		<i>.06</i>			<i>.09</i>		19
20	<i>.12</i>						<i>.12</i>	<i>.36</i>		<i>.01</i>	<i>.63</i>	<i>.05</i>	20
21	<i>.14</i>	<i>.10</i>			<i>.07</i>	<i>.02</i>		<i>.26</i>	<i>.06</i>	<i>.27</i>	<i>.07</i>	<i>.55</i>	21
22	<i>.10</i>	<i>.02</i>	<i>.10</i>		<i>.09</i>	<i>.08</i>	<i>.12</i>	<i>.01</i>	<i>.15</i>	<i>.30</i>		<i>.44</i>	22
23		<i>.28</i>	<i>.18</i>			<i>.22</i>			<i>.34</i>	<i>.03</i>	<i>.10</i>	<i>.17</i>	23
24		<i>.14</i>	<i>.15</i>	<i>.06</i>		<i>.29</i>		<i>.06</i>				<i>.30</i>	24
25		<i>.38</i>	<i>.44</i>			<i>.13</i>		<i>.03</i>	<i>.13</i>				25
26	<i>.14</i>	<i>.53</i>	<i>.06</i>		<i>.21</i>	<i>.02</i>	<i>.02</i>		<i>.07</i>	<i>.03</i>		<i>2.07</i>	26
27	<i>.16</i>	<i>.42</i>			<i>.17</i>	<i>.07</i>	<i>.41</i>			<i>.18</i>			27
28	<i>.26</i>	<i>.23</i>		<i>.02</i>		<i>.28</i>				<i>.03</i>	<i>.27</i>		28
29			<i>.11</i>			<i>.38</i>			<i>.42</i>		<i>.64</i>		29
30	<i>.23</i>	<i>X</i>				<i>.62</i>				<i>.05</i>			30
31	<i>.03</i>	<i>X</i>	<i>.38</i>	<i>X</i>	<i>.03</i>	<i>X</i>	<i>.05</i>		<i>X</i>	<i>.22</i>	<i>X</i>	<i>.18</i>	31
TOTAL	<i>2.05</i>	<i>4.04</i>	<i>1.99</i>	<i>1.55</i>	<i>1.01</i>	<i>2.94</i>	<i>2.80</i>	<i>3.26</i>	<i>3.85</i>	<i>1.18</i>	<i>2.35</i>	<i>4.21</i>	YEAR'S TOTAL
Days with ".01 in. or more.	<i>3</i>	<i>2</i>	<i>2</i>	<i>4</i>	<i>1</i>	<i>4</i>	<i>5</i>	<i>5</i>		<i>5</i>	<i>1</i>	<i>X</i>	<i>33</i>
Days with ".04 in. or more.	<i>14</i>	<i>12</i>	<i>12</i>	<i>8</i>	<i>8</i>	<i>12</i>	<i>11</i>	<i>14</i>	<i>14</i>	<i>6</i>	<i>12</i>	<i>9</i>	<i>132</i>

J. Taylor

Section **A**

for the entry of Daily Observations.

384
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1928.

Kept at gardens, West Hill House
in the County of Kent

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
„ Ground „ Sea Level 100 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.03	—	.13	.23	—	—	—	.04	—	—	.04	—	1
2	.45	.46	—	—	—	—	—	—	—	—	.03	—	2
3	.02	—	—	.10	.14	—	.36	1.05	—	—	.01	.04	3
4	—	.02	—	—	—	.02	—	.27	—	—	—	—	4
5	.26	.27	.08	.08	—	—	.03	—	—	—	—	—	5
6	—	—	—	—	—	.40	—	—	—	—	—	.04	6
7	—	—	—	.04	—	.35	—	.13	—	—	—	—	7
8	—	—	.09	—	—	.31	—	—	—	.21	—	—	8
9	.05	—	.08	.03	—	—	—	—	.35	—	—	—	9
10	.24	.13	.04	.11	.03	.05	—	—	—	.04	.09	—	10
11	.02	.05	.04	.08	—	.03	—	.08	—	—	.19	.20	11
12	.26	.23	—	.05	—	—	—	.01	—	—	—	.15	12
13	—	.05	—	—	—	.47	—	—	—	—	.09	.01	13
14	.03	.05	—	—	.26	.34	—	.05	—	.52	.10	—	14
15	.03	—	—	.44	.25	—	—	—	—	—	.28	—	15
16	.03	.12	—	.14	.10	—	—	—	—	.17	.22	.15	16
17	—	—	—	—	.56	—	—	—	—	.03	—	—	17
18	.50	—	.03	—	.11	.04	—	—	—	.23	.01	—	18
19	—	—	—	—	.29	—	—	.02	—	.48	.01	.03	19
20	.05	—	—	—	.02	—	—	.04	—	.36	.02	.14	20
21	.04	—	.03	.14	.03	—	—	—	—	.19	.28	—	21
22	.02	—	.11	—	.15	—	—	.10	—	.50	.23	.10	22
23	.17	—	.02	—	.18	—	—	—	—	.13	.08	—	23
24	.04	—	.38	—	—	—	—	.01	.04	—	.25	.22	24
25	.05	—	—	—	—	—	—	—	—	.01	.11	.02	25
26	—	—	—	—	—	.02	.25	.26	—	.62	—	.20	26
27	.17	—	—	—	—	.02	.92	.06	.02	.02	—	.40	27
28	.27	—	—	—	—	—	—	—	.13	.02	—	.21	28
29	.05	.04	.38	.03	—	—	—	.02	.04	.04	.03	.58	29
30	—	×	.42	.11	—	.10	.34	—	—	.01	—	.25	30
31	.26	×	.29	×	—	×	.27	.11	×	—	×	.10	31
TOTAL	3.04	1.42	2.12	1.61	2.12	2.48	2.17	2.28	.61	3.61	2.10	3.23	YEAR'S TOTAL 26.82
Days with ".01 in. or more.	22	10	14	13	12	14	6	15	5	17	18	17	161
Days with ".04 in. or more.	15	9	11	11	9	8	5	11	4	12	12	14	121

FORM 1090.

REGISTER OF RAINFALL IN 1929.

Kept at *West Hill House, Dorking*,
in the County of *Kent*.

Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *1* ft. *3* in.
,, Ground ,, Sea Level *100* ft.

10/3 Letter to Brewer re carrying out of inspection recommendation and K.A. file 63948/26 Brewer says yes. end 15/3

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				.04				.47		.21		.03	1
2		.16				.02	.04	.01		.25	.02	.15	2
3							1.65		.10			.15	3
4				.20	.06	.39	.22					.68	4
5				.03	.49	.11		.12		.22		.22	5
6					.19			.27		.22	.07	.55	6
7								.37		.22	.40	.37	7
8					.02	.11				.19		.33	8
9		.08										.30	9
10	.22			.01						.11	.10	.21	10
11				.20	.03						.72	.11	11
12				.15	.19	.12						.05	12
13	.03				.04	.03							13
14					.03	.09						.18	14
15	.10					.06					.52	.05	15
16								.96			.51		16
17								.12		.01			17
18	.02							.17			.20		18
19											.02		19
20							.11	.03		.19			20
21	.15											.49	21
22	.02										.12	.05	22
23		.02						.01		.10	.40	.15	23
24					.01					.75	.38	.45	24
25		.02	.01							.03	.04		25
26		.05		.05							.12	.06	26
27				.01				.06			.72	.03	27
28	.07			.05			.14			.08	.20	.22	28
29	.07	X		.54					.02		.22	.03	29
30	.08	X				.01			.06		.15	.06	30
31	.25	X		X		X	.10		X		X		31
TOTAL	1.01	.33	.01	1.28	1.06	.94	2.26	2.59	.18	2.58	4.91	4.92	22.07
Days with .01 in. or more.	103	52	1	80	40	39	6	31	13	23	18	23	27
Days with .04 in. or more.	7	3	0	7	5	6	6	8	2	11	16	20	91

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at West Hall House, Dartford,
in the County of Kent,
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
Ground Sea Level 100 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	.07	.46	—	.10	—	—	—	—	—	—	.10	—	I
2	—	.10	—	—	—	—	—	—	—	—	.63	—	2
3	.02	.06	—	.47	—	—	—	.48	—	—	1.03	—	3
4	.28	.02	—	.12	—	—	—	.03	.06	.11	—	—	4
5	—	—	—	—	.29	—	—	.33	—	.02	—	—	5
6	—	.02	.03	—	.49	—	—	.13	.58	—	—	—	6
7	.08	.07	—	—	—	—	—	.10	.03	.12	.42	.07	7
8	.02	—	—	—	—	—	—	—	.06	.02	—	.07	8
9	.14	—	—	—	.35	—	—	—	.03	—	.01	.02	9
10	.30	.05	.25	—	.06	—	—	.09	—	—	—	—	10
11	.25	—	—	—	.11	—	—	—	.02	—	—	.53	11
12	.16	—	—	.09	.08	—	—	.07	.01	—	—	.15	12
13	.02	—	.12	.15	.07	—	.03	.20	.13	—	—	—	13
14	.06	.14	.59	.02	—	—	.26	—	.02	—	—	.05	14
15	—	.04	.4	.03	—	—	—	—	—	—	.25	—	15
16	—	.02	—	—	—	—	.04	—	.04	—	—	—	16
17	—	—	.12	.17	—	.38	—	—	.28	.25	—	—	17
18	—	—	—	.05	.10	—	.03	—	—	—	.12	.02	18
19	—	—	—	.12	—	—	—	.13	.48	.09	.44	.03	19
20	—	—	—	.03	—	—	.35	.20	.20	.03	.14	—	20
21	.02	—	—	—	—	—	.07	.30	.11	.03	.40	—	21
22	—	—	—	—	.35	—	.12	.07	—	.11	.14	—	22
23	.06	—	—	.05	.02	.40	.07	—	—	.03	—	.04	23
24	.16	—	—	.05	.48	—	.11	—	.01	.07	.18	.07	24
25	—	—	—	—	.26	—	—	—	—	—	.15	—	25
26	.11	—	—	—	.08	—	—	—	.28	—	.10	.21	26
27	—	—	—	—	.01	—	—	—	.25	—	.42	.06	27
28	.02	—	—	—	—	—	—	—	.28	—	.35	.10	28
29	.10	—	.11	—	—	—	.33	.83	.03	—	.20	—	29 25.14
30	.01	×	—	—	.50	—	.13	—	—	—	.02	.14	30 154
31	.11	×	×	×	.32	×	—	—	×	.13	×	.06	31 119.5
TOTAL	1.99	.98	1.22	1.45	3.57	.78	1.54	2.96	2.90	1.01	5.10	1.64	25.14
*Days with or in. or more.	19	10	6	8	26	2	21	13	19	12	21	15	25.14
*Days with .04 in. or more.	13	7	5	10	14	2	9	12	12	7	16	12	119.5

STATIONIZATION

372A

27.

Kent 1/4

Kept at **33 Tower Rd D**
in the County of **KENT** (**33 TOWER ROAD**)

Diameter of Funnel of Gauge.....
Height of top of Gauge above Ground.....
,, Ground ,, Sea Lev

KENT

THE MORNING MEAS

An observer who does not conform to
year in the space on the right of this

1927-30

DAY.

following

Jan. 1, following.

Records

Date.	Jan. in.	Feb. in.	March in.	Nov. in.	Dec. in.	Date.
1				.21	—	1
2				.04	TRACE	2
3				—	.01	3
4				—	.01	4
5				.04	.01	5
6				—	.01	6
7				.02	—	7
8				.02	.01	8
9				—	.02	9
10				—	—	10
11				—	—	11
12				.01	—	12
13				.02	—	13
14				.03	.35	14
15				TRACE	.03	15
16				—	—	16
17				—	TRACE	17
18				.03	—	18
19				.08	—	19
20				.53	.03	20
21				.04	.51	21
22				—	.46	22
23				.07	—	23
24				.02	—	24
25				—	—	25
26				.01	1.84 (Peak runs)	26
27				TRACE	—	27
28				.10	—	28
29				.72	—	29
30		X		TRACE	—	30
31		X	X	X	.16	31
TOTAL				1.99	3.43	YEAR'S TOTAL
Days with ".01 in. or more.				17	17	
Days with ".04 in. or more.				9	(?) 6	

Please read the Notes and Instructions Overleaf.

Section **A**

for the entry of Daily Observations.

FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

372A

REGISTER OF RAINFALL IN 1927.

Kent/4

Kept at 33 Lower Rd DARTFORD
in the County of KENT.

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground — ft. 6 in.
" Ground " Sea Level 125 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1											.21	—	1
2											.04	TRACE	2
3											—	.01	3
4											—	.01	4
5											.04	.01	5
6											—	.01	6
7											.02	—	7
8											.02	.01	8
9											—	.02	9
10											—	—	10
11											—	—	11
12											.01	—	12
13											.02	—	13
14											.03	.35	14
15											TRACE	.03	15
16											—	—	16
17											—	TRACE	17
18											.03	—	18
19											.08	—	19
20											.53	.03	20
21											.04	.51	21
22											—	.45	22
23											.07	—	23
24											.02	—	24
25											—	—	25
26											.01	—	26
27											TRACE	—	27
28											.10	—	28
29											.72	—	29
30		X									TRACE	—	30
31		X		X		X			X		X	.16	31
TOTAL											1.99	3.43	YEAR'S TOTAL
Days with .01 in. or more.											17	17	
Days with .04 in. or more.											9	(?) 6	

Please read the Notes and Instructions Overleaf.

Section **A**

for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1928.

Kept at 33 Lower Road, Dartford
in the County of Kent

comp 1927.

Diameter of Funnel of Gauge.....5 in.
Height of top of Gauge above Ground.....6 in.
„ Ground „ Sea Level.....1.25 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02	.07	.13	.30	—	—	—	.24	—	—	.02	.01	1
2	—	.06	.01	—	.01	—	—	—	—	—	.05	.02	2
3	.42	.34	—	.08	.13	—	.35	.14	—	—	.01	.06	3
4	—	—	—	trace	—	.02	—	1.08	—	—	—	—	4
5	.05	.02	.05	.09	—	trace	.03	—	—	trace	.01	—	5
6	.19	.15	.02	—	—	.12	—	—	—	—	.01	.06	6
7	—	—	.01	.04	—	.38	—	.12	—	.01	—	—	7
8	—	—	—	—	—	.42	—	—	trace	—	—	—	8
9	—	.01	.15	—	—	.05	—	trace	.34	.20	—	—	9
10	.04	.01	.02	.14	.01	.03	—	—	—	.03	.06	.17	10
11	.15	.11	.01	.07	—	.06	—	.08	—	.02	.17	—	11
12	.07	.04	.04	.05	—	—	—	.01	—	.06	.01	.16	12
13	.12	.07	—	trace	—	.68	—	.05	—	—	.06	.02	13
14	—	.19	—	.01	.26	.32	—	—	—	.45	.11	—	14
15	.02	.05	—	.33	.17	—	—	—	—	.02	.11	.01	15
16	.01	—	—	.22	.17	—	—	—	—	.02	.28	.14	16
17	.05	.09	—	trace	.30	—	—	—	—	.13	—	—	17
18	—	—	.02	.04	.45	.08	—	—	—	.16	.01	.02	18
19	.47	—	—	.01	.29	.02	—	.03	—	.20	.01	.14	19
20	—	—	—	trace	trace	—	—	.04	—	.58	.03	—	20
21	.06	—	.03	.12	.04	—	—	.01	—	.10	.28	—	21
22	.07	.01	.07	trace	.06	—	—	.09	—	.55	.08	.08	22
23	.01	—	.06	—	.26	—	—	—	—	.03	.19	—	23
24	.14	—	.39	—	.04	trace	—	.02	.09	.05	.23	.19	24
25	.04	—	trace	—	—	—	—	—	trace	.01	.13	.01	25
26	.02	—	—	—	—	.05	.25	.27	—	.55	trace	.21	26
27	.12	—	.02	—	—	.04	.82	.06	trace	.09	—	.63	27
28	.02	.01	—	—	—	—	.01	—	.14	—	—	.21	28
29	.18	.03	.30	.04	—	—	—	.04	.04	.04	.02	.58	29
30	.06	X	.47	.11	—	.10	.33	.01	—	.01	—	.16	30
31	trace	X	.20	X	—	X	.09	.11	X	.01	X	.09	31
TOTAL	2.33	1.26	2.00	1.65	2.19	2.37	1.88	2.40	.61	3.32	1.88	2.97	YEARS TOTAL
Days with ".01 in. or more.	22	16	18	15	13	14	7	17	4	22	21	20	2486
Days with ".04 in. or more.	16	10	10	13	11	11	5	12	4	13	12	14	189
													131

REGISTER OF RAINFALL IN 1929 .

Kept at 33 TOWER RD. DARTFORD
in the County of KENT.

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground — ft. 6 in.
,, Ground ,, Sea Level 125 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.
Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	—	.07	—	.06	—	—	—	.50	—	.16	—	.01	I
2	—	.16	—	—	—	.02	.03	.01	—	.27	.02	.11	2
3	—	—	—	—	—	—	1.36	—	.04	.02	—	.17	3
4	—	—	—	.22	.03	.41	.50	—	—	—	—	.29	4
5	.01	—	TR	.02	.43	.10	.01	.16	—	—	TR	.44	5
6	TR	—	—	—	.24	—	—	.11	—	.51	.05	x.45	6
7	—	—	—	—	.01	—	—	.41	—	—	.34	.23	7
8	TR	—	—	—	.04	.07	—	—	—	.22	TR	.25	8
9	.02	.07	—	TR	—	—	—	—	—	TR	—	.27	9
10	.17	TR	—	.04	—	—	—	—	—	.10	.07	.14	10
11	—	—	—	.14	.02	TR	—	—	—	TR	.59	.09	11
12	—	—	—	.14	.18	.10	—	—	—	—	—	.11	12
13	.03	TR	—	.02	.04	.03	—	—	—	—	—	—	13
14	—	—	—	.01	.03	.09	—	—	—	—	—	.16	14
15	.06	TR	—	—	—	.06	—	—	—	—	.32	.07	15
16	.03	—	TR	—	—	—	—	.95	—	—	.67	—	16
17	—	—	—	—	—	—	—	.10	—	.01	—	TR	17
18	.01	—	TR	—	—	—	—	.16	—	—	.15	—	18
19	—	—	—	—	—	—	—	—	—	TR	.02	—	19
20	—	—	—	—	—	—	.12	—	TR	.19	—	.01	20
21	.15	—	.01	—	—	—	—	.02	—	—	—	x.45	21
22	.02	—	TR	—	—	.01	—	.02	—	—	.08	.05	22
23	—	.04	—	—	—	—	—	—	—	.04	.33	.14	23
24	—	.01	—	TR	.02	—	—	.01	—	.97	.29	.42	24
25	—	.05	TR	—	—	—	—	—	—	.03	.07	.01	25
26	—	.01	—	.05	—	—	—	—	—	—	.13	.06	26
27	—	—	—	.01	—	—	—	.06	—	—	.54	.03	27
28	.07	TR	—	.04	—	—	.13	—	—	.07	.29	.19	28
29	.15	x	—	.53	—	—	—	—	.03	TR	.18	.01	29
30	—	x	—	—	—	TR	—	—	.05	—	.16	.07	30
31	.26	x	—	x	—	x	.11	—	x	—	x	—	31
TOTAL	.98	.41	.01	1.28	1.04	.89	2.26	2.51	.12	2.59	4.30	4.24	YEAR'S TOTAL 20.63
Days with or in. or more.	12	7	1	12	10	9	7	12	3	13	18	25	129
Days with .04 in. or more.	6	5	—	8	5	6	5	8	2	10	16	20	91

Section **A**

for the entry of Daily Observations.

424
FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1923

Kept at 33 Lower Road, Dartford
in the County of Kent.

Diameter of Funnel of Gauge.....5 in.
Height of top of Gauge above Ground.....6 ft.
Ground Sea Level.....12.5 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.05	.45	—	.07	—	—	—	.01	—	—	.24	—	1
2	—	.10	—	.02	—	—	.01	—	—	—	.51	—	2
3	.02	.06	TR	.41	.01	—	—	.42	—	.02	1.03	—	3
4	.24	.01	—	.12	—	—	—	.08	.01	.07	—	—	4
5	.01	—	—	.01	.22	—	—	.35	.03	.01	—	—	5
6	—	—	.04	—	.48	—	—	.11	.61	TR	—	.01	6
7	.02	.06	—	—	.01	—	—	.14	.01	.10	.35	.05	7
8	.06	—	—	—	—	—	—	—	—	.05	—	.06	8
9	.14	TR	.03	—	.32	—	—	—	.05	—	TR	.01	9
10	.24	.04	.22	—	.06	—	—	.05	—	—	—	—	10
11	.24	—	—	—	.12	—	—	.03	.01	TR	—	.57	11
12	.12	TR	—	.10	.05	—	—	.06	.01	—	—	.14	12
13	.04	—	.13	.16	.09	—	.03	.22	.26	—	—	.01	13
14	.05	.03	.09	.02	—	—	.27	—	.01	TR	—	.03	14
15	.01	.14	.47	.02	—	—	.07	—	—	.02	.23	—	15
16	—	TR	.02	TR	—	TR	.14	—	.09	—	—	—	16
17	—	TR	.11	.16	—	.45	TR	—	.24	.16	—	—	17
18	—	—	—	.03	.09	.02	.04	TR	—	—	.09	.02	18
19	—	—	—	.13	—	—	—	.14	.44	.08	.03	TR	19
20	—	—	—	.02	TR	—	.30	.13	.18	.06	.55	.01	20
21	.01	—	.01	—	—	—	.10	.37	.08	.02	.40	—	21
22	TR	—	—	—	.36	—	.07	.02	.01	.22	.15	—	22
23	.04	.01	—	.04	—	.46	.03	.02	—	.03	—	.02	23
24	.24	—	—	.07	.47	.03	.15	—	.01	.06	.22	.06	24
25	.01	—	—	—	.23	TR	—	—	.03	—	.10	.01	25
26	.09	—	—	—	.03	—	—	—	.26	—	.09	.21	26
27	—	—	—	—	.02	—	—	—	.19	—	.36	.06	27
28	—	—	—	—	—	—	.01	—	.22	TR	.33	—	28
29	.08	—	.12	—	—	—	.36	.77	.10	—	.24	.10	29
30	.04	X	—	—	.50	—	.12	—	—	—	.02	.09	30
31	.17	X	.01	X	.32	X	—	—	X	.11	X	.06	31
TOTAL	1.89	.90	1.25	1.38	3.38	.96	1.70	2.92	2.85	1.01	4.94	1.52	YEAR'S TOTAL 24.70
Days with ".01 in. or more.	21	9	11	15	17	4	14	16	21	14	17	18	177
Days with ".04 in. or more.	14	6	7	9	13	2	10	12	12	9	15	10	119



DARTFORD
(CITY OF LONDON MENTAL HOSPITAL)

KENT

1921-22, 24-30

8 JAN 1922




BRA,

NT STREET, W.

City of London Mental Hospital
Kent (Stone)

Height by NE
Mr. James Sains head
38 COLBO
Kapt. R. H. S. Sains
Time of Observation 8 a

Rules for back of this Chart.



15 3 10 9 12 2 2 7 8 7 7 12
10 1 7 7 8 1 2 6 4 4 7 8
94
65



RAINFALL CHART.

NEGRETTI AND ZAMBRA,


METEOROLOGICAL INSTRUMENT MAKERS.

38, GOLBORN VIADUCT, E.C.; 45, CORNHILL, E.C.; & 122, REGENT STREET, W.

Kept by *Mr. James Sains head attendant*
Mr. R. H. Sains (Medical Superintendent)
Time of Observation *8 am* YEAR *1921*

At *City of London Mental Hospital*
County *Kent (Stone)*

Rules for observing Rainfall will be found on back of this Chart.



REGISTER OF RAINFALL IN 1922.

Kept at City of London Mental Hospital
 in the County of Kent (Stone)
 by Mr. J. Lower Head Attendant

Lat. _____ Long. _____
 Time of Observation 9 a.m.
 Nearest Railway Station Dartford
 Diameter of Funnel of Rain Gauge 5 in.
 Height of top of Gauge above Ground 10 ft.
 " " " " Sea Level 124 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	.08	.20	-	.03	-	.01	-	-	.04	.34	.02	1
2	.07	.21	.06	^{snow} .12	-	-	.05	-	.09	-	-	-	2
3	-	.15	.07	^{snow} .60	.13	-	-	.15	-	-	.01	-	3
4	-	.03	.09	-	.11	-	.06	.05	-	.22	-	-	4
5	-	-	.13	.11	.02	-	.78	-	-	.04	.45	-	5
6	^{snow} .01	-	.04	-	-	-	.01	.15	-	.01	.13	-	6
7	.08	-	.39	.11	-	-	.03	.11	-	-	-	-	7
8	-	-	.07	.07	-	-	.08	.01	-	-	-	-	8
9	.10	-	-	.01	-	-	.12	.06	-	.02	-	.01	9
10	-	-	-	-	-	-	-	-	.07	-	.06	-	10
11	.01	-	-	-	.03	-	-	.06	-	-	-	-	11
12	-	-	-	.28	-	-	-	.09	.09	-	-	-	12
13	^{snow} .01	-	-	.21	-	.09	.08	-	-	-	-	-	13
14	-	-	-	.01	-	.16	.42	-	.53	-	-	-	14
15	^{snow} .31	.09	-	-	-	.14	-	-	-	-	-	-	15
16	.07	-	-	.11	.11	-	.15	-	.01	-	-	.14	16
17	-	.24	-	.01	.01	-	.01	-	.04	-	-	.12	17
18	.44	-	-	-	-	-	.03	-	-	.03	-	.11	18
19	.50	.02	.03	-	-	-	-	-	.35	.51	-	.45	19
20	.02	-	-	-	-	-	-	-	-	.04	-	-	20
21	.09	^{snow & rain} .17	-	-	-	-	-	-	-	.02	-	.71	21
22	.01	.04	-	.13	.05	.04	.16	.15	-	-	-	.03	22
23	-	.01	-	-	-	-	.73	-	.08	-	-	-	23
24	^{snow} .03	-	.01	.01	.06	.09	.01	.15	-	-	-	-	24
25	.12	-	-	.31	.02	.02	-	-	-	-	-	.08	25
26	.20	.07	.01	.11	-	.05	.10	-	.02	-	.02	.03	26
27	.17	.07	.02	.02	-	-	-	.23	.32	.03	-	.34	27
28	.05	.26	^{snow & rain} .01	-	-	.33	-	-	-	-	-	.03	28
29	-	-	-	-	-	.09	-	.51	-	.07	-	.12	29
30	...	X	.01	-	-	.03	.03	.27	.30	-	.03	.61	30
31	.07	X	-	X	-	X	.08	.08	X	.01	X	.29	31
TOTAL	2.30	1.44	1.14	2.22	.57	1.04	2.94	2.07	1.90	1.04	1.04	3.09	YEAR'S TOTAL
Days with 01 in. or more	7	3	6	5	5	2	7	1	2	6	3	8	20.49
Days with 04 in. or more	12	10	8	1	5	8	12	13	9	6	4	10	16.04
													108

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1924.

County No. 398
River Dist. 1111
Station 14

Kept at 611y London Mental Hospital, Stone
in the County of Trent
by W James Brown

Lat. _____ Long. _____
Time of Observation 8.30 AM
Nearest Railway Station Darford
Diameter of Funnel of Rain Gauge (15) in.
Height of top of Gauge above Ground 17 ft. _____ in.
" " " " Sea Level 200 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	-	-	-	.01	.24	.06	.03	-	-	.39	.13	1 <u>RW</u>
2	.02	-	.18	-	-	.45	-	.07	-	-	-	.10	2 <u>FSB</u>
3	-	-	.05	<u>Tn</u>	.08	<u>Tn</u>	.08	.20	.04	-	-	-	3 <u>C</u>
4	-	-	-	-	<u>Tn</u>	.49	-	<u>Tn</u>	.03	.17	-	.07	4 <u>DBB</u>
5	-	.35	.05	-	-	.07	-	-	-	.05	-	.02	5
6	-	.04	-	-	.04	<u>Tn</u>	-	.20	<u>Tn</u>	.23	-	-	6
7	.01	-	-	-	-	.73	-	<u>Tn</u>	.07	.34	-	-	7
8	.17	.01	-	.19	.05	-	-	-	-	.13	-	-	8
9	.02	.11	-	.03	-	.06	-	-	.33	-	-	-	9
10	.18	.02	-	.27	.19	-	-	-	<u>Tn</u>	-	-	-	10
11	.01	-	-	.37	.01	.16	-	-	-	-	.86	-	11
12	-	.01	-	.13	.02	.03	-	.03	-	-	.76	-	12
13	.01	-	-	.11	.05	-	-	.02	.65	-	.02	.14	13
14	-	-	-	.15	-	-	-	.01	.07	-	-	.01	14
15	-	<u>Tn</u>	-	<u>Tn</u>	-	-	-	-	.04	-	-	.20	15
16	.01	-	-	-	-	-	-	.28	.05	-	-	.07	16
17	.07	-	-	-	-	-	.96	.08	.01	-	-	.01	17
18	.28	-	-	-	.14	.10	<u>Tn</u>	.04	<u>Tn</u>	.05	.06	-	18
19	.13	.06	-	-	-	<u>Tn</u>	-	.06	-	.05	.01	-	19
20	.04	-	-	-	.05	.44	.05	<u>Tn</u>	.04	.10	-	-	20
21	.45	-	-	-	.03	-	.07	<u>Tn</u>	.14	.45	-	-	21
22	.51	-	.14	-	-	-	.02	.22	.13	-	-	-	22
23	<u>Tn</u>	-	.08	-	.05	-	-	.05	.17	-	-	.43	23
24	.36	.03	.08	<u>Tn</u>	.02	-	<u>Tn</u>	.13	-	-	.10	.24	24
25	-	.03	.44	-	.09	-	.60	-	.28	.01	.19	.01	25
26	-	<u>Tn</u>	<u>Tn</u>	.39	-	-	.02	-	<u>1.05</u>	.07	.34	.15	26
27	-	.11	-	.41	-	.06	.18	.03	-	.10	.41	.56	27
28	-	-	-	.05	-	-	.38	.10	-	.01	.25	-	28
29	<u>Tn</u>	.10	-	.19	.30	-	.02	.25	.04	.44	.07	.01	29
30	-	X	-	.95	.13	-	<u>Tn</u>	.17	.59	.58	.07	.25	30
31	-	X	-	X	.58	X	-	.09	X	.08	X	.12	31 <u>742</u>
TOTAL	2.28	.87	1.02	3.24	1.84	2.83	2.44	2.06	3.73	2.86	3.53	2.52	YEAR'S TOTAL
Days with ".01 in. or more.	16	11	7	12	17	11	11	19	17	16	13	17	29.22.
Days with ".04 in. or more.	9	6	7	11	12	10	8	14	15	14	11	12	167 129



Register of Rainfall in 1925.

Kept at *6th London Naval Hospital*
in the County of *Kent*.

Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *1* ft. */* in.
" Ground " Sea Level " ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	m.	m.	m.	m.	m.	m.	m.	m.	m.	m.	m.	m.	
1	.50	-	.27	.04	-	-	-	.29	.09	trace	.25	-	1
2	.12	-	-	.19	-	-	.01	-	.01	-	.27	-	2
3	.09	.02	.01	-	.12	-	-	.28	-	-	.17	-	3
4	-	-	trace	-	.09	-	-	.20	-	.03	.06	-	4
5	-	.25	-	.17	-	-	-	-	.14	-	.03	-	5
6	-	.11	-	.11	.05	-	-	.04	-	-	.27	-	6
7	-	.05	.01	.01	.02	-	.35	-	.02	trace	.02	-	7
8	.03	trace	.03	-	.11	-	-	-	.01	-	trace	.16	8
9	-	-	.02	.05	.02	-	-	.12	.15	-	.05	-	9
10	-	-	.06	trace	.13	-	-	.08	.02	-	.38	-	10
11	-	.08	.01	-	-	-	-	.01	.05	-	.09	-	11
12	-	.45	-	-	-	-	-	.01	-	.17	-	-	12
13	-	.47	.12	.02	-	-	-	.04	-	.01	-	-	13
14	.13	.06	.02	.13	-	-	-	-	-	-	-	-	14
15	.12	-	-	.02	.11	-	-	-	-	.24	-	-	15
16	trace	.08	-	-	-	-	-	-	.09	.09	-	trace	16
17	-	-	-	-	-	-	-	-	-	.01	-	-	17
18	-	.04	-	-	-	-	.27	.02	-	.02	-	-	18
19	-	-	-	-	.11	-	.05	trace	.13	.85	-	.13	19
20	-	-	.11	-	.02	-	.18	trace	.41	.16	-	.20	20
21	-	-	.02	-	-	-	.04	.05	.06	.34	-	.26	21
22	-	trace	.01	.14	.01	-	1.14	.12	.61	.61	-	.80	22
23	.02	.10	-	.04	.46	-	.06	.28	-	.02	-	.02	23
24	-	.23	.05	.01	.03	.15	-	.24	-	.04	.08	.03	24
25	.04	.82	trace	.03	trace	-	.03	-	.16	.02	-	.03	25
26	.05	.29	trace	.01	-	.01	.50	.17	.02	.13	-	.06	26
27	.20	.05	-	.10	.15	-	.26	.03	-	-	.05	.03	27
28	.10	-	-	.09	-	-	-	-	.02	-	snow	.18	28
29	.05	-	-	trace	.03	-	trace	-	trace	-	.04	.20	29
30	trace	X	-	.30	-	-	.26	-	-	-	.03	.71	30
31	.06	X	.02	X	.03	X	.04	-	X	-	X	.04	31
TOTAL	1.51	3.10	.76	1.46	1.49	.16	3.19	1.98	1.99	2.74	1.79	2.85	22.97
Days with .01 in. or more.	13	15	14	17	16	2	13	16	16	15	14	14	165
Days with .04 in. or more.	11	14	5	9	9	1	11	12	10	9	11	10	114

(Signed) *James Brown* P.T.O.

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1926.

Kept at *161, London Mental Hospital*
in the County of *Kent*

Corr by Observer 749134/27.

Diameter of Funnel of Gauge.....*16* in.
Height of top of Gauge above Ground.....ft. in.
,, Ground ,, Sea Level ft.

Circ E sent 19/1/27

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.17	.26	-	-	-	.18	-	-	.29	-	-	-	1
2	.03	-	-	-	-	.83	.04	-	.17	-	-	-	2
3	.12	.70	.08	-	-	.01	-	-	.01	-	-	-	3
4	-	.05	.06	.73	-	-	.21	-	-	-	.01	-	4
5	.04	.05	.03	-	.09	-	.02	-	-	-	.03	.25	5
6	.05	.30	-	.44	<i>trace</i>	-	.08	.07	.24	-	.07	-	6
7	.17	.13	-	.12	.04	.09	.03	.06	<i>trace</i>	-	.14	-	7
8	-	.01	-	.18	<i>trace</i>	-	-	-	-	.06	.57	-	8
9	-	-	<i>trace</i>	-	-	.48	.01	.03	-	.02	.20	-	9
10	-	-	-	-	.02	.15	.01	.47	-	.01	.06	-	10
11	-	.09	-	-	-	.08	-	.24	-	-	.01	-	11
12	-	.07	-	-	.14	-	-	-	-	.25	-	-	12
13	-	-	-	-	-	.02	-	-	-	.07	.64	-	13
14	.23	.02	-	.04	.05	.20	-	-	-	.43	.01	.06	14
15	<i>trace</i>	.01	-	.15	-	-	-	-	-	.40	.06	-	15
16	-	.10	-	.16	-	-	-	.16	-	-	<i>trace</i>	-	16
17	-	.60	-	.01	.04	.29	-	-	-	-	.06	.13	17
18	.08	.06	-	.06	.04	.01	.23	.05	-	-	.30	-	18
19	-	-	-	.05	.28	-	.17	-	-	-	<i>trace</i>	-	19
20	-	-	<i>trace</i>	.34	.02	-	.01	.06	-	.12	.64	-	20
21	-	-	<i>trace</i>	.12	-	-	.10	-	-	-	.20	<i>trace</i>	21
22	.20	-	-	.14	-	-	-	-	-	.11	.02	.03	22
23	.03	.19	-	-	-	-	-	-	-	-	-	-	23
24	-	-	-	-	-	.14	-	-	.01	.48	-	-	24
25	.06	-	-	1.03	-	-	.13	-	.02	.09	.06	.02	25
26	-	-	-	.02	-	-	.39	-	.16	-	.16	-	26
27	.02	-	-	.20	-	<i>trace</i>	.09	-	.10	-	-	-	27
28	.32	-	-	.44	-	-	.38	-	.09	.23	.05	.02	28
29	.02	-	-	.19	.10	-	-	-	-	.03	.35	-	29
30	-	X	-	.09	.06	-	<i>trace</i>	-	-	-	.14	-	30
31	.09	X	-	X	-	X	-	-	X	-	X	-	31
TOTAL	1.69	2.62	.17	4.57	.88	2.98	1.90	1.14	1.09	2.89	3.90	.57	YEAR'S TOTAL
Days with "01 in. or more.	16	15	3	19	11	12	15	8	9	13	21	6	148
Days with "04 in. or more.	12	12	2	17	9	9	10	7	6	10	16	3	113

Please read the Notes and Instructions Overleaf.

Section



for the entry of Daily Observations.

373
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1927.

Kept at Edin London Mental Hospital, Stone
in the County of Kent

Diameter of Funnel of Gauge.....16 in. 5" (1926)
Height of top of Gauge above Ground.....One ft..... in.
" Ground " Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	<u>1.05</u>	-	<u>Tu</u>	-	-	<u>.45</u>	<u>.34</u>	-	<u>.02</u>	<u>.30</u>	-	1
2	-	-	-	<u>.04</u>	-	-	<u>.01</u>	-	-	<u>Tu</u>	<u>.03</u>	-	2
3	<u>.04</u>	-	-	-	-	-	-	-	-	-	-	<u>Tu</u>	3
4	-	-	<u>.03</u>	<u>Tu</u>	<u>.01</u>	-	<u>.02</u>	-	-	-	-	<u>.01</u>	4
5	<u>.04</u>	<u>.08</u>	<u>.20</u>	<u>.45</u>	-	<u>Tu</u>	<u>.01</u>	<u>.12</u>	-	-	<u>.03</u>	<u>Tu</u>	5
6	-	-	<u>.13</u>	<u>.14</u>	<u>.02</u>	<u>.13</u>	<u>1.00</u>	<u>.01</u>	<u>.08</u>	-	-	-	6
7	<u>.06</u>	<u>.26</u>	<u>.03</u>	<u>.38</u>	-	<u>.05</u>	-	<u>.18</u>	-	-	<u>.01</u>	-	7
8	<u>.03</u>	-	<u>.06</u>	<u>.14</u>	-	-	<u>.02</u>	<u>.08</u>	-	-	<u>.02</u>	<u>Tu</u>	8
9	-	-	-	<u>.27</u>	-	-	<u>.02</u>	<u>.30</u>	<u>.17</u>	-	-	<u>.02</u>	9
10	-	-	<u>.14</u>	-	-	-	-	-	<u>.50</u>	-	-	-	10
11	-	-	-	-	-	-	<u>.04</u>	-	-	-	-	-	11
12	<u>.02</u>	-	-	-	-	-	<u>.28</u>	<u>.27</u>	-	<u>.02</u>	-	-	12
13	<u>.04</u>	-	-	-	-	-	<u>.07</u>	<u>.17</u>	<u>.11</u>	-	<u>.03</u>	-	13
14	<u>.15</u>	-	-	<u>.04</u>	<u>.01</u>	-	<u>.45</u>	<u>.02</u>	<u>1.26</u>	-	<u>.04</u>	<u>.39</u>	14
15	-	-	-	-	-	-	<u>.02</u>	<u>.34</u>	<u>.02</u>	-	-	-	15
16	-	-	-	-	<u>.20</u>	-	<u>Tu</u>	<u>.14</u>	<u>.20</u>	-	-	-	16
17	<u>.43</u>	-	-	-	-	<u>.19</u>	-	<u>.36</u>	<u>.09</u>	-	-	<u>Tu</u>	17
18	<u>.01</u>	-	-	-	-	<u>.34</u>	-	<u>.24</u>	<u>.03</u>	-	<u>.02</u>	-	18
19	-	<u>.16</u>	-	-	-	<u>.01</u>	-	<u>.02</u>	-	<u>.02</u>	<u>.08</u>	-	19
20	<u>.07</u>	<u>.11</u>	-	-	-	-	<u>.10</u>	<u>.37</u>	<u>Tu</u>	-	<u>.61</u>	<u>.14</u>	20
21	<u>.02</u>	<u>.10</u>	-	-	<u>.05</u>	<u>Tu</u>	-	<u>.17</u>	<u>.02</u>	<u>.19</u>	<u>.03</u>	<u>.50</u>	21
22	<u>.09</u>	<u>.02</u>	<u>.10</u>	-	<u>.04</u>	<u>.08</u>	<u>.14</u>	-	<u>.08</u>	<u>.25</u>	-	<u>.38</u>	22
23	<u>.01</u>	<u>.28</u>	<u>.16</u>	-	-	<u>.10</u>	-	-	<u>.42</u>	<u>Tu</u>	<u>.09</u>	<u>.18</u>	23
24	-	<u>.13</u>	<u>.12</u>	<u>.03</u>	-	<u>.34</u>	-	<u>.05</u>	-	-	<u>Tu</u>	<u>.31</u>	24
25	<u>Tu</u>	<u>.38</u>	<u>.45</u>	-	-	<u>.01</u>	-	-	<u>.14</u>	-	-	<u>.93</u>	25
26	<u>.09</u>	<u>.44</u>	<u>.06</u>	-	<u>.15</u>	<u>.02</u>	-	-	<u>.03</u>	<u>Tu</u>	<u>Tu</u>	<u>.25</u>	26
27	<u>.15</u>	<u>.33</u>	<u>Tu</u>	-	<u>.19</u>	<u>.07</u>	<u>.34</u>	-	-	<u>.21</u>	-	-	27
28	<u>.21</u>	<u>.18</u>	-	-	-	<u>.28</u>	-	-	-	<u>Tu</u>	<u>.18</u>	-	28
29	-	-	<u>.10</u>	<u>.01</u>	-	<u>.19</u>	-	-	<u>.38</u>	-	<u>.62</u>	-	29
30	<u>.25</u>	<u>X</u>	<u>.02</u>	-	-	<u>.33</u>	-	-	-	<u>.10</u>	-	-	30
31	-	<u>X</u>	<u>.41</u>	<u>X</u>	-	<u>X</u>	<u>.04</u>	-	<u>X</u>	<u>.04</u>	<u>X</u>	<u>.18</u>	31
TOTAL	1.71	3.52	2.01	1.50	.67	2.12	3.01	3.18	3.53	.83	2.09	3.33	YEARS TOTAL
Days with ".01 in. or more.	17	13	14	9	8	14	16	17	15	8	14	11	156
Days with ".04 in. or more.	12	11	11	7	5	11	10	14	10	5	7	9	112

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1928.

Kept at Bldg of London Mental Hospital
in the County of Kent

*Eric. F. sent
28/10*

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" Ground " Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.03	—	.11	.30	—	—	—	.32	—	—	.05	.01	1
2	.43	.37	—	—	—	—	—	—	—	—	.01	.01	2
3	—	—	—	.07	.27	—	.38	—	—	—	.01	.04	3
4	.03	—	—	—	—	—	—	.62	—	—	—	—	4
5	.18	.14	.05	.10	—	—	.04	.67	—	—	—	—	5
6	—	—	—	—	—	.31	—	—	—	—	—	.05	6
7	—	—	—	.02	—	.36	—	.15	—	—	—	—	7
8	—	—	.07	—	—	.23	—	—	—	.12	—	—	8
9	.03	—	.06	—	—	.03	—	—	.26	.06	—	—	9
10	.16	.10	.02	.12	.01	.01	—	—	—	.04	.06	—	10
11	.05	.07	—	.07	—	.06	—	.02	—	—	.18	.20	11
12	.12	.12	.02	.04	—	—	—	.01	—	.03	—	.14	12
13	—	.12	—	—	.01	.74	—	—	—	—	.04	—	13
14	.02	.04	—	—	.20	.30	—	.08	—	.43	.12	—	14
15	.01	—	—	.36	.22	—	—	—	.02	—	.14	—	15
16	.02	.07	—	.16	.06	—	—	—	—	.02	.19	.13	16
17	—	—	—	—	.51	—	—	—	—	.11	—	—	17
18	.44	—	.01	.05	.18	.08	—	—	—	.18	.01	—	18
19	—	—	—	.02	.27	.03	—	.07	—	.35	—	.02	19
20	.07	—	—	—	—	—	—	.06	—	.35	.02	.13	20
21	.08	—	—	.09	.05	—	—	—	—	.14	.24	—	21
22	—	—	.06	—	.11	—	—	.11	—	.59	.16	.09	22
23	.15	—	.02	—	.26	—	—	—	—	.05	.09	—	23
24	.01	—	.29	—	—	—	—	.01	.07	.01	.22	.17	24
25	.02	—	—	—	—	—	—	—	.01	.01	.08	.01	25
26	.13	—	—	—	—	.02	.22	.24	—	.49	—	.20	26
27	.01	—	—	—	—	—	.91	.04	—	.02	—	.65	27
28	.18	—	—	—	—	—	—	—	.12	—	—	.22	28
29	.06	.01	.27	.03	—	—	—	.04	.62	.03	.02	.60	29
30	.01	X	.32	.08	—	.03	.32	—	—	—	—	.22	30
31	.12	X	.33	X	—	X	.10	.14	X	—	X	.18	31
TOTAL	2.36	1.04	1.63	1.50	2.15	2.20	1.97	2.58	.50	3.07	1.64	3.07	YEAR'S TOTAL
Days with ".01 in. or more.	23	9	13	14	12	12	6	15	6	18	17	18	163
Days with ".04 in. or more.	13	8	9	10	10	8	6	12	3	12	12	14	117

REGISTER OF RAINFALL IN 1929.

Kept at City Lane Kenton Hospital
in the County of Kent

Diameter of Funnel of Gauge 5.14 in.
Height of top of Gauge above Ground 1 ft 1 in.
Ground Sea Level 270 ft.

days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.
Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	-	.04	-	.05	-	-	-	.38	-	.18	-	tr	I
2	-	.13	-	-	-	.03	.04	-	-	.21	-	.15	2
3	-	-	-	-	-	-	1.02	-	tr	.02	-	.19	3
4	-	-	-	.19	.04	.27	.31	.01	-	-	tr	.59	4
5	tr snow	-	-	tr	.43	.09	.01	.16	-	.14	tr	.24	5
6	-	-	-	-	.20	-	-	.10	-	.06	.06	.46	6
7	-	-	-	-	.01	-	-	.39	-	.15	.38	.30	7
8	-	-	-	-	.05	.08	-	-	-	.26	.01	.20	8
9	.03	.08	-	-	-	-	-	-	-	-	-	.25	9
10	.17	-	-	.05	-	-	-	-	-	.09	.06	.18	10
11	-	-	-	.15	.01	-	-	.01	-	tr	.59	.03	11
12	-	-	tr	.12	.16	.12	-	-	-	-	-	.08	12
13	.03	-	-	.03	.03	.03	-	-	-	-	-	tr	13
14	tr snow	-	-	-	.02	.10	-	-	-	-	-	.15	14
15	-	tr snow	-	-	-	.05	-	-	-	-	.49	.06	15
16	-	-	-	-	-	-	-	.82	-	-	.62	-	16
17	-	-	-	-	-	-	-	.12	-	.01	-	-	17
18	-	-	-	-	-	-	-	.04	-	-	.17	-	18
19	-	-	-	-	-	-	-	-	-	-	.02	-	19
20	-	-	-	-	-	-	.05	.02	-	.17	-	-	20
21	.10	-	.01	-	tr	tr	-	-	-	-	-	.46	21
22	.01	-	-	-	-	-	-	.02	-	-	.09	.04	22
23	-	.03	-	-	-	-	-	-	-	.08	.44	.14	23
24	-	tr	-	-	.02	-	-	tr	-	1.01	.32	.36	24
25	-	.03 snow	-	-	-	-	-	-	-	.02	.05	tr	25
26	tr snow	-	-	.04	-	-	-	-	-	-	.13	.07	26
27	-	-	-	.01	-	-	-	.18	-	-	.57	.02	27
28	.16	-	-	.03	-	-	.12	-	-	.06	.30	.19	28
29	.04	-	-	.53	-	-	-	-	.01	-	.14	.01	29
30	.04	X	-	-	tr	tr	-	-	.05	-	.20	.09	30
31	.21	X	-	X	-	X	.09	-	X	-	X	tr	31
TOTAL	.88	.31	.01	1.20	.97	.77	1.64	2.25	.06	2.46	4.64	4.26	19.45
Days with .01 in. or more.	10	5	1	10	9	8	7	12	2	14	18	22	118
Days with .04 in. or more.	7	3	0	7	5	6	6	8	1	11	16	19	89

Section

A

for the entry of Daily Observations.

425
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at *Glen of London Mental Hospital*
in the County of *Kent*

Diameter of Funnel of Gauge *18* in.
Height of top of Gauge above Ground *1* ft *06* in.
,, Ground ,, Sea Level *210* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.05	.55	-	.14	-	-	-	Tn	-	-	.21	-	1
2	-	.13	-	.02	.01	-	Tn	-	-	-	.44	-	2
3	.03	.07	-	.43	.01	-	-	.47	-	.02	-	-	3
4	.28	.01	-	.13	-	-	-	.03	.04	.06	-	-	4
5	.01	-	-	.02	.28	-	-	.43	-	.01	-	-	5
6	-	-	.06	-	.46	-	-	.04	.59	-	-	-	6
7	.07	.07	Tn	-	.01	-	-	.10	.01	.10	.42	.05	7
8	.01	Tn	-	-	-	-	-	-	.04	.04	Tn	.07	8
9	.13	-	.03	-	.32	-	-	-	.01	-	-	.01	9
10	.27	.04	.31	-	.05	-	-	.07	Tn	-	-	.04	10
11	.14	Tn	-	.05	.09	-	-	-	.04	-	-	.48	11
12	.15	-	-	.04	.08	-	-	.06	.01	-	-	.14	12
13	.02	-	.10	.11	.07	-	.06	.20	.21	-	-	.01	13
14	.08	.12	.08	.02	-	-	.21	-	Tn	-	-	.02	14
15	Tn	.05	.47	.04	-	-	.07	-	-	Tn	.21	-	15
16	-	.01	Tn	-	-	-	.08	-	.08	-	-	-	16
17	-	-	.09	.14	-	.18	Tn	-	.24	.15	-	-	17
18	-	-	Tn	.03	.05	-	.04	-	Tn	-	.09	.01	18
19	-	-	-	.11	-	-	-	.09	.47	.07	.27	Tn	19
20	-	-	-	.02	.01	-	.33	.16	.17	.09	.27	Tn	20
21	Tn	-	Tn	-	-	-	.06	.34	.09	.01	.37	-	21
22	Tn	-	-	Tn	.39	-	.06	.03	Tn	.21	.11	-	22
23	.07	-	-	.02	.01	.38	.04	Tn	.01	.01	.01	.02	23
24	.23	Tn	-	-	.48	.01	.12	-	-	.04	.18	.06	24
25	Tn	-	-	-	.18	-	-	-	.03	Tn	.04	-	25
26	.08	-	-	-	.01	-	-	-	.23	-	.08	.19	26
27	-	-	-	-	.03	-	-	-	.18	-	.38	.07	27
28	.02	-	-	-	-	-	Tn	-	.27	-	.27	.07	28
29	.10	-	.11	-	-	-	.03	.38	.05	-	.23	.06	29
30	.01	X	-	-	.04	-	.09	-	-	.02	.02	.12	30
31	.16	X	-	X	.34	X	-	-	X	.09	X	.07	31
TOTAL	1.88	1.05	1.15	1.34	3.34	.54	1.19	2.40	2.77	.92	3.70	1.49	21.77
*Days with .01 in. or more.	19	9	8	15	20	3	12	13	19	14	17	17	166
*Days with .04 in. or more.	13	7	7	9	13	2	11	11	14	8	15	12	122

40-9999

*See Instruction 2 (f) on other side.

(Signed)

James Fowler

[P.T.O.]

1927.

DARTFORD - SEWAGE WKS
KENT

1927-30

US DAY.

Jan. 1, following.

of the following

Kept at *West Kent*
Disposal Works
in the County of *Kent*

Diameter of Funnel of Gauge...
Height of top of Gauge above
" Ground "

THE MORNING M

An observer who does not con
year in the space on the right

Date.	Jan.	Feb.	March	in.	in.	in.	in.	in.	in.	Oct.	Nov.	Dec.	Date.
	in.	in.	(in.)	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.83	Trace	.07	—	.01	.09	.29	—	.02	.20	—	1
2	—	.16	Trace	.05	—	Trace	Trace	—	—	.01	.06	Trace	2
3	.04	—	—	—	—	.01	Trace	—	—	—	—	do	3
4	.03	—	—	Trace	.08	.02	.02	—	—	—	—	do	4
5	.01	.07	.21	.50	.03	Trace	.01	.11	—	—	.03	do	5
6	—	—	.12	.14	—	.04	.95	.02	.11	.01	—	—	6
7	.09	.26	.05	.33	—	.03	—	.23	—	—	Trace	—	7
8	.02	—	.11	.10	—	—	.02	.24	—	Trace	.04	Trace	8
9	—	—	.01	.24	—	—	.01	.01	.20	—	—	.01	9
10	—	—	.03	.01	—	—	—	—	.34	—	—	—	10
11	—	—	—	.01	—	—	.05	—	—	Trace	—	—	11
12	—	—	.02	—	—	—	.14	.03	—	.01	Trace	—	12
13	.05	—	—	.01	—	—	.20	.14	.09	Trace	Trace	—	13
14	.17	—	—	.02	.03	—	.33	Trace	1.35	—	.04	—	14
15	—	—	—	—	—	—	Trace	.34	Trace	—	Trace	.54	15
16	—	—	—	—	.18	—	—	.12	.31	—	Trace	—	16
17	.42	—	—	—	—	.19	—	.37	.03	—	—	Trace	17
18	.03	—	Trace	—	—	.26	—	.25	.02	—	.02	do	18
19	—	.16	—	—	—	—	—	.06	—	.02	.10	do	19
20	.05	.12	—	—	.02	—	.08	.27	—	—	.63	.11	20
21	.07	.10	—	—	.03	—	Trace	.18	.01	.15	.04	Trace	21
22	.11	.01	.09	—	.02	.10	.15	—	.15	.22	Trace	.30	22
23	—	.22	.12	—	.05	.16	—	—	.37	Trace	.09	.14	23
24	—	.10	.09	.05	—	.24	—	.05	—	Trace	Trace	.31	24
25	—	.39	(.37)	Trace	—	.09	—	Trace	.07	Trace	—	.03	25
26	.07	.42	.09	.05	.19	.02	Trace	—	.04	—	.01	.25	26
27	.09	.24	—	—	.16	.02	.24	—	—	.21	Trace	.04	27
28	.13	.21	Trace	.01	—	.11	—	—	—	—	.19	—	28
29	.02	—	.09	—	—	.20	—	Trace	.34	—	.57	—	29
30	.18	X	.02	—	—	.54	Trace	—	Trace	.10	Trace	—	30
31	—	X	.32	X	.04	X	.03	—	X	.05	X	.15	31
TOTAL	1.58	3.29	1.74	1.48	.78	2.04	2.32	2.71	3.43	.80	2.01	3.28	YEARS TOTAL
Days with ".01 in. or more.	17	14	14	13	10	16	14	16	14	10	13	11	25.09
Days with ".04 in. or more.	12	13	10	6	5	10	9	13	11	5	10	10	114

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1927.

Kept at West Kent Main Sewerage Board
Disposal Works, Long Reach, Dartford
in the County of Kent

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" Ground " Sea Level 14 0 ft.

*Too low. Letter to
observer re exposure for
since 54 ft. 751373/27
Station is to be inspected
observer sent return value for 25/3/27*

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	(in.)	in.	in.	in.	(in.)	in.	in.	in.	in.	in.	
1	—	.83	Trace	.01	—	.01	.09	.29	—	.02	.20	—	1
2	—	.16	Trace	.05	—	Trace	Trace	—	—	.01	.06	Trace	2
3	.04	—	—	—	—	.01	Trace	—	—	—	—	do	3
4	.03	—	—	Trace	.08	.02	.02	—	—	—	—	do	4
5	.01	.07	.21	.50	.03	Trace	.01	.11	—	—	.02	do	5
6	—	—	.12	.14	—	.04	.95	.02	.11	.01	—	—	6
7	.09	.26	.05	.33	—	.03	—	.23	—	—	Trace	—	7
8	.02	—	.11	.10	—	—	.02	.24	—	Trace	.04	Trace	8
9	—	—	.01	.24	—	—	.01	.01	.20	—	—	.01	9
10	—	—	.03	.01	—	—	—	—	.34	—	—	—	10
11	—	—	—	.01	—	—	.05	—	—	Trace	—	—	11
12	—	—	.02	—	—	—	.14	.03	—	.01	Trace	—	12
13	.05	—	—	.01	—	—	.20	.14	.09	Trace	Trace	—	13
14	.17	—	—	.02	.03	—	.33	Trace	1.35	—	.04	—	14
15	—	—	—	—	—	—	Trace	.34	Trace	—	Trace	.54	15
16	—	—	—	—	.18	—	—	.12	.31	—	Trace	—	16
17	.42	—	—	—	—	.19	—	.37	.03	—	—	Slight fall of snow	17
18	.03	—	Trace	—	—	.26	—	.25	.02	—	.02	do	18
19	—	.16	—	—	—	—	—	.06	—	.02	.10	do	19
20	.05	.12	—	—	.02	—	.08	.27	—	—	.63	.11	20
21	.07	.10	—	—	.03	—	Trace	.18	.01	.15	.04	See 14.0	21
22	.11	.01	.09	—	.02	.10	.15	—	.15	.22	Trace	.30	22
23	—	.22	.12	—	.05	.16	—	—	.37	Trace	.09	.14	23
24	—	.10	.09	.05	—	.24	—	.05	—	Trace	Trace	.31	24
25	—	.39	(.39)	Trace	—	.09	—	Trace	.07	Trace	—	1.03	25
26	.07	.42	.09	—	.19	.02	Trace	—	.04	—	.01	.25	26
27	.09	.24	—	—	.16	.02	.24	—	—	.21	Trace	.04	27
28	.13	.21	Trace	.01	—	.11	—	—	—	—	.19	—	28
29	.02	—	.09	—	—	.20	—	Trace	.34	—	.57	—	29
30	.18	X	.02	—	—	.54	Trace	—	Trace	.10	Trace	—	30
31	—	X	.32	X	.04	X	.03	—	X	.05	X	.15	31
TOTAL	1.58	3.29	1.74	1.48	.78	2.04	2.32	2.71	3.43	.80	2.01	3.28	YEAR'S TOTAL
Days with ".01 in. or more.	17	14	14	13	10	16	14	16	14	10	13	11	162
Days with ".04 in. or more.	12	13	10	6	5	10	9	13	11	5	10	10	114

A.R. Scott-Murray (Signed) Res. Eng. W.K. M.S.B.

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1928.

Kept at West Kent Main Sewerage Board Disposal Works Long Reach Dartford
in the County of Kent

*Letter to observer re standard gauge
on new sets selected by ~~obs~~
1927 C low up
enc 13A file 751373/27
Observer says not yet set up*

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
„ Ground „ Sea Level 14 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.06	—	.11	.12	—	—	—	.14	—	—	.04	.01	1
2	.38	.32	.01	Trace	—	—	—	—	—	—	.02	.01	2
3	Trace	—	Trace	.07	.14	—	.36	.98	—	—	.02	.05	3
4	.03	.01	Trace	Trace	—	—	—	.32	—	—	—	—	4
5	.18	.12	.10	.02	—	.03	.02	—	—	Trace	—	—	5
6	—	Trace	Trace	—	—	.41	—	—	—	—	Trace	.06	6
7	—	Trace	—	.03	—	.29	—	.11	—	Trace	—	—	7
8	—	Trace	.09	—	—	.20	Trace	—	Trace	.13	—	Trace	8
9	.07	Trace	.05	Trace	—	.01	—	—	.40	.06	—	—	9
10	.10	.11	.01	.12	.01	.05	—	Trace	—	.06	—	—	10
11	.04	.05	.01	.12	—	Trace	—	.05	—	.02	.25	.18	11
12	.10	.15	.02	.13	—	—	—	Trace	—	.03	—	.12	12
13	—	.09	—	Trace	.05	.73	—	.03	—	—	.05	Trace	13
14	.02	.05	—	—	.16	.26	—	Trace	—	.46	.73	—	14
15	.07	—	—	.35	.23	—	—	—	—	Trace	.25	.02	15
16	.03	.03	—	.15	.05	—	—	—	—	.03	.15	.12	16
17	—	—	—	Trace	.45	—	—	—	—	.11	—	—	17
18	.46	—	Trace	.03	.34	.07	—	—	—	.15	.01	Trace	18
19	Trace	—	—	.03	.38	.04	—	.05	—	.30	Trace	.07	19
20	.07	—	—	—	—	—	—	.04	—	.44	.07	.13	20
21	.07	Trace	.03	.07	.03	Trace	—	—	—	.14	.21	—	21
22	—	Trace	.06	—	.10	—	—	.17	—	.48	.19	.09	22
23	.15	—	.07	—	.24	—	—	—	—	.03	.05	Trace	23
24	.04	—	.37	—	—	—	—	Trace	.09	—	.21	.19	24
25	.05	Trace	—	—	—	.07	—	—	.02	Trace	.10	.05	25
26	.11	—	—	—	—	.05	.17	.29	—	.43	—	.16	26
27	.02	—	.07	—	—	—	.88	.06	—	.07	—	.67	27
28	.14	—	—	—	—	—	—	—	.10	—	—	.19	28
29	.05	.02	.26	.04	—	—	—	.07	.02	.03	.02	.60	29
30	Trace	X	.45	.09	—	.09	.31	—	—	Trace	Trace	.19	30
31	.12	X	.24	X	—	X	.31	.12	X	Trace	X	.10	31
TOTAL	2.24	.95	1.83	1.37	2.18	2.24	2.05	2.37	.63	2.91	1.71	2.95	23.43
Days with ".01 in. or more.	22	10	16	14	12	13	6	13	5	14	16	19	163
Days with ".04 in. or more.	16	7	9	10	10	10	5	11	3	11	11	15	118

FORM 1090.

REGISTER OF RAINFALL IN 1929 .

Kept at West Kent Main Sewerage Board Pumping Works
in the County of Long Reach Dartford
Kent.

Diameter of Funnel of Gauge.....5 in.
Height of top of Gauge above Ground.....1 ft. — in.
,, Ground ,, Sea Level 14.0.0.D. ft.

downp 1927/28.
shd be OK 1929.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	.01	.04	—	.06	—	.02	—	.30	—	.35	—	—	I
2	—	.13	—	—	—	—	.03	—	—	.03	.02	.10	2
3	—	—	—	—	—	—	.104	—	.13	Trace	—	.16	3
4	—	—	—	.20	.03	.29	.43	—	—	—	—	.45	4
5	Trace	—	Trace	.02	.38	.08	.01	.18	—	.16	Trace	.23	5
6	—	—	—	—	.19	—	—	.09	—	.09	.04	.38	6
7	—	—	—	—	Trace	.01	—	.30	—	.13	.34	.23	7
8	—	—	—	—	Trace	.05	—	—	—	.25	—	.20	8
9	.02	.04	—	—	—	—	—	—	—	—	.04	.09	9
10	.21	—	—	.04	—	—	—	—	—	.09	.01	.15	10
II	—	—	—	.14	.01	.01	—	—	—	—	.56	.18	II
12	Trace	Snow	Trace	.15	.18	.36	—	—	—	—	—	.04	12
13	.02	Snow	Trace	.04	.03	.01	—	—	—	—	—	—	13
14	Trace	—	—	—	.06	.03	—	—	—	—	—	.18	14
15	.11	Snow	Trace	—	—	.06	—	—	—	—	.46	.01	15
16	—	—	Trace	—	—	—	—	.89	—	—	.58	—	16
17	Trace	—	—	—	—	—	—	.24	—	Trace	—	—	17
18	.01	—	—	—	—	—	—	.03	—	—	.14	—	18
19	.01	—	Trace	—	—	—	—	—	Trace	—	Trace	—	19
20	—	—	—	—	—	—	.06	.01	Trace	.16	—	—	20
21	.08	—	.01	—	—	Trace	—	—	—	—	—	.30	21
22	.01	—	—	—	—	—	—	.02	—	—	.10	.03	22
23	Trace	.03	—	—	—	—	—	—	—	.05	.31	.13	23
24	—	Trace	—	—	.02	—	—	.01	—	.82	.23	.38	24
25	—	Trace	Trace	—	—	—	—	—	—	.01	.06	—	25
26	Trace	Snow	—	.03	—	—	—	—	—	—	.13	.05	26
27	—	—	—	.01	—	—	—	.10	—	.03	.55	.03	27
28	.06	—	—	.04	—	—	.11	—	—	.04	.24	.12	28
29	.05	X	—	.49	—	—	—	—	.02	—	.12	.01	29
30	.05	X	—	—	—	—	Trace	—	.05	—	.15	.08	30
31	.21	X	—	X	—	X	.20	—	X	—	X	—	31
TOTAL	.85	.28	.01	1.25	.90	.98	1.88	2.20	.19	2.21	4.14	3.63	YEAR'S TOTAL 18.55
Days with ".01 in. or more.	13	5	1	11	8	10	7	11	3	13	18	22	122
Days with ".04 in. or more.	7	3	—	8	4	6	5	7	2	10	16	18	8486

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at West Kent Main Sewerage Board
Disposal Works, Dartford, Kent.
 in the County of Dartford, Kent.

Diameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 1 ft. — in.,, Ground ,, Sea Level 14.0 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	.04	.29	—	.13	—	Trace	Trace	.01	—	—	.21	—	I
2	—	.15	—	.01	.02	—	Trace	.11	—	—	.43	—	2
3	—	.08	—	.44	.01	—	—	.36	—	.01	.05	—	3
4	.20	.03	—	.16	—	—	—	.04	.05	.04	—	—	4
5	—	—	—	Trace	.35	—	—	.35	—	Trace	—	—	5
6	—	—	.05	Trace	.93	—	—	.14	.05	—	—	Trace	6
7	.04	.04	—	—	.01	—	—	.10	.10	.10	.33	.11	7
8	.02	—	—	Trace	—	—	—	—	.08	.01	Trace	.05	8
9	.12	Trace	.04	—	.34	—	—	—	.01	—	Trace	.02	9
10	.20	.05	.20	—	.05	—	—	.10	—	—	—	.08	10
II	.25	—	Trace	.05	.10	—	—	—	.03	—	—	.36	II
12	.12	—	—	.03	.14	—	—	.12	Trace	—	—	.14	12
13	.01	—	.13	.11	.08	—	.04	.22	.26	—	—	Trace	13
14	.05	.12	.08	.02	—	—	.26	—	Trace	—	—	.03	14
15	—	.06	.45	.06	—	—	.04	—	—	.02	.21	—	15
16	—	Trace	—	—	—	.02	.13	—	.04	—	—	—	16
17	—	—	.12	.15	—	.15	—	—	.20	Trace	—	—	17
18	—	—	—	.03	.11	—	.02	—	.06	.15	.10	.01	18
19	—	—	—	.09	—	—	—	.21	.31	—	.33	—	19
20	—	—	—	.02	.01	—	.29	.13	.24	.04	.24	—	20
21	.01	—	.01	—	—	—	.05	.23	.68	.04	.39	—	21
22	Trace	—	—	Trace	.32	—	.05	.03	Trace	.01	.10	—	22
23	.04	—	—	.01	.02	.36	.03	—	.01	.21	.02	.02	23
24	.21	.01	—	.02	.44	Trace	.15	—	—	.02	.18	.09	24
25	Trace	—	—	—	.25	—	—	—	.08	.04	.16	Trace	25
26	.10	—	—	—	.01	—	—	—	.25	—	.06	.23	26
27	—	—	Trace	—	.01	—	—	—	.18	—	.38	.05	27
28	.01	—	—	—	—	—	—	—	.22	Trace	.36	.04	28
29	.11	—	.32	—	—	—	.24	.45	.02	Trace	.20	.09	29
30	Trace	X	—	—	.56	—	.10	—	—	.03	.02	.10	30
31	.16	X	—	X	.39	X	—	—	X	.13	X	.08	31
TOTAL													YEAR'S TOTAL
1.75													22.71
* Days with or in. or more.													164
* Days with .04 in. or more.													124

40-9999

*See Instruction 2 (f) on other side.

(Signed)

Al. C. ...

[P.T.O.]